

# Final Report

---

<b>Report No.:</b>	21-18211-1		
<b>Initial Date of Issue:</b>	11-Jun-2021		
<b>Client</b>	ALS		
<b>Client Address:</b>	ALS Environmental Ltd Torrington Avenue Coventry CV4 9GU		
<b>Contact(s):</b>	Laura Poceviciute		
<b>Project</b>	2140497 Coventry		
<b>Quotation No.:</b>	Q19-17516	<b>Date Received:</b>	28-May-2021
<b>Order No.:</b>		<b>Date Instructed:</b>	28-May-2021
<b>No. of Samples:</b>	2		
<b>Turnaround (Wkdays):</b>	10	<b>Results Due:</b>	11-Jun-2021
<b>Date Approved:</b>	11-Jun-2021		

**Approved By:**



**Details:** Glynn Harvey, Technical Manager

---

## Results - Water

**Project: 2140497 Coventry**

<b>Client: ALS</b>	<b>Chemtest Job No.:</b>		21-18211	21-18211		
Quotation No.: Q19-17516	<b>Chemtest Sample ID.:</b>		1210886	1210887		
	Client Sample ID.:		20474500	20474501		
	Sample Type:		WATER	WATER		
	Date Sampled:		24-May-2021	24-May-2021		
<b>Determinand</b>	<b>Accred.</b>	<b>SOP</b>	<b>Units</b>	<b>LOD</b>		
Asbestos Fibres In Water	N	1185	in 100ml	N/A	Not Detected	Not Detected

## **Report Information**

### **Key**

---

U	UKAS accredited
M	MCERTS and UKAS accredited
N	Unaccredited
S	This analysis has been subcontracted to a UKAS accredited laboratory that is accredited for this analysis
SN	This analysis has been subcontracted to a UKAS accredited laboratory that is not accredited for this analysis
T	This analysis has been subcontracted to an unaccredited laboratory
I/S	Insufficient Sample
U/S	Unsuitable Sample
N/E	not evaluated
<	"less than"
>	"greater than"
SOP	Standard operating procedure
LOD	Limit of detection

Comments or interpretations are beyond the scope of UKAS accreditation

The results relate only to the items tested

Uncertainty of measurement for the determinands tested are available upon request

None of the results in this report have been recovery corrected

All results are expressed on a dry weight basis

The following tests were analysed on samples as received and the results subsequently corrected to a dry weight basis TPH, BTEX, VOCs, SVOCs, PCBs, Phenols

For all other tests the samples were dried at < 37°C prior to analysis

All Asbestos testing is performed at the indicated laboratory

Issue numbers are sequential starting with 1 all subsequent reports are incremented by 1

### **Sample Deviation Codes**

---

A - Date of sampling not supplied

B - Sample age exceeds stability time (sampling to extraction)

C - Sample not received in appropriate containers

D - Broken Container

E - Insufficient Sample (Applies to LOI in Trommel Fines Only)

### **Sample Retention and Disposal**

---

All soil samples will be retained for a period of 45 days from the date of receipt

All water samples will be retained for 14 days from the date of receipt

Charges may apply to extended sample storage

If you require extended retention of samples, please email your requirements to:

[customerservices@chemtest.com](mailto:customerservices@chemtest.com)