

Permit with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Tata Steel UK Limited

**Morfa Non-Hazardous Landfill
Port Talbot Installation
Port Talbot Works
Port Talbot
West Glamorgan
SA13 2NG**

Permit number

EPR/BV7311IE

Morfa Non-Hazardous Landfill

Permit number EPR/BV7311IE

Introductory note

This introductory note does not form a part of the permit

The main features of the permit are as follows.

The installation in its entirety consists of the whole steel works including the Morfa non-hazardous and Morfa hazardous landfills. This permit is for the Morfa Non-Hazardous Landfill which is an existing in-house waste management facility which accepts waste produced exclusively by Tata Steel UK Ltd. The non-hazardous wastes mainly comprise of steel slag, with flue dusts, water treatment solids, office waste, canteen wastes and demolition rubble arising from steel production at Port Talbot Steel Works, South Wales. The permitted maximum annual input is 500,000 tonnes. 12 of the Cells will receive non-biodegradable waste and 1 Cell will be designated for biodegradable wastes.

Only Cells 1, 2 and the Biodegradable cell are currently operational.

The western boundary comprises a series of coastal barrier dunes on the seaward edge, whilst the southern edge of the site is within 130 metres of the Kenfig National Nature Reserve, both of which are part of an EC protected nature reserve. The eastern boundary is defined by the low-lying Margam Moors which is a registered SSSI.

The permit was varied (KP3033MC) in December 2006 to accommodate an in-house waste treatment plant to sort and divert wastes from the landfill, and to include additional wastes to be accepted under the permit.

The status log of the permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application BV7311IE received	09/10/03	
Request to extend determination	Received 07/05/04	07/06/04
Permit determined	17/12/04	
Variation Application KP3033MC received	14/08/06	Variation to include an in-house waste treatment plant and additional waste types
Permit varied (KP3033MC)	05/12/06	
Variation Application GP3430MH	19/09/06	
Variation Application GP3430MH issued	29/03/10	
NRW Initiated Variation	30/11/16	Variation issued to update financial provision agreement

NRW Initiated Variation	09/08/17	Natural Resources Wales Led variation to correct errors in permit.
NRW Initiated Variation Issued	22/09/17	Varied permit issued
Application EPR/BV7311IE/V006	09/11/18	Variation to increase biocell size
Permit variation determined EPR/BV7311IE/V006	20/12/19	Varied permit issued
Variation Application EPR/BV7311IE/V007 Duly Made	07/07/21	Application to update permit monitoring requirements
Permit variation determined EPR/BV7311IE/V007	07/10/21	Varied permit issued

Other Part A installation permits relating to this installation

Operator	Permit number	Date of issue
Tata Steel UK Ltd (main steelworks)	BL7108IM	31/03/2004
Harsco Metals Group Limited	BP3635MR	06/06/2003
Cambrian Stone	BL5636IF	24/12/2002
Tata Steel UK Ltd (Morfa Hazardous Landfill)	BW2692IM	17/12/2004

End of introductory note

Permit

The Environmental Permitting (England and Wales) Regulations 2016

Permit number

EPR/BV7311IE

This is the consolidated permit referred to in the variation and consolidation notice for application **EPR/BV7311IE/V007** authorising,

Tata Steel UK Limited (“the operator”),

whose registered office is

18 Grosvenor Place

London

SW1X 7HS

company registration number **02280000**

to operate an installation at

Morfa Non-Hazardous Landfill

Port Talbot Works

Port Talbot

West Glamorgan

SA13 2NG

to the extent authorised by and subject to the conditions of this permit.

Signed

Date

Holly Noble	07/10/2021
--------------------	-------------------

Authorised on behalf of Natural Resources Wales

Conditions

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

1.2 Finance

- 1.2.1 The financial provision for meeting the obligations under this permit set out in the operator's letter dated/agreement made between the operator and Natural Resources Wales dated 30th November 2016, or other financial provision as subsequently agreed in writing with Natural Resources Wales, shall be maintained by the operator throughout the subsistence of this permit and the operator shall produce evidence of such provision whenever required by Natural Resources Wales.
- 1.2.2 The financial provision provided under condition 1.2.1 above shall thereafter be maintained by the operator throughout the subsistence of the permit and the Operator shall produce evidence of such provision whenever required by Natural Resources Wales.
- 1.2.3 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
 - (b) the costs of the financial provision required by condition 1.2.1; and
 - (c) the estimated costs for the closure and aftercare of the landfill.

1.3 Energy efficiency

- 1.3.1 The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
 - (b) Review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
 - (c) Implement any appropriate measures identified by a review.

1.4 Efficient use of raw materials

1.4.1 The operator shall:

- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
- (b) maintain records of raw materials and water used in the activities;
- (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
- (d) take any further appropriate measures identified by a review.

1.5 Avoidance, recovery and disposal of wastes produced by the activities

1.5.1 The operator shall:

- (a) take appropriate measures to ensure that waste produced by the activities is avoided or reduced, or where waste is produced it is recovered wherever practicable or otherwise disposed of in a manner which minimises its impact on the environment;
- (b) review and record at least every four years whether changes to those measures should be made; and
- (c) take any further appropriate measures identified by a review.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the “activities”).

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in Red on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 (a) The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by Natural Resources Wales.
- (b) If notified by Natural Resources Wales that the activities are giving rise to pollution, the operator shall submit to Natural Resources Wales for approval within the period specified, a revision of any plan or other documentation (“plan”) specified in schedule 1, table S1.2 or otherwise required under this permit which identifies and minimises the risks of pollution relevant to that plan, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by Natural Resources Wales.

- 2.3.2 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
 - (b) the composition of the waste;
 - (c) the handling requirements of the waste;
 - (d) the hazardous property associated with the waste, if applicable; and
 - (e) the waste code of the waste.

2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by Natural Resources Wales.
- 2.4.2 Except in the case of an improvement which consists only of a submission to Natural Resources Wales, the operator shall notify Natural Resources Wales within 14 days of completion of each improvement.

2.5 Pre-operational conditions

- 2.5.1 The operations specified in schedule 1 table S1.4B shall not commence until the measures specified in that table have been completed.

2.6 Landfill Engineering

- 2.6.1 No construction of any new cell of the landfill shall commence until the operator has submitted construction proposals and Natural Resources Wales has confirmed that it is satisfied with the construction proposals.
- 2.6.2 Where the operator proposes to construct any new cell other than the first cell, but proposes no change from the design of the most recently approved cell which could have any impact on the performance of any element of the design, no construction of the new cell shall commence until the operator has submitted a cell layout drawing and Natural Resources Wales has confirmed that it is satisfied with the cell layout drawing.
- 2.6.3 The construction of a new cell shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by Natural Resources Wales.
- 2.6.4 No disposal of waste shall take place in a new cell until the operator has submitted a CQA Validation Report and Natural Resources Wales has confirmed that it is satisfied with the CQA Validation Report.
- 2.6.5 No construction of landfill infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and Natural Resources Wales has confirmed that it is satisfied with the construction proposals.

- 2.6.6 The construction of the landfill infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
 - (b) a change has otherwise been agreed in writing by Natural Resources Wales.
- 2.6.7 The operator shall submit a CQA Validation Report as soon as practicable following the construction of the relevant landfill infrastructure.
- 2.6.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.6.5 and 2.6.6 do not apply and the relevant landfill infrastructure may be constructed, provided that the construction proposals are submitted to Natural Resources Wales as soon as practicable.
- 2.6.9 For the purposes of conditions 2.6.1, 2.6.2, 2.6.4 and 2.6.5, Natural Resources Wales shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.
- 2.6.10 Where Natural Resources Wales has required further information under condition 2.6.9(b), Natural Resources Wales shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
- (a) confirmed whether or not it is satisfied; or
 - (b) informed the operator that it requires further information.

2.7 Waste acceptance

- 2.7.1 Wastes shall only be accepted for disposal if:
- (a) they are listed in schedule 2, and
 - (b) they are non-hazardous waste, and
 - (c) they are not whole used tyres (other than bicycle tyres and tyres with an outside diameter of more than 1400mm), and
 - (d) they are not shredded used tyres, and
 - (e) they are not liquid waste (including waste waters but excluding sludge), and
 - (f) they are not chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown, and
 - (g) all the relevant waste acceptance procedures have been completed, and
 - (h) they fulfil the relevant waste acceptance criteria, and
 - (i) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria, and

- (j) they are wastes which have been treated, except for: inert wastes for which treatment is not technically feasible; or it is waste other than inert waste and treatment would not reduce its quantity or the hazards which it poses to human health or the environment, and
 - (k) where they are wastes with a code beginning with 07 05 and 16 03, they shall exclude waste medicinal products and pharmaceutically active waste materials arising from their manufacture.
- 2.7.2 Wastes shall only be accepted for recovery if:
 - (a) they are accepted in accordance with a waste recovery plan which has been approved in writing by Natural Resources Wales, as detailed in Table S1.4.
- 2.7.3 The operator shall visually inspect:
 - (a) without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the landfill; and
 - (b) waste at the point of deposit;

and shall satisfy itself that it conforms to the basic characterisation documentation submitted by the holder.
- 2.7.4 Where the operator has taken samples to establish that the waste is in conformity with the documentation submitted by the holder then the samples taken shall be retained for at least one month and results of any analysis for at least two years.
- 2.7.5 The operator on accepting each delivery of waste shall provide a receipt to the person delivering it.
- 2.7.6 The total quantity of waste that shall be deposited in the landfill shall be limited by the pre-settlement levels shown on drawing 1842/13 dated 08/2018.
- 2.7.7 The quantity of waste that is deposited in the landfill in any year shall not exceed the limits in schedule 1 table S1.5.
- 2.7.8 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery and, where practicable, origin of any waste that is received for disposal or recovery and of the identity of the producer, or in the case of municipal waste and multiple collection vehicles, of the collector of such waste. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.

2.8 Leachate levels

- 2.8.1 The limits for the level of leachate listed in schedule 3 table S3.1 shall not be exceeded.

2.9 Closure and aftercare

- 2.9.1 The operator shall maintain a closure and aftercare management plan.

2.10 Landfill gas management

- 2.10.1 The operator shall take appropriate measures, including, but not limited to, those specified in any approved landfill gas management plan, to:

- (a) collect landfill gas; and
 - (b) control the migration of landfill gas.
- 2.10.2 The operator shall use the collected landfill gas to produce energy. If the collected landfill gas cannot be used to produce energy, the operator shall flare the gas.
- 2.10.3 The operator shall:
 - (b) if notified by Natural Resources Wales, submit to Natural Resources Wales for approval within the period specified, a revised landfill gas management plan;
 - (b) implement the revised landfill gas management plan, from the date of approval, unless otherwise agreed in writing by Natural Resources Wales.

3 Emissions and monitoring

3.1 Emissions to water, air or land

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 table S3.2.
- 3.1.2 The limits given in Table S3.2 shall not be exceeded.
- 3.1.3 Where a substance is specified in schedule 3 table S3.2 but no limit is set for it, the concentration of such substance in emissions to water from the relevant emission point shall be no greater than the background concentration.
- 3.1.4 There shall be no emission from the activities into groundwater of any hazardous substances contrary to the EP Regulations.
- 3.1.5 There shall be no emission from the activities into groundwater of any non-hazardous pollutants so as to cause pollution.
- 3.1.6 The trigger levels for emissions into groundwater for the parameter(s) and monitoring point(s) set out in schedule 3 table S3.3 shall not be exceeded.
- 3.1.7 The operator shall submit to Natural Resources Wales a review of the Hydrogeological Risk Assessment:
 - (a) between nine and six months prior to the sixth anniversary of the granting of the permit, and
 - (b) between nine and six months prior to every subsequent six years after the sixth anniversary of the granting of the permit.
- 3.1.8 The limits for landfill gas arising from the installation set out in schedule 3, tables S3.4 and S3.5 shall not be exceeded.

3.2 Emissions of substances not controlled by emission limits

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:

- (a) if notified by Natural Resources Wales that the activities are giving rise to pollution, submit to Natural Resources Wales for approval within the period specified, an emissions management plan which identifies and minimises the risks of pollution from emissions of substances not controlled by emission limits;
 - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by Natural Resources Wales.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

3.3 Odour

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of Natural Resources Wales, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
 - (a) if notified by Natural Resources Wales that the activities are giving rise to pollution outside the site due to odour, submit to Natural Resources Wales for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
 - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by Natural Resources Wales.

3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of Natural Resources Wales, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
 - (a) if notified by Natural Resources Wales that the activities are giving rise to pollution outside the site due to noise and vibration, submit to Natural Resources Wales for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from noise and vibration;
 - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by Natural Resources Wales.

3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by Natural Resources Wales, undertake the monitoring and any other actions specified in the following tables in schedule 3 to this permit:
 - (a) Leachate specified in tables S3.1 and S3.6;

- (b) Point source emissions specified in tables S3.2;
 - (c) Groundwater specified in tables S3.3 and S3.8;
 - (d) Landfill gas specified in tables S3.4 and S3.5; and
 - (e) Surface water specified in table S3.7.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 A topographical survey of the site referenced to ordnance datum shall be carried out:
- (a) annually, and
 - (b) prior to the disposal of waste in any new cell or new development area of the landfill, and
 - (a) following closure of the landfill or part of the landfill.
- The topographical survey shall be used to produce a plan of a scale adequate to show the surveyed features of the site.

3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.
- 3.6.2 The operator shall:
- (a) if notified by Natural Resources Wales, submit to Natural Resources Wales for approval within the period specified, a pests management plan which identifies and minimises risks of pollution, hazard or annoyance from pests;
 - (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by Natural resources Wales

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
- (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained, unless otherwise agreed in writing by Natural Resources Wales, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:

- (i) the results of groundwater monitoring;
- (ii) the results of surface water monitoring;
- (iii) sub-surface landfill gas monitoring;
- (iv) leachate levels, quality and quantities;
- (v) landfill gas generation and collection;
- (vi) waste types and quantities;
- (vii) topographical surveys; and
- (viii) the specification and as built drawings of the basal, sidewall and capping engineering systems.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by Natural Resources Wales.

4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to Natural Resources Wales using the contact details supplied in writing by Natural Resources Wales.

4.2.2 A report or reports on the performance of the activities over the previous year shall be submitted to Natural Resources Wales by 31 January (or other date agreed in writing by Natural Resources Wales) each year. The report(s) shall include as a minimum:

- (a) a review of the results of the monitoring and assessment carried out in accordance with this permit against the relevant assumptions, parameters and results in the risk assessments submitted in relation to this installation and any agreed amendments thereto;
- (b) where the operator's management system encompasses annual improvement targets, a summary report of the previous year's progress against such targets;
- (c) the energy consumed at the site, reported in the format set out in schedule 4 table S4.3;
- (d) the annual production/treatment set out in schedule 4 table S4.2;
- (e) details of any contamination or decontamination of the site which has occurred;
- (f) the topographical surveys required by condition 3.5.3 other than those submitted as part of a CQA validation report;
- (g) the volumetric difference (reported in cubic metres) between the most recent topographical survey and the previous annual topographical survey i.e. the additional volume of the landfill void that is occupied by waste;
- (h) an assessment of the settlement behavior of the landfill body based on the difference between the most recent topographical survey and previous annual topographical survey for the areas of the landfill which did not receive waste between the surveys;
- (i) a calculation of the remaining capacity (reported in cubic metres) derived from the pre-settlement contours and the most recent topographical survey.

4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by Natural Resources Wales, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

- (a) in respect of the parameters and emission points specified in schedule 4 table S4.1;
 - (b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.4; and
 - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 Within one month of the end of each quarter, the operator shall submit to Natural Resources Wales using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.5 The operator shall, unless notice under this condition has been served within the preceding four years, submit to Natural Resources Wales, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.3 Notifications

- 4.3.1 (a) In the event that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately—
- (i) inform Natural Resources Wales,
 - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
 - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) in the event of a breach of any permit condition the operator must immediately—
- (i) inform Natural Resources Wales, and
 - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 [(a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit,] shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 Where Natural Resources Wales has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform Natural Resources Wales when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to Natural Resources Wales at least 14 days before the date the monitoring is to be undertaken.
- 4.3.4 Natural Resources Wales shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:
- Where the operator is a registered company:
- (a) any change in the operator's trading name, registered name or registered office address; and
 - (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:

- (a) Natural Resources Wales shall be notified at least 14 days before making the change; and
- (b) the notification shall contain a description of the proposed change in operation.

4.3.6 Natural Resources Wales shall be given at least 14 days notice before implementation of any part of the site closure plan.

4.4 Interpretation

4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.

4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "immediately, in which case it may be provided by telephone.

Schedule 1 - Operations

Table S1.1 activities

Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity
Section 5.2 Part A(1) (a) , The disposal of waste in a landfill.	Landfill for non-hazardous waste	Receipt, handling, storage and disposal of wastes, consisting of the types and quantities specified in condition 2.7, as an integral part of landfilling.
Deposit of waste for recovery	<p>R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p>R5: Recycling/reclamation of other inorganic compounds</p> <p>R10: Land treatment resulting in benefit to agriculture or ecological improvement</p>	<p>Receipt, handling, storage and recovery of non-hazardous wastes, consisting of the types and quantities specified in condition 2.7. This waste operation shall consist of the permanent deposit of waste on or in land for the purpose of recovery only. This activity is subject to the specifications set out in the pre-operational condition in table S1.4.</p> <p>In any event the total quantity of waste used shall not exceed the amount needed to complete the recovery operation to the final levels in the approved waste recovery plan.</p> <p>Topsoil, sand and peat shall only be used for the R10 activity in the final 0.5m thick layer to achieve the restoration profile required.</p>
Directly Associated Activity		
Leachate management e.g. biological treatment of leachate.	Storage of leachate	Leachate arising from the Permitted landfill
Water discharges to controlled waters	Discharge of site drainage	From surface water management system to points of entry to controlled waters

Table S1.1 activities

Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity
Waste Treatment	Physio-chemical treatment of waste (D9) Storage Pending Disposal or Recovery (D15, R13, R2 & R4)	<p>a). Treatment consisting only of manual sorting, separation and screening of non-hazardous or inert wastes into different components for disposal (no more than 50 Tonnes per day) or recovery;</p> <p>b). only waste arisings from the Tata Port Talbot Installation, shall be accepted for treatment;</p> <p>c). The keeping and treatment of wastes shall be undertaken upon an impermeable pavement with a sealed drainage system and within a covered building;</p> <p>d). Only the following waste types will be accepted for keeping or treatment: 150103; 150203; 161106; 170203; 170904; 200101; 200102; 200138; 200139; 200201, 200301</p> <p>The bailing of waste for disposal is not permitted.</p>

Table S1.2 Operating techniques

Description	Parts	Date Received
Application	The response to questions 1.2, 2.1, 2.2, 2.3, 2.4 and 2.5 in part B of the Application Form	9 October 2003
Response to request for information by email	Request to include additional waste type EWC 11 01 10 and Shotton Filtercake Basic Characterisation. (Amendment to Table 39 of application) (PAS Ref: 118198 and 118200)	3 December 2004
Response to request for information by letter	Drawing Number 244 Drawing 08 dated May 2003 'Basal Liner Details' Replaced with Revised Drawing Number 244 Drawing 08 dated January 20 th 2004 and Drawing Number 244 Drawing 02 dated May 2003 'Planning and PPC Permit Boundary' replaced with revised Drawing number 244 Drawing 02 Revision 1 dated December 2003	14 January 2004
Regulation 16 change	Letter from Corus, dated 1 st April 2005 (ref: PPC/Landfill/Morfa_N haz_ 1.4.05) for addition of Cold Mill Filtercake (11 01 10) to permitted waste types. Acknowledged by the Agency 11 April 2005.	3 April 2005
Response to Improvement condition 2 of original permit	Submission from L.A. Boorman, Dated July 2005, Sea Buckthorn Control Plan ("Control Plan for Sea Buckthorn at the Morfa Closed Landfill Port Talbot") accepted following CCW consultation	9 August 2005
Response to Improvement	Letter From Corus (Reference PPC011) regarding Leachate Management. Approved by the Agency on 9	28 October 2005

Table S1.2 Operating techniques

Description	Parts	Date Received
condition 1a and 1b of original permit BV7311IE	November 2005	
Response to Improvement condition 7 of original permit BV7311IE	Geotechnology Plan (Reference:- 399 Drawing B, Date 07.06) Establishment of a Buffer Strip. Accepted 1 August 2006 following CCW consultation	21 July 2006
Variation Application KP3033MC	The response to questions 1.1, 1.2, 1.3, 1.4, 2.1, 2.2, 2.7.1, 2.7.2, 2.7.3, 2.9, 3.1, 4.1 in Part C of the application.	14 August 2006
Further Information	Letter from Corus, dated 11 th July 2006 (ref: PPC/Landfill/VariationJUL06)	14 July 2006
Further Information	Geotechnology Report (Report Number 447.1/0/0606).	14 July 2006
Further Information	Geotechnology report (Report Number 451.1/2/0806), dated August 2006	22 August 2006
Further Information	Letter from Corus, dated 25 th August 2006 (ref: PPC/Landfill/VariationAug25_06)	8 September 2006
Response to Improvement condition 3 of original permit BV7311IE	Geotechnology Report (Report Number 403.1/1/1006).	Dated November 2006
	Letter from Corus (including attachments), (ref:RAL.IPPC.77). Revised Figure 2 "Current & Proposed Monitoring Network" Revision 0, ref. 403.1/10/1006.	Dated 22 January 2007
	Geotechnology Report (Report Number 528.1/0/0307).	Dated March 2007
	Letter from Geotechnology, (referenced: 244Permit_It1/BRkp).	Dated 4 May 2007
Response to Improvement condition 4 of original permit BV7311IE	Geotechnology Report (Report Number 403.1/1/1006).	Dated November 2006
	Letter from Corus (including attachments), (ref:RAL.IPPC.77). Revised Figure 2 "Current & Proposed Monitoring Network" Revision 0, ref. 403.1/10/1006.	Dated 22 January 2007
	Geotechnology Report (Report Number 528.1/0/0307).	Dated March 2007
	Letter from Geotechnology, (referenced: 244Permit_It1/BRkp).	Dated 4 May 2007
Pre Operational condition Submission for the waste treatment plant	Geotechnology Report:- Working Plan for the Morfa Waste Treatment Centre Ref:- 512.1/0/0107. Dated January 2007	10 January 2007
Pre Operational condition Submission for the waste treatment plant	Drawing 3 Morfa Waste Treatment Centre- Drainage Details Revision 1, 512.1/0/0107;	14 March 2007
Pre Operational condition Submission for the waste treatment plant	Validation Report submitted with Geotechnology Letter (ref 512/It1/aj/kp and dated 14 th February 2007)	14 th March 2007
Pre Operational condition Submission Slag Sampling Protocol	Geotechnology Letter (ref:- 569/It3/ET/kp and dated 19 th July 2007)	Dated 19 July 2007
Regulation 16 change for the	Letter from Corus (ref:BV7311IE) enclosing amended Plan (Figure 4 - Sub-divisions of waste treatments plant" Plan)	20 th September 2007

Table S1.2 Operating techniques

Description	Parts	Date Received
waste treatment plant	namely:- Plan Reference: 496.1/0/0906 Revision 1 has been replaced by Plan Reference: 512.1/3/0607, Revision 3.	
Regulation 16 change	<ul style="list-style-type: none"> Letter from Corus (<i>ref: mnhl/bv7311ie/reg16</i>) Geotechnology Report (<i>report number 658.1/0/0208</i>) 	13 th march 2008
Revised Dust Monitoring Plan & New Limits	Letter from Corus (<i>ref:Landfill_003</i>).	Dated 28 th September 2007 (Received 28 th September 2007)
Minor Operational Changes to the Landfill Permit	Letter from Corus (<i>ref:PPC/Landfill/LW</i>) Inclusion of new waste code into List of Permitted waste	Letter dated 24 th June 2008
Minor Operational Changes to the Landfill Permit	Letter from Corus (<i>ref:Landfill_017</i>) enclosing details of minor changes and amendments: <ul style="list-style-type: none"> Updated Monitoring Point Location Plan (471.2/0/0408 MSP M02- Revision 0); Plan showing the location of gas vents and leachate wells in Biodegradable Cells (65.1/0/0408, Figure 2 –Revision 0); Updated Monitoring Point Register (<i>ML/WL Environmental Monitoring –Location of monitoring installation/Rev1 Tables 1 to 6</i>); Changes to Leachate Control Levels Consolidation and amendments to the leachate Monitoring frequency and reporting; Revision of Dust monitoring limits Revised gas limit for GA16 Consolidation and amendments to the Groundwater Monitoring frequency and reporting; Consolidation and amendments to the Surface Water Monitoring frequency and reporting; Incorporation of Changes to surface water control Levels 	Letter dated 13 th June 2008 (Received 23 rd June 2008)
Response to Improvement condition 6 of original permit BV7311IE	<ul style="list-style-type: none"> Geotechnology report 495.1/0/1206. Recharge Trench Design Report. 18 December 2006 Geotechnology letter response (<i>ref: 542/Recharge Trench Report/lt1</i> (Note: This letter was incorrectly dated 11 July 2006 – should have read 2007). Geotechnology Report: Morfa Non Hazardous Landfill Cell 1 Restoration Scheme Report Number 629.1/0/1207 December 07. 	20 th December 2006 12th July 2007 13th February 2008
Minor Operational Changes to the Landfill Permit	Geotechnology Report (Reference(722R1V1D0908) <i>Landfilling Filter Pressed Filter</i> – Dated: September 2008	Report Received 10 th October 2008 Approved 28 th October 2008
Minor Operational Changes to the Landfill Permit	Letter from Corus (<i>ref:PPC/Landfill/LW/Feb09</i>) Waste Handling Procedures for conveyor belt waste.	Letter Received 27 th February 2009 Approved 3rd March 2009
Hydrogeological Risk Assessment – Four Year Review	Geotechnology Report: “Four year review of Hydrogeological Risk Assessment” Report Number 711r1v1d0908	Report Received 18 th December 2008

Table S1.2 Operating techniques

Description	Parts	Date Received
		Approved 31 st July 2009
Minor Operational Changes to the Landfill Permit	Letter from Corus (ref: PPC/Landfill/bv7311ie/jul08) reclamation of materials	Letter dated 24 th July 2009 Approved 28 th July 2009
Completed improvement condition requirement	Morfa Landfill Port Talbot, Review of MNHL Copper Trigger Levels, Report Number 990r1v1d0610 dated June 2010.	19 June 2010
Application	Proposed biocell extension and recovery of material from non-hazardous cell 1. Substantial variation report – 1842r1v1d0818	9th November 2018
Hydrogeological Risk Assessment – six yearly review	Geotechnology Report: “MORFA NON-HAZARDOUS LANDFILL PORT TALBOT ENVIRONMENTAL PERMIT BV7311IE Review of Hydrogeological Risk Assessment Report Number 1739r1v1d1217” - December 2017	2nd December 2017
	Additional Information and clarification provided in Tata email, Dated 14th April 2020	14th April 2020 Accepted: 16th June 2020
Modifications to Recharge Trench System	Geotechnology Report: MORFA LANDFILL RECHARGE TRENCH - Review of Progress - Report Number 2040r1v1d1020	Report Received 5th November 2020 Accepted 12th March 2021
	Revised Drawing 2040/6	Received 11th November 2020 Accepted 12th March 2021

Table S1.3 Improvement programme requirements

Reference	Requirement	Date
3	<p>The capping of the bio- cells, being the area shown shaded in grey on drawing reference: <i>DLS-MNHL-B-C-01:Morfa Non Hazardous Landfill – Phased Restoration Plan for Biodegradable Cell</i>, as received on 22 November 2019, shall be undertaken and completed on or before the specified date.</p> <p>The capping of the bio-cells shall be undertaken in accordance with the Construction Quality Assurance provisions of conditions detailed in section 2.6 of this permit.</p>	31 December 2021

Table S1.4 Pre-operational Measures for Future Development

Reference	Operation	Pre-operational Measures
1	Three Months prior to the construction of Recharge Trenches C and D (as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07)	<p>The operator shall review all relevant monitoring data and produce a written report which shall propose:</p> <ul style="list-style-type: none"> Upper and Lower Groundwater Levels for each of the two respective Recharge Trenches. <p>The operator shall implement any improvements or measures as agreed in writing with Natural Resources Wales.</p>

2	Three Months prior to the construction of Recharge Trenches E, F1 and F2 (as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07)	<p>The operator shall review all relevant monitoring data and produce a written report which shall propose:</p> <ul style="list-style-type: none"> • Upper and Lower Groundwater Levels for each of the three respective Recharge Trenches. <p>The operator shall implement any improvements or measures as agreed in writing with Natural Resources Wales.</p>
3	Three Months prior to the construction of any element of the Recharge Trench	<p>The operator shall review all relevant monitoring data and produce a written report which shall include, but not be limited to, the following issues:</p> <ul style="list-style-type: none"> • An assessment of the choice of substances to derive control and emission Limits, monitoring methodology, frequency and reference periods for each of the Recharge Trench discharges; • The setting of specific emission limits and control levels for the Recharge Trench discharges. <p>The operator shall implement any improvements or measures as agreed in writing with Natural Resources Wales.</p>
4	Prior to the construction of any further landfill cells at the Morfa Non Hazardous Landfill	<p>The operator shall construct the first two phases of the engineered water recharge trench system, which will be constructed to ensure that along the edge of the landfill, the existing groundwater levels are maintained and groundwater chemistry remains suitable for the soligenous fen systems of the Margam Moors SSSI.</p> <p>Note: Phases one and two are defined as the construction of recharge trenches A, B, C and D (as outlined in <i>Figure 8, Recharge Trench Alignment</i> Revision 0, Dated 12.07) and associated infrastructure.</p>
5	Deposit of waste for recovery	<p>The operator shall submit to Natural Resources Wales a waste recovery plan, and shall have approval in writing from Natural Resources Wales before undertaking this activity.</p> <p>This plan shall specify:</p> <ul style="list-style-type: none"> • A description of the proposed work, including proposed contours/ final levels; • The obligation to carry out the work; • The purpose of depositing the waste; • The proposed waste types; • Explanation for how the waste is fit for the intended purpose; • Waste quantities to be deposited, • Justification for waste quantities; • Explanation of how wastes will replace need for non-waste materials; • Demonstrate that consideration has been given to depositing smaller quantity of waste; • Demonstrate that the waste will not cause environmental problems such as pollution; • Waste acceptance procedures; • If waste is to be stored prior to use, give details of maximum storage times.

Table S1.5 Annual waste input limits	
Category	Limit Tonnes/ Year
Non-hazardous waste	500,000
Deposit of waste for recovery	To be agreed in writing with Natural Resources Wales

Schedule 2 - List of permitted wastes

Table S2.1 Permitted waste types	
Waste code	Description
10	Wastes from thermal processes
10 02	Wastes from the iron and steel industry
10 02 01	Wastes from processing of slag
10 02 02	Unprocessed slag
10 02 08	Solid wastes from gas treatment other than those in 10 02 07
10 02 10	Mill scales
10 02 12	Wastes from cooling-water treatment other than those in 10 02 11
11	Wastes from chemical surface treatment & coating of metals
11 01	Wastes from chemical surface treatment & coating of metals & materials (eg... pickling)
11 01 10	Sludges and filter cakes other than those in 11 01 09
12	Wastes from shaping & mechanical surface treatment of metals and plastics
12 01	Wastes from shaping & mechanical surface treatment of metals and plastics
12 01 13	welding wastes
12 01 21	Spent grinding bodies and grinding materials other than those mentioned in 12 01 20
15	Waste packaging, absorbents, wiping cloths, filter materials, and protective clothing not otherwise specified
15 01	Packaging (including separately collected municipal waste)
15 01 03	Wooden packaging
15 02	Absorbents, filter materials, wiping cloths and protective clothing
15 02 03	Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02
16	Wastes not otherwise specified in the list
16 03	Off spec batches and unused products
16 03 06	Organic wastes other than those mentioned in 16 03 05
16 11	Waste linings and refractories
16 11 06	Linings and refractories from non-metallurgical processes other than those mentioned in 16 11 05
17	Construction and Demolition Wastes
17 02	Wood , glass and plastic
17 02 03	plastic
17 05	Soil (inc excavated soil from contaminated sites), stones and dredging spoil
17 05 04	Soil and stones other than those mentioned in 17 05 03
17 06	Insulation materials & asbestos-containing construction materials
17 06 04	Insulation materials other than those mentioned in 17 06 01 and 17 06 03
17 09	Other construction and demolition waste
17 09 04	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
19	Wastes from waste management facilities, waste water treatment plants and preparation of water intended for human consumption and water for industrial use
19 08	Wastes from waste water treatment plants not otherwise specified
19 08 14	Sludges from other treatment of industrial water other than those mentioned in 19 08 11
19 09	Wastes from preparation of water intended for human consumption or water for industrial use

Table S2.1 Permitted waste types

Waste code	Description
19 09 05	Saturated or spent ion exchange resin
19 12	Wastes from mechanical treatment of waste not otherwise specified
19 12 01	Paper and cardboard
19 12 02	Ferrous metal
19 12 03	Non-ferrous metal
19 12 04	Plastic and rubber
19 12 05	Glass
19 12 06	Wood other than that mentioned in 19 12 06
19 12 07	Minerals (e.g. sand and stones)
19 12 12	Other wastes (incl mixtures of materials) from mechanical treatment of waste other than those mentioned in 19 2 11
20	Municipal wastes including separately collected fractions
20 01	Separately collected fractions (except 15 01)
20 01 01	Paper and cardboard
20 01 02	Glass
20 01 08	Biodegradable kitchen and canteen waste
20 01 38	Wood other than that mentioned in 20 01 37
20 01 39	plastics
20 02	Garden and park wastes
20 02 01	Biodegradable waste
20 03	Other municipal waste
20 03 01	Mixed municipal waste

Table S2.2 Permitted waste types for recovery

As agreed in writing by Natural Resources Wales in accordance with pre-operational condition 5 in table S1.4.

Schedule 3 – Emissions and monitoring

Table S3.1 Leachate level limits and monitoring requirements

Monitoring point reference/ Description	Limit	Monitoring frequency	Monitoring method
L1, L2, L3, L4, L5 W10, W11, L6, L7 and L8 as shown on as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020" and all subsequent new leachate monitoring points installed within cells (at least one monitoring point per cell).	1m above base of leachate monitoring point	Weekly (reducing to monthly when landfill is fully capped)	1. Accurate to ± 0.01 m relative to Ordnance Datum. 2. Unless otherwise agreed in writing with Natural Resources Wales, monitoring methods used shall be in accordance with Environment Agency document 'Guidance on monitoring of landfill leachate, groundwater and surface water' (LFTGN02)

Table S3.2 Point source emissions to water (other than sewer) – emission limits and monitoring requirements

Emission point Ref. & Location	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Recharge Chamber C as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07	Surface Water Ponds	Water Level	In accordance with Pre-Operational Condition reference 1 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4
Recharge Chamber D as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07	Surface Water Ponds	Water Level	In accordance with Pre-Operational Condition reference 1 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4
Recharge Chamber E, F1 and F2 as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07	Surface Water Ponds	Water Level	In accordance with Pre-Operational Condition reference 2 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4

Table S3.2 Point source emissions to water (other than sewer) – emission limits and monitoring requirements						
Emission point Ref. & Location	Source	Parameter	Limit (incl. unit)	Reference Period	Monitoring Frequency	Monitoring Standard or Method
Recharge Chamber C, D, E, F1 and F2 as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07	Surface Water Ponds	Chemical Parameters as outlined with Pre-Operational Condition reference 2 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4	In accordance with Pre-Operational Condition reference 2 of Table S1.4	In accordance with Pre-Operational Condition reference 2 of Table S1.4	In accordance with Pre-Operational Condition reference 3 of Table S1.4

Table S3.3 Trigger levels for emissions into groundwater and monitoring requirements				
Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency
BH3S, BH4S, BH6S, BH30S (Shallow Aquifer) as shown on as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Chloride Arsenic	200 (µg/l) 50 (µg/l)	Spot Sample	Quarterly

Table S3.4 Landfill gas in external monitoring boreholes – limits and monitoring requirements				
Monitoring point Ref. /description	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method
Boreholes GA 7 to 12 and 15 as shown Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Methane	1.0%	Quarterly	Monitoring to be carried out in accordance with Environment Agency Document 'LFTN03: Guidance on Management of Landfill Gas' unless otherwise agreed by Natural Resources Wales
Borehole GA 16 as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Methane	6.0%		
GA 7 to 12, 15 and 16 Boreholes as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Carbon Dioxide	No Limit		
	Oxygen	No Limit		
	Hydrogen Sulphide	No Limit		
	Atmospheric Pressure	No Limit		
	Differential Pressure	No Limit		
	Temperature	No Limit		
	Meteorological data	No Limit		

Table S3.5 Landfill gas from capped surfaces – limits and monitoring requirements

Monitoring point Ref. /description	Parameter	Monitoring frequency	Other specifications	Monitoring Standard or method
Permanently capped zone	Average methane flux and total methane emission	Annually*	Average zone emission rate of 0.001 mg/m ² /second	Flame ionisation detector walkover, flux box or as otherwise agreed in writing with Natural Resources Wales. Alternatively as per LFTGN 07 Version 2, March 2011
Temporarily capped zone			Average zone emission rate of 0.1 mg/m ² /second	

* If a cap has previously been shown compliant and there have been no significant physical changes in the gas management during the year, a detailed walkover survey with an FID can be used to demonstrate that the surface emissions are under control. If this survey shows no change in the pattern of methane emission, it may be used as the annual survey. The values for flux and total methane emissions measured in the previous year may be reported and a fresh flux box survey is not necessary. If the zone remains stable, the results of a full walkover survey may be accepted as the site report for a period of four years before a further quantitative flux box survey is required.

Table S3.6 Leachate—other monitoring requirements

Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method
L1, L6, L7 and L8 as shown on Drawing “2110r1v1d1220 MNHL Monitoring Network December 2020” and all subsequent new leachate monitoring points installed within cells (at least one monitoring point per cell).	pH,	Quarterly	Unless otherwise agreed in writing by Natural Resources Wales, monitoring methods used shall be in accordance with Environment Agency document ‘Guidance on monitoring of landfill leachate, groundwater and surface water (LFTN02)
	Electrical Conductivity,		
	Ammoniacal Nitrogen,		
	Arsenic		
	Boron		
	Copper,		
	Sodium		
	Fluoride		
	Nitrates and Nitrites		
	Cadmium,		
	Phosphates		
	Total Alkalinity,		
	Potassium		
	Molybdenum		
	Selenium		
	Vanadium		
	Chloride,	Annually	
	Calcium,		
	Chromium		
	Iron		
	Lead		
	Mercury		
	Zinc,		
	Magnesium,		
	Sulphate,		
	Organohalogens (volatile organic compounds),		
	Semi-Volatile Organic Compounds		

Table S3.7 Surface water – other monitoring requirements

Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
SW Gauge 1, SW Gauge 2, SW Gauge 5, SW Gauge 6 and SW Gauge 7 as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Water Level	Monthly (unless otherwise agreed in writing with Natural Resources Wales)	Unless otherwise agreed in writing with Natural Resources Wales, monitoring methods used shall be in accordance with	-
Margam Moors: SW1, SW4, SW5 and SW6 as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	pH Electrical Conductivity Ammoniacal Nitrogen Cadmium Calcium Total Alkalinity Chloride Arsenic Boron Copper Fluoride Phosphate Molybdenum Selenium Vanadium Nitrate Nitrite Sodium Potassium	Quarterly	Environment Agency document 'Guidance on monitoring of landfill leachate, groundwater and surface water' (LFTGN02)	
Pond 1 as identified on drawing reference: Figure 6 Capping Construction Phasing (reference 629.1/0/1207, Revision 0) (specific sampling location to be agreed in writing with Natural Resources Wales on completion of construction)	Water Levels Ammoniacal Nitrogen, Arsenic Boron Copper Cadmium Calcium Chloride	Quarterly		Note: These monitoring points will be constructed on a phased basis for example as part of the progressive restoration and capping at the facility and monitoring at these points will not commence until the relevant CQA report has been approved by Natural Resources Wales.
any additional monitoring points agreed in writing with Natural Resources Wales.	Electrical Conductivity, Fluoride Molybdenum Nitrates and Nitrites pH, Phosphates Potassium Selenium Sodium Total Alkalinity Vanadium Ammoniacal Nitrogen			

Table S3.7 Surface water – other monitoring requirements

Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Recharge Chambers C, D, E, F1 & F2 as shown on drawing reference: Figure 8 Recharge Trench Alignment Revision 0, Dated 12.07	pH	Monthly for first twelve months of operation.		
	Electrical Conductivity			
	Ammoniacal Nitrogen	Quarterly thereafter		
	Arsenic			
	Boron			
	Sodium			
	Fluoride			
	Nitrates			
	Nitrites			
	Cadmium			
	Phosphates			
	Total Alkalinity			
	Potassium			
	Molybdenum			
	Selenium			
	Vanadium			
	Chloride			
	Calcium			

Table S3.8 Groundwater – other monitoring requirements

Emission point reference or source or description of point of measurement	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
Piezometers: - P1 to P24 as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Groundwater Level	Monthly	Unless otherwise agreed in writing with Natural Resources Wales, monitoring methods used shall be in accordance with Environment Agency document 'Guidance on monitoring of landfill leachate, groundwater and surface water' (LFTGN02)	-
Groundwater Boreholes: BH1, BH2, BH3S, BH4S, BH6S, GWT3a, BH17S, BH18S, BH19S, BH20S, BH30 (Shallow Aquifers) as shown on as shown on as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Groundwater Level	Quarterly		
	pH			
	Electrical Conductivity			
	Ammoniacal Nitrogen			
	Cadmium			
	Calcium			
	Total Alkalinity			
	Chloride			
	Arsenic			
	Sodium			
	Fluoride			
	Nitrate			
	Nitrite			
	Phosphate			
	Boron			
	Potassium			
	Molybdenum			
	Selenium			
	Vanadium			
Groundwater Boreholes: BH1, BH2S, BH2D, BH3S, BH3D, BH4S, BH4D, BH6S, BH6D, BH10S, BH10D, BH11S, BH11D, BH12S, BH12D, BH13S, BH13D, BH14S, BH14D, GWT3a, BH17S, BH17D, BH18S, BH18D, BH19S, BH19D, BH20S, BH20D, BH30 (Shallow Aquifers and Deep Aquifers) as shown on as shown on Drawing "2110r1v1d1220 MNHL Monitoring Network December 2020"	Chromium	Annually		
	Copper			
	Iron			
	Lead			
	Mercury			
	Zinc			
	Magnesium			
	Sulphate			
	Organo-halogens (volatile organic compounds)			
	Semi-volatile organic compounds			

Schedule 4 - Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

Table S4.1 Reporting of monitoring data			
Parameter	Emission or monitoring point/reference	Reporting period	Period begins
Leachate levels As required by condition 3.5.1	L1, L2, L3, L4, L5, W10, W11, L6, L7 and L8 and all subsequent new leachate monitoring points installed within cells	Every 3 months	
Emissions to water Parameters as required by condition 3.5.1	Recharge Trench Discharges	In accordance with Pre-Operational Condition reference 3 of Table S1.4	
Groundwater Parameters as required by condition 3.5.1	P1 to P24 Piezometers	Every 3 months	
	Groundwater Boreholes: BH1, BH2, BH3S, BH4S, BH6S, GWT3a, BH17S, BH18S, BH19S, BH20S, BH30	Every 3 months	
	Groundwater Boreholes: BH2D, BH3D, BH4D, BH6D, BH10S, BH10D, BH11S, BH11D, BH12S, BH12D, BH13S, BH13D, BH13S, BH14D, BH17D, BH18D, BH19D, BH20D	Every 12 months	
Other Landfill gas monitoring Parameters as required by condition 3.5.1	External monitoring boreholes	Every 3 months	
Other leachate monitoring Parameters as required by condition 3.5.1	L1, L2, L3, L4, L5 W10, W11, L6, L7 and L8 and all subsequent new leachate monitoring points installed within cells	Every 3 months	
Other surface water monitoring Parameters as required by condition 3.5.1	SW Gauge 1, SW Gauge 2, SW Gauge 5, SW Gauge 6 and SW Gauge 7 Margam Moors: SW1, SW4, SW5 and SW6 Pond 1 Recharge Trench Discharges	Every 3 months	

Table S4.2: Annual production/treatment	
Leachate:	Cubic metres/year
Disposed of off-site;	
Disposed of to any on-site effluent treatment plant;	
Recirculated into the waste mass.	
Surface water and/or groundwater:	Cubic metres/year
Disposed of off-site;	
Disposed of to any onsite effluent treatment plant.	

Table S4.2: Annual production/treatment

Landfill gas:	Normalised cubic metres/year
combustion in flares;	
combustion in gas engines;	
Other methods of gas utilisation.	

Table S4.3 Performance Parameters

Parameter	Frequency of assessment	Annual total	Unit
Energy used (including for leachate treatment)	Annually		MWh of electricity

Table S4.4 Reporting Forms

Media/parameter	Reporting Format	Date of form
Leachate	Form leachate 1 or other reporting format to be agreed in writing with Natural Resources Wales	07/10/2021
Water	Form Water 1 or other reporting format to be agreed in writing with Natural Resources Wales	07/10/2021
Groundwater	Form Groundwater 1 or other reporting format to be agreed in writing with Natural Resources Wales	07/10/2021
Landfill gas	Form LFG 1 or other reporting format to be agreed in writing with Natural Resources Wales	07/10/2021
Waste Subject to Conditions 4.2.4	Waste Return Form RATS2E	N/A
Landfill topographical surveys and interpretation	Reporting format to be agreed in writing with Natural Resources Wales	N/A

Schedule 5 - Notification

This page outlines the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

(a) Notification requirements for any activity that gives rise to an incident or accident which significantly affects or may significantly affect the environment	
To be notified Immediately	
Date and Time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

(b) Notification requirements for the breach of a permit condition	
To be notified immediately	
Emission point reference/source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) In the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment:	
To be notified immediately	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of the operator

Schedule 6 - Interpretation

“accident” means an accident that may result in pollution.

“annually” means once every year.

“application” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“authorised officer” means any person authorised by Natural Resources Wales under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“Background concentration” means such concentration of that substance as is present in:

- For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to sewer, the surface water quality up-gradient of the sewage treatment works discharge; or
- For emissions of landfill gas, the ground or air outside the site and not attributable to the site.

“Cell layout drawing” means:

- (a) A drawing or drawings of the proposed new cell that illustrate(s) in sufficient detail:
- i. the location of the new cell on the site;
 - ii. the proposed level (Above Ordnance Datum) of the base of the excavation;
 - iii. the proposed finished levels of all containment and leachate drainage layers;
 - iv. the positions of leachate management infrastructure; and
 - v. the positions of landfill gas infrastructure (if appropriate).
- (b) A detailed written explanation of any minor design changes from the most recently approved cell that result from the new cell layout. This would include, for example:
- i. changes to slope length and gradient within the cell;
 - ii. new leachate or landfill gas infrastructure construction design;
 - iii. slope stability issues such as new basal excavation level; and/or
 - iv. depth of waste.

“Construction Proposals” means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the New Cell or Landfill Infrastructure.

“CQA Validation Report” means the final “as built” construction and engineering details of the New Cell or of the Landfill Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme - this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;
- Plans showing the location of all tests;
- “As-built” plans and sections of the works;

- Copies of the site engineer's daily records;
- Records of any problems or non-compliances and the solution applied;
- Any other site-specific information considered relevant to proving the integrity of the New Cell or Landfill Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

"emissions to land" includes emissions to groundwater.

"EP Regulations" means The Environmental Permitting (England and Wales) Regulations SI 2016 No.1154 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

"emissions of substances not controlled by emission limits" means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

"groundwater" means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"hazardous property" has the meaning in Annex III of the Waste Framework Directive

"hazardous waste" has the meaning given in the Hazardous Waste (Wales) Regulations 2005 (as amended)

"hazardous substance" means a substance classified as hazardous as a consequence of fulfilling the criteria laid down in parts 2 to 5 of Annex I to Regulation (EC) No 1272/2008

"Landfill Infrastructure" means any specified element of the:

- permanent capping;
- temporary capping (i.e. engineered temporary caps not cover materials);
- leachate abstraction systems;
- leachate transfer, treatment and storage systems;
- surface water drainage systems;
- leachate monitoring wells;
- groundwater monitoring boreholes;
- landfill gas monitoring boreholes;
- landfill gas management systems;
- lining within the installation;
- recharge trench.

within the site.

"Liquids" means any liquid other than leachate within the engineered landfill containment system.

"LFTGN 05" means Environment Agency Guidance for monitoring enclosed landfill gas flares.

"LFTGN 07" means Environment Agency Guidance on monitoring landfill gas surface emissions.

"LFTGN 08" means Environment Agency Guidance for monitoring landfill gas engines.

"Medicinal product" means any medicine licensed by the Medicines and Healthcare Products Regulatory Agency (MHRA) of their predecessors under the Medicines Act 1968, section 130.

“M2” means Environment Agency Guidance Monitoring of stack emissions to air.

“New Cell” means any new cell, part of a cell or other similar new area of the site where waste deposit is to commence after issue of this permit and can comprise:

- groundwater under-drainage system;
- permanent geophysical leak location system;
- leak detection layer;
- sub-grade;
- barriers;
- liners;
- leachate collection system;
- leachate abstraction system;
- separation bund/layer;
- cell or area surface water drainage system;
- side wall subgrade and containment systems;

for the New Cell.

“No impact” means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

“Pests” means Birds, Vermin and Insects.

“Quarter” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“Review of the Hydrogeological Risk Assessment” means a written review of the hydrogeological risk assessment included in the Application, together with any other parts of the Application that addressed the requirements of the EP Regulations. The review shall assess whether the activities of disposal or tipping for the purpose of disposal of waste authorised by the permit continue to meet the requirements of the EP Regulations.


“Waste code” means the six-digit code referable to a type of waste in accordance with the list of wastes established by Commission Decision 2000/532/EC as amended from time to time (the ‘List of Wastes Decision’) and in relation to hazardous waste, includes the asterisk.


Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means the standards included in Environment Agency Guidance for Monitoring Enclosed Landfill Gas Flares LFTGN 05 or Guidance for Monitoring Landfill Gas Engine Emissions LFTGN 08.

“year” means calendar year ending 31 December.

Schedule 7 - Site plan





END OF PERMIT