

Application for an environmental permit: Part B6.5 Discharging treated domestic sewage effluent of up to 15 cubic metres a day into ground or up to 20 cubic metres a day onto surface water

About you

Please give details of the individual, or where relevant for groups or organisations of individuals, the main representative.

Title: Mr
First name: Simon
Last name: Lewis

Who will be named on the permit?

A registered company or other corporate body

A registered company or other corporate body

Please provide details below:

Company name Canaston Waterside Lodges Ltd
Company registration number 13778266
Date of registration (DD/MM/YYYY) 02/12/2021

Contact name for the company

Title Mr
First name Simon
Last name Lewis

Your address

For companies this must be the address on record at Companies House.

Address	1 Burberry Close Rogerstone Newport
Postcode	NP10 9JU
Telephone - mobile	07488352294
Telephone - office	01633895087
E-mail address	wstlewis@icloud.com

Agent or others acting on behalf of the applicant

If you want us to contact an agent or another person not named above, their details must be provided below. This can be someone acting as a consultant or an 'agent' for you.

Title	-
First name	Simon
Last name	Lewis
Address	- - -
Postcode	-
Telephone - mobile	-
Telephone - office	-
E-mail address	-

About this application

Have you spoken to us already about this application?

If you have had discussions with us before your application, give us the case reference or details.

NRW-WQE068279

About your sewage treatment facility:

The term 'sewage treatment facility' is used throughout this application form. That term is explained in more detail in the guidance document that accompanies this application form.

Where is the sewage treatment facility?

Address Canaston Waterside Lodges

Canaston Bridge

Narberth

Postcode SA67 8DE

Telephone - mobile -

Telephone - office -

E-mail address -

National Grid Reference for the centre of your sewage treatment facility (12 digit)

SN 07343 14755

Your management system

Your permit requires you (as the operator) to ensure that you manage and operate your activities in accordance with a written management system. You can find guidance on management systems in the guidance notes to part B6.5 and on our website. Please tick the box below to confirm this.

I confirm that I have read the application form guidance and that my management system will meet NRW requirements.

About your discharge

What type of premises does your sewage treatment facility serve?

For example, the number of houses or a description such as a pub, café, restaurant, office and so on.

6 Holiday Lodges

When did your discharge start? (New or existing)

On or after 1 April 2010 - New

New discharges only

How far away is the nearest foul sewer from the boundary of the premises (in metres)?

Foul sewer means public or private foul sewer.

You will need to check this with your sewerage undertaker (usually your local water company) and you may also need to check if it is possible to connect to a private sewer.

5000

To assess if it is reasonable to discharge your effluent to foul sewer:

Discharges from domestic properties

Multiply the number of properties served by the sewage treatment system by 30 metres.

	Number of properties served by the sewage treatment system	Multiplied by 30 (in metres)
Discharges from domestic properties	6	180

Discharges from all other premises, for example a pub, cafe, restaurant or office

Divide the volume of the discharge (in cubic metres) by 0.75 and then multiply this figure by 30 metres

	Volume of the discharge (in cubic metres)	Divided by 0.75	Multiplied by 30 (in metres)
Discharges from all other premises	0	0	0

If your answer to the above question is greater than the distance to the nearest foul sewer, you must explain why you cannot discharge your effluent into the foul sewer.

Before you submit the application, you must explore the possibility of connecting to the foul sewer, and send us evidence that you have approached the sewerage undertaker, including their formal response regarding connection, if relevant. You must also show the extra cost of connecting to a sewer compared to the treatment system you propose, and details of any physical obstacles for example roads, railways, rivers or canals.

We will only agree to the use of private treatment systems within sewered areas if you can demonstrate that: the additional cost of connecting to the foul sewer would be unreasonable connection is not practically feasible, or the proposed private treatment system can be shown to significantly benefit the environment

We are unlikely to grant a permit for a discharge of treated domestic sewage in circumstances where a private sewerage system is being proposed due to a lack of capacity in the nearest public sewerage network. The guidance document which supports this application will help you understand what information you need to provide in order to answer this question.

Please provide your explanation below:

The site in question is not within a sewered area with no future plans to install a mains sewer.

What is the maximum volume of effluent you will discharge in a day (in cubic metres)?

What is the maximum volume of effluent you will discharge in a day (in m3)?

3.9

Show how you calculated the figure given in the box below.

Maximum occupancy when all 6 lodges are operational will be 26 people.

$26 \times 150/1000 = 3.9$

Your sample and discharge points

What type of sewage treatment system will you be using to treat your effluent?

Package treatment plant that meets British Standard BS 12566

Sample Point location

This does not apply if you are discharging to ground up to 5 cubic metres (5m³) a day from an existing system.

You must provide a sample point where a sample of your discharge can be safely taken before it has mixed with any other discharges such as rainwater run off if you are making:

- an existing or new discharge to surface water
- an existing discharge to groundwater and the volume is more than 5 cubic metres (5m³) a day
- a new discharge to groundwater

You must also identify it on your plan.

Tell us where your sample point is:

Same as outlet point

National grid reference for sample point (12 digit)

SN 07343 14755

Discharge point location

Please give the national grid reference for the discharge point (12 digit)

SN 07343 14755

Where will your treated effluent discharge to?

If you are proposing to discharge multiple effluents, you must complete a separate application form for each effluent and submit the form, along with the correct application fee, for assessment.

River, stream, ditch or canal

Discharges to a river, stream, ditch or canal

Give the name of the watercourse, canal or the main watercourse it is a tributary of if you know it:

River Cleddau

Is the discharge into:

A river, stream or ditch

Does the watercourse dry up for part of the year?

No

Does the discharge reach the watercourse or canal by flowing through a surface water sewer?

No

Your site plan (see guidance note to part B6.5)

Please upload your plan here

- File: Canaston Waterside Lodges Site Plan.pdf - [Download](#)

Payment

What date do you want the permit for this effluent to start?

Please note that this is the date that your annual subsistence charges will start, even if you have not started to discharge, unless you contact us to change (delay) the start date.

* 04/04/2022

Will the discharge take place all year?

Yes

Is the maximum volume of effluent you will discharge five cubic metres (m3) or less a day?

Yes - The reduced fee applies and you do not have to pay an annual subsistence charge.

Who can we talk to about your billing or invoice?

Same as application contact

How do you want to pay for your application fee?

Credit or debit card

Declaration

If you knowingly or recklessly make a statement which is false or misleading to help you get an environmental permit (for yourself or another person), you are committing an offence under the Environmental Permitting (England and Wales) Regulations 2016.

I declare that the information in this application is true to the best of my knowledge and belief. I understand that this application may be refused or approval withdrawn if I give false or incomplete information.

I understand that if I knowingly or recklessly make a false or misleading statement:

- I may be prosecuted; and
- if convicted, I may have to pay a fine and/or go to prison.

By signing below, you are confirming that you understand and agree with the declaration above.

Title	Mr
First name	Simon
Last name	Lewis
On behalf of (if relevant)	Canaston Waterside Lodges Ltd
Today's date	09/12/2021