

Compliance Assessment Report

Report ID:
CAR_NRW0031135

This form will report compliance with your permit as determined by an NRW officer

Site	Rassau Recycling Facility EPR/EP3230BW	Permit Ref	EP3230BW			
Operator/Permit holder	Envirowales Ltd					
Regime	Installations					
Date of assessment	02/02/2017	Time in	09:30	Out	15:00	
Assessment type	Audit					
Parts of the permit assessed	Operator Monitoring Assessmemt (OMA) Audit					
Lead officer's name	Griffiths, David					
Accompanied by	Andy Collins					
Recipient's name/position	Brian Kelly/ EHS Director	Date issued	15/02/2017			

Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
A1 - Infrastructure - Specified by permit	A	
C1 - Infrastructure - Staff competency/training	A	
C2 - Infrastructure - Management system and operating procedures	A	
E1 - Infrastructure - Air	A	
G1 - Infrastructure - Monitoring of emissions and environment	A	
G2 - Infrastructure - Records of activity, site diary/journal/events	A	
G3 - Infrastructure - Maintenance records	A	
G4 - Infrastructure - Reporting and notification to Natural Resources Wales	A	

KEY: See Section 5 for breach categories, suspended scores will be indicated as such.

A = Assessed or assessed in part (no evidence of non-compliance), **X** = Action only,
O = Ongoing non-compliance, not scored.

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
------------------------------------	---	---	---

If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

This OMA focused on the monitoring of emissions to air (periodic and CEMs) from the Stack Emission Release Points A1, A2, A3, A4 & A5 at EnviroWales Ltd, Ebbw Vale Battery Recycling Facility.

EnviroWales Ltd (operator) and Environmental Compliance Ltd (Monitoring Test Consultant) have shown that quality control for periodic and continuous monitoring are in the main very well managed, providing reliable monitoring data. Competency of periodic & continuous monitoring, records, staff, and management of monitoring were all of a high standard. This has resulted in a high overall score of 87%.

OMA1A Operator document E-EP-015 would benefit from containing additional information, specifically relating to:

- Reference to calibration schedules (CEMS)
- Most recent review date of latest version

OMA1B It is **recommended** the operator amends their Environmental Manual to include a description of monitoring responsibilities (continuous and periodic) relevant to operator personnel involved with monitoring.

OMA1E Some additional monitoring training may be beneficial for operator staff involved in monitoring management (even if they have done it previously, as a refresher, particularly as standards & guidance are constantly evolving). The Source Testing Association (<http://www.s-t->

[a.org/training/](#)) holds relevant one day training courses for operators including:

- Regulatory Monitoring Requirements for Process Operators
- BS EN14181 quality assurance of an AMS (covering the CEMs and parallel testing)

OMA2A On a site tour during the OMA audit, it was noted that a port had become loose and was hanging off on one of the emission release points. It is important that all sampling ports are correctly fitted, and provide a good seal so that no emissions can escape if the stack is under positive pressure

OMA3A Overall, a very good level of competence evident from personnel involved in CEMS maintenance and calibration. A quicker breakdown response period (OMA2F) is the only element that scored below 3.

OMA 4 A good level of Quality Assurance shown by operator and contractor (ECL).

Recommendations OMA4D & 4E: Operator should ensure that they carry out documented auditing of monitoring (on-site and paperwork including procedures/reports), and noting any corrective actions. This will ensure correct practice is being followed, help identify any gaps, and ensure better self-regulation.

--



**Cyfoeth
Naturiol
Cymru
Natural
Resources
Wales**

EPR Compliance Assessment Report

**Report ID:
CAR_NRW0031135**

This form will report compliance with your permit as determined by an NRW officer

Site	Rassau Recycling Facility EPR/EP3230BW	Permit Ref	EP3230BW
Operator/Permit holder	Envirowales Ltd	Date	02/02/2017

Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition.

Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.

Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			

Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.