

Notice of variation with introductory note

Environmental Permitting (England & Wales) Regulations 2010

Egan Waste Services Limited

Egan Waste Services Recycling Centre
Unit A15
Treforest Industrial Estate
Pontypridd
CF37 5TA

Variation application number

EPR/KP3636HB/V002

Permit number

EPR/KP3636HB

Egan Waste Services Ltd

Permit number EPR/KP3636HB

Introductory note

This introductory note does not form a part of the notice

The following notice gives notice of the variation of an environmental permit.

Schedule 1 to the Environmental Permitting Regulations has been updated by the Environmental Permitting (England and Wales) (Amendment) Regulations 2013 to reflect the implementation of the Industrial Emissions Directive into England and Wales. This variation implements the changes made to Schedule 1 of the Regulations into Table S1.1 of the permit. Table S1.1 specifies the activities authorised by the permit.

The schedules to this variation specify the changes made to the original permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

Status log of the permit		
Description	Date	Comments
Application EA/EPR/EP3392LE/A001	18/11/09	Withdrawn
Additional Information	24/05/10	Schedule 5
Additional Information	21/06/10	Confirmation of waste codes.
Application EA/EPR/KP3636HB/A001	Duly Made 03/02/2011	Resubmitted application as installation
Additional Information	25/03/11	Schedule 5
Additional Information	04/04/2011	Storage methods and emission monitoring
Additional Information	05/06/11	Confirmed storage of acids
Additional Information	25/06/11	Confirmed no historical oil contamination of site
Permit determined EPR/KP3636HB	10/08/11	Permit issued to Egan Waste Services Limited
Agency variation determined EPR/KP3636HB/V002	25/03/13	Agency variation to implement the changes introduced by IED

End of introductory note

Notice of variation

Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2010 varies

Permit number
EPR/KP3636HB

issued to:
Egan Waste Services Limited ("the operator")

whose registered office is

The Recycling Centre Unit
A15 Severn Road
Treforest Industrial Estate
Pontypridd
Rhondda Cynon Taff
Wales
CF37 5TA

company registration number **04920542**

to operate a regulated facility at

The Recycling Centre Unit
A15 Severn Road
Treforest Industrial Estate
Pontypridd
Rhondda Cynon Taff
Wales
CF37 5TA

to the extent set out in the schedules.

The notice shall take effect from 25/03/2013

Name	Date
Damian Matthias	25/03/2013

Authorised on behalf of the Environment Agency

Schedule 1 – conditions to be deleted

None

Schedule 2 – conditions to be amended

The following conditions are amended as detailed, following an Environment Agency initiated variation

- Table S1.1 is amended to reflect the changes to Schedule 1 of the Environmental Permitting Regulations introduced by the Industrial Emissions Directive. The table now reads:

Table S1.1 activities			
Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
A1	S5.3A(1)(a)(x)	Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving oil re-refining or other reuses of oil.	The treatment of aqueous wastes contaminated with oil by gravity separation within bunded tanks
			Waste types and treatment capacities specified in schedule 2 table S2.3
		(D9) Physico-chemical treatment of waste oil/water consisting of separation-Hazardous.	No wastes containing PCB's shall be treated on site.
		Oil/water Storage Hazardous (R13/D15)	This activity shall take place within the tank farm identified on the site plan in schedule 7.
A2	S5.3A(1)(a)(x)	Oil and daughter products storage-Hazardous (R13/D15)	
		Disposal or recovery of hazardous waste with a capacity exceeding 10 tonnes per day involving oil re-refining or other reuses of oil.	The separation of solids from aqueous waste contaminated with oil.
			Waste types and treatment capacities specified in schedule 2 table S2.3
		(D9) Physico-chemical treatment of waste oil/water consisting of separation-Hazardous	No wastes containing PCB's shall be treated on site.
			This activity shall take place within the tank farm identified on the site plan in schedule 7.

Table S1.1 activities

Activity Reference	Description of activities for waste operations	Limits of activities
A3	R3: Recycling/reclamation of organic substances which are not used as solvents (including composting and other biological transformation processes) R4: Recycling/reclamation of metals and metal compounds. R5: Recycling/reclamation of other inorganic compounds. R12: Exchange of wastes for submission to any of the operations numbered R01 to R11. R13: Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection on the site where it is produced) D9: Physico-chemical treatment not specified elsewhere which results in final compounds or mixtures which are disposed of by any of the operations numbered D01 to D12. D14: Repackaging prior to submission to any of the operations numbered D01 to D12. D15: Storage pending any of the operations numbered D01 to D14 (excluding temporary storage pending collection on the site where it is produced).	Treatment consisting only of manual sorting, separation, screening, bailing, shredding, crushing or compaction of waste into different components for disposal, (no more than 50 tonnes per day) or recovery. Waste types and treatment capacities specified in schedule 2 tables S2.1, S2.2 and S2.3. No more than a total of 50 tonnes of intact and shredded waste vehicle tyres (waste codes 16 01 03 and 19 12 04) shall be stored at the site. The maximum quantity of hazardous waste other than waste oils (in aggregate) that can be accepted or stored at the site shall not exceed 10 tonnes per day for disposal. There shall be no treatment of hazardous wastes, other than those specified in table S2.3. Lead-acid batteries shall be stored in a container with an impermeable acid resistant base and a lid to prevent ingress of water. Asbestos waste shall be doubled bagged and stored within clearly identified, segregated, secured lockable containers. The maximum quantity of asbestos waste received at the site shall not exceed 10 tonnes per day. There shall be no treatment of asbestos waste. Hazardous wastes must be kept within secure, clearly identified segregated containers and shall not be mixed or blended. Wastes shall be stored for no longer than 1 year prior to disposal and 3 years prior to recovery. Wastes shall be stored and treated on an impermeable surface with sealed drainage system. All waste treatment and storage shall be carried out with a building. All Acids and Bases shall be stored in clearly labelled dedicated receptacles within separate bunded areas. There shall be no treatment of WEEE.

Schedule 3 – conditions to be added

None