17 JUN 2015

Schedule 1 - Notification of abnormal emissions

This page outlines the information that the Operator must provide to satisfy conditions 5.1.1 and 5.1.2 of this Permit.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the PPC Regulations.

Part A

Permit Number	WP3938SH
Name of Operator	Wynnstay Group plc
Location of Installation	Llansantffraid Mill, Eagle House, Llansantffraid YM, Powys, SY22 6AQ
Location of the emission	Grinder House.
Time and date of the emission	1-00 am 8-6-15

Substance(s) emitted	Media	Best estimate of the quantity or the rate of emission	Time during which the emission took place
Smoke	?	?	4 hours

Measures taken, or intended to be taken, to stop the emission	Fire service poured water to prevent spread - wooden floor caught fire

Part B

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the emission	
The dates of any unauthorised emissions from the Installation in the preceding 24 months.	

Name*	Sandra Cipolloro
Post	EHS Manager.
Signature	
Date	10-6-15

* authorised to sign on behalf of Wynnstay Group plc