

	EPR Compliance Assessment Report	Report ID: GP3235GH/0253690			
This form will report compliance with your permit as determined by an NRW officer					
Site	Dolwen Abattoir EPR/GP3235GH		Permit Ref	GP3235GH	
Operator/ Permit holder	Randall Parker Foods				
Date	02/12/2015		Time in	10:55	Out 13:00
What parts of the permit were assessed	Noise Improvements				
Assessment	Site Inspection	EPR Activity:	Installation	X	Waste Op
					Water Discharge
Recipient's name/position	Phil Gillon				
Officer's name	Julia Frost		Date issued	14/12/2015	

Section 1 - Compliance Assessment Summary					
This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation and any action you may need to take are given in the "Detailed Assessment of Compliance" (section 3). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS scores can be consolidated or suspended, where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.					
Permit Conditions and Compliance Summary					Condition(s) breached
a) Permitted activities	1. Specified by permit	N			
b) Infrastructure	1. Engineering for prevention & control of pollution	N			
	2. Closure & decommissioning	N			
	3. Site drainage engineering (clean & foul)	N			
	4. Containment of stored materials	N			
	5. Plant and equipment	N			
c) General management	1. Staff competency/ training	N			
	2. Management system & operating procedures	N			
	3. Materials acceptance	N			
	4. Storage handling, labelling, segregation	N			
d) Incident management	1. Site security	N			
	2. Accident, emergency & incident planning	N			
e) Emissions	1. Air	N			
	2. Land & Groundwater	N			
	3. Surface water	N			
	4. Sewer	N			
	5. Waste	N			
f) Amenity	1. Odour	N			
	2. Noise	A			
	3. Dust/fibres/particulates	N			
	4. Pests, birds & scavengers	N			
	5. Deposits on road	N			
g) Monitoring and records, maintenance and reporting	1. Monitoring of emissions & environment	N			
	2. Records of activity, site diary, journal & events	N			
	3. Maintenance records	N			
	4. Reporting & notification	N			
h) Resource efficiency	1. Efficient use of raw materials	N			
	2. Energy	N			
KEY: C1, C2, C3, C4 = CCS breach category (* suspended scores are marked with an asterisk), A = Assessed (no evidence of non-compliance), N = Not assessed, NA = Not Applicable, O = Ongoing non-compliance – not scored					

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
-----------------------------	---	--	---

If the Total No Breaches is greater than zero, then please see Section 3 for details of our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- the part(s) of the permit that were assessed (e.g. maintenance, training, combustion plant, etc)
- where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- any non-compliances identified
- any non-compliances with directly applicable legislation
- details of any multiple non-compliances
- information on the compliance score accrued inc. details of suspended or consolidated scores.
- details of advice given
- any other areas of concern
- all actions requested
- any examples of good practice.
- a reference to photos taken

This report should be clear, comprehensive, unambiguous and normally completed within 14 days of an assessment.

Meeting held to discuss progress with the improvements in relation to noise and EMS.

Noise

The Operator has increased the number of electric hook ups at the loading and dispatch bays. All parked refrigerant vehicles now run off of electric and not diesel. The only exception to this is during warmer periods the trailers may need a rapid cool down - during this time they would run on diesel - but this would be for a maximum of 30 minutes and during normal working weekday hours.

Seven silencers were fitted over the weekend on the plant highlighted by RPF as having a potential to cause an impact off site.

Daily documented checks are now carried out - both on and off site - to assess the impact of the site in relation to off site noise.

Signs have been put up reminding drivers not to use horns, other than in an emergency. All transport companies have been written to regarding the impact of their activities on site in relation to off site noise.

During the site walk around the noise on the yard was noticeably reduced around the plant that had had silencers fitted.

A full off site assessment of the improvements was not possible due to the weather conditions at the time of the visit. Two distinct noises were heard off site - one believed to be from the compressor house and the other from the paunch washer. The Operator should monitor these over the coming months to assess whether any further improvements are required.

Environmental Management System

The review is on track for completion by the end of April 2016. A number of key procedures have already been produced and implemented and training of key staff taken place. Security Guards were due to be trained on 9 December 2015 on their role on receipt of an environmental complaint (please confirm this training has taken place).

A training matrix will be produced once the EMS review is complete to ensure that all staff receive the training relevant to their role.

Recommendations

It is recommended that RPF review their EP OPRA spreadsheet to ensure it remains accurate.

It is recommended that RPF look at diverting the roof water away from the effluent treatment plant. All of this water is currently adding to the load at the effluent treatment plant. As long as the rainwater remains clean and uncontaminated it can discharge to controlled waters without the benefit of a consent.

	EPR Compliance Assessment Report	Report ID: GP3235GH/0253690	
This form will report compliance with your permit as determined by an NRW officer			
Site	Dolwen Abattoir EPR/GP3235GH	Permit	GP3235GH
Operator/ Permit	Randall Parker Foods	Date	02/12/2015

Section 3- Enforcement Response		Only one of the boxes below should be ticked	
You must take immediate action to rectify any non-compliance and prevent repetition. Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.			
Other than the provision of advice and guidance, at present we do not intend to take further enforcement action in respect of the non-compliance identified above. This does not preclude us from taking enforcement action if further relevant information comes to light or advice isn't followed.			☐
In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.			☐
We will now consider what enforcement action is appropriate and notify you, referencing this form.			☐

Section 4- Action(s)			
Where non-compliance has been detected and an enforcement response has been selected above, this section summarises the steps you need to take to return to compliance and also provides timescales for this to be done.			
Criteria Ref.	CCS Category	Action Required/Advised	Due Date
See Section 1 above			

Section 5 - Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- advise on corrective actions verbally or in writing
- require you to take specific actions in writing
- issue a notice
- require you to review your procedures or management system
- change some of the conditions of your permit
- decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you.

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- ensure you comply with other legislative provisions which may apply.

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance which could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General Information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfill its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- offering/providing you with its literature/services relating to environmental matters
- consulting with the public, public bodies and other organisations (e.g. Health and Safety Executive, local authorities) on environmental issues
- carrying out statistical analysis, research and development on environmental issues
- providing public register information to enquirers
- investigating possible breaches of environmental law and taking any resulting action
- preventing breaches of environmental law
- assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Information Regulations request.

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within twenty working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with the officer's line managers. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00–18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.