

Technical Guidance Note

IPPC H7 (Reporting Template 5)

Integrated Pollution Prevention and
Control (IPPC)

Template for

First Phase Reporting of the Site
Protection and Monitoring
Programme for Installations where
Reference Data is NOT Required

Commissioning Organisation

Environment Agency

Rio House

Waterside Drive

Aztec West

Almondsbury

Bristol BS32 4UD

Tel 01454 624400 Fax 01454 624409

© Environment Agency

First published 2003

This version August 2003

All rights reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the Environment Agency.

Record of changes

Version

Date

Change

1

August 2003

Initial issue for external consultation as a working draft document

Note:

Queries about the content of this document should be made to Helen Moorhouse at helen.moorhouse@environment-agency.gov.uk or sent in writing please to the address below.

Environment Agency

Richard Fairclough House

Knutsford Road

Latchford

Warrington

WA4 1HG

INTRODUCTION

This document presents a reporting template for Operators to use when reporting the first phase of a Site Protection and Monitoring Programme for installations that do not require reference data to be collected. It is designed to assist Operators with the submission of the correct information in a suitable format to the Agency and should be completed in full.

The Agency will review the content and format of this reporting template following any feedback received.

Where there are deficiencies or uncertainties in the information provided these should be clearly marked and annotated to indicate where further data gathering may be required. It must be used in conjunction with the following guidance document:

Guidance on the Protection of Land Under the PPC Regime: Application Site Report and Site Protection And Monitoring Programme

NOTES ON THE USE OF THE TEMPLATE

In the template, those parts written in red italics and enclosed in square brackets (i.e. [italics]), indicate where relevant information and or assessment is required to be entered. In entering this information the italics should be deleted along with the brackets or written over and the text reformatted to normal style.

Where text in red italics appears prefixed with the word 'Note' in bold (i.e. [NOTE: italics]) this provides guidance on filling in the relevant [Italics] part. On completion of the [italics] part the [NOTE: italics] should be deleted from the final report prior to submission.

This page is left intentionally blank

FIRST PHASE REPORTING OF THE

SITE PROTECTION AND MONITORING PROGRAMME

FOR BARRY ALUMINIUM CHLOROHYDRATE PLANT CF63 3RA, OPERATED BY
ALEMBIC MANUFACTURING LTD

REFERENCE DATA IS NOT REQUIRED

14 March 2016

Contents

Summary

1.0 Introduction

2.0 Monitoring Programme

2.1 Environmental Monitoring Programme

2.2 Infrastructure Monitoring Programme

2.3 Assessment and Reporting Procedures

3.0 Other Issues

4.0 References

5.0 Glossary

Appendices

Appendix A - Figures and Plans

Appendix B - Inspection and Monitoring Protocols

Appendix C - Other Issues

Summary

This document represents the eighth report of the Site Protection and Monitoring Programme (SPMP) for BARRY ALUMINIUM CHLOROHYDRATE PLANT CF63 3RA submitted to the Environment Agency in pursuance of Condition 2.10.9 of the Permit No. MP3431SP (the "Permit") authorising the operation of BARRY ALUMINIUM CHLOROHYDRATE PLANT CF63 3RA (the "installation").

The scope of this monitoring is detailed within the Design SPMP submitted in pursuance of Condition 4.1.7 of the above mentioned Permit. This document should be read in conjunction with both documents.

The monitoring programme for the site is presented in Section 3 of the Design SPMP.

1.0 Introduction

This report has been prepared by David Randall, managing director of Alemmbic manufacturing Ltd.

1.1 Site Location

The installation is located at BARRY DOCKS The centre of the site is at National Grid Reference 313170E 167760N. The site covers an area of 0.065 Ha and can be seen in Figure 1 of Appendix A1.

2.0 Monitoring Programme

2.1 Objectives of the Monitoring Programme

As in SPMP Second issue dated January 2006

2.2 Monitoring Programme

2.3 Infrastructure Monitoring Programme

The infrastructure monitoring programme meets the objectives identified within Section 2.1 above and thus there are no changes to the Design SPMP for the installation.

2.3.1 Personnel Issues

Personnel responsible for the inspection, testing and maintenance of pollution prevention infrastructure are to be trained to an appropriate level to ensure compliance with the Programme. Roles and responsibilities for undertaking the Programme (including reporting) and ensuring adequate competence of staff are shown in Appendix B2.

2.4 Assessment and Reporting Procedures

2.4.1 Assessment Procedure

Infrastructure monitoring program.

As shown in table 3.2 of SPMP we carry out regular monitoring of infrastructure to ensure continued environmental protection.

Infrastructure condition is monitored by senior management and/or responsible Staff. To ensure traceability recorded inspections are signed off by approved Staff and results kept in file. Any deterioration is logged and individual progress sheet generated to record results, and corrective action.

Conformance with low impact Criteria and summary of environmental performance:-

The use of raw materials, energy and production of waste etc. will be monitored by senior management to ensure continued compliance with low impact criteria as in our permit. Annual report will detail this performance and a general summary will be provided to explain any changes and improvements or planned improvements.

2.4.2 Reporting Procedure

Summaries of the monitoring data will be sent to the Agency by the 31st of January each alternate year along with the results of the data assessment, and any recommendations for amendments to the monitoring programme.

Infrastructure monitoring is reported direct to Senior management. Any concerns by any staff are to be reported immediately and if relevant will be included in maintenance/monitoring program.

All staff are responsible for good environmental practice. Staff monitoring ESP infrastructure have additional responsibility to ensure any faults are recorded, logged and brought to attention of relevant staff (usually management) for action.

In case of emergency such as leakage or other unplanned emission immediate steps are taken to minimise problem in consultation with management. Management will take responsibility for informing relevant emergency services and authorities, such as fire service, Water authority, local authority and for reporting incident to Environment Agency format of Schedule 1 Notification of Abnormal emissions would be used as on page 17 of our permit no. MP3431SP.

The formats for standard and emergency reporting procedures are shown in Appendix B3.

2.4.3 Recording and Data Management

The results of our infrastructure monitoring program are attached in Appendix C.


3.0 Other Issues

4.0 References

5.0 Glossary

APPENDIX A

Site location Plan



Experiments carried out from the Combustion Science with the participation of the consortium's FIMET-FIMEC research project "New Technologies for the Development of Efficient Engines".

ENVIRON

8 Village Way, Croydon,
CARRIDGE, CR15 7NE

Tel: 020 2654 3560

ENVIRON UK Limited Fax: 029 2062 5759

Figure 2

Installation Boundary and Storage Locations

Alchemie Manufacturing Ltd

Scale	100	August 2000
100,000	100	

Q No	Answer	Ref
1	1000	1000

Modified 12/11/12

APPENDIX B

INSPECTION AND MONITORING PROTOCOLS

Contents

B1 Monitoring Protocols

B2 Inspection, Testing and Maintenance Protocols

B3 Reporting Procedures

B1 Monitoring Protocols

Environmental protection infrastructure is monitored as described in our SPMP Issue January 2006 and as shown in App C and described in B2. There are no Environmental monitoring protocols applicable to this site.

B2 Inspection,testing and Maintenance Protocols

All staff are encouraged to be aware during normal working of any equipment or infrastructure changes/degradation and to report any such observations to Senior Management who will instigate further inspection, monitoring and/or remedial action as required.

In addition certain staff have responsibility for carrying out general site/infrastructure inspections on a weekly basis and signing off at end of week to record inspections carried out as per SPMP .

The records of inspections for 2014 are attached at end of this report Appendix C.

Results of monitoring and action sheets are kept in file at unit 6 available to all staff for inspection checking. These records will be maintained over the time of plant operation and extended as necessary to provide record of condition and maintenance of plant and infrastructure.

Opportunity is also taken to inspect environmentally sensitive plant whenever site operations provide . Thus reaction tanks are emptied daily and checked for degradation. Periodic renewal of items such as cooling coils and maintenance entails emptying washing out and the opportunity for closer inspection from the inside.

B3 Reporting Procedures

Standard Internal Procedures are as shown in App C. The final responsibility rests with the Managers John Tann and David Randall. The three Registered staff David Phillips, Kevin Barry and Jonathan Blake are tasked with reporting any faults, issues or degradations to the management for action. Other staff are encourage to alert senior staff or management if they notice or suspect degradation at any time.

Emergency reporting procedures.

In case of abnormal emission, leak or failure of containment which could lead to environmental pollution. The first responsibility is to alert management and registered staff who will take steps to prevent/minimise environmental impact by most appropriate methods. Management will be responsible for reporting incident to relevant authorities in order of urgency eg Fire.Police, Port or Water Authorities to minimise effects of major emission on environment. Management will also be responsible for filing Notification of abnormal emission with PPC, as in page 17 of our permit., copy attached App C.

APPENDIX C**Contents****Table 1 Infrastructure monitoring Program**

Infrastructure Monitoring Assessment Procedure (Issue 1 January 2008)

List of registered Staff for infrastructure monitoring (issue 2 January 2010)

Copy PPC form for Notification of abnormal emissions Permit MP3431SP p17 07/11/05

Area	Visual Inspection		Non-Destructive Testing			
	Leaks and Spills	Structural Integrity	CCTV Checks	Pressure Tests	Leak Tests	Ultrasonic Testing
Chemical reactions	Visual external checks. Drained for visual internal integrity checks every six months.	6-monthly.				
Chemical Storage	Daily.	As and when used.				
Above Ground Transfer Pipework		6-monthly.				
Permanently buried areas	Weekly.	6-monthly.				
Roadways (directly adjacent to units)	Weekly	Annual condition assessment checks.				
Waste storage area (internal)	Weekly	Annual condition assessment checks				
Skips and Eurobins		Skips and Eurobins checked on delivery.				
All concrete storage areas	Daily.	Annual condition assessment checks.				
Drainage	No surface water drainage or process water draining within installation boundary.					
General repairs and maintenance.	As and when required.	As and when required.				

Table 1: Infrastructure Monitoring Programme

INFRASTRUCTURE MONITORING ASSESSMENT PROCEDURE AND REPORTING STRUCTURE

Regular inspection of environmental protection infrastructure is carried out by registered staff on a regular basis as detailed in our SPMP plan table 1 attached.

Weekly records of inspection are recorded with initials to identify inspecting staff.

If there are no issues to report the comments box is left blank . If degradation or other issue is observed this is reported immediately to management, an action sheet raised and the date and grid reference of the problem noted in comments box.

The action sheet is kept on file with actions taken detailed. File is kept open until problem resolved. Completed action file is kept in ring binder with other records.

All staff are encouraged to report any suspect areas to Registered staff or management for assessment.

Senior staff (directors) are responsible for authorising/approving any corrective action.

ISSUE 1 January 2006

REGISTERED STAFF FOR INFRASTRUCTURE MONITORING

<u>Name</u>	<u>Role</u>	<u>Initials</u>	<u>Approval Signature</u>
John Tann	Director	JT	D.R. Radloff
David Randall	Director	DR	~~DR Radloff~~
David Phillips	Process/ISO	DP	D.R. Radloff
Kevin Barry	Process/Warehouse	KB	D.R. Radloff
Jonathan Blake	Process/Warehouse	JB	D.R. Radloff

SSUE 2 January 2010

Schedule 1 - Notification of abnormal emissions

This page outlines the information that the Operator must provide to satisfy conditions 5.1.1 and 5.1.2 of this Permit.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the PPC Regulations.

Part A

Permit Number	
Name of Operator	
Location of Installation	
Location of the emission	
Time and date of the emission	

Substance(s) emitted	Media	Best estimate of the quantity or the rate of emission	Time during which the emission took place

Measures taken, or intended to be taken, to stop the emission	
---	--

Part B

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident.	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the emission.	
The dates of any unauthorised emissions from the installation in the preceding 24 months.	
Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of ALEMBIC MANUFACTURING LIMITED

INFRASTRUCTURE MONITORING RECORDS

* YEAR 2014.

WEEK No	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
①	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
②	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
③	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
④	DRINK TO BUND UPON PRE-REPAIRMENT FIRST, DASH INTO CAUSE DAY REPAIRMENT (MORE CASES SERVED)		✓	JB	✓	JB	✓	JB	✓	JB
⑤	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑥	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑦	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑧	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑨	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑩	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑪	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
⑫	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
13	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB

INFRASTRUCTURE MONITORING RECORDS

ALEMBIC MANUFACTURING LTD.

WEEK No.	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
14	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
15	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
16	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
17	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
18	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
19	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
20	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
21	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
22	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
23	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
24	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
25	✓	KB	✓	KB	✓	KB	✓	KB	✓	KB
26	✓	KB	✓	KB	✓	KB	✓	KB	✓	KB

WEEK No.	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
27	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
28	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
29	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
30	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
31	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
32	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
33	✓	JB	✓	JB	✓	JB	SMALL HOLE IN FLOOR BY P. FINDER	JB	✓	JB
34	✓	JB	✓	JB	✓	JB	DONE JCS	JB	✓	JB
35	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
36	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
37	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
38	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
39	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB

WEEK No.	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
40	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
41	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
42	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
43	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
44	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
45	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
46	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
47	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
48	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
49	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
50	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
51	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
52	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB

UNIT

(10)

ALEMBIC MANUFACTURING LTD.

INFRASTRUCTURE MONITORING RECORDS

YEAR

2014

WEEK No	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
①	✓	JB					✓	JB		
②	✓	JB					✓	JB		
③	✓	JB					✓	JB		
④	✓	JB					✓	JB		
5	✓	JB					✓	JB		
6	✓	JB					✓	JB		
7	✓	JB					✓	JB		
8	✓	JB					✓	JB		
9	✓	JB					✓	JB		
10	✓	JB					✓	JB		
11	✓	JB					✓	JB		
12	✓	JB					✓	JB		
13	✓	JB					✓	JB		

WEEK No	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
14	✓	JB					✓	JB		
15	✓	JB					✓	JB		
16	✓	JB					✓	JB		
17	✓	JB					✓	JB		
18	✓	JB					✓	JB		
19	✓	JB					✓	JB		
20	✓	JB					✓	JB		
21	✓	JB					✓	JB		
22	✓	JB					✓	JB		
23	✓	JB					✓	JB		
24	✓	JB					✓	JB		
25	✓	JB					✓	JB		
26	✓	JB					✓	JB		

WEEK NO	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
27	✓	JB					✓	JB		
28	✓	JB					✓	JB		
29	✓	JB					✓	JB		
30	✓	JB					✓	JB		
31	✓	JB					✓	JB		
32	✓	JB					✓	JB		
33	✓	JB					✓	JB		
34	✓	JB					✓	JB		
35	✓	JB					✓	JB		
36	✓	JB					✓	JB		
37	✓	JB					✓	JB		
38	✓	JB					✓	JB		
39	✓	JB					✓	JB		

WEEK NO.	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
40	✓	JB					✓	JB		
41	✓	JB					✓	JB		
42	✓	JB					✓	JB		
43	✓	JB					✓	JB		
44	✓	JB					✓	JB		
45	✓	JB					✓	JB		
46	✓	JB					✓	JB		
47	✓	JB					✓	JB		
48	✓	JB					✓	JB		
49	✓	JB					✓	JB		
50	✓	JB					✓	JB		
51	✓	JB					✓	JB		
52	✓	JB					✓	JB		

INFRASTRUCTURE MONITORING RECORDS

Unit 6+7.

YEAR 2013

WEEK No	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
1+0	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
41	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
42	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
43	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
44	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
45	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
46	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
47	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
48	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
49	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS
50	✓	JCS	✓	JCS	✓	JCS	✓	JCS	✓	JCS

END PAGE

WEEK NO.	BUNDLS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
27	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
28	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
29	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
30	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
31	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
32	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
33	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
34	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
35	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
36	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
37	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
38	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
39	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB

WEEK NO.	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
14	OK	JB	OK	JB	OK	JB	OK	JB	OK	JB
15	good	JB	good	JB	good	JB	good	JB	good	JB
16	fine	JB	fine	JB	fine	JB	fine	JB	fine	JB
17	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
18	5*	JB	5*	JB	5*	JB	5*	JB	5*	JB
19	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
20	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
21	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
22	✓	JB	✓	JB	✓	JB	✓	JB	✓	JB
23	✓	JB	✓		✓		✓		✓	
24	✓	JB	✓		✓		✓		✓	
25	✓	JB	✓		✓		✓		✓	
26	✓	JB	✓		✓		✓		✓	

WEEK No	BUNDS		CHEMICAL REACTORS		CHEMICAL STORAGE		FLOORS		ROADWAY	
	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL	COMMENTS	INTL
1	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
2	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
3	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
4	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
5	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
6	Atk Bonds AGE Sealing Bundamaged	JS	Scrapped + mtd	JS	No - Reason's	JS	SITE IS Seal integrity well	JS	morning 15 REPORT. 100%	
7	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
8	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
9	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
10	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
11	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
12	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS
13	✓	JS	✓	JS	✓	JS	✓	JS	✓	JS

INFRASTRUCTURE MONITORING RECORDS

YEAR 2013.

WEEK NO	BUNDS						FLOORS		ROADWAY	
	COMMENTS	INTL					COMMENTS	INTL	COMMENTS	INTL
36	Full Ruined, Complete	JS					Good	JS	Good	JS
37	✓	JS					✓	JS	✓	JS
38	✓	JS					✓	JS	✓	JS
39	✓	JS					✓	JS	✓	JS
40	✓	JS					✓	JS	✓	JS
41	✓	JS					✓	JS	✓	JS
42	✓	JS					✓	JS	✓	JS
43	✓	JS					✓	JS	✓	JS
44	✓	JS					✓	JS	✓	JS
45	✓	JS					✓	JS	✓	JS
46	✓	JS					✓	JS	✓	JS
47	✓	JS					✓	JS	✓	JS
48	✓	JS					✓	JS	✓	JS

END

YEAR