



Newport City Council
Civic Centre
Newport
NP20 4UR

Attention: Meirion Humphreys

CERTIFICATE OF ANALYSIS

Date: 05 January 2015
Customer: H_NCC_NPT
Sample Delivery Group (SDG): 141213-24
Your Reference:
Location: Docksway Landfill Site
Report No: 297603

We received 16 samples on Saturday December 13, 2014 and 16 of these samples were scheduled for analysis which was completed on Monday January 05, 2015. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

Approved By:

Sonia McWhan
Operations Manager





SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
10560824	GW03-02			12/12/2014
10560825	GW03-05			12/12/2014
10560834	GW06-13			12/12/2014
10560823	GW07-07			12/12/2014
10560833	GW12-38			12/12/2014
10560835	GW06-14A			12/12/2014
10560839	LF08-07			12/12/2014
10560836	LF11-02			12/12/2014
10560837	LF11-04			12/12/2014
10560838	LF11-07			12/12/2014
10560826	SW11			12/12/2014
10560828	SW23			12/12/2014
10560830	SW24			12/12/2014
10560831	SW25			12/12/2014
10560832	SW26			12/12/2014
10560827	SW1A			12/12/2014

Only received samples which have had analysis scheduled will be shown on the following pages.



CERTIFICATE OF ANALYSIS

SDG: 141213-24
 Job: H_NCC_NPT-3
 Client Reference:

Location: Docksway Landfill Site
 Customer: Newport City Council
 Attention: Meirion Humphreys

Order Number:
 Report Number: 297603
 Superseded Report:

LIQUID Results Legend Test No Determination Possible	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container
	10560839	LF08-07			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)
	10560835	GW06-14A			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)
	10560833	GW12-38			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)
	10560823	GW07-07			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)
10560834	GW06-13			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)	
10560825	GW03-05			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)	
10560824	GW03-02			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297) H2SO4 (ALE244) Dissolved Metals Pr 11plastic (ALE221) 11 Glass bottle (ALE246) Vial (ALE297)	
Organotins in Aqueous Samples	All	NDPs: 0 Tests: 3			
pH Value	All	NDPs: 0 Tests: 13			
Phenols by HPLC (W)	All	NDPs: 0 Tests: 6			
Sulphide	All	NDPs: 0 Tests: 4			
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 4			
VOC MS (W)	All	NDPs: 0 Tests: 10			



CERTIFICATE OF ANALYSIS

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

LIQUID Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container		
						NDPs: 0 Tests: 2	
X Test N No Determination Possible	10560827	SW1A			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		
	10560832	SW26			H2SO4 (ALE244) DO KIT + DO 250 m 250ml BOD (ALE21) 11plastic (ALE221)		
	10560831	SW25			H2SO4 (ALE244) DO KIT + DO 250 m 250ml BOD (ALE21) 11plastic (ALE221)		X
	10560830	SW24			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		X
	10560828	SW23			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		
	10560826	SW11			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		
	10560838	LF11-07			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		X
	10560837	LF11-04			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		X
	10560836	LF11-02			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		X
	10560839	LF08-07			H2SO4 (ALE244) 250ml BOD (ALE21) 11plastic (ALE221)		X
Suspended Solids	All						
VOC MS (W)	All						



CERTIFICATE OF ANALYSIS

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Results Legend		Customer Sample R	GW03-02	GW03-05	GW06-13	GW07-07	GW12-38	GW06-14A
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
M	mCERTS accredited.		12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014
aq	Aqueous / settled sample.		13/12/2014	13/12/2014	13/12/2014	13/12/2014	13/12/2014	13/12/2014
diss.filt	Dissolved / filtered sample.		141213-24	141213-24	141213-24	141213-24	141213-24	141213-24
tot.unfilt	Total / unfiltered sample.		10560824	10560825	10560834	10560823	10560833	10560835
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Ionic balance	% Diff	Calulation			1.13		0.00563	2.02
Alkalinity, Total as CaCO3	<2 mg/l	TM043	965	1070	1080	510	580	1230
			#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045			<1		13.9	19.8
					#		#	#
Carbon, Organic (diss.filt)	<3 mg/l	TM090			17.9		17.3	21.8
Organic Carbon, Total	<3 mg/l	TM090	18.5	16.6		12.1		
			#	#		#		
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	37.1	49.9	17.4	<0.2	0.621	7.19
			#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101			0.288		<0.01	<0.01
					#		#	#
COD, unfiltered	<7 mg/l	TM107	37	20.8	137	29.6	203	495
			#	#	#	#	#	#
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	1.6	2	8.29	1.2	2.3	7.55
			#	#	#	#	#	#
Arsenic (diss.filt)	<0.12 µg/l	TM152	1.65	1.06	8.18	2.91	1.33	9.57
			#	#	#	#	#	#
Cadmium (diss.filt)	<0.1 µg/l	TM152	<0.1	<0.1	0.145	<0.1	<0.1	0.11
			#	#	#	#	#	#
Chromium (diss.filt)	<0.22 µg/l	TM152	14	14.4	14.3	6.12	6.15	17.3
			#	#	#	#	#	#
Copper (diss.filt)	<0.85 µg/l	TM152	<0.85	1.09	1.4	5.23	6.87	2.92
			#	#	#	#	#	#
Lead (diss.filt)	<0.02 µg/l	TM152	0.242	0.024	0.043	0.157	<0.02	1.01
			#	#	#	#	#	#
Manganese (diss.filt)	<0.04 µg/l	TM152	558	468	539	2.14	6860	42.7
			#	#	#	#	#	#
Nickel (diss.filt)	<0.15 µg/l	TM152	4.19	4.63	2.44	4.22	6.5	4.3
			#	#	#	#	#	#
Zinc (diss.filt)	<0.41 µg/l	TM152	22.9	13.1	14.1	2.74	2.37	6.5
			#	#	#	#	#	#
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	256	110	<46	118	517	561
			#	#	#	#	#	#
Mercury (diss.filt)	<0.01 µg/l	TM183	<0.01	<0.01		<0.01		
			#	#		#		
Nitrite as NO2	<0.05 mg/l	TM184			<0.05		0.06	0.214
					#		#	#
Sulphate	<2 mg/l	TM184	<2	<2	59	199	498	8.6
			#	#	#	#	#	#
Chloride	<2 mg/l	TM184	71.3	169	2790	61.8	323	2460
			#	#	#	#	#	#
Phosphate (ortho) as PO4	<0.05 mg/l	TM184			7.79		<0.05	2.92
					◆#		◆#	◆#
Nitrate as NO3	<0.3 mg/l	TM184			<0.3		2.01	3.37
					#		#	#
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1	<0.1	<0.1	1.04	0.472	0.828
			#	#	#	#	#	#
Cyanide, Total	<0.05 mg/l	TM227			<0.05		<0.05	<0.05
					#		#	#
Calcium (diss.filt)	<0.012 mg/l	TM228	171	171		209		
			#	#		#		
Sodium (diss.filt)	<0.076 mg/l	TM228	57.3	138		37.2		
			#	#		#		
Magnesium (diss.filt)	<0.036 mg/l	TM228	57.9	54.4		40		
			#	#		#		
Potassium (diss.filt)	<1 mg/l	TM228	29.8	41.7	64.2	13.7	23.6	78.9
			#	#	#	#	#	#
pH	<1 pH Units	TM256	8.05	7.73	8.5	7.98	7.57	7.72
			#	#	#	#	#	#
Phenols, Total Detected monohydric	<0.016 mg/l	TM259	<0.016	<0.016		<0.016		
			#	#		#		



CERTIFICATE OF ANALYSIS

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Table with columns for Results Legend, Customer Sample R, and various sample IDs (GW03-02, GW03-05, GW06-13, GW07-07, GW12-38, GW06-14A). Rows include components like Dibutyl tin, Tributyl tin, Tetrabutyl tin, Triphenyl tin, and Surrogate, with LOD/Units and Method columns.



CERTIFICATE OF ANALYSIS

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Results Legend		Customer Sample R	LF08-07	LF11-02	LF11-04	LF11-07	SW11	SW23
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference						
M	mCERTS accredited.		Water (GW/SW)	Water (GW/SW)	Water (GW/SW)	Water (GW/SW)	Water (GW/SW)	Water (GW/SW)
aq	Aqueous / settled sample.		12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Ionic balance	% Diff	Calulation	-1.53					
Alkalinity, Total as CaCO3 (diss.filt)	<2 mg/l	TM043	735					
BOD, unfiltered	<1 mg/l	TM045	3.6				5.64	2.84
			#				#	#
Organic Carbon, Total	<3 mg/l	TM090	34.6					
			#					
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	98.9	385	2040	1530	0.207	0.298
			#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101	0.637					
			#					
COD, unfiltered	<7 mg/l	TM107	105				118	21.3
			#				#	#
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	2.2				0.4	0.365
			#				#	#
Arsenic (diss.filt)	<0.12 µg/l	TM152	3.69	4.47	24.2	34.9		
			#	#	#	#		
Cadmium (diss.filt)	<0.1 µg/l	TM152	<0.1	<0.1	<1	<1		
			#	#	#	#		
Chromium (diss.filt)	<0.22 µg/l	TM152	12.4	16.5	153	114		
			#	#	#	#		
Copper (diss.filt)	<0.85 µg/l	TM152	1.15	<0.85	34.5	8.75		
			#	#	#	#		
Lead (diss.filt)	<0.02 µg/l	TM152	0.341	0.154	21	15		
			#	#	#	#		
Manganese (diss.filt)	<0.04 µg/l	TM152	807	448	375	233		
			#	#	#	#		
Nickel (diss.filt)	<0.15 µg/l	TM152	9.17	9.26	376	417		
			#	#	#	#		
Zinc (diss.filt)	<0.41 µg/l	TM152	9.89	1.29	58.2	16.8		
			#	#	#	#		
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	679	2860	7390	13400		
			#	#	#	#		
Mercury (diss.filt)	<0.01 µg/l	TM183		<0.01	<0.01	<0.01		
				#	#	#		
Nitrite as NO2	<0.05 mg/l	TM184	<0.05					
			#					
Sulphate	<2 mg/l	TM184	260					
			#					
Chloride	<2 mg/l	TM184	181				13.1	24.2
			#				#	#
Phosphate (ortho) as PO4	<0.05 mg/l	TM184	<0.05					
			◆ #					
Nitrate as NO3	<0.3 mg/l	TM184	<0.3					
			#					
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1					
			#					
Cyanide, Total	<0.05 mg/l	TM227	<0.05					
			#					
Calcium (diss.filt)	<0.012 mg/l	TM228		165	68	38.6		
				#	#	#		
Sodium (diss.filt)	<0.076 mg/l	TM228		354	2340	2280		
				#	#	#		
Magnesium (diss.filt)	<0.036 mg/l	TM228		117	170	84.6		
				#	#	#		
Potassium (diss.filt)	<1 mg/l	TM228	74.5	169	1070	640		
			#	#	#	#		
pH	<1 pH Units	TM256	7.67				8	7.84
			#				#	#
Phenols, Total Detected monohydric	<0.016 mg/l	TM259		0.05	0.07	0.23		
				#	2 #	#		



CERTIFICATE OF ANALYSIS

SDG: 141213-24
 Job: H_NCC_NPT-3
 Client Reference:

Location: Docksway Landfill Site
 Customer: Newport City Council
 Attention: Meirion Humphreys

Order Number:
 Report Number: 297603
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	GW03-02	GW03-05	GW06-13	GW07-07	GW12-38	GW06-14A
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
M	mCERTS accredited.		12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5	@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Dibromofluoromethane**	%	TM208	109	111		110		
Toluene-d8**	%	TM208	99.3	98.3		97.8		
4-Bromofluorobenzene**	%	TM208	96.2	96		94.5		
Dichlorodifluoromethane	<1 µg/l	TM208	<1	<1		<1		
Chloromethane	<1 µg/l	TM208	<1	<1		<1		
Vinyl chloride	<1 µg/l	TM208	<1	<1		<1		
Bromomethane	<1 µg/l	TM208	<1	<1		<1		
Chloroethane	<1 µg/l	TM208	<1	<1		<1		
Trichlorofluoromethane	<1 µg/l	TM208	<1	<1		<1		
1,1-Dichloroethene	<1 µg/l	TM208	<1	<1		<1		
Carbon disulphide	<1 µg/l	TM208	<1	<1		<1		
Dichloromethane	<3 µg/l	TM208	<3	<3		<3		
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208	<1	<1		<1		
trans-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1		<1		
1,1-Dichloroethane	<1 µg/l	TM208	<1	<1		<1		
cis-1,2-Dichloroethene	<1 µg/l	TM208	<1	<1		<1		
2,2-Dichloropropane	<1 µg/l	TM208	<1	<1		<1		
Bromochloromethane	<1 µg/l	TM208	<1	<1		<1		
Chloroform	<1 µg/l	TM208	<1	<1		<1		
1,1,1-Trichloroethane	<1 µg/l	TM208	<1	<1		<1		
1,1-Dichloropropene	<1 µg/l	TM208	<1	<1		<1		
Carbontetrachloride	<1 µg/l	TM208	<1	<1		<1		
1,2-Dichloroethane	<1 µg/l	TM208	<1	<1		<1		
Benzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208	<1	<1		<1		
1,2-Dichloropropane	<1 µg/l	TM208	<1	<1		<1		
Dibromomethane	<1 µg/l	TM208	<1	<1		<1		
Bromodichloromethane	<1 µg/l	TM208	<1	<1		<1		
cis-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1		<1		
Toluene	<1 µg/l	TM208	<1	<1		<1		
trans-1,3-Dichloropropene	<1 µg/l	TM208	<1	<1		<1		
1,1,2-Trichloroethane	<1 µg/l	TM208	<1	<1		<1		



CERTIFICATE OF ANALYSIS

SDG: 141213-24
 Job: H_NCC_NPT-3
 Client Reference:

Location: Docksway Landfill Site
 Customer: Newport City Council
 Attention: Meirion Humphreys

Order Number:
 Report Number: 297603
 Superseded Report:

VOC MS (W)

Results Legend		Customer Sample R	GW03-02	GW03-05	GW06-13	GW07-07	GW12-38	GW06-14A
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
M	mCERTS accredited.		12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014	12/12/2014
aq	Aqueous / settled sample.		13/12/2014	13/12/2014	13/12/2014	13/12/2014	13/12/2014	13/12/2014
dis.filt	Dissolved / filtered sample.		141213-24	141213-24	141213-24	141213-24	141213-24	141213-24
tot.unfilt	Total / unfiltered sample.		10560824	10560825	10560834	10560823	10560833	10560835
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5	Sample deviation (see appendix)							
Component	LOD/Units	Method						
1,3-Dichloropropane	<1 µg/l	TM208	<1	<1		<1		
Tetrachloroethene	<1 µg/l	TM208	<1	<1		<1		
Dibromochloromethane	<1 µg/l	TM208	<1	<1		<1		
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1		<1		
Chlorobenzene	<1 µg/l	TM208	<1	<1		<1		
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1		<1		
Ethylbenzene	<1 µg/l	TM208	<1	<1		<1		
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
o-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1
Styrene	<1 µg/l	TM208	<1	<1		<1		
Bromoform	<1 µg/l	TM208	<1	<1		<1		
Isopropylbenzene	<1 µg/l	TM208	<1	<1		<1		
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1		<1		
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1		<1		
Bromobenzene	<1 µg/l	TM208	<1	<1		<1		
Propylbenzene	<1 µg/l	TM208	<1	<1		<1		
2-Chlorotoluene	<1 µg/l	TM208	<1	<1		<1		
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1		<1		
4-Chlorotoluene	<1 µg/l	TM208	<1	<1		<1		
tert-Butylbenzene	<1 µg/l	TM208	<1	<1		<1		
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1		<1		
sec-Butylbenzene	<1 µg/l	TM208	<1	<1		<1		
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1		<1		
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1		<1		
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1		<1		
n-Butylbenzene	<1 µg/l	TM208	<1	<1		<1		
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1		<1		
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1		<1		
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1		<1		
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1		<1		
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1		<1		
Naphthalene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

VOC MS (W)

Table with columns for Results Legend, Customer Sample R, GW03-02, GW03-05, GW06-13, GW07-07, GW12-38, GW06-14A. Rows include components like 1,2,3-Trichlorobenzene and 1,3,5-Trichlorobenzene with LOD/Units and Method columns.



CERTIFICATE OF ANALYSIS

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

VOC MS (W)

Table with columns for Results Legend, Customer Sample R, LF08-07, LF11-02, LF11-04, LF11-07, Component, LOD/Units, Method, and concentration values for Benzene, m,p-Xylene, o-Xylene, Naphthalene, and Sum of detected Xylenes.



SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Table of Results - Appendix

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
Calculation				
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters		
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples		
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids		
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water		
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit		
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters		
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM187	Winkler, L.W, Ber Deutsch. Chem. Ges, 21,2843,1888."	Dissolved Oxygen in Natural and Waste Waters HMSO 1979 ISBN 011 751442		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC		
TM328				

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.



SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Test Completion Dates

Lab Sample No(s) Customer Sample Ref.	10560824	10560825	10560834	10560823	10560833	10560835	10560839	10560836	10560837	10560838
	GW03-02	GW03-05	GW06-13	GW07-07	GW12-38	GW06-14A	LF08-07	LF11-02	LF11-04	LF11-07
AGS Ref.										
Depth										
Type	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID
Alkalinity as CaCO3	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014				
Alkalinity Filtered as CaCO3			20-Dec-2014		20-Dec-2014	20-Dec-2014	18-Dec-2014			
Ammoniacal Nitrogen	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	23-Dec-2014	17-Dec-2014	17-Dec-2014
Anions by Kone (w)	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014			
BOD True Total			18-Dec-2014		18-Dec-2014	18-Dec-2014	18-Dec-2014			
COD Unfiltered	21-Dec-2014	21-Dec-2014	17-Dec-2014	21-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014			
Conductivity (at 20 deg.C)	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014			
Cyanide Comp/Free/Total/Thiocyanate			19-Dec-2014		19-Dec-2014	19-Dec-2014	19-Dec-2014			
Dissolved Metals by ICP-MS	30-Dec-2014	29-Dec-2014	30-Dec-2014	30-Dec-2014	30-Dec-2014	30-Dec-2014	30-Dec-2014	29-Dec-2014	30-Dec-2014	30-Dec-2014
Dissolved Organic/Inorganic Carbon			17-Dec-2014		16-Dec-2014	17-Dec-2014				
EPH (DRO) (C10-C40) Aqueous (W)	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	18-Dec-2014	19-Dec-2014	19-Dec-2014
Ionic Balance			05-Jan-2015		05-Jan-2015	05-Jan-2015	30-Dec-2014			
Mercury Dissolved	17-Dec-2014	17-Dec-2014		17-Dec-2014				19-Dec-2014	19-Dec-2014	19-Dec-2014
Metals by iCap-OES Dissolved (W)	30-Dec-2014	30-Dec-2014	31-Dec-2014	30-Dec-2014	30-Dec-2014	31-Dec-2014	30-Dec-2014	30-Dec-2014	24-Dec-2014	31-Dec-2014
Nitrite by Kone (w)			17-Dec-2014		17-Dec-2014	17-Dec-2014	19-Dec-2014			
Organotins in Aqueous Samples	22-Dec-2014	22-Dec-2014		22-Dec-2014						
pH Value	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014			
Phenols by HPLC (W)	22-Dec-2014	18-Dec-2014		22-Dec-2014				19-Dec-2014	19-Dec-2014	19-Dec-2014
Sulphide			31-Dec-2014		31-Dec-2014	31-Dec-2014	31-Dec-2014			
Total Organic and Inorganic Carbon	22-Dec-2014	22-Dec-2014		19-Dec-2014			22-Dec-2014			
VOC MS (W)	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014

Lab Sample No(s) Customer Sample Ref.	10560826	10560828	10560830	10560831	10560832	10560827
	SW11	SW23	SW24	SW25	SW26	SW1A
AGS Ref.						
Depth						
Type	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID
Ammoniacal Nitrogen	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014	29-Dec-2014
Anions by Kone (w)	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014
BOD True Total	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014
COD Unfiltered	17-Dec-2014	17-Dec-2014	21-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014
Conductivity (at 20 deg.C)	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014	31-Dec-2014
Dissolved Oxygen by Titration				22-Dec-2014	22-Dec-2014	
pH Value	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014	24-Dec-2014
Suspended Solids				31-Dec-2014	31-Dec-2014	

SDG: 141213-24
Job: H_NCC_NPT-3
Client Reference:
Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 297603
Superseded Report:

Appendix General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICS and SVOC TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible. The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. Results relate only to the items tested.

12. LODs for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70 -130 %.

14. **Product analyses** -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

Sample Deviations

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
♦	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.