



Newport City Council
Civic Centre
Newport
NP20 4UR

Attention: Meirion Humphreys

CERTIFICATE OF ANALYSIS

Date: 23 December 2014
Customer: H_NCC_NPT
Sample Delivery Group (SDG): 141211-29
Your Reference:
Location: Docksway Landfill Site
Report No: 296923

We received 11 samples on Thursday December 11, 2014 and 11 of these samples were scheduled for analysis which was completed on Tuesday December 23, 2014. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

Approved By:

Sonia McWhan
Operations Manager





SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
10543485	GW03-09			10/12/2014
10543486	GW06-34			10/12/2014
10543493	GW06-36			10/12/2014
10543494	GW06-37			10/12/2014
10543491	GW06-39			10/12/2014
10543489	GW07-40			10/12/2014
10543490	GW09-31			10/12/2014
10543487	GW09-32			10/12/2014
10543495	GW09-35			10/12/2014
10543492	GW12-30			10/12/2014
10543488	GW12-33			10/12/2014

Only received samples which have had analysis scheduled will be shown on the following pages.



SDG: 141211-29
 Job: H_NCC_NPT-3
 Client Reference:

Location: Docksway Landfill Site
 Customer: Newport City Council
 Attention: Meirion Humphreys

Order Number:
 Report Number: 296923
 Superseded Report:

LIQUID Results Legend Test No Determination Possible	Lab Sample No(s)		10543485	10543486	10543493	10543494	10543491	10543489
	Customer Sample Reference		GW03-09	GW06-34	GW06-36	GW06-37	GW06-39	GW07-40
	AGS Reference							
	Depth (m)							
	Container		NaOH (ALE245) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE ZnAc (ALE246) Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE					
Alkalinity as CaCO3	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 11		X	X	X	X	X
Anions by Kone (w)	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
BOD True Total	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
COD Unfiltered	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 11		X	X	X	X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Dissolved Organic/Inorganic Carbon	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
EPH (DRO) (C10-C40) Aqueous (W)	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Ionic Balance	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Metals by iCap-OES Dissolved (W)	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Nitrite by Kone (w)	All	NDPs: 0 Tests: 11		X	X	X	X	X
pH Value	All	NDPs: 0 Tests: 11	X	X	X	X	X	X
Sulphide	All	NDPs: 0 Tests: 11		X	X	X	X	X



CERTIFICATE OF ANALYSIS

SDG: 141211-29
 Job: H_NCC_NPT-3
 Client Reference:

Location: Docksway Landfill Site
 Customer: Newport City Council
 Attention: Meirion Humphreys

Order Number:
 Report Number: 296923
 Superseded Report:

LIQUID Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	VOC MS (W)	NDPs: 0 Tests: 11	
							X	N
X Test N No Determination Possible	10543489	GW07-40			Vial (ALE297) ZnAc (ALE246)			X
	10543490	GW09-31			Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			X
	10543487	GW09-32			Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			X
	10543495	GW09-35			Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			X
	10543492	GW12-30			Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			X
	10543488	GW12-33			Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			X
					Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			
					Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			
					Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			
					Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			
					Vial (ALE297) NaOH (ALE245) H2SO4 (ALE244) 250ml BOD (ALE21) 1l plastic (ALE221) 1l Glass bottle (ALE246) ZnAc (ALE246) Vial (ALE297)			



CERTIFICATE OF ANALYSIS

SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

Results Legend		Customer Sample R	GW03-09	GW06-34	GW06-36	GW06-37	GW06-39	GW07-40
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
M	mCERTS accredited.		10/12/2014	10/12/2014	10/12/2014	10/12/2014	10/12/2014	10/12/2014
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units		Method					
Ionic balance	% Diff	Calulation	-2.44	-3.54	-8.57	-4.47	-3.36	-2.57
Alkalinity, Total as CaCO3	<2 mg/l	TM043	1300	670	995	1320	695	735
BOD, unfiltered	<1 mg/l	TM045	46.5	329	3.66	279	3.11	3.55
Carbon, Organic (diss.filt)	<3 mg/l	TM090	39.8	18.6	16.2	37.6	16.2	27.4
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	14.2	4.2	13.3	34.6	2.86	9.66
Sulphide	<0.01 mg/l	TM101	0.182	33.6	<0.01	67.8	0.204	0.129
COD, unfiltered	<7 mg/l	TM107	80.6	588	203	705	48.8	75.5
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	7.75	1.49	9.8	10.7	3.57	2
Arsenic (diss.filt)	<0.12 µg/l	TM152	6.81	26	9.09	230	11	19.9
Boron (diss.filt)	<9.4 µg/l	TM152	1340	490	1270	2080	993	1390
Cadmium (diss.filt)	<0.1 µg/l	TM152	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Chromium (diss.filt)	<0.22 µg/l	TM152	12.5	6.72	10.2	10.8	7.13	7.61
Copper (diss.filt)	<0.85 µg/l	TM152	1.58	<0.85	1.08	1.51	1.37	4.35
Lead (diss.filt)	<0.02 µg/l	TM152	0.037	0.032	0.062	0.095	0.039	0.043
Manganese (diss.filt)	<0.04 µg/l	TM152	409	2970	280	601	278	521
Nickel (diss.filt)	<0.15 µg/l	TM152	1.67	4.57	4.66	2.19	4.76	8.57
Selenium (diss.filt)	<0.39 µg/l	TM152	10	<0.39	10.1	6.21	3.59	1.45
Zinc (diss.filt)	<0.41 µg/l	TM152	8.1	0.702	10.5	5.11	14.5	19
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	<46	173	206	323	<46	<46
Nitrite as NO2	<0.05 mg/l	TM184	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Sulphate	<2 mg/l	TM184	251	70.3	63.2	<2	132	71.9
Chloride	<2 mg/l	TM184	2200	146	3490	3890	896	275
Phosphate (ortho) as PO4	<0.05 mg/l	TM184	10.9	4.07	4.97	10	2.08	6.73
Nitrate as NO3	<0.3 mg/l	TM184	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Potassium (diss.filt)	<1 mg/l	TM228	45.1	19.7	57.1	69.1	45	35.6
Iron (diss.filt)	<0.019 mg/l	TM228	0.278	0.752	<0.19	3.37	<0.019	0.0382
Hardness, Total as CaCO3	<1 mg/l	TM228	810	539	1180	1140	638	398
pH	<1 pH Units	TM256	8.04	7.64	7.66	7.55	7.73	7.99



CERTIFICATE OF ANALYSIS

SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

Results Legend		Customer Sample R	GW09-31	GW09-32	GW09-35	GW12-30	GW12-33	
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	
M	mCERTS accredited.		10/12/2014	10/12/2014	10/12/2014	10/12/2014	10/12/2014	
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Ionic balance	% Diff	Calulation	-4.86	-3.6	-3.78	-4.6	-3.74	
Alkalinity, Total as CaCO3	<2 mg/l	TM043	1400	1150	825	880	1010	
BOD, unfiltered	<1 mg/l	TM045	<1	2.05	<1	4.64	2.27	
Carbon, Organic (diss.filt)	<3 mg/l	TM090	35.7	18.1	13.1	31.7	24.9	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	22.7	2.58	8.84	2.14	12.4	
Sulphide	<0.01 mg/l	TM101	0.055	0.127	0.424	0.027	0.111	
COD, unfiltered	<7 mg/l	TM107	98.6	44.9	87.5	139	61.6	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	5.66	5.39	10	2.92	2.52	
Arsenic (diss.filt)	<0.12 µg/l	TM152	47	33.8	6.79	4.57	128	
Boron (diss.filt)	<9.4 µg/l	TM152	2730	1290	1060	689	1260	
Cadmium (diss.filt)	<0.1 µg/l	TM152	<0.1	<0.1	<0.1	<0.1	<0.1	
Chromium (diss.filt)	<0.22 µg/l	TM152	15.7	13.3	9.46	10.5	10.8	
Copper (diss.filt)	<0.85 µg/l	TM152	<0.85	<0.85	1.14	1.64	<0.85	
Lead (diss.filt)	<0.02 µg/l	TM152	0.042	0.109	0.028	0.037	0.032	
Manganese (diss.filt)	<0.04 µg/l	TM152	365	1150	471	3330	477	
Nickel (diss.filt)	<0.15 µg/l	TM152	1.99	2.06	10.2	7.34	2.03	
Selenium (diss.filt)	<0.39 µg/l	TM152	6.47	12.8	8.64	0.845	7.47	
Zinc (diss.filt)	<0.41 µg/l	TM152	11.8	14	11.1	1.99	13.4	
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	<46	<46	<46	69.5	<46	
Nitrite as NO2	<0.05 mg/l	TM184	<0.05	<0.05	<0.05	<0.05	<0.05	
Sulphate	<2 mg/l	TM184	<2	43.5	162	112	<2	
Chloride	<2 mg/l	TM184	1450	1370	3700	578	395	
Phosphate (ortho) as PO4	<0.05 mg/l	TM184	12.6	2.22	5.65	<0.05	<0.05	
Nitrate as NO3	<0.3 mg/l	TM184	<0.3	<0.3	<0.3	<0.3	<0.3	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1	<0.1	<0.1	<0.1	<0.1	
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	
Potassium (diss.filt)	<1 mg/l	TM228	46.8	30.2	60.4	12.6	36.3	
Iron (diss.filt)	<0.019 mg/l	TM228	<0.19	<0.19	<0.19	0.61	0.0496	
Hardness, Total as CaCO3	<1 mg/l	TM228	620	554	1570	526	646	
pH	<1 pH Units	TM256	8.51	7.93	7.64	7.16	7.64	



CERTIFICATE OF ANALYSIS

SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

VOC MS (W)

Table with columns for Results Legend, Customer Sample R, GW03-09, GW06-34, GW06-36, GW06-37, GW06-39, and GW07-40. Rows include Benzene, m,p-Xylene, o-Xylene, and Naphthalene with LOD/Units and Method columns.



CERTIFICATE OF ANALYSIS

SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

VOC MS (W)

Table with columns for Results Legend, Customer Sample R, and various sample IDs (GW09-31, GW09-32, GW09-35, GW12-30, GW12-33). Rows include Benzene, m,p-Xylene, o-Xylene, and Naphthalene with LOD/Units and Method information.



CERTIFICATE OF ANALYSIS

SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

Table of Results - Appendix

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
Calculation				
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples		
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids		
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water		
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit		
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM191	Standard Methods for the examination of waters and wastewaters 16th Edition, ALPHA, Washington DC, USA. ISBN 0-87553-131-8.	Determination of Unfiltered Metals in Water Matrices by ICP-MS		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.



SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

Test Completion Dates

Lab Sample No(s)	10543485	10543486	10543493	10543494	10543491	10543489	10543490	10543487	10543495	10543492
Customer Sample Ref.	GW03-09	GW06-34	GW06-36	GW06-37	GW06-39	GW07-40	GW09-31	GW09-32	GW09-35	GW12-30
AGS Ref.										
Depth										
Type	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID
Alkalinity as CaCO3	19-Dec-2014	19-Dec-2014	19-Dec-2014	23-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014
Alkalinity Filtered as CaCO3	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	16-Dec-2014	18-Dec-2014	16-Dec-2014
Ammoniacal Nitrogen	15-Dec-2014	15-Dec-2014	16-Dec-2014	16-Dec-2014	16-Dec-2014	15-Dec-2014	17-Dec-2014	15-Dec-2014	16-Dec-2014	17-Dec-2014
Anions by Kone (w)	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014
BOD True Total	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	16-Dec-2014	16-Dec-2014	16-Dec-2014	16-Dec-2014	16-Dec-2014	17-Dec-2014
COD Unfiltered	17-Dec-2014	17-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	18-Dec-2014
Conductivity (at 20 deg.C)	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014
Cyanide Comp/Free/Total/Thiocyanate	15-Dec-2014	16-Dec-2014	16-Dec-2014	16-Dec-2014	16-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	16-Dec-2014	16-Dec-2014
Dissolved Metals by ICP-MS	22-Dec-2014	23-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	23-Dec-2014	22-Dec-2014	23-Dec-2014
Dissolved Organic/Inorganic Carbon	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014	17-Dec-2014
EPH (DRO) (C10-C40) Aqueous (W)	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	18-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	18-Dec-2014	18-Dec-2014
Ionic Balance	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014
Metals by iCap-OES Dissolved (W)	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014	22-Dec-2014
Nitrite by Kone (w)	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014	15-Dec-2014
pH Value	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	18-Dec-2014	18-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014
Sulphide	19-Dec-2014	23-Dec-2014	19-Dec-2014	23-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	19-Dec-2014	23-Dec-2014
VOC MS (W)	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014	23-Dec-2014

Lab Sample No(s)	10543488
Customer Sample Ref.	GW12-33
AGS Ref.	
Depth	
Type	LIQUID
Alkalinity as CaCO3	19-Dec-2014
Alkalinity Filtered as CaCO3	18-Dec-2014
Ammoniacal Nitrogen	16-Dec-2014
Anions by Kone (w)	18-Dec-2014
BOD True Total	16-Dec-2014
COD Unfiltered	17-Dec-2014
Conductivity (at 20 deg.C)	19-Dec-2014
Cyanide Comp/Free/Total/Thiocyanate	15-Dec-2014
Dissolved Metals by ICP-MS	22-Dec-2014
Dissolved Organic/Inorganic Carbon	17-Dec-2014
EPH (DRO) (C10-C40) Aqueous (W)	19-Dec-2014
Ionic Balance	23-Dec-2014
Metals by iCap-OES Dissolved (W)	22-Dec-2014
Nitrite by Kone (w)	15-Dec-2014
pH Value	18-Dec-2014
Sulphide	19-Dec-2014
VOC MS (W)	23-Dec-2014

SDG: 141211-29
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number:
Report Number: 296923
Superseded Report:

Appendix General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICS and SVOC TICS.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible. The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP -No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals -total metals must be requested separately.

11. Results relate only to the items tested.

12. LODs for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** -Most of our organic methods include surrogates, the recovery of which is monitored and reported. For EPH, MO, PAH, GRO and VOCs on soils the result is not surrogate corrected, but a percentage recovery is quoted. Acceptable limits for most organic methods are 70 -130 %.

14. **Product analyses** -Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For all leachate preparations (NRA, DIN, TCLP, BSEN 12457-1, 2, 3) volatile loss may occur, as we do not employ zero headspace extraction.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill /made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

Sample Deviations

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
\$	Sampled on date not provided
♦	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using Alcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anorthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.