

Your ref: DP3733BK

Our ref: 14739/3505/CBH/RHT/VKR/AREA 2 GAS



24th April 2015

PPC Team
Natural Resources Wales
Rivers House
Fortran Road
St Mellons Business Park
Cardiff
CF3 0EY

Peter Brett Associates LLP
Caversham Bridge House
Waterman Place, Reading
Berkshire RG1 8DN
T: +44 (0)118 950 0761
F: +44 (0)118 959 7498
E: reading@pba.co.uk

Attn: Mr David Willey

Dear David

RE: DP3733BK - DOCKSWAY DISPOSAL SITE. LATEST AREA 2 GAS MONITORING RESULTS, ROUNDS 131 TO 133.

We write to provide the latest quarterly gas monitoring report for Area 2 of Docksway Disposal Site. The report includes comment on the Area 2 gas monitoring results collected to date. Gas monitoring is required on a monthly basis at Area 2 of Docksway Disposal Site and the results of the monitoring are reported to the EA on a quarterly basis.

We enclose with this report three data sheets showing the results collected between January and March 2015 (i.e. Rounds 131 to 133).

Gas monitoring wells are installed at approximately 100m intervals around the Area 2 landfill perimeter. Twelve wells were monitored during Round 132 and thirteen wells were monitored during Rounds 131 and 133. Borehole GP05_22 was not monitored during Round 132 due to being flooded.

Trigger Levels

Trigger Levels for all the Area 2 wells are shown on the attached data tables.

Results Summary

The methane and carbon dioxide concentrations recorded at each of the gas monitoring wells between January and March 2015 are summarised on the attached data sheets.

The concentrations of methane and carbon dioxide did not exceed the well specific trigger levels at any of the Area 2 wells monitored during rounds 131 to 133.

GP06_24 and GP06_25 are constructed to the south of the in-ground barrier wall installed between Area 1 and Area 2 and as agreed with NRW, no compliance limits are required for these wells. GP06_24 and GP06_25 recorded methane concentrations of between 85.8% and 93.1%, and 8.9% and 30.8% respectively.

J:\14739\075-Interim Reporting\075H 2014 - 2015\Reports Area 2\R133 - Mar 2015\DP3733BK Area 2 Gas Report.docx

Registered Office: Caversham Bridge House, Waterman Place, Reading, Berkshire, RG1 8DN. UK. T: +44 (0)118 950 0761 F: +44 (0)118 959 7498
Peter Brett Associates LLP is a limited liability partnership and is registered in England and Wales with registered number OC334398.
A list of members' names is open to inspection at our registered office. Brett Consulting Limited is wholly owned by Peter Brett Associates LLP.
Registered number: 07765026.

Roger Tym & Partners is part of Peter Brett Associates LLP.

www.peterbrett.com



In general, carbon dioxide concentrations have continued to fluctuate in all of the monitoring wells during Rounds 131 to 133. Concentrations recorded a range between a minimum of 0%v/v and a maximum of 8.7%v/v and were all below the well specific Trigger Levels. The attached data sheets summarise the carbon dioxide concentrations recorded during the last three rounds of monitoring.

Concluding Remarks

In general it is considered that the results obtained from the three rounds of gas monitoring are within the range of results obtained since commencement of monitoring.

NCC will continue to undertake Area 2 perimeter gas monitoring on a monthly basis and PBA will continue to provide factual and interpretative reports to the EA on a quarterly basis.

Yours sincerely

Kate Riley

For and on behalf of

PETER BRETT ASSOCIATES LLP

Cc. Gwyn Jones – NCC (Docksway Disposal Site)

Enc. Gas Monitoring Data Tables
Figure A – Monitoring Point Location Plan