


**Part A**

Permit Number	DP 37 33 BK
Name of Operator	NEWPORT CITY COUNCIL
Location of Installation	DOCKSWAY (ALPHA 2) LANDFILL
Location of the emission/ significant adverse environmental effect	FIRE IN BARN WASTE
Time and date of the emission/ significant adverse environmental effect	04.05.2015 17:30

Substance[s] emitted	Media	Best estimate of the quantity or the rate of emission	time during which the emission took place
FIRE WASTE	e.g. air	N/A	17:30-18:30
SMOKE	e.g. groundwater	"	" "

Measures taken, or intended to be taken, to stop the emission	FIRE SOURCE IN ATTENDANCE
--	---------------------------

**Part B**

Any more accurate information on the matters for notification under Part A.	NONE
Measures taken, or intended to be taken, to prevent a recurrence of the incident	REVIEW OF SECURITY
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the emission	WASTE SEGREGATED AND ALLOWED TO COOL PRIOR TO DEPOSITION
The dates of any unauthorised emissions from the installation in the preceding 2 years	06/06/2013
Name*	GUYN JONES.
Post	WDS MANAGER.
Signature	
Date	6/5/15

\* authorised to sign on behalf of Newport City Council

**PART C**

Nature of significant adverse environmental effect (e.g. Groundwater Pollution, LFG escape)	FIRE WASTE ADDED INTO INTERCEPTOR.
Immediate measures taken to prevent further effects from this source	REVIEW OF CETU ARRANGEMENTS
Further measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the significant adverse environmental effect	REDUCE VOLUME OF WASTE SPOILED IN BARN.
Measures taken, or intended to be taken, to prevent a recurrence of the incident	REVIEW CETU CONDR.

Name*	
Post	
Signature	
Date	

\* authorised to sign on behalf of Newport City Council