



Newport City Council
Civic Centre
Newport
NP20 4UR

Attention: Meirion Humphreys

CERTIFICATE OF ANALYSIS

Date: 16 August 2016
Customer: H_NCC_NPT
Sample Delivery Group (SDG): 160804-53
Your Reference:
Location: Docksway Landfill Site
Report No: 373590

We received 14 samples on Thursday August 04, 2016 and 14 of these samples were scheduled for analysis which was completed on Tuesday August 16, 2016. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

All chemical testing (unless subcontracted) is performed at ALcontrol Hawarden Laboratories.

Approved By:

Sonia McWhan
Operations Manager





SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
13906080	GW03_09		0.00 - 0.00	03/08/2016
13905988	GW06_13		0.00 - 0.00	03/08/2016
13905931	GW06_34		0.00 - 0.00	03/08/2016
13905955	GW06_36		0.00 - 0.00	03/08/2016
13905966	GW06_37		0.00 - 0.00	03/08/2016
13906000	GW06_39		0.00 - 0.00	03/08/2016
13906010	GW07_40		0.00 - 0.00	03/08/2016
13906050	GW09_31		0.00 - 0.00	03/08/2016
13906062	GW09_32		0.00 - 0.00	03/08/2016
13905941	GW09_35		0.00 - 0.00	03/08/2016
13906034	GW12_30		0.00 - 0.00	03/08/2016
13905919	GW12_33		0.00 - 0.00	03/08/2016
13905984	GW12_38		0.00 - 0.00	03/08/2016
13906022	LF08_07		0.00 - 0.00	03/08/2016

Only received samples which have had analysis scheduled will be shown on the following pages.



SDG: 160804-53
 Job: H_NCC_NPT-3
 Client Reference:

Location: Docksway Landfill Site
 Customer: Newport City Council
 Attention: Meirion Humphreys

Order Number: 700095479
 Report Number: 373590
 Superseded Report:

LIQUID Results Legend X Test N No Determination Possible	Lab Sample No(s)		13906034	13905984 13905919	13906022
	Customer Sample Reference		GW12_30	GW12_38 GW12_33	LF08_07
	AGS Reference				
	Depth (m)		0.00 - 0.00	0.00 - 0.00 0.00 - 0.00	0.00 - 0.00
	Container		1000ml glass bottle	1000ml glass bottle	1000ml glass bottle
Alkalinity as CaCO3	All	NDPs: 0 Tests: 13	X	X	X
Alkalinity Filtered as CaCO3	All	NDPs: 0 Tests: 1			X
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 14	X	X	X
Anions by Kone (w)	All	NDPs: 0 Tests: 14	X	X	X
BOD True Total	All	NDPs: 0 Tests: 14	X	X	X
COD Unfiltered	All	NDPs: 0 Tests: 14	X	X	X
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 14	X	X	X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 14		X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 14	X	X	X
Dissolved Organic/Inorganic Carbon	All	NDPs: 0 Tests: 13	X	X	X
EPH (DRO) (C10-C40) Aqueous (W)	All	NDPs: 0 Tests: 14	X	X	X
Ionic Balance	All	NDPs: 0 Tests: 14	X	X	X
Metals by iCap-OES Dissolved (W)	All	NDPs: 0 Tests: 14	X	X	X
Nitrite by Kone (w)	All	NDPs: 0 Tests: 14		X	X
pH Value	All	NDPs: 0 Tests: 14	X	X	X



CERTIFICATE OF ANALYSIS

SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

LIQUID Results Legend X Test N No Determination Possible	Lab Sample No(s)	13906034	13905984 13905919	13906022
	Customer Sample Reference	GW12_30	GW12_38 GW12_33	LF08_07
	AGS Reference			
	Depth (m)	0.00 - 0.00	0.00 - 0.00 0.00 - 0.00	0.00 - 0.00
	Container	1000ml glass bottle	1000ml glass bottle	1000ml glass bottle
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		1lplastic (ALE221)		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		
		1lplastic (ALE221)		
		1000ml glass bottle		
		ZnAc (ALE246)		
		Vial (ALE297)		
		NaOH (ALE245)		
		HNO3 Filtered (ALE)		
		H2SO4 (ALE244)		
		250ml BOD (ALE21)		



SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Results Legend		Customer Sample R	GW03_09	GW06_13	GW06_34	GW06_36	GW06_37	GW06_39
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
aq	Aqueous / settled sample.		03/08/2016	03/08/2016	03/08/2016	03/08/2016	03/08/2016	03/08/2016
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		04/08/2016	04/08/2016	04/08/2016	04/08/2016	04/08/2016	04/08/2016
(F)	Trigger breach confirmed		160804-53	160804-53	160804-53	160804-53	160804-53	160804-53
1-5&*\$@	Sample deviation (see appendix)		13906080	13905988	13905931	13905955	13905966	13906000
Component	LOD/Units		Method					
Ionic balance	% Diff	Calulation	0.964	-20.6	3.38	9.45	13.3	-19.9
Alkalinity, Total as CaCO3	<2 mg/l	TM043	540	895	650	715	975	975
BOD, unfiltered	<1 mg/l	TM045	4.21	<1	<5	3.89	10.1	<1
Carbon, Organic (diss.filt)	<3 mg/l	TM090	<12	11.4	11.9	11.4	23.7	16.6
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	3.97	7.75	5.71	5.66	25.4	3.27
Sulphide	<0.01 mg/l	TM101	<0.01	0.0629	1.22	0.824	1.87	<0.01
COD, unfiltered	<7 mg/l	TM107	61	54.4	41.3	64.5	137	58.5
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	3.04	7.41	1.8	7.13	10.6	5.47
Arsenic (diss.filt)	<0.51 µg/l	TM152	5.59	6.69	32	3.03	30.5	10.3
Boron (diss.filt)	<5 µg/l	TM152	729	904	595	820	1650	987
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
Chromium (diss.filt)	<1.2 µg/l	TM152	3.78	<1.2	<1.2	<1.2	<1.2	1.47
Copper (diss.filt)	<0.85 µg/l	TM152	6.47	<0.85	<0.85	<0.85	<0.85	4.88
Lead (diss.filt)	<0.1 µg/l	TM152	10.5	1.23	0.808	0.537	1.5	8.77
Manganese (diss.filt)	<0.76 µg/l	TM152	371	191	1890	316	336	3900
Nickel (diss.filt)	<0.44 µg/l	TM152	4.77	1.37	1.99	2.02	1.9	13.6
Selenium (diss.filt)	<0.81 µg/l	TM152	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81
Zinc (diss.filt)	<1.3 µg/l	TM152	24.5	8.7	7.98	3.16	5.58	21.4
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	<46	<46	<46	<46	<46	<46
Nitrite as NO2	<0.05 mg/l	TM184	0.086	<0.05	<0.05	<0.05	<0.05	1.55
Sulphate	<2 mg/l	TM184	194	120	<2	240	36.5	81.6
Chloride	<2 mg/l	TM184	698	2310	250	2280	3570	1560
Phosphate (ortho) as PO4	<0.05 mg/l	TM184	3.03	4.11	3.42	4.99	5.03	1.73
Nitrate as NO3	<0.3 mg/l	TM184	6.68	<0.3	<0.3	<0.3	<0.3	<0.3
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	1.53	<0.1	<0.1	<0.1	<0.1	0.324
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Potassium (diss.filt)	<1 mg/l	TM228	25.1	41.3	23.7	59.6	89.8	52.9
Iron (diss.filt)	<0.019 mg/l	TM228	4.6	1.07	6.3	2.72	12.1	7.12
Hardness, Total as CaCO3	<1 mg/l	TM228	540	752	567	1580	1690	892
pH	<1 pH Units	TM256	8.29	8	7.76	7.59	7.83	7.69



SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Results Legend		Customer Sample R	GW07_40	GW09_31	GW09_32	GW09_35	GW12_30	GW12_33
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)	Water(GW/SW)
aq	Aqueous / settled sample.		03/08/2016	03/08/2016	03/08/2016	03/08/2016	03/08/2016	03/08/2016
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		04/08/2016	04/08/2016	04/08/2016	04/08/2016	04/08/2016	04/08/2016
(F)	Trigger breach confirmed		160804-53	160804-53	160804-53	160804-53	160804-53	160804-53
1-5&*\$@	Sample deviation (see appendix)		13906010	13906050	13906062	13905941	13906034	13905919
Component	LOD/Units	Method						
Ionic balance	% Diff	Calulation	16.8	-3.42	4.62	-11.9	1.14	-7.62
Alkalinity, Total as CaCO3	<2 mg/l	TM043	700	920	790	890	765	965
BOD, unfiltered	<1 mg/l	TM045	<1	<1	4.75	3.51	8.03	3.33
Carbon, Organic (diss.filt)	<3 mg/l	TM090	18	16.8	11.9	10.2	24.7	21.4
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	9.78	12.3	1.86	12.1	3.47	9.63
Sulphide	<0.01 mg/l	TM101	0.328	1.03	1.29	0.92	0.109	0.669
COD, unfiltered	<7 mg/l	TM107	55.9	59.4	43	94.9	207	40.3
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	2.3	4.14	1.89	11.6	2.12	3.03
Arsenic (diss.filt)	<0.51 µg/l	TM152	12.3	20.3	7.37	4.16	587	180
Boron (diss.filt)	<5 µg/l	TM152	1160	1190	608	905	768	925
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08	0.142	<0.08
Chromium (diss.filt)	<1.2 µg/l	TM152	<1.2	<1.2	1.85	<1.2	3.33	<1.2
Copper (diss.filt)	<0.85 µg/l	TM152	<0.85	<0.85	2.98	<0.85	11.3	<0.85
Lead (diss.filt)	<0.1 µg/l	TM152	0.618	1.1	6.12	0.335	19.7	0.337
Manganese (diss.filt)	<0.76 µg/l	TM152	878	1130	1510	1070	4580	1380
Nickel (diss.filt)	<0.44 µg/l	TM152	4.42	1.72	3.21	2.31	15.7	0.891
Selenium (diss.filt)	<0.81 µg/l	TM152	<0.81	<0.81	<0.81	<0.81	<0.81	<0.81
Zinc (diss.filt)	<1.3 µg/l	TM152	6.92	6.91	17.9	3.41	43.6	6.69
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	<46	<46	<46	<46	<46	<46
Nitrite as NO2	<0.05 mg/l	TM184	<0.05	<0.05	0.053	<0.05	<0.05	<0.05
Sulphate	<2 mg/l	TM184	44.2	153	9.9	141	73.4	<2
Chloride	<2 mg/l	TM184	440	952	243	4210	324	543
Phosphate (ortho) as PO4	<0.05 mg/l	TM184	7.92	6.84	0.815	10.3	<0.05	<0.05
Nitrate as NO3	<0.3 mg/l	TM184	<0.3	<0.3	<0.3	<0.3	<0.3	<0.3
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cyanide, Total	<0.05 mg/l	TM227	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Potassium (diss.filt)	<1 mg/l	TM228	39.1	33.3	20.7	56.9	16.7	31.9
Iron (diss.filt)	<0.019 mg/l	TM228	1.77	5.24	2.67	4.49	240	9.44
Hardness, Total as CaCO3	<1 mg/l	TM228	580	722	476	1590	541	634
pH	<1 pH Units	TM256	7.98	7.74	7.51	7.77	7.27	7.67



SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Results Legend		Customer Sample R	GW12_38	LF08_07				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00				
M	mCERTS accredited.		Water(GW/SW)	Water(GW/SW)				
aq	Aqueous / settled sample.		03/08/2016	03/08/2016				
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted test.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-5&*\$@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Ionic balance	% Diff	Calulation	-1.07	-5.11				
Alkalinity, Total as CaCO3	<2 mg/l	TM043	555	#				
Alkalinity, Total as CaCO3 (diss.filt)	<2 mg/l	TM043		4220				
BOD, unfiltered	<1 mg/l	TM045	4	#	79.2	#		
Carbon, Organic (diss.filt)	<3 mg/l	TM090	21.7					
Organic Carbon, Total	<3 mg/l	TM090			359	#		
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099	2.63	#	633	#		
Sulphide	<0.01 mg/l	TM101	0.0531	#	0.136	#		
COD, unfiltered	<7 mg/l	TM107	111	#	946	#		
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120	2.91	#	9.48	#		
Arsenic (diss.filt)	<0.51 µg/l	TM152	2.15	#	37.1	#		
Boron (diss.filt)	<5 µg/l	TM152	864	#	4940	#		
Cadmium (diss.filt)	<0.08 µg/l	TM152	0.0903	#	<0.08	#		
Chromium (diss.filt)	<1.2 µg/l	TM152	<1.2	#	63	#		
Copper (diss.filt)	<0.85 µg/l	TM152	7	#	4.11	#		
Lead (diss.filt)	<0.1 µg/l	TM152	0.36	#	3.13	#		
Manganese (diss.filt)	<0.76 µg/l	TM152	600	#	1290	#		
Nickel (diss.filt)	<0.44 µg/l	TM152	4.91	#	128	#		
Selenium (diss.filt)	<0.81 µg/l	TM152	<0.81	#	<0.81	#		
Zinc (diss.filt)	<1.3 µg/l	TM152	7.42	#	24.1	#		
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172	120	#	1700	#		
Nitrite as NO2	<0.05 mg/l	TM184	0.581	2 #	0.276	#		
Sulphate	<2 mg/l	TM184	409	#	<2	#		
Chloride	<2 mg/l	TM184	547	#	1120	#		
Phosphate (ortho) as PO4	<0.05 mg/l	TM184	0.135	#	2.27	#		
Nitrate as NO3	<0.3 mg/l	TM184	1.96	#	<0.3	#		
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184	0.621	#	0.132	#		
Cyanide, Total	<0.05 mg/l	TM227	<0.05	#	<0.05	#		
Potassium (diss.filt)	<1 mg/l	TM228	33.9	#	299	#		
Iron (diss.filt)	<0.019 mg/l	TM228	<0.019	#	5.57	#		
Hardness, Total as CaCO3	<1 mg/l	TM228	720	#	1080	#		
pH	<1 pH Units	TM256	7.57	#	7.8	#		



CERTIFICATE OF ANALYSIS

SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

VOC MS (W)

Table with columns for Component, LOD/Units, Method, and sample identifiers (GW03_09, GW06_13, GW06_34, GW06_36, GW06_37, GW06_39). Rows include Benzene, m,p-Xylene, o-Xylene, and Naphthalene.



CERTIFICATE OF ANALYSIS

SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

VOC MS (W)

Table with columns for Results Legend, Customer Sample R, Depth (m), Sample Type, Date Sampled, Sample Time, Date Received, SDG Ref, Lab Sample No.(s), AGS Reference, Component, LOD/Units, Method, and concentration values for Benzene, m,p-Xylene, o-Xylene, and Naphthalene across various sample IDs (GW07_40, GW09_31, etc.).



CERTIFICATE OF ANALYSIS

SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

VOC MS (W)

Table with columns for Component, LOD/Units, Method, and results for samples GW12_38 and LF08_07. Includes a Results Legend and Customer Sample R details.



SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Table of Results - Appendix

Method No	Reference	Description	Wet/Dry Sample ¹	Surrogate Corrected
Calculation				
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples		
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids		
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water		
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit		
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		

¹ Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.



SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Test Completion Dates

Lab Sample No(s)	13906080	13905988	13905931	13905955	13905966	13906000	13906010	13906050	13906062	13905941
Customer Sample Ref.	GW03_09	GW06_13	GW06_34	GW06_36	GW06_37	GW06_39	GW07_40	GW09_31	GW09_32	GW09_35
AGS Ref.										
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID
Alkalinity as CaCO3	10-Aug-2016	10-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016
Alkalinity Filtered as CaCO3	11-Aug-2016	08-Aug-2016	11-Aug-2016	10-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016
Ammoniacal Nitrogen	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	08-Aug-2016	11-Aug-2016	08-Aug-2016
Anions by Kone (w)	11-Aug-2016	11-Aug-2016	10-Aug-2016	11-Aug-2016	10-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	10-Aug-2016	11-Aug-2016
BOD True Total	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016	09-Aug-2016
COD Unfiltered	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016
Conductivity (at 20 deg.C)	11-Aug-2016	11-Aug-2016	10-Aug-2016	11-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	11-Aug-2016	10-Aug-2016	10-Aug-2016
Cyanide Comp/Free/Total/Thiocyanate	08-Aug-2016	09-Aug-2016	08-Aug-2016	09-Aug-2016	08-Aug-2016	08-Aug-2016	09-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016
Dissolved Metals by ICP-MS	15-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016
Dissolved Organic/Inorganic Carbon	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016
EPH (DRO) (C10-C40) Aqueous (W)	12-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	12-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016
Ionic Balance	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016	16-Aug-2016
Metals by iCap-OES Dissolved (W)	14-Aug-2016	14-Aug-2016	14-Aug-2016	14-Aug-2016	14-Aug-2016	14-Aug-2016	12-Aug-2016	12-Aug-2016	14-Aug-2016	14-Aug-2016
Nitrite by Kone (w)	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016
pH Value	11-Aug-2016	10-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016
Sulphide	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016
VOC MS (W)	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016

Lab Sample No(s)	13906034	13905919	13905984	13906022
Customer Sample Ref.	GW12_30	GW12_33	GW12_38	LF08_07
AGS Ref.				
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	LIQUID	LIQUID	LIQUID	LIQUID
Alkalinity as CaCO3	09-Aug-2016	10-Aug-2016	10-Aug-2016	
Alkalinity Filtered as CaCO3	11-Aug-2016	08-Aug-2016	08-Aug-2016	10-Aug-2016
Ammoniacal Nitrogen	11-Aug-2016	11-Aug-2016	08-Aug-2016	11-Aug-2016
Anions by Kone (w)	11-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016
BOD True Total	09-Aug-2016	09-Aug-2016	10-Aug-2016	10-Aug-2016
COD Unfiltered	07-Aug-2016	07-Aug-2016	07-Aug-2016	07-Aug-2016
Conductivity (at 20 deg.C)	10-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016
Cyanide Comp/Free/Total/Thiocyanate	08-Aug-2016	08-Aug-2016	09-Aug-2016	09-Aug-2016
Dissolved Metals by ICP-MS	15-Aug-2016	12-Aug-2016	11-Aug-2016	15-Aug-2016
Dissolved Organic/Inorganic Carbon	08-Aug-2016	08-Aug-2016	08-Aug-2016	
EPH (DRO) (C10-C40) Aqueous (W)	12-Aug-2016	12-Aug-2016	12-Aug-2016	12-Aug-2016
Ionic Balance	16-Aug-2016	16-Aug-2016	16-Aug-2016	12-Aug-2016
Metals by iCap-OES Dissolved (W)	14-Aug-2016	14-Aug-2016	12-Aug-2016	12-Aug-2016
Nitrite by Kone (w)	08-Aug-2016	08-Aug-2016	08-Aug-2016	08-Aug-2016
pH Value	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016
Sulphide	10-Aug-2016	10-Aug-2016	10-Aug-2016	10-Aug-2016
Total Organic and Inorganic Carbon				08-Aug-2016
VOC MS (W)	11-Aug-2016	11-Aug-2016	11-Aug-2016	11-Aug-2016



SDG: 160804-53
Job: H_NCC_NPT-3
Client Reference:

Location: Docksway Landfill Site
Customer: Newport City Council
Attention: Meirion Humphreys

Order Number: 700095479
Report Number: 373590
Superseded Report:

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALcontrol Laboratories reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%, they are generally wider for volatiles analysis, 50-150%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

General

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

Sample Deviations

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
\$	Sampled on date not provided
+	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

Asbestos

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALcontrol Laboratories (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Crystalline	White Asbestos
Amphibole	Brown Asbestos
Crystalline	Blue Asbestos
Fibrous Asbestos	-
Fibrous Amphibole	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.