



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Newport City Council  
Civic Centre  
Newport  
NP20 4UR

**Attention:** Meirion Humphreys

## CERTIFICATE OF ANALYSIS

**Date:** 27 March 2017  
**Customer:** H\_NCC\_NPT  
**Sample Delivery Group (SDG):** 170315-25  
**Your Reference:**  
**Location:** Docksway Landfill Site  
**Report No:** 402701

We received 17 samples on Wednesday March 15, 2017 and 17 of these samples were scheduled for analysis which was completed on Monday March 27, 2017. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Environmental Hawarden (Method codes TM) or ALS Environmental Aberdeen (Method codes S).

Approved By:

**Sonia McWhan**

Operations Manager





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25 Client Reference: Report Number: 402701  
Location: Docksway Landfill Site Order Number: 700095479 Superseded Report:

## Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
15178512	GW03_09		0.00 - 0.00	14/03/2017
15178387	GW06_13		0.00 - 0.00	14/03/2017
15178544	GW06_34		0.00 - 0.00	14/03/2017
15178333	GW06_36		0.00 - 0.00	14/03/2017
15178351	GW06_37		0.00 - 0.00	14/03/2017
15178422	GW06_39		0.00 - 0.00	14/03/2017
15178439	GW07_40		0.00 - 0.00	14/03/2017
15178482	GW09_31		0.00 - 0.00	14/03/2017
15178499	GW09_32		0.00 - 0.00	14/03/2017
15178557	GW09_35		0.00 - 0.00	14/03/2017
15178471	GW12_30		0.00 - 0.00	14/03/2017
15178526	GW12_33		0.00 - 0.00	14/03/2017
15178367	GW12_38		0.00 - 0.00	14/03/2017
15178407	GW06_14A		0.00 - 0.00	14/03/2017
15178455	LF08_07		0.00 - 0.00	14/03/2017
15178323	SW_23		0.00 - 0.00	14/03/2017
15178467	SW_24		0.00 - 0.00	14/03/2017

Only received samples which have had analysis scheduled will be shown on the following pages.



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	170315-25	<b>Client Reference:</b>	402701
<b>Location:</b>	Docksway Landfill Site	<b>Order Number:</b>	700095479
		<b>Report Number:</b>	
		<b>Superseded Report:</b>	

<b>Results Legend</b> <div style="margin-top: 5px;"> <span style="background-color: yellow; border: 1px solid black; padding: 2px;">X</span> Test             <span style="background-color: red; color: white; border: 1px solid black; padding: 2px;">N</span> No Determination Possible         </div> Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type	
		15178512	GW03_09		0.00 - 0.00	Vial (ALE297)	GW
		15178387	GW06_13		0.00 - 0.00	ZnAc (ALE246)	GW
		15178544	GW06_34		0.00 - 0.00	1000ml glass bottle (ALE220)	GW
						NaOH (ALE245)	GW
						H2SO4 (ALE244)	GW
						250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	
					H2SO4 (ALE244)	GW	
					250ml BOD (ALE212)	GW	
					11plastic (ALE221)	GW	
					1000ml glass bottle (ALE220)	GW	
					ZnAc (ALE246)	GW	
					Vial (ALE297)	GW	
					NaOH (ALE245)	GW	





15178422	GW06_39	0.00 - 0.00	NaOH (ALE245)	GW	
			H2SO4 (ALE244)	GW	
			250ml BOD (ALE212)	GW	
			11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
			ZnAc (ALE246)	GW	
			Vial (ALE297)	GW	X
			NaOH (ALE245)	GW	
			H2SO4 (ALE244)	GW	
			250ml BOD (ALE212)	GW	
15178351	GW06_37	0.00 - 0.00	11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
			ZnAc (ALE246)	GW	
			Vial (ALE297)	GW	
			NaOH (ALE245)	GW	
			H2SO4 (ALE244)	GW	
			250ml BOD (ALE212)	GW	
			11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
			ZnAc (ALE246)	GW	
15178333	GW06_36	0.00 - 0.00	Vial (ALE297)	GW	
			NaOH (ALE245)	GW	X
			H2SO4 (ALE244)	GW	
			250ml BOD (ALE212)	GW	
			11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
			ZnAc (ALE246)	GW	
			Vial (ALE297)	GW	
			NaOH (ALE245)	GW	
			H2SO4 (ALE244)	GW	
15178544	GW06_34	0.00 - 0.00	ZnAc (ALE246)	GW	
			1000ml glass bottle (ALE220)	GW	
			11plastic (ALE221)	GW	
			250ml BOD (ALE212)	GW	
			H2SO4 (ALE244)	GW	
			Vial (ALE297)	GW	
			NaOH (ALE245)	GW	
			ZnAc (ALE246)	GW	
			1000ml glass bottle (ALE220)	GW	
			11plastic (ALE221)	GW	







15178526	GW12_33	0.00 - 0.00	250ml BOD (ALE212)	GW	
			11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
			ZnAc (ALE246)	GW	
			Vial (ALE297)	GW	X
			NaOH (ALE245)	GW	
			H2SO4 (ALE244)	GW	
			250ml BOD (ALE212)	GW	
			11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
15178557	GW09_35	0.00 - 0.00	ZnAc (ALE246)	GW	
			Vial (ALE297)	GW	X
			NaOH (ALE245)	GW	
			H2SO4 (ALE244)	GW	
			250ml BOD (ALE212)	GW	
			11plastic (ALE221)	GW	
			1000ml glass bottle (ALE220)	GW	
			ZnAc (ALE246)	GW	
			Vial (ALE297)	GW	
			NaOH (ALE245)	GW	
15178499	GW09_32	0.00 - 0.00	Vial (ALE297)	GW	X
			ZnAc (ALE246)	GW	
			1000ml glass bottle (ALE220)	GW	
			11plastic (ALE221)	GW	
			250ml BOD (ALE212)	GW	







# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 170315-25      **Client Reference:**      **Report Number:** 402701  
**Location:** Docksway Landfill Site      **Order Number:** 700095479      **Superseded Report:**

**Results Legend**

- X Test
- N No Determination Possible

**Sample Types -**

- S - Soil/Solid
- UNS - Unspecified Solid
- GW - Ground Water
- SW - Surface Water
- LE - Land Leachate
- PL - Prepared Leachate
- PR - Process Water
- SA - Saline Water
- TE - Trade Effluent
- TS - Treated Sewage
- US - Untreated Sewage
- RE - Recreational Water
- DW - Drinking Water Non-regulatory
- UNL - Unspecified Liquid
- SL - Sludge
- G - Gas
- OTH - Other

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	15178526	GW12_33		0.00 - 0.00	H2SO4 (ALE244) NaOH (ALE245) Vial (ALE297) ZnAc (ALE246) 1000ml glass bottle (ALE220) 11plastic (ALE221) 250ml BOD (ALE12) H2SO4 (ALE244) NaOH (ALE245) Vial (ALE297) ZnAc (ALE246)	GW
	15178367	GW12_38		0.00 - 0.00	H2SO4 (ALE244) NaOH (ALE245) Vial (ALE297) ZnAc (ALE246)	GW
	15178407	GW06_14A		0.00 - 0.00	H2SO4 (ALE244) 250ml BOD (ALE12) 11plastic (ALE221) 1000ml glass bottle (ALE220) NaOH (ALE245) Vial (ALE297) ZnAc (ALE246)	GW
	15178455	LF08_07		0.00 - 0.00	11plastic (ALE221) 1000ml glass bottle (ALE220) ZnAc (ALE246) Vial (ALE297) NaOH (ALE245)	LE
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 14			X	
		NDPs: 0 Tests: 2				X
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 1				
		NDPs: 0 Tests: 14	X		X	X
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 1				X
		NDPs: 0 Tests: 14		X		X
Dissolved Organic/Inorganic Carbon	All	NDPs: 0 Tests: 14		X		
		NDPs: 0 Tests: 14			X	
EPH (DRO) (C10-C40) Aqueous (W)	All	NDPs: 0 Tests: 1				X
		NDPs: 0 Tests: 14		X		X
Ionic Balance	All	NDPs: 0 Tests: 1				X
		NDPs: 0 Tests: 14		X		X
Metals by iCap-OES Dissolved (W)	All	NDPs: 0 Tests: 1				X
		NDPs: 0 Tests: 14		X		X
Nitrite by Kone (w)	All	NDPs: 0 Tests: 1				
		NDPs: 0 Tests: 14	X		X	X





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 170315-25      **Client Reference:**      **Report Number:** 402701  
**Location:** Docksway Landfill Site      **Order Number:** 700095479      **Superseded Report:**

Results Legend	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	<b>X</b> Test <b>N</b> No Determination Possible  Sample Types - S - Soil/Solid UNS - Unspecified Solid GW - Ground Water SW - Surface Water LE - Land Leachate PL - Prepared Leachate PR - Process Water SA - Saline Water TE - Trade Effluent TS - Treated Sewage US - Untreated Sewage RE - Recreational Water DW - Drinking Water Non-regulatory UNL - Unspecified Liquid SL - Sludge G - Gas OTH - Other	15178455	LF08_07		0.00 - 0.00	11plastic (ALE221)
	15178407	GW06_14A		0.00 - 0.00	1000ml glass bottle (ALE220)	LE
	15178367	GW12_38		0.00 - 0.00	ZnAc (ALE246)	GW
	15178526	GW12_33		0.00 - 0.00	Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
					11plastic (ALE221)	GW
					1000ml glass bottle (ALE220)	GW
					ZnAc (ALE246)	GW
					Vial (ALE297)	GW
					NaOH (ALE245)	GW
					H2SO4 (ALE244)	GW
					250ml BOD (ALE212)	GW
		</				

15178467	SW_24		0.00 - 0.00	H2SO4 (ALE244)	SW																
				250ml BOD (ALE12)	SW																
				11plastic (ALE221)	SW																
				H2SO4 (ALE221)	SW																
15178923	SW_23		0.00 - 0.00	H2SO4 (ALE244)	SW																
				250ml BOD (ALE12)	SW																
				11plastic (ALE221)	SW																
				H2SO4 (ALE244)	SW																
15178455	LF08_07		0.00 - 0.00	ZnAc (ALE246)	LE																
				Vial (ALE297)	LE																
				NaOH (ALE245)	LE																
				H2SO4 (ALE244)	LE																
				250ml BOD (ALE12)	LE																



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	170315-25	<b>Client Reference:</b>	402701
<b>Location:</b>	Docksway Landfill Site	<b>Order Number:</b>	700095479
		<b>Report Number:</b>	
		<b>Superseded Report:</b>	

Results Legend			Customer Sample Ref.		GW03_09	GW06_13	GW06_34	GW06_36	GW06_37	GW06_39
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted test. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-5&*\$@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sampled Time Date Received SDG Ref Lab Sample No.(s) AGS Reference							
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>								
Ionic balance	% Diff	Calulation		-3.95	-0.569	12.8	-1.46	-1.83	0.729	
Alkalinity, Total as CaCO3	<2 mg/l	TM043		785	740	640	950	990	1040	
BOD, unfiltered	<1 mg/l	TM045		5.05	2.12	7.43	<1	6.47	<2.5	
Carbon, Organic (diss.filt)	<3 mg/l	TM090		7.21	12.6	14.2	15	29	17.6	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099		2.34	8.79	7.8	12	26.3	7.98	
Sulphide	<0.01 mg/l	TM101		<0.01	0.707	1.64	0.267	3.87	0.0227	
COD, unfiltered	<7 mg/l	TM107		144	94.5	56.8	161	172	68.2	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120		4.67	5.25	1.5	10.5	11.4	4.66	
Arsenic (diss.filt)	<0.51 µg/l	TM152		2.86	4.67	32.8	3.87	39.3	6.15	
Boron (diss.filt)	<5 µg/l	TM152		835	1090	640	1390	2210	1310	
Cadmium (diss.filt)	<0.08 µg/l	TM152		<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	
Chromium (diss.filt)	<1.2 µg/l	TM152		<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	
Copper (diss.filt)	<0.85 µg/l	TM152		3.83	<0.85	<0.85	<0.85	<0.85	<0.85	
Lead (diss.filt)	<0.1 µg/l	TM152		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Manganese (diss.filt)	<0.76 µg/l	TM152		392	214	1740	254	386	2290	
Nickel (diss.filt)	<0.44 µg/l	TM152		2.09	1.33	1.27	1.29	0.731	5.4	
Selenium (diss.filt)	<0.81 µg/l	TM152		<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	
Zinc (diss.filt)	<1.3 µg/l	TM152		4.42	3.64	<1.3	<1.3	<1.3	1.97	
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172		<46	<46	<46	<46	<46	<46	
Nitrite as NO2	<0.05 mg/l	TM184		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Sulphate	<2 mg/l	TM184		233	113	122	60.9	<2	161	
Chloride	<2 mg/l	TM184		1270	1560	138	3750	4170	1190	
Phosphate (ortho) as PO4	<0.05 mg/l	TM184		3.36	1.16	2.97	8.52	5.83	1.29	
Nitrate as NO3	<0.3 mg/l	TM184		2.81	1.85	<0.3	<0.3	<0.3	<0.3	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184		0.642	0.427	<0.1	<0.1	<0.1	<0.1	
Cyanide, Total	<0.05 mg/l	TM227		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Potassium (diss.filt)	<1 mg/l	TM228		24.9	37.4	27.7	67.4	72.8	57.4	
Iron (diss.filt)	<0.019 mg/l	TM228		0.0253	0.0258	<0.19	<0.19	<0.19	0.0371	
Hardness, Total as CaCO3	<1 mg/l	TM228		452	779	869	1380	1290	960	
pH	<1 pH Units	TM256		7.49	8.55	7.84	8.09	8.09	7.8	



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	170315-25	<b>Client Reference:</b>	402701
<b>Location:</b>	Docksway Landfill Site	<b>Order Number:</b>	700095479
		<b>Report Number:</b>	
		<b>Superseded Report:</b>	

Results Legend			Customer Sample Ref.		GW07_40	GW09_31	GW09_32	GW09_35	GW12_30	GW12_33
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted test. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-5&*\$@ Sample deviation (see appendix)			Depth (m) Sample Type Date Sampled Sampled Time Date Received SDG Ref Lab Sample No.(s) AGS Reference							
<b>Component</b>	<b>LOD/Units</b>	<b>Method</b>								
Ionic balance	% Diff	Calulation		3.33	-5.99	-3.49	-0.607	-0.575	-2.59	
Alkalinity, Total as CaCO3	<2 mg/l	TM043		695	405	305	890	665	950	
BOD, unfiltered	<1 mg/l	TM045		5.9	2.51	2.74	4.21	2.59	8.83	
Carbon, Organic (diss.filt)	<3 mg/l	TM090		20.6	6.66	5.2	15.6	21.2	22.1	
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099		12	3.13	1.48	7.59	3.5	13.4	
Sulphide	<0.01 mg/l	TM101		0.49	0.0145	0.202	3.5	<0.01	0.0532	
COD, unfiltered	<7 mg/l	TM107		55.6	49.2	41.6	93	82	56.5	
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120		2	1.28	1.08	11.6	1.81	2.9	
Arsenic (diss.filt)	<0.51 µg/l	TM152		14.7	2.53	6.04	3.46	4	175	
Boron (diss.filt)	<5 µg/l	TM152		1600	420	334	1330	460	1290	
Cadmium (diss.filt)	<0.08 µg/l	TM152		<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	
Chromium (diss.filt)	<1.2 µg/l	TM152		<1.2	<1.2	<1.2	<1.2	<1.2	<1.2	
Copper (diss.filt)	<0.85 µg/l	TM152		<0.85	1.17	<0.85	<0.85	<0.85	<0.85	
Lead (diss.filt)	<0.1 µg/l	TM152		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
Manganese (diss.filt)	<0.76 µg/l	TM152		140	746	613	463	2720	625	
Nickel (diss.filt)	<0.44 µg/l	TM152		1.09	1.96	0.799	0.786	5.17	0.745	
Selenium (diss.filt)	<0.81 µg/l	TM152		<0.81	<0.81	<0.81	<0.81	<0.81	<0.81	
Zinc (diss.filt)	<1.3 µg/l	TM152		<1.3	7.33	<1.3	<1.3	1.56	4.15	
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172		<46	<46	<46	<46	<46	<46	
Nitrite as NO2	<0.05 mg/l	TM184		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Sulphate	<2 mg/l	TM184		<2	201	178	149	56.5	<2	
Chloride	<2 mg/l	TM184		323	131	112	4300	273	548	
Phosphate (ortho) as PO4	<0.05 mg/l	TM184		10.4	0.31	<0.05	10.9	<0.05	<0.05	
Nitrate as NO3	<0.3 mg/l	TM184		<0.3	<0.3	0.633	<0.3	<0.3	<0.3	
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184		<0.1	<0.1	0.151	<0.1	<0.1	<0.1	
Cyanide, Total	<0.05 mg/l	TM227		<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	
Potassium (diss.filt)	<1 mg/l	TM228		32.7	18	12.9	71.8	10.7	38.6	
Iron (diss.filt)	<0.019 mg/l	TM228		0.249	<0.019	0.722	0.395	1.38	16.7	
Hardness, Total as CaCO3	<1 mg/l	TM228		308	394	213	1920	430	671	
pH	<1 pH Units	TM256		8.13	7.4	7.41	8.04	7.42	7.55	



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	170315-25	<b>Client Reference:</b>	402701
<b>Location:</b>	Docksway Landfill Site	<b>Order Number:</b>	700095479
		<b>Report Number:</b>	
		<b>Superseded Report:</b>	

Results Legend			Customer Sample Ref.		GW12_38	GW06_14A	LF08_07	SW_23	SW_24
# ISO17025 accredited. M mCERTS accredited. aq Aqueous / settled sample. diss.filt Dissolved / filtered sample. tot.unfilt Total / unfiltered sample. - Subcontracted test. ** % recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery (F) Trigger breach confirmed 1-5&*\$@ Sample deviation (see appendix)			Depth (m)		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
			Sample Type		Ground Water (GW)	Ground Water (GW)	Land Leachate (LE)	Surface Water (SW)	Surface Water (SW)
			Date Sampled		14/03/2017	14/03/2017	14/03/2017	14/03/2017	14/03/2017
			Sampled Time						
			Date Received		15/03/2017	15/03/2017	15/03/2017	15/03/2017	15/03/2017
			SDG Ref		170315-25	170315-25	170315-25	170315-25	170315-25
			Lab Sample No.(s)		15178367	15178407	15178455	15178323	15178467
			AGS Reference						
Component	LOD/Units	Method							
Ionic balance	% Diff	Calulation			-1.12	0.868	3.15		
Alkalinity, Total as CaCO3	<2 mg/l	TM043			550	555			
Alkalinity, Total as CaCO3 (diss.filt)	<2 mg/l	TM043			#	#	3500		
BOD, unfiltered	<1 mg/l	TM045			14	56.7	58.4	<1	3.57
Carbon, Organic (diss.filt)	<3 mg/l	TM090			23.5	12.9			
Organic Carbon, Total	<3 mg/l	TM090					239		
Ammoniacal Nitrogen as N	<0.2 mg/l	TM099			4.66	10.4	566	1.47	<0.2
Sulphide	<0.01 mg/l	TM101			0.296	10.9	0.0528		
COD, unfiltered	<7 mg/l	TM107			133	1670	760	11.9	33.2
Conductivity @ 20 deg.C	<0.005 mS/cm	TM120			2.92	2.95	8.56	0.66	0.497
Arsenic (diss.filt)	<0.51 µg/l	TM152			3.29	2.6	<0.51		
Boron (diss.filt)	<5 µg/l	TM152			652	590	19.5		
Cadmium (diss.filt)	<0.08 µg/l	TM152			<0.08	<0.08	<0.08		
Chromium (diss.filt)	<1.2 µg/l	TM152			<1.2	<1.2	<1.2		
Copper (diss.filt)	<0.85 µg/l	TM152			0.959	1.01	<0.85		
Lead (diss.filt)	<0.1 µg/l	TM152			<0.1	<0.1	<0.1		
Manganese (diss.filt)	<0.76 µg/l	TM152			6260	5720	7.75		
Nickel (diss.filt)	<0.44 µg/l	TM152			8.16	3.64	0.449		
Selenium (diss.filt)	<0.81 µg/l	TM152			<0.81	<0.81	<0.81		
Zinc (diss.filt)	<1.3 µg/l	TM152			1.67	3.31	<1.3		
EPH Range >C10 - C40 (aq)	<46 µg/l	TM172			324	265	1490		
Nitrite as NO2	<0.05 mg/l	TM184			<0.05	0.28	0.26		
Sulphate	<2 mg/l	TM184			506	82	352		
Chloride	<2 mg/l	TM184			534	755	960	63	35.9
Phosphate (ortho) as PO4	<0.05 mg/l	TM184			<0.05	<0.05	2.04		
Nitrate as NO3	<0.3 mg/l	TM184			0.807	28.8	1.1		
Total Oxidised Nitrogen as N	<0.1 mg/l	TM184			0.194	6.59	0.329		
Cyanide, Total	<0.05 mg/l	TM227			<0.05	<0.05	<0.05		
Potassium (diss.filt)	<1 mg/l	TM228			33.2	31	311		
Iron (diss.filt)	<0.019 mg/l	TM228			0.0678	0.217	1.08		
Hardness, Total as CaCO3	<1 mg/l	TM228			992	519	977		
pH	<1 pH Units	TM256			7.56	7.49	8.1	7.92	7.9









# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25 Client Reference: Report Number: 402701  
 Location: Docksway Landfill Site Order Number: 700095479 Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description	Wet/Dry Sample <sup>1</sup>	Surrogate Corrected
Calculation				
TM043	Method 2320B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part109 1984	Determination of alkalinity in aqueous samples		
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids		
TM061	Method for the Determination of EPH,Massachusetts Dept.of EP, 1998	Determination of Extractable Petroleum Hydrocarbons by GC-FID (C10-C40)		
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water		
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser		
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser		
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit		
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter		
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS		
TM172	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	EPH in Waters		
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers		
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters		
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate		
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES		
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter		

<sup>1</sup> Applies to Solid samples only. DRY indicates samples have been dried at 35°C. NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Environmental Hawarden (Method codes TM) or ALS Environmental Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

<b>SDG:</b>	170315-25	<b>Client Reference:</b>	402701
<b>Location:</b>	Docksway Landfill Site	<b>Order Number:</b>	700095479
		<b>Report Number:</b>	
		<b>Superseded Report:</b>	

## Test Completion Dates

Lab Sample No(s)	15178512	15178387	15178544	15178333	15178351	15178422	15178439	15178482	15178499	15178557
Customer Sample Ref.	GW03_09	GW06_13	GW06_34	GW06_36	GW06_37	GW06_39	GW07_40	GW09_31	GW09_32	GW09_35
AGS Ref.										
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water	Ground Water
Alkalinity as CaCO3	22-Mar-2017	22-Mar-2017	23-Mar-2017	23-Mar-2017	22-Mar-2017	23-Mar-2017	22-Mar-2017	22-Mar-2017	23-Mar-2017	23-Mar-2017
Alkalinity Filtered as CaCO3	23-Mar-2017	22-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017
Ammoniacal Nitrogen	21-Mar-2017	21-Mar-2017	21-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	21-Mar-2017	22-Mar-2017
Anions by Kone (w)	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017
BOD True Total	21-Mar-2017	21-Mar-2017	21-Mar-2017	24-Mar-2017	21-Mar-2017	24-Mar-2017	21-Mar-2017	24-Mar-2017	21-Mar-2017	21-Mar-2017
COD Unfiltered	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017
Conductivity (at 20 deg.C)	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017
Cyanide Comp/Free/Total/Thiocyanate	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017
Dissolved Metals by ICP-MS	23-Mar-2017	23-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	23-Mar-2017	23-Mar-2017	22-Mar-2017
Dissolved Organic/Inorganic Carbon	21-Mar-2017	20-Mar-2017	20-Mar-2017	20-Mar-2017	20-Mar-2017	21-Mar-2017	20-Mar-2017	21-Mar-2017	20-Mar-2017	20-Mar-2017
EPH (DRO) (C10-C40) Aqueous (W)	21-Mar-2017	19-Mar-2017	17-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	19-Mar-2017
Ionic Balance	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017
Metals by iCap-OES Dissolved (W)	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017
Nitrite by Kone (w)	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017
pH Value	22-Mar-2017	22-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	21-Mar-2017
Sulphide	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	21-Mar-2017	23-Mar-2017	21-Mar-2017	23-Mar-2017
VOC MS (W)	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	23-Mar-2017	22-Mar-2017

Lab Sample No(s)	15178471	15178526	15178367	15178407	15178455	15178323	15178467
Customer Sample Ref.	GW12_30	GW12_33	GW12_38	GW06_14A	LF08_07	SW_23	SW_24
AGS Ref.							
Depth	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
Type	Ground Water	Ground Water	Ground Water	Ground Water	Land Leachate	Surface Water	Surface Water
Alkalinity as CaCO3	23-Mar-2017	23-Mar-2017	22-Mar-2017	22-Mar-2017			
Alkalinity Filtered as CaCO3	23-Mar-2017	23-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017		
Ammoniacal Nitrogen	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017
Anions by Kone (w)	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017
BOD True Total	21-Mar-2017	21-Mar-2017	24-Mar-2017	24-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017
COD Unfiltered	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017
Conductivity (at 20 deg.C)	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017
Cyanide Comp/Free/Total/Thiocyanate	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017	18-Mar-2017		
Dissolved Metals by ICP-MS	22-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017		
Dissolved Organic/Inorganic Carbon	21-Mar-2017	20-Mar-2017	17-Mar-2017	20-Mar-2017			
EPH (DRO) (C10-C40) Aqueous (W)	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017		
Ionic Balance	27-Mar-2017	27-Mar-2017	27-Mar-2017	27-Mar-2017	23-Mar-2017		
Metals by iCap-OES Dissolved (W)	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017	23-Mar-2017		
Nitrite by Kone (w)	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017	21-Mar-2017		
pH Value	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017
Sulphide	21-Mar-2017	23-Mar-2017	21-Mar-2017	23-Mar-2017	21-Mar-2017		
Total Organic and Inorganic Carbon					21-Mar-2017		
VOC MS (W)	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017	22-Mar-2017		



# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15179635  
Sample ID : GW09\_35

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218376-  
Date Acquired : 19/03/2017 16:27:24 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15179779  
Sample ID : GW06\_36

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218105-  
Date Acquired : 21/03/2017 00:32:05 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15179961  
Sample ID : GW06\_34

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218359-  
Date Acquired : 17/03/2017 09:33:02 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181112  
Sample ID : GW09\_31

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218291-  
Date Acquired : 21/03/2017 02:00:09 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181182  
Sample ID : GW12\_33

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218342-  
Date Acquired : 21/03/2017 01:16:05 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181429  
Sample ID : GW09\_32

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218308-  
Date Acquired : 21/03/2017 01:38:01 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181439  
Sample ID : GW03\_09

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218325-  
Date Acquired : 21/03/2017 02:43:58 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181612  
Sample ID : GW06\_37

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218124-  
Date Acquired : 21/03/2017 00:54:14 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181655  
Sample ID : LF08\_07

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218247-  
Date Acquired : 21/03/2017 02:22:03 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181780  
Sample ID : GW12\_38

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218141-  
Date Acquired : 21/03/2017 05:18:05 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15181911  
Sample ID : GW06\_13

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218174-  
Date Acquired : 19/03/2017 16:07:28 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15183116  
Sample ID : GW12\_30

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218273-  
Date Acquired : 21/03/2017 12:15:24 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15183250  
Sample ID : GW07\_40

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218230-  
Date Acquired : 20/03/2017 23:48:08 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15183315  
Sample ID : GW06\_39

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218208-  
Date Acquired : 21/03/2017 00:10:09 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

Validated

SDG: 170315-25  
Location: Docksway Landfill Site

Client Reference:  
Order Number: 700095479

Report Number: 402701  
Superseded Report:

## Chromatogram


Analysis: EPH (DRO) (C10-C40) Aqueous (W)

Sample No : 15183326  
Sample ID : GW06\_14A

Depth : 0.00 - 0.00

EPH Range Organics ( C10 - C40 )

Sample Identity: 14218191-  
Date Acquired : 21/03/2017 13:22:48 PM  
Units : mg/l





# CERTIFICATE OF ANALYSIS

SDG: 170315-25 Client Reference: Report Number: 402701  
 Location: Docksway Landfill Site Order Number: 700095479 Superseded Report:

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH4 by the BRE method, VOC TICs and SVOC TICs.

2. Samples will be run in duplicate upon request, but an additional charge may be incurred.

3. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

4. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

5. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

6. When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

7. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

8. If appropriate preserved bottles are not received preservation will take place on receipt. However, the integrity of the data may be compromised.

9. NDP - No determination possible due to insufficient/unsuitable sample.

10. Metals in water are performed on a filtered sample, and therefore represent dissolved metals - total metals must be requested separately.

11. Results relate only to the items tested.

12. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

13. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%, they are generally wider for volatiles analysis, 50-150%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

14. **Product analyses** - Organic analyses on products can only be semi-quantitative due to the matrix effects and high dilution factors employed.

15. Phenols monohydric by HPLC include phenol, cresols (2-Methylphenol, 3-Methylphenol and 4-Methylphenol) and Xylenols (2,3 Dimethylphenol, 2,4 Dimethylphenol, 2,5 Dimethylphenol, 2,6 Dimethylphenol, 3,4 Dimethylphenol, 3,5 Dimethylphenol).

16. Total of 5 speciated phenols by HPLC includes Phenol, 2,3,5-Trimethyl Phenol, 2-Isopropylphenol, Cresols and Xylenols (as detailed in 15).

17. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

18. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

19. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

20. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

21. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

22. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

23. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

24. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

## Sample Deviations

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Holding time exceeded before sample received
5	Samples exceeded holding time before preservation was performed
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to sampled on date
&	Sample Holding Time exceeded - Late arrival of instructions.

## Asbestos

### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Astestost Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**