

Permit Number: KP3195FW

Operator: Sims Group UK Limited

Facility: Northside, South Dock

Form Number: Air1 / 01/04/16

Reporting of emissions to air for the period from 01/12/17 to 31/12/17

Emission Point	Substance / Parameter	Emission		Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
		Limit Value						
3 [Point 3 on site plan in Schedule 7]	CFC	<100 units 5g per hour		Monthly				
		>100 units but <200 units 10g per hour						
		>200 units but <300 units 15g per hour						
		>300 units but <400 units 20g per hour						
		>400 units 30g per hour						
		Plant 2(<100 Units)			0.5g/Hr	GCMS	14/12/17	

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed
Wayne Taylor
(Authorised to sign as representative of Operator)

Date.....
03/01/18