

Permit Number: EPR/EP3830GH

Operator: Liberty Steel UK Ltd

Facility: Liberty Steel Newport

Form Number: Water1 / 15/08/2016

Reporting of emissions to water (other than to sewer) and land for the period from 01/01/2018 to 31/03/2018

Emission Point	Substance / Parameter	Emission		Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
		Limit Value						
W1	Total suspended solids	20 mg/l	Spot Sample	5.00	BS EN 872:1996 or other ISO, BS or SCA blue book method as approved by Natural Resources Wales	27/03/2018 13:00	5.23	
W1	Total Hydrocarbons	5 mg/l	Spot Sample	0.627	SCA blue book 77 ISBN 0117517283 2002 or other ISO, BS or SCA blue book method as approved by Natural Resources Wales	27/03/2018 13:00	0.436	
W1	pH	6-10	Spot Sample	10.6	BS 6068-2.50:1995 (ISO 10523:1994)	27/03/2018 13:00	9.63	
W1	Lead	0.1 mg/l	Spot Sample	0.024	BS 6068-2.60:1998, BS EN ISO 11885 1998	30/01/2018 13:00	0.010	
W1	Arsenic	0.1 mg/l	Spot Sample	0.007	BS 6068-2.60:1998, BS EN ISO 11885 1998	30/01/2018 13:00	0.005	
W1	Cadmium	0.05 mg/l	Spot Sample	0.0009	BS 6068-2.60:1998, BS EN ISO 11885 1998	30/01/2018 13:00	0.0005	

Emission Point		Emission		Reference Period		Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
Substance / Parameter	Limit Value								
W1	Chromium	0.2 mg/l	Spot Sample		0.031	BS 6068-2.60:1998, BS EN ISO 11885 1998	27/03/2018 13:00	0.014	
W1	Nickel	0.1 mg/l	Spot Sample		0.006	BS 6068-2.60:1998, BS EN ISO 11885 1998	30/01/2018 13:00	0.004	
W1	Copper	0.1 mg/l	Spot Sample		0.016	BS 6068-2.60:1998, BS EN ISO 11885 1998	30/01/2018 13:00	0.013	
W1	Mercury	-	Spot Sample		0.0001	BS 6068-2.60:1998, BS EN ISO 11885 1998	27/03/2018 13:00	0.0001	
W1	Iron	5 mg/l	Spot Sample		0.29	BS 6068-2.74:2002, BS EN ISO 13506:2002	30/01/2018 13:00	0.23	
W1	Zinc	0.5 mg/l	Spot Sample		0.03	BS 6068-2.60:1998, BS EN ISO 11885 1998	30/01/2018 13:00	0.038	


[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum - maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with Natural Resources Wales is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

[5] Metal include elements and compounds of Pb, As, Cd, Cr, Ni, Cu, Hg and Zn expressed as the metal and shall be individually reported



Signed

Date..... 30.04.2018 ,