

Permit Reference Number: NP3030BJ

Operator: EnerSys Ltd

Installation: EnerSys Newport

Form Number: A1

Reporting of Emissions to Air for the period from: 1st Apr 2018 to 30th Jun 2018

Emission Point	Substance / Parameter	Spot Limit Values ^[6]	Spot Result ^[1]	Process run time	Quarter Result ^[7]	Test Method ^[2]	Sample Date and Times ^[3]	Accreditation /Certification ^[4]	Uncertainty ^[5]
A1	Lead	1.0 mg/m ³	0	0	NOT RUN	BS EN 14385:2004		MCERTS UKAS 0934	<0.01
Mill 1			0	0		BS EN 14385:2004		MCERTS UKAS 0934	<0.01
			0	0		BS EN 14385:2004		MCERTS UKAS 0934	<0.01
A2	Lead	1.0 mg/m ³	N/R	461	NOT RUNNING WHEN TESTED IN APRIL 0.055	BS EN 14385:2004		MCERTS UKAS 0934	<0.01
Mill 2			0.09	667		BS EN 14385:2004	02/05/2018 11:02 – 12:07	MCERTS UKAS 0934	<0.01
			0.05	580		BS EN 14385:2004	04/06/2018 13:40 – 14:40	MCERTS UKAS 0934	<0.01
A3	Lead	1.0 mg/m ³	0.12	609	0.186	BS EN 14385:2004	04/04/2018 10:25 – 11:25	MCERTS UKAS 0934	<0.01
Mill 3			0.16	696		BS EN 14385:2004	01/05/2018 11:15 – 12:15	MCERTS UKAS 0934	<0.01
			0.35	631		BS EN 14385:2004	04/06/2018 10:07 – 11:07	MCERTS UKAS 0934	<0.01
A63	Lead	1.0 mg/m ³	0.06	680	0.087	BS EN 14385:2004	04/04/2018 11:50 – 12:54	MCERTS UKAS 0934	<0.01
Mill4			0.11	753		BS EN 14385:2004	04/05/2018 10:25 – 11:25	MCERTS UKAS 0934	<0.01
			0.10	683		BS EN 14385:2004	04/06/2018 11:35 – 12:39	MCERTS UKAS 0934	<0.01

Emission Point	Substance / Parameter	Spot Limit Values ^[6]	Spot Result ^[1]	Process run time	Quarter Result ^[7]	Test Method ^[2]	Sample Date and Times ^[3]	Accreditation /Certification ^[4]	Uncertainty ^[5]
A4	Lead	0.75 mg/m ³	0.38	1147	0.200	BS EN 14385:2004	04/04/2018 14:00 – 14:42	MCERTS UKAS 0934	<0.01
A6	Lead	1.0 mg/m ³	0.09	1423	0.059	BS EN 14385:2004	05/04/2018 10:40 – 11:16	MCERTS UKAS 0934	<0.01
A8	Lead	1.0 mg/m ³	0.10	2212	0.101	BS EN 14385:2004	05/04/2018 11:50 – 12:26	MCERTS UKAS 0934	<0.01
A9	Lead	0.75 mg/m ³	0.01	2185	0.010	BS EN 14385:2004	03/04/2018 12:10 – 12:46	MCERTS UKAS 0934	<0.01
A10	Lead	1.0 mg/m ³	0.02	2230	0.020	BS EN 14385:2004	03/04/2018 13:40 – 14:16	MCERTS UKAS 0934	<0.01
A11	Lead	1.0 mg/m ³	0.43	2140	0.421	BS EN 14385:2004	05/04/2018 13:30 – 14:06	MCERTS UKAS 4279	<0.01
A12	Lead	0.75 mg/m ³	0.02	2235	0.020	BS EN 14385:2004	06/04/2018 10:47 – 11:23	MCERTS UKAS 0934	<0.01
A13	Lead	1.0 mg/m ³	0.02	2229	0.020	BS EN 14385:2004	03/04/2018 10:45 – 11:33	MCERTS UKAS 0934	<0.01

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The accreditation status of the equipment and/or the monitoring organisation, as appropriate, for the methods used for both sampling and analysis.

[5] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated. The following uncertainties are quoted on a different basis (basis as stated) – {The basis of any other uncertainty figure needs to be stated. Where no figure is available the Agency will need to agree an appropriate uncertainty value.}

[6] The emission limit value is expressed as a maximum individual value and corrected to 273K, 101.3kPa.

[7] To be calculated pro rata according to run time.

Signed 

.....(authorised to sign as representative of the Operator)...

Date...30/08/2018..

Permit Reference Number: NP3030BJ Operator: Enersys Ltd

Installation: Enersys Newport

Form Number: W1

Reporting of Emissions to Water (other than to Sewer) for the period from:

Emissions to Water							
Emission Point	Substance / Parameter	Emission Limit Value	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Accreditation/ Certification ^[4]	Uncertainty ^[5]
W1	Lead and its compounds	2.0mg/l ^[6]	0.21 0.11 0.59 0.32 0.06 0.03 0.20 0.17 0.10 0.16 0.07 0.35 0.06	ISO/IEC 17025:2005	04/04/2018 11/04/2018 18/04/2018 25/04/2018 02/05/2018 09/05/2018 16/05/2018 23/05/2018 30/05/2018 06/06/2018 13/06/2018 20/06/2018 27/06/2018	ALS ENVIRONMENTAL LTD UKAS 1314	
W1	Flow	Not applicable					

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values. Where the emission limit value is an annual mean, the result is given as the average measured value.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. colorimetry.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements, or flow/time proportional samples, the percentage of the process operating time covered by the monitoring is given.

[4] The accreditation status of the equipment and/or the monitoring organisation, as appropriate, for the methods used for both sampling and analysis.

[5] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

[6] The emission limit values are expressed as a maximum individual value. Limit only applies from 1 July 2006.

Signed
(authorised to sign as representative of the Operator)

Paula S. Tennett

Date.....30/08/2018..

Permit Reference Number: NP3030BJ

Operator: Enersys Ltd

Installation: Enersys Newport

Form Number: S1

Reporting of Emissions to Sewer for the period from:

Emissions to Sewer							
Emission Point	Substance / Parameter	Emission Limit Value	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Accreditation/ Certification ^[4]	Uncertainty ^[5]
S1	Lead and its compounds.	2mg/l ^[6]	0.362 0.504 0.873 0.946 0.244 0.156 0.123 0.607 0.465 0.294 0.817 0.759 0.559	ISO/IEC 17025:2005	04/04/2018 11/04/2018 18/04/2018 25/04/2018 02/05/2018 09/05/2018 16/05/2018 23/05/2018 30/05/2018 06/06/2018 13/06/2018 20/06/2018 27/06/2018	ALS ENVIRONMENTAL LTD UKAS 1314	N/A
S1	pH	6-11 ^[7]	7.5 9.6 8.6 7.4 7.4 8.5 7.6 7.5 7.6 7.5 7.9 7.7 6.8	ISO/IEC 17025:2005	04/04/2018 11/04/2018 18/04/2018 25/04/2018 02/05/2018 09/05/2018 16/05/2018 23/05/2018 30/05/2018 06/06/2018 13/06/2018 20/06/2018 27/06/2018	ALS ENVIRONMENTAL LTD UKAS 1314	N/A
S1	Sulphates	Not applicable	409 375 639 356 208 291 199	ISO/IEC 17025:2005	04/04/2018 11/04/2018 18/04/2018 25/04/2018 02/05/2018 09/05/2018 16/05/2018	ALS ENVIRONMENTAL LTD UKAS 1314	N/A

03/09/2018

			488 393 384 370 380 199		23/05/2018 30/05/2018 06/06/2018 13/06/2018 20/06/2018 27/06/2018		
S1	Suspended solids	Not applicable	15 18 11 38 24 14 12 34 40 20 18 25 36	ISO/IEC 17025:2005	04/04/2018 11/04/2018 18/04/2018 25/04/2018 02/05/2018 09/05/2018 16/05/2018 23/05/2018 30/05/2018 06/06/2018 13/06/2018 20/06/2018 27/06/2018	ALS ENVIRONMENTAL LTD UKAS 1314	N/A
S1	Flow	150,000/day * 91days =13,650,000 litres	668,377 Ltrs LITRES OVER THE QUARTER				

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values. Where the emission limit value is an annual mean, the result is given as the average measured value.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. colorimetry.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements, or flow/time proportional samples, the percentage of the process operating time covered by the monitoring is given.

[4] The accreditation status of the equipment and/or the monitoring organisation, as appropriate, for the methods used for both sampling and analysis.

[5] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

[6] The emission limit values are expressed as a maximum individual value.

[7] The emission limit values for pH are expressed as minimum and maximum individual values.

Signed *Paula S. Tennett*
(authorised to sign as representative of the Operator)

Date...30/08/2018..