

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and Lime Ltd

Installation: Aberthaw Works

Form number: Air 10 / 31 August 2010

Reporting of non-kiln operational summary of continuous measurements for the month January 2016

Pollutant	Release point	Daily average limit mg/m3	Maximum daily average mg/m3	Average of daily averages mg/m3
Particulate matter	A2	30	5.11	2.29
	A3	30	25.88	11.64

Operator's comments:

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@lafargetarmac.com)
(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 27/04/2016

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and Lime Ltd

Installation: Aberthaw Works

Form number: Air 10 / 31 August 2010

Reporting of non-kiln operational summary of continuous measurements for the month February 2016

Pollutant	Release point	Daily average limit mg/m3	Maximum daily average mg/m3	Average of daily averages mg/m3
Particulate matter	A2	30	19.04	6.50
	A3	30	22.48	13.00

Operator's comments:

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@lafargetarmac.com)
(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 26/04/2016

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and Lime Ltd

Installation: Aberthaw Works

Form number: Air 10 / 31 August 2010

Reporting of non-kiln operational summary of continuous measurements for the month March 2016

Pollutant	Release point	Daily average limit mg/m3	Maximum daily average mg/m3	Average of daily averages mg/m3
Particulate matter	A2	30	25.07	12.51
	A3	30	16.26	8.19

Operator's comments:

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@lafargetarmac.com)
(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 27/04/2016

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and limeLtd

Installation: Aberthaw Works

Form number: Fuel 1 / 31 August 2010

Reporting of Fuel Usage for the Cement Kiln for the month January 2016

Fuel	Quantity burned Tonnes	Average calorific value MJ/kg
Coal	376.0	28405.00
Petroleum coke		
Distillate fuel oil	40.2	43200.00
MBM		
Tyres	38.0	29500.00
SRF 1	0.0	15335.00
Polychip	20.0	34533.00
Relative thermal input of waste derived fuels		
MBM		0%
Tyres		8%
SRF		0%
Polychip		5%

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@lafargetarmac.com)
(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)
Date: 27/04/2016

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and Lime Ltd

Installation: Aberthaw Works

Form number: Fuel 1 / 31 August 2010

Reporting of Fuel Usage for the Cement Kiln for the month February 2016

Fuel	Quantity burned Tonnes	Average calorific value MJ/kg
Coal	2940.0	28405.00
Petroleum coke		
Distillate fuel oil	57.0	43200.00
MBM		
Tyres	349.0	29500.00
SRF 1	671.0	16925.00
Polychip	191.0	34593.00
Relative thermal input of waste derived fuels		
MBM		0%
Tyres		9%
SRF		10%
Polychip		6%

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@lafargetarmac.com)
(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 27/04/2016

Permit Number: EPR/BL3986ID

Operator: Lafarge Tarmac Cement and lime Ltd

Installation: Aberthaw Works

Form number: Fuel 1 / 31 August 2010

Reporting of Fuel Usage for the Cement Kiln for the month March 2016

Fuel	Quantity burned Tonnes	Average calorific value MJ/kg
Coal	3243.8	27691.36
Petroleum coke		
Distillate fuel oil	25.4	43200.00
MBM		
Tyres	634.4	29500.00
SRF 1	832.5	16583.60
Polychip	181.7	34443.00
Relative thermal input of waste derived fuels		
MBM		0%
Tyres		14%
SRF		11%
Polychip		5%

Signed: Kara Bennett, Environment Coordinator (via kara.bennett@lafargetarmac.com)
(authorised to sign as representative of Lafarge Tarmac Cement and Lime Ltd)

Date: 27/04/2016