



Permit with introductory note

Pollution Prevention and Control (England & Wales) Regulations 2000

The Royal Mint
Llantrisant
Pontyclun
Mid Glamorgan
CF72 8YT

Permit number

VP3539SL

Contents

Introductory note	ii
Permit	1
1 General.....	2
2 Operating conditions.....	6
3 Records.....	17
4 Reporting.....	18
5 Notifications.....	19
6 Interpretation	21
Schedule 1 - Notification of abnormal emissions	23
Schedule 2 - Reporting of monitoring data.....	24
Schedule 3 - Forms to be used.....	25
Schedule 4 - Reporting of performance data	26
Schedule 5 - Site Plan.....	27

Introductory note

This introductory note does not form a part of the Permit

The following Permit is issued under Regulation 10 of the Pollution Prevention and Control (England and Wales) Regulations 2000 (S.I.2000 No.1973), as amended, ("the PPC Regulations") to operate an installation carrying out activities covered by the description in Section 2.3 A(1)(a) and 2.2 A(1)(b)(i) in Part 1 to Schedule 1 of the PPC Regulations, to the extent authorised by the Permit:

Section 2.3 A(1)(a) Surface treating of metals and plastic materials using an electrolytic or chemical process where the aggregated volume of the treatment vats is more than 30m³.

2.2 A(1)(b)(i) Melting including making alloys, of non-ferrous metals, including recovered products (refining, foundry casting etc.) where (i) the plant has a melting capacity of more than 4 tonnes per day for lead or cadmium or 20 tonnes per day for all other metals.

Aspects of the operation of the installation which are not regulated by conditions of the Permit are subject to the condition implied by Regulation 12(10) of the PPC Regulations, i.e. the Operator shall use the best available techniques for preventing or, where that is not practicable, reducing emissions from the installation.

Techniques include both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned.

In some sections of the Permit conditions require the Operator to use Best Available Techniques (BAT), in each of the aspects of the management of the installation, to prevent and where that is not practicable to reduce emissions. The conditions do not explain what is BAT. In determining BAT, the Operator should pay particular attention to relevant sections of the IPPC Sector guidance, appropriate Horizontal guidance and other relevant guidance.

A non-technical description of the installation is given in the Application, but the main features of the installation are as follows. The Royal Mint is responsible for the design, production and distribution of coinage for the UK in addition to over 100 countries worldwide. It employs 1000 people and operates continuously for 51 weeks for the year. The surface treatment activities comprise approximately 260m³ capacity of treatment tanks and this area is designated a top tier COMAH site. There are currently four melting and casting lines with a total melting capacity of 12 tonnes and casting capacity of 4.5 tonnes. It is planned that this will increase by 6 tonnes by replacing two of the existing 3 tonne capacity melting channel furnaces with 6 tonne coreless furnaces. The installation is situated on a 28 acre site surrounded by agricultural land to the north and east and light industrial units to the south and west. To the east, the river Nant occupies part of the border into which, surface water is discharged from the site. The Nant joins the river Ely which receives treated effluent from the production activities undertaken on site. There is one SSSI within 2km of the installation, Llantrisant Common and Meadows and one SAC within 10km, Cardiff Beech Woods. It is not anticipated that the installation will impact either designation. There is a Climate Change Levy agreement in place. The application was submitted initially as an A2 Application to Rhondda Cynon Taff council and following the proposed increase in capacity, the application was re-submitted as an A1 application to the Environment Agency.

Note that the Permit requires the submission of certain information to the Agency (see Sections 4 and 5). In addition, the Agency has the power to seek further information at any time under regulation 28 to the PPC Regulations provided that it acts reasonably.

Other PPC Permits relating to this installation

Permit holder	Permit Number	Date of issue
The Royal Mint	EPA-024-VN2	25/06/2002

Superseded Licences/Authorisations/Consents relating to this installation

Holder	Reference Number	Date of Issue
The Royal Mint	AN0249301	28/01/1998

Other activities may take place on the site of this installation which are not regulated under this Permit or any other PPC Permit referred to in the Table above.

Other existing Licences/Authorisations/Registrations relating to this site

Holder	Reference Number	Date of issue
None		

Public Registers

Considerable information relating to Permits including the Application is available on public registers in accordance with the requirements of the PPC Regulations. Certain information may be withheld from public registers where it is commercially confidential or contrary to national security.

Variations to the Permit

This Permit may be varied in the future (by the Agency serving a Variation Notice on the Operator). If the Operator itself wants any of the Conditions of the Permit to be changed, it must submit a formal Application. The Status Log within the Introductory Note to any such Variation Notice will include summary details of this Permit, variations issued up to that point in time and state whether a consolidated version of the Permit has been issued.

Surrender of the Permit

Before this Permit can be wholly or partially surrendered, an Application to surrender the Permit has to be made by the Operator. For the application to be successful, the Operator must be able to demonstrate to the Agency that there is no pollution risk and that no further steps are required to return the site to a satisfactory state.

Transfer of the Permit or part of the Permit

Before the Permit can be wholly or partially transferred to another person, an Application to transfer the Permit has to be made jointly by the existing and proposed holders. A transfer will be allowed unless the Agency considers that the proposed holder will not be the person who will have control over the operation of the installation or will not comply with the conditions of the transferred Permit. If, however, the Permit authorises the carrying out of a specified waste management activity, the transfer will only be allowed if the proposed holder is also considered to be "a fit and proper person" as required by the PPC Regulations.

Talking to us

Please quote the Permit Number if you contact the Agency about this Permit.

To give a Notification under Condition 5.1.1, the Operator should use the Incident Hotline telephone number (0800 80 70 60) or any other number notified in writing to the Operator by the Agency for that purpose.

Status Log

Detail	Date	Response Date
Application VP3539SL	25/10/2004	
Response to request for information	Request dated 27/10/2004	Response dated 08/11/2004
Response to request for information	Request dated 30/11/2004	Response dated 09/12/2004, 15/12/2004
Response to request for information	Request dated 20/12/2004	Response dated 22/12/2004, 7/01/2005
Permit determined	10/01/2005	

End of Introductory Note.

Permit

Pollution Prevention and Control
Regulations 2000



**ENVIRONMENT
AGENCY**

Permit

Permit number

VP3539SL

The Environment Agency (the Agency) in exercise of its powers under Regulation 10 of the Pollution Prevention and Control (England and Wales) Regulations (SI 2000 No 1973), hereby authorises **The Royal Mint** ("the Operator"),

Of whose Registered Office (or principal place of business) is

Llantrisant

Pontyclun

Mid Glamorgan

CF72 8YT

Company registration number - not applicable

to operate an Installation at

The Royal Mint

Llantrisant

Pontyclun



Mid Glamorgan

CF72 8YT

to the extent authorised by and subject to the conditions of this Permit.

Signed

Date

	
---	---

S McFarlane

Authorised to sign on behalf of the Agency

Conditions

1 General

1.1 Permitted Activities

1.1.1 The Operator is authorised to carry out the activities and the associated activities specified in Table 1.1.1.

Table 1.1.1

Activity listed in Schedule 1 of the PPC Regulations / Associated Activity	Description of specified activity	Limits of specified activity
2.3 A(1)(a) Surface treating metals where aggregate volume of treatment vats exceeds 30m ³	Surface treatment of metals	From receipt of raw materials to despatch of products and waste.
2.2 A(1)(b)(i) Melting including alloys, of non-ferrous metals, including recovered products.	Melting and casting of metals	From receipt of raw materials to despatch of products and waste.
Directly associated activity	Effluent treatment	From receipt of effluent until discharge to public sewer.
Directly associated activity	Surface water	Handling and storage of site drainage until discharge to public sewer.
Directly associated activity	Annealing and burnishing	From receipt of raw materials to despatch of products and waste.
Directly associated activity	Heat treatment of tool dies	From receipt of raw materials to despatch of products and waste.

1.2 Site

1.2.1 The activities authorised under condition 1.1.1 shall not extend beyond the Site, being the land shown edged in green on the Site Plan at Schedule 5 to this Permit.

1.3 Overarching Management Condition

1.3.1 Without prejudice to the other conditions of this Permit, the Operator shall implement and maintain a management system, organisational structure and allocate resources that are sufficient to achieve compliance with the limits and conditions of this Permit.

1.4 Improvement Programme

1.4.1 The Operator shall complete the improvements specified in Table 1.4.1 by the date specified in that table, and shall send written notification of the date of completion of each requirement to the Agency within 14 days of the completion of each such requirement.

Table 1.4.1: Improvement programme

Reference	Requirement	Date
IP1	<p>The Operator shall submit a methodology, including timescales, to the Agency for the implementation of alternative technical measures to control air emissions from A1 to A13 including, but not limited, to the following:</p> <ul style="list-style-type: none"> ▪ Treatment tank temperature control ▪ Treatment tank chemical concentration ▪ Treatment tank levels and freeboard depth ▪ Treatment tank agitation methods <p>Improvements and procedures shall be agreed with the Agency in writing.</p>	01/09/2005
IP2	The Operator shall implement alternative technical measures as defined by the approved methodology proposed in response to IP1.	As agreed in response to IP1
IP3	The operator shall assess the feasibility of installing a composite sampler at emission point W1. A written report summarising the findings shall be submitted to the Agency.	01/10/2005
IP4	<p>The Operator shall implement operating procedures for discharges to controlled water from the COMAH area surface water containment tank. The procedures shall consider:</p> <ul style="list-style-type: none"> • Operating techniques during normal operation and emergency conditions • Calibration and maintenance of conductivity meter(s) • Training of relevant staff <p>A summary of the procedures shall be submitted to the Agency. Improvements identified shall be agreed in writing with the Agency including timescales and undertaken as agreed.</p>	01/08/2005
IP5	The Operator shall submit a report to the Agency by the date given in this programme, demonstrating whether the conductivity probes used for continuous measurement of conductivity on the effluent discharge to water meets with the performance standards given in the MCERTS document 'Continuous Water Monitoring Equipment Part 2, v1 February 2003'. The report shall include an assessment of the probes' performance with the criteria given in the standard and where these are not met, proposals and time-scales required to achieve the standard.	01/09/2005
IP6	<p>The Operator shall provide to the Agency a report detailing improvements to the installation effluent treatment techniques in terms of reducing emissions to sewer, in particular copper and cyanide, to levels detailed in Table 3.2 of 'Guidance for the Surface Treatment of Metals and Plastics &c.' S2.07. The report shall include a BAT justification for the techniques used and where necessary the report should also include the details for upgrading or replacement of these.</p> <p>This report shall include effluent treatment operational procedures, in particular:</p> <ul style="list-style-type: none"> ▪ In house monitoring regime to include methods and frequency of analysis of key pollutants including but not limited to copper and cyanide ▪ Chemical treatment ▪ Control of flow rate <p>The report shall provide a plan with timescales for the implementation of the improvements identified and shall be agreed by the Agency in writing.</p>	01/12/2005
IP7	The operator shall complete the improvements identified in the previous condition relating to emissions to sewer and associated installation effluent treatment techniques.	As agreed in previous improvement condition.
IP8	The Operator shall submit to the Agency in writing, a programme of regular testing and inspection of all waste and chemical storage areas commencing with an initial audit to identify any necessary improvements to standards detailed in Section 2.2.5 of 'Guidance for the Surface Treatment of Metals and Plastics &c.' S2.07. The audit and programme shall include the following:	01/12/2005

	<ul style="list-style-type: none"> Inspection of primary, secondary and tertiary containment measures Inspection of coatings applied to secondary and tertiary containment Segregation of chemicals dependant upon reactivity Size of containment based on maximum stock levels <p>The proposed inspection regime shall be agreed with the Agency in writing and implemented throughout the installation. A summary of the audit findings shall also be submitted to the Agency for approval with improvements identified as appropriate.</p>	
IP9	The operator shall undertake improvements identified in initial audit as approved by the Agency in IP8	As agreed in writing by the Agency
IP10	The Operator shall undertake a feasibility study to investigate reuse of water from the installation effluent treatment plant. A summary of the report shall be submitted to the Agency. Improvements identified shall be agreed in writing with the Agency including timescales and undertaken as agreed.	01/04/2006
IP11	The Operator shall submit a report to the Agency, demonstrating whether the PCME DT 200 used for continuous measurement of particulate matter at release point A14 meets with the performance standards given in the MCERTs document 'MCERTs Performance Standard for Continuous Emission Monitoring Systems, version 2 revision 1, April 2003'. The report shall include an assessment of the instruments' performance with the criteria given in the standard and where these are not met, proposals and a time-scale to achieve the standard.	01/01/2006 (unless otherwise agreed in writing with Agency)
IP12	The Operator shall implement a programme of integrity testing of all underground storage chambers and sub surface structures. Improvements identified shall be agreed in writing with the Agency including timescales and undertaken as agreed.	01/01/2006
IP13	The Operator shall obtain full ISO14001 certification for the operator's EMS as detailed in the application.	01/02/2006 (unless otherwise agreed in writing by the Agency)
IP14	The operator shall submit proposals for an impact assessment procedure for air emissions to include all emissions from the MRB and surface treatment activities. The assessment procedure shall follow the horizontal guidance IPPC H1, or an equivalent appropriate assessment. The proposals shall be agreed in writing with the Agency and assessment carried out as agreed.	01/06/2006
IP15	<p>The Operator shall identify and investigate minimisation, reuse or recycling of raw materials including, but not limited to, the following:</p> <ul style="list-style-type: none"> Pickling acid Copper and Nickel from plating process <p>A summary of the report shall be submitted to the Agency. Improvements identified shall be agreed in writing with the Agency including timescales and undertaken as agreed.</p>	01/06/2006
IP16	The Operator shall undertake a feasibility study to reduce emissions to water at W1 of free cyanide and free chlorine. The study shall be submitted to the Agency to include a monitoring programme and propose improvements to operating techniques to enable levels of the above parameters to fall to within proven environmentally acceptable limits. Improvements identified shall be agreed in writing with the Agency including timescales and undertaken as agreed.	01/09/2006
IP17	The Operator shall provide a report in writing to the Agency detailing the monitoring method used to determine effluent flow at release point W1 and S1. The monitoring method shall be agreed in writing with the Agency.	01/06/2005
IP18	The Operator shall assess the current method for effluent flow as agreed in IP17 with the requirements given in the MCERTS standard 'Minimum requirements for the self-monitoring of effluent flow' version 2, Aug 2004. A written report shall be provided to the Agency detailing how this standard is to be achieved and shall include time scales for implementation.	01/01/2006 (unless otherwise agreed in writing with Agency)

- 1.4.2 Where the Operator fails to comply with any requirement by the date specified in Table 1.4.1 the Operator shall send written notification of such failure to the Agency within 14 days of such date.

1.5 Minor Operational Changes

- 1.5.1 The Operator shall seek the Agency's written agreement to any minor operational changes under condition 2.1.1 of this Permit by sending to the Agency: written notice of the details of the proposed change including an assessment of its possible effects (including waste production) on risks to the environment from the Permitted Installation; any relevant supporting assessments and drawings; and the proposed implementation date.
- 1.5.2 Any such change shall not be implemented until agreed in writing by the Agency. As from the agreed implementation date, the Operator shall operate the Permitted Installation in accordance with that change, and relevant provisions in the Application shall be deemed to be amended.
- 1.5.3 When the qualification "unless otherwise agreed in writing" is used elsewhere in this Permit, the Operator shall seek such agreement by sending to the Agency written notice of the details of the proposed method(s) or techniques.
- 1.5.4 Any such method(s) or techniques shall not be implemented until agreed in writing by the Agency. As from the agreed implementation date, the Operator shall operate the Permitted Installation using that method or technique, and relevant provisions in the Application and the Site Protection and Monitoring Programme, as the case may be shall be deemed to be amended.

1.6 Pre-Operational Conditions

- 1.6.1 There are no pre-operational conditions

1.7 Off-site Conditions

- 1.7.1 There are no off-site conditions.

2 Operating conditions

2.1 In-Process Controls

- 2.1.1 The Permitted Installation shall, subject to the conditions of this Permit, be operated using the techniques and in the manner described in the documentation specified in Table 2.1.1, or as otherwise agreed in writing by the Agency in accordance with conditions 1.5.1 and 1.5.2 of this Permit.

Table 2.1.1: Operating techniques

Description	Parts	Date Received
Application	The response to questions 2.1 and 2.2 given in sections 2.1.3, 2.1.4, 2.1.6, 2.1.9, 2.1.10 and 2.2.1 to 2.2.5, 2.5.3, 2.6, 2.8, table 57 of 2.10.3, table 58 of 2.10.4, table 61 of 2.10.7 of the application.	25/10/2004
Letter dated 07/01/2005 'Responses to PPC Permit Application VP3539SL	Items 4 (cyclone by-pass operation) and 6 (monitoring)	07/01/2005

- 2.1.2 The Permitted Installation shall, subject to the other conditions of this Permit, be operated using the techniques and in the manner described in the Site Protection and Monitoring Programme submitted under condition 4.1.7 of this Permit as amended from time to time under condition 4.1.7, or as otherwise agreed in writing by the Agency.

2.2 Emissions

2.2.1 Emissions to Air, (including heat, but excluding Odour, Noise or Vibration) from Specified Points

- 2.2.1.1 This Part 2.2.1 of this Permit shall not apply to releases of odour, noise or vibration.
- 2.2.1.2 Emissions to air from the emission points in Table 2.2.1 shall only arise from the sources specified in that Table.

Table 2.2.1 : Emission points to air

Emission point reference or description ¹	Source	Location of emission point
A1	Copper Plating Line 1 Acid. Baths 3,4,5,8	Point A1 on site plan
A2	Copper Plating Line 1 Cyanide. Bath 12	Point A2 on site plan
A3	Copper Plating Line 2 Acid. Baths 3,4,5,8	Point A3 on site plan
A4	Copper Plating Line 2 Cyanide. Bath 12	Point A4 on site plan
A5	Duplex Cyanide. Baths 18-25	Point A5 on site plan
A6	Duplex Acid. Baths 6-8	Point A6 on site plan
A7	Copper Plating Line 3 Acid. Baths 3,4,5,8	Point A7 on site plan
A8	Copper Plating Line 3 Cyanide. Bath 12	Point A8 on site plan
A9	Nickel Plating Line 2. Baths 15-30	Point A9 on site plan
A10	Nickel Plating Line 2. Baths 3,4,5,8	Point A10 on site plan
A11	Nickel Plating Line 1. Baths 15-30	Point A11 on site plan
A12	Nickel Plating Line 1. Baths 3,4,5,8	Point A12 on site plan
A13	Chrome. Baths 1,3 – 6, 9-11, 15	Point A13 on site plan
A14	MRB Furnace	Point A14 on site plan

¹On figure 5b of the Application 'Point Source Emissions to Air'

2.2.1.3 The limits for emissions to air for the parameters and emission points set out in Table 2.2.2 shall not be exceeded.

Table 2.2.2 : Emission limits to air and monitoring

Emission reference	point	Parameter	Limit (including Reference Period) ¹	Monitoring frequency	Monitoring method ²
A14		Copper dusts and mists (mg/m ³)	5mg/m ³	Annually	BS EN 14385:2004
A14		Nickel and inorganic compounds as Ni (mg/m ³)	1mg/m ³	Annually	BS EN 14385:2004
A14		Particulate (mg/m ³)	50mg/m ³	Annually	BS EN 13284-1:2002

¹See condition 6.1.3.2 for reference condition

²Or other EN, ISO, BS standard as agreed with the Agency

2.2.1.4 No condition applies.

2.2.2 Emissions to water (other than groundwater), including heat, from specified points

2.2.2.1 This Part 2.2.2 of this Permit shall not apply to releases of odour, noise or vibration or to releases to groundwater.

Emissions to Water (Other than to Sewer)

2.2.2.2 Conditions 2.2.2.3 - 2.2.2.6 shall not apply to emissions to sewer.

2.2.2.3 Emissions to water from the emission points specified in Table 2.2.4 shall only arise from the sources specified in that Table

Table 2.2.4: Emission point to water

Emission Point Reference or description ¹	Source	Receiving Water
W1	Effluent from installation effluent treatment plant and cooling water.	River Ely
W2	Uncontaminated surface water drainage from the installation and areas outside the installation	River Nant Mychedd
W3	Uncontaminated surface water drainage from COMAH area sump.	River Nant Mychedd
W5	Uncontaminated surface water drainage from the installation and areas outside the installation.	River Nant Mychedd
W6	Uncontaminated surface water drainage from the installation and areas outside the installation.	River Nant Mychedd
W7	Uncontaminated surface water drainage from the installation and areas outside the installation boundary.	River Nant Mychedd

¹On figure 5a of the Application 'Point Source Emissions to Water'

2.2.2.4 The limits for the emissions to water for the parameters and emission points set out in Table 2.2.5 shall not be exceeded.

2.2.2.5 No condition applies.

Table 2.2.5 : Emission limits to water and monitoring

Emission point reference	Parameter	Limit (including Reference Period)	Monitoring frequency	Monitoring method ¹
W1	Free chlorine as HOCl (mg/l)	0.1mg/l	Monthly	Operator to submit method and agree with Agency
W1	Free cyanide	0.1mg/l	Monthly	BS EN ISO 14403:2002 BS 6068-2.75:2002
W1	Copper and its compounds	0.25mg/l	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003
W1	Suspended solids	50mg/l	Monthly	BS EN 872:1996 BS6068-2.54:1996
W1	Flow	4200m ³ /day	Continuous reported as hourly average	To commence on completion of IP 17.
W1	pH	Minimum 6 to maximum 10	Monthly	BS6068-2.50:1995, ISO 10523:1984
W1	Temperature	30 C	Monthly	Operator to submit method and agree with Agency
W1	Cadmium and its compounds	0.01mg/l	Annually	Compliance based on mass balance calculation
W1	Mercury and its compounds	0.005mg/l	Annually	Compliance based on mass balance calculation

¹Or other EN, ISO, BS or Blue Book Method as agreed with the Agency.

2.2.2.6 Total emissions to water in any year of a substance listed in Table 2.2.6 shall not exceed the relevant limit in that Table.

Table 2.2.6 Annual emission limits

Substance	Limit – g
Mercury	150 Compliance based on mass balance calculation
Cadmium	150 Compliance based on mass balance calculation

Emissions to sewer

2.2.2.7 Emissions to sewer from the specified emission point in Table 2.2.7 shall only arise from the source specified in that Table.

Table 2.2.7 Emission points to sewer

Emission point reference or description ¹	Source	Sewer
S1	Effluent treatment plant	Welsh Water

¹On figure 5a of the Application 'Point Source Emissions to Water'

2.2.2.8 The limits for the emissions to sewer for the parameters and emission point set out in Table 2.2.8 shall not be exceeded.

2.2.2.9 No condition applies.

Table 2.2.8 : Emission limits and monitoring frequency to sewer

Emission point reference	Substance	Limit (including Reference Period)	Monitoring frequency	Monitoring method ¹
S1	Copper and its compounds	4mg/l	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003
S1	Free cyanide	3mg/l	Monthly	BS EN ISO 14403:2002 BS 6068-2.75:2002
S1	Cadmium and its compounds	0.01mg/l	Annually	Compliance based on mass balance calculation
S1	Mercury and its compounds	0.005mg/l	Annually	Compliance based on mass balance calculation
S1	pH	Minimum 6, Maximum 11	Monthly	BS6068-2.50:1995, ISO 10523:1984

¹Or other EN, ISO, BS or Blue Book Method as agreed with the Agency.

2.2.2.10 Total emissions in any year of a substance listed in Table 2.2.9 shall not exceed the relevant limit in that Table.

Table 2.2.9 Annual emission limit

Substance	Annual limit – g
Mercury	150 Compliance based on mass balance calculation
Cadmium	150 Compliance based on mass balance calculation

2.2.3 Emissions to groundwater

2.2.3.1 No emission from the Permitted Installation shall give rise to the introduction into groundwater of any substance in List I (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)).

2.2.3.2 No emission from within the Permitted Installation shall give rise to the introduction into groundwater of any substance in List II (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)) so as to cause pollution (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)).

2.2.3.3 For substances other than those in List I or II (as defined in the Groundwater Regulations 1998 (S.I. 1998 No. 2746)), the Operator shall use BAT to prevent or where that is not practicable to reduce emissions to groundwater from the Permitted Installation provided always that the techniques used by the Operator shall be no less effective than those described in the Application.

2.2.4 Fugitive emissions of substances to air

2.2.4.1 The Operator shall use BAT so as to prevent or where that is not practicable to reduce fugitive emissions of substances to air from the Permitted Installation in particular from:

- storage areas
- buildings
- pipes, valves and other transfer systems
- open surfaces

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.5 Fugitive emissions of substances to water and sewer

2.2.5.1 Subject to condition 2.2.5.2 below, the Operator shall use BAT so as to prevent or where that is not practicable to reduce fugitive emissions of substances to water (other than Groundwater) and sewer from the Permitted Installation in particular from:

- all structures under or over ground
- surfacing
- bunding
- storage areas

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.5.2 There shall be no release to water that would cause a breach of an EQS established by the UK Government to implement the Dangerous Substances Directive 76/464/EEC.

2.2.6 Odour

2.2.6.1 Subject to Condition 2.2.6.2 of this Permit, the Operator shall use BAT so as to prevent or where that is not practicable to reduce odorous emissions from the Permitted Installation, in particular by:

- limiting the use of odorous materials
- restricting odorous activities
- controlling the storage conditions of odorous materials
- controlling processing parameters to minimise the generation of odour
- optimising the performance of abatement systems
- timely monitoring, inspection and maintenance

- employing, where appropriate, an approved odour management plan

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.2.6.2 No condition applies.

2.2.6.3 No condition applies.

2.2.7 Emissions to Land

2.2.7.1 This Part 2.2.7 of this Permit shall not apply to emissions to groundwater.

2.2.7.2 No emission from the Permitted installation shall be made to land.

2.2.7.3 No condition applies.

2.3 Management

2.3.1 A copy of this Permit and those parts of the application referred to in this Permit shall be available, at all times, for reference by all staff carrying out work subject to the requirements of the Permit.

Training

2.3.2 The Permitted Installation shall be supervised by staff who are suitably trained and fully conversant with the requirements of this Permit.

2.3.3 All staff shall be fully conversant with those aspects of the Permit conditions which are relevant to their duties and shall be provided with adequate professional technical development and training and written operating instructions to enable them to carry out their duties.

2.3.4 The Operator shall maintain a record of the skills and training requirements for all staff whose tasks in relation to the Permitted Installation may have an impact on the environment and shall keep records of all relevant training.

Maintenance

2.3.5 All plant and equipment used in operating the Permitted Installation, the failure of which could lead to an adverse impact on the environment, shall be maintained in good operating condition.

2.3.6 The Operator shall maintain a record of relevant plant and equipment covered by condition 2.3.5 and for such plant and equipment:

2.3.6.1 a written or electronic maintenance programme; and

2.3.6.2 records of its maintenance.

Incidents and Complaints

2.3.7 The Operator shall maintain and implement written procedures for:

2.3.7.1 taking prompt remedial action, investigating and reporting actual or potential non-compliance with operating procedures or emission limits; and

2.3.7.2 investigating incidents, (including any malfunction, breakdown or failure of plant, equipment or techniques, down time, any short term and long term remedial measures and near misses) and prompt implementation of appropriate actions; and

- 2.3.7.3 ensuring that detailed records are made of all such actions and investigations.
- 2.3.8 The Operator shall record and investigate complaints concerning the Permitted Installation's effects or alleged effects on the environment. The record shall give the date and nature of complaint, time of complaint, name of complainant (if given), a summary of any investigation and the results of such investigation and any actions taken.
- 2.3.9 No condition applies.

2.4 Efficient use of raw materials

- 2.4.1 The Operator shall -
- 2.4.1.1 maintain the raw materials table or description submitted in Section 2.4 of the Application and in particular consider on a periodic basis whether there are suitable alternative materials to reduce environmental impact;
- 2.4.1.2 carry out periodic waste minimisation audits and water use efficiency audits. If such an audit has not been carried out in the 2 years prior to the issue of this Permit, then the first such audit shall take place within 2 years of its issue. The methodology used and an action plan for increasing the efficiency of the use of raw materials or water shall be submitted to the Agency within 2 months of completion of each such audit and a review of the audit and a description of progress made against the action plan shall be submitted to the Agency at least every 4 years thereafter; and
- 2.4.1.3 ensure that incoming water use is directly measured and recorded.

2.5 Waste Storage and Handling

- 2.5.1 The Operator shall design, maintain and operate all facilities for the storage and handling of waste on the Permitted installation such that there are no releases to water or land during normal operation and that emissions to air and the risk of accidental release to water or land are minimised.
- 2.5.2 The Operator shall use BAT so as to prevent or where that is not practicable to reduce emissions of litter from the Permitted Installation provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.6 Waste recovery or disposal

- 2.6.1 Waste produced at the Permitted Installation shall be:
- 2.6.1.1 recovered to no lesser extent than described in the Application; and
- 2.6.1.2 where not recovered, disposed of while avoiding or reducing any impacts on the environment provided always that this is not done in any way that would have a greater effect on the environment than that described in the Application.
- 2.6.2 The Operator shall maintain the waste recovery or disposal table or description submitted in Section 2.6 of the Application and in particular review the available options for waste recovery and disposal for the purposes of complying with condition 2.6.1 above.

2.6.3 The Operator shall maintain and implement a system which ensures that a record is made of the quantity, composition, origin, destination (including whether this is a recovery or disposal operation) and where relevant removal date of any waste that is produced at the Permitted Installation.

2.6.4 No condition applies.

2.7 Energy Efficiency

2.7.1 The Operator shall produce a report on the energy consumed at the Permitted Installation over the previous calendar year, by 31 January each year, providing the information required by condition 4.1.2.

2.7.2 The Operator shall maintain and update annually an energy management system which shall include, in particular, the monitoring of energy flows and targeting of areas for improving energy efficiency.

2.7.3 The Operator shall design, maintain and operate the Permitted Installation so as to secure energy efficiency, taking into account relevant guidance including the Agency's Energy Efficiency Horizontal Guidance Note as from time to time amended. Energy efficiency shall be secured in particular by:

- ensuring that the appropriate operating and maintenance systems are in place;
- ensuring that all plant is adequately insulated to minimise energy loss or gain;
- ensuring that all appropriate containment methods, (e.g. seals and self-closing doors) are employed and maintained to minimise energy loss;
- employing appropriate basic controls, such as simple sensors and timers, to avoid unnecessary discharge of heated water or air;
- where building services constitute more than 5% of the total energy consumption of the installation, identifying and employing the appropriate energy efficiency techniques for building services, having regard in particular to the Building services part of the Agency's Energy Efficiency Horizontal Guidance Note H2; and

maintaining and implementing an energy efficiency plan which identifies energy saving techniques that are applicable to the activities and their associated environmental benefit and prioritises them, having regard to the appraisal method in the Agency's Energy Efficiency Horizontal Guidance Note H2.

2.8 Accident prevention and control

2.8.1 The Operator shall maintain and implement when necessary the accident management plan submitted or described in Section 2.8 of the Application. The plan shall be reviewed at least every 2 years or as soon as practicable after an accident, whichever is the earlier, and the Agency notified of the results of the review within 2 months of its completion.

2.9 Noise and Vibration

2.9.1 The Operator shall use BAT so as to prevent or where that is not practicable to reduce emissions of noise and vibration from the Permitted Installation, in particular by:

- equipment maintenance, eg. of fans, pumps, motors, conveyors and mobile plant;
- use and maintenance of appropriate attenuation, eg. silencers, barriers, enclosures;
- timing and location of noisy activities and vehicle movements;
- periodic checking of noise emissions, either qualitatively or quantitatively; and
- maintenance of building fabric,

provided always that the techniques used by the Operator shall be no less effective than those described in the Application, where relevant.

2.10 On-site Monitoring

2.10.1 The Operator shall maintain and implement an emissions monitoring programme which ensures that emissions are monitored from the specified points, for the parameters listed in and to the frequencies and methods described in Tables 2.2.2, 2.2.5 and 2.2.8, unless otherwise agreed in writing, and that the results of such monitoring are assessed. The programme shall ensure that monitoring is carried out under an appropriate range of operating conditions.

2.10.2 The Operator shall carry out environmental or other specified substance monitoring to the frequencies and methods described in Table 2.10.1.

Table 2.10.1 : Other monitoring requirements				
Emission point reference or source or description of point of measurement	Substance or parameter	Monitoring frequency	Monitoring method ¹	Other specifications
A14	Total particulate matter (mg/m ³)	Continuous reported as hourly averages	BS ISO 10155	
W1	Chromium and its compounds	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003	
W1	Iron and its compounds	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003	
W1	Zinc and its compounds	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003	
W1	Nickel and its compounds	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003	
W1	Aluminium and its compounds	Monthly	BS ISO 17294-2:2003, BS6068-2.89:2003	
W1	Ammonia	Monthly	BS EN ISO 11732:1997	
S1	Flow	Continuous reported as hourly averages	As agreed in IP17	To commence on completion of IP17

¹Or other EN, ISO, BS or SCA Blue Book method as agreed with the Agency.

2.10.3 The Operator shall carry out monitoring of the process variables listed in Table 2.10.1 to the frequencies and methods described in that Table.

2.10.4 No condition applies

2.10.5 The Operator shall notify the Agency at least 14 days in advance of undertaking monitoring and/ or spot sampling, where such notification has been requested in writing by the Agency.

- 2.10.6 The Operator shall maintain records of all monitoring taken or carried out (this includes records of the taking and analysis of samples instrument measurements (periodic and continual), calibrations, examinations, tests and surveys) and any assessment or evaluation made on the basis of such data.
- 2.10.7 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme in condition 2.10.1 of this Permit and the environmental or other monitoring specified in condition 2.10.2 shall have either MCERTS certification or MCERTS accreditation (as appropriate) unless otherwise agreed in writing.
- 2.10.8 There shall be provided:
- 2.10.8.1 safe and permanent means of access to enable sampling/monitoring to be carried out in relation to the emission points specified in Schedule 2 to this Permit, unless otherwise specified in that Schedule; and
 - 2.10.8.2 safe means of access to other sampling/monitoring points when required by the Agency.
- 2.10.9 The Operator shall carry out the on-going monitoring identified in the Site Protection and Monitoring Programme submitted under condition 4.1.7, unless otherwise agreed in writing by the Agency.
- 2.10.10 The Operator shall, within 6 months of the issue of this Permit, in accordance with and using the format given in the Land Protection Guidance:
- 2.10.10.1 collect the site reference data identified in the Site Protection and Monitoring Programme submitted under condition 4.1.7, and
 - 2.10.10.2 report that site reference data to the Agency,
 - unless otherwise agreed in writing by the Agency.

2.11 Closure and Decommissioning

- 2.11.1 The Operator shall maintain and operate the Permitted Installation so as to prevent or minimise any pollution risk, including the generation of waste, on closure and decommissioning in particular by:-
- 2.11.1.1 attention to the design of new plant or equipment;
 - 2.11.1.2 the maintenance of a record of any events which have, or might have, impacted on the condition of the site along with any further investigation or remediation work carried out; and
 - 2.11.1.3 the maintenance of a site closure plan to demonstrate that the installation can be decommissioned avoiding any pollution risk and returning the site of operation to a satisfactory state.
-
- 2.11.2 Notwithstanding condition 2.11.1 of this Permit, the Operator shall carry out a full review of the Site Closure Plan at least every 4 years.
- 2.11.3 The site closure plan shall be implemented on final cessation or decommissioning of the Permitted activities or part thereof.
- 2.11.4 The Operator shall give at least 30 days written notice to the Agency before implementing the site closure plan.

2.12 Multiple Operator installations

2.12.1 This is not a multi-Operator installation

2.13 Transfer to effluent treatment plant

2.13.1 No transfers to effluent treatment plant are controlled under this part of this Permit.

2.13.2 No condition applies.

3 Records

- 3.1 The Operator shall ensure that all records required to be made by this Permit and any other records made by it in relation to the operation of the Permitted Installation shall:-
- 3.1.1 be made available for inspection by the Agency at any reasonable time;
 - 3.1.2 be supplied to the Agency on demand and without charge;
 - 3.1.3 be legible;
 - 3.1.4 be made as soon as reasonably practicable;
 - 3.1.5 indicate any amendments which have been made and shall include the original record wherever possible;
 - 3.1.6 be retained at the Permitted Installation, or other location agreed by the Agency in writing, for a minimum period of 4 years from the date when the records were made, unless otherwise agreed in writing; and
 - 3.1.7 where they concern the condition of the site of the Installation or are related to the implementation of the Site Protection and Monitoring Programme, be kept at the Permitted Installation, or other location agreed by the Agency in writing, until all parts of the Permit have been surrendered.

4 Reporting

- 4.1.1 All reports and written and or oral notifications required by this Permit and notifications required by Regulation 16 of the PPC Regulations shall be made or sent to the Agency using the contact details notified in writing to the Operator by the Agency.
- 4.1.2 The Operator shall, unless otherwise agreed in writing, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:-
 - 4.1.2.1 in respect of the parameters and emission points specified in Table S2 to Schedule 2;
 - 4.1.2.2 for the reporting periods specified in Table S2 to Schedule 2 and using the forms specified in Table S3 to Schedule 3;
 - 4.1.2.3 giving the information from such results and assessments as may be required by the forms specified in those Tables; and
 - 4.1.2.4 to the Agency within 28 days of the end of the reporting period.
- 4.1.3 The Operator shall submit to the Agency a report on the performance of the Permitted Installation over the previous year, by 31 January each year, providing the information listed in Tables S4.1 and S4.2 of Schedule 4, assessed at any frequency specified therein, and using the form specified in Table S3 to Schedule 3.
- 4.1.4 The Operator shall review fugitive emissions, having regard to the application of Best Available Techniques, on an annual basis, or such other period as shall be agreed in writing by the Agency, and a summary report on this review shall be sent to the Agency detailing such releases and the measures taken to reduce them within 3 months of the end of such period.
- 4.1.5 Where the Operator has a formal environmental management system applying to the Permitted Installation which encompasses annual improvement targets the Operator shall, not later than 31 January in each year, provide a summary report of the previous year's progress against such targets.
- 4.1.6 The Operator shall, within 6 months of receipt of written notice from the Agency, submit to the Agency a report assessing whether all appropriate preventive measures continue to be taken against pollution, in particular through the application of the best available techniques, at the installation. The report shall consider any relevant published technical guidance current at the time of the notice which is either supplied with or referred to in the notice, and shall assess the costs and benefits of applying techniques described in that guidance, or otherwise identified by the Operator, that may provide environmental improvement.
- 4.1.7 The Operator shall, within two months of the date of this permit, submit a detailed Site Protection and Monitoring Programme, in accordance with and using the appropriate template format given in the Land Protection Guidance. The Operator shall implement and maintain the Site Protection and Monitoring Programme (SPMP) submitted under this condition, and shall carry out regular reviews of it at a minimum frequency of every 2 years. The results of such reviews and any changes made to the SPMP shall be reported to the Agency within 1 month of the review or change.
- 4.1.8 No condition applies.

5 Notifications

5.1.1 The Operator shall notify the Agency **without delay** of:-

- 5.1.1.1 the detection of an emission of any substance which exceeds any limit or criterion in this Permit specified in relation to the substance;
- 5.1.1.2 the detection of any fugitive emission which has caused, is causing or may cause significant pollution;
- 5.1.1.3 the detection of any malfunction, breakdown or failure of plant or techniques which has caused, is causing or has the potential to cause significant pollution; and
- 5.1.1.4 any accident which has caused, is causing or has the potential to cause significant pollution.

5.1.2 The Operator shall submit written confirmation to the Agency of any notification under condition 5.1.1, by sending:-

- 5.1.2.1 the information listed in Part A of Schedule 1 to this Permit within 24 hours of such notification; and
- 5.1.2.2 the more detailed information listed in Part B of that Schedule as soon as practicable thereafter;

and such information shall be in accordance with that Schedule.

5.1.3 The Operator shall give written notification as soon as practicable prior to any of the following:-

- 5.1.3.1 permanent cessation of the operation of part or all of the Permitted Installation;
- 5.1.3.2 cessation of operation of part or all of the Permitted Installation for a period likely to exceed 1 year; and
- 5.1.3.3 resumption of the operation of part or all of the Permitted Installation after a cessation notified under condition 5.1.3.2.

5.1.4 The Operator shall notify the Agency, as soon as reasonably practicable, of any information concerning the state of the Site which adds to that provided to the Agency as part of the Application or to that in the Site Protection and Monitoring Programme submitted under condition 4.1.7 of this Permit.

5.1.5 The Operator shall notify the following matters to the Agency in writing within 14 days of their occurrence:

5.1.5.1 where the Operator is a registered company:-

- any change in the Operator's trading name, registered name or registered office address;
- any change to particulars of the Operator's ultimate holding company (including details of an ultimate holding company where an Operator has become a subsidiary)
- any steps taken with a view to the Operator going into administration, entering into a company voluntary arrangement or being wound up;

5.1.5.2 where the Operator is a corporate body other than a registered company:

- any change in the Operator's name or address;
- any steps taken with a view to the dissolution of the Operator.

5.1.5.3 In any other case: -

- the death of any of the named Operators (where the Operator consists of more than one named individual);

- any change in the Operator's name(s) or address(es);
 - any steps taken with a view to the Operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case them being in a partnership, dissolving the partnership;
- 5.1.6 Where the Operator has entered into a Climate Change Agreement with the Government, the Operator shall notify the Agency within one month of:-
- 5.1.6.1 a decision by the Secretary of State not to re-certify that Agreement.
 - 5.1.6.2 a decision by either the Operator or the Secretary of State to terminate that agreement.
 - 5.1.6.3 any subsequent decision by the Secretary of State to re-certify such an Agreement.
- 5.1.7 Where the Operator has entered into a Direct Participant Agreement in the Emissions Trading Scheme which covers emissions relating to the energy consumption of the activities, the Operator shall notify the Agency within one month of:-
- 5.1.7.1 a decision by the Operator to withdraw from or the Secretary of State to terminate that agreement.
 - 5.1.7.2 a failure to comply with an annual target under that Agreement at the end of the trading compliance period.
- 5.1.8 The Operator shall notify the Agency in writing, of any known or planned introduction or material emission from the permitted installation to sewer, that may increase the concentration of any "dangerous substance", as defined in List I and List II of the Dangerous Substances Directive, 76/464/EEC, and its daughter directives.

6 Interpretation

6.1.1 In this Permit, the following expressions shall have the following meanings:-

"Application" means the application for this Permit, together with any response to a notice served under Schedule 4 to the PPC Regulations and any operational change agreed under the conditions of this Permit.

"background concentration" means such concentration of that substance as is present in:

- water supplied to the site; or
- where more than 50% of the water used at the site is directly abstracted from ground or surface water on site, the abstracted water; or
- where the Permitted Installation uses no significant amount of supplied or abstracted water, the precipitation on to the site.

"BAT" means best available techniques means the most effective and advanced stage of development of activities and their methods of operation which indicates the practical suitability of particular techniques to prevent and where that is not practicable to reduce emissions and the impact on the environment as a whole. For these purposes: *"available techniques"* means "those techniques which have been developed on a scale which allows implementation in the relevant industrial sector, under economically and technically viable conditions, taking into consideration the cost and advantages, whether or not the techniques are used or produced inside the United Kingdom, as long as they are reasonably accessible to the operator"; *"best"* means "in relation to techniques, the most effective in achieving a high general level of protection of the environment as a whole" and *"techniques"* "includes both the technology used and the way in which the installation is designed, built, maintained, operated and decommissioned". In addition, Schedule 2 of the PPC Regulations has effect in relation to the determination of BAT.

"Compliance based on Mass Balance Calculation" means that for the purposes of demonstrating compliance or non-compliance with a specified limit the release shall be calculated. Annual mass releases for Mercury and Cadmium shall be calculated from the maximum potential concentration of the metal present as contamination multiplied by the volume of the chemicals used on site during the Year. An allowance may be deducted for any proportion of the chemicals used that can be demonstrated not to have reached the emission point. The concentration of Mercury and Cadmium shall be calculated from the annual mass release and the volume of effluent discharged during the Year.

"Fugitive emission" means an emission to air or water (including sewer) from the Permitted Installation which is not controlled by an emission or background concentration limit under conditions 2.2.1.3, 2.2.2.4, 2.2.2.5, 2.2.2.8 or 2.2.2.9 of this Permit.

"Groundwater" means all water which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

"Land Protection Guidance" means the version of the Agency guidance note "H7 - Guidance on the Protection of Land under the PPC Regime: Application Site Report and Site Protection and Monitoring Programme", including its appended templates for data reporting, which is current at the time of issue of the Permit.

" $L_{Aeq,T}$ " means the equivalent continuous A-weighted sound pressure level in dB determined over time period, T.

" $L_{A90,T}$ " means the A-weighted sound pressure level in dB exceeded for 90% of the time period, T.

"*L_{AFmax}*" means the maximum A weighted sound level measurement in dB measured with a fast time weighting.

"*MCERTS*" means the Environment Agency's Monitoring Certification Scheme.

"*Monitoring*" includes the taking and analysis of samples, instrumental measurements (periodic and continual), calibrations, examinations, tests and surveys.

"*Permitted Installation*" means the activities and the limits to those activities described in Table 1.1.1 of this Permit.

"*PPC Regulations*" means the Pollution, Prevention and Control (England and Wales) Regulations SI 2000 No.1973 (as amended) and words and expressions defined in the PPC Regulations shall have the same meanings when used in this Permit save to the extent they are specifically defined in this Permit.

"*Sewer*" means sewer within the meaning of section 219(1) of the Water Industry Act 1991.

"*Staff*" includes employees, directors or other officers of the Operator, and any other person under the Operator's direct or indirect control, including contractors.

"*Year*" means calendar year ending 31 December.

- 6.1.2 Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.
- 6.1.3 Unless otherwise stated, any references in this Permit to concentrations of substances in emissions into air means:-
- 6.1.3.1 in relation to gases from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
 - 6.1.3.2 in relation to gases from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content
- 6.1.4 Where any condition of this Permit refers to the whole or parts of different documents, in the event of any conflict between the wording of such documents, the wording of the document(s) with the most recent date shall prevail to the extent of such conflict.

Schedule 1 - Notification of abnormal emissions

This page outlines the information that the Operator must provide to satisfy conditions 5.1.1 and 5.1.2 of this Permit.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the PPC Regulations.

Part A

Permit Number	
Name of Operator	
Location of Installation	
Location of the emission	
Time and date of the emission	

Substance(s) emitted	Media	Best estimate of the quantity or the rate of emission	Time during which the emission took place

Measures taken, or intended to be taken, to stop the emission	
---	--

Part B

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment or harm which has been or may be caused by the emission	
The dates of any unauthorised emissions from the installation in the preceding 24 months.	

Name*	
Post	
Signature	
Date	

* authorised to sign on behalf of The Royal Mint

Schedule 2 - Reporting of monitoring data

Parameters for which reports shall be made, in accordance with conditions 4.1.2 and 4.1.3 of this Permit, are listed below.

Table S2: Reporting of monitoring data			
Parameter	Emission point	Reporting period	Period begins
Copper dusts and mists (mg/m ³)	A14	Annually	01/02/2005
Nickel and inorganic compounds as Ni (mg/m ³)	A14	Annually	01/02/2005
Particulate (mg/m ³)	A14	Annually	01/02/2005
Free chlorine as HOCl (mg/l)	W1	Quarterly	01/02/2005
Free cyanide (mg/l)	W1	Quarterly	01/02/2005
Copper and its compounds (mg/l)	W1	Quarterly	01/02/2005
Suspended solids (mg/l)	W1	Quarterly	01/02/2005
Chromium (mg/l)	W1	Quarterly	01/02/2005
Iron (mg/l)	W1	Quarterly	01/02/2005
Zinc (mg/l)	W1	Quarterly	01/02/2005
Nickel (mg/l)	W1	Quarterly	01/02/2005
Aluminium (mg/l)	W1	Quarterly	01/02/2005
Temperature C	W1	Quarterly	01/02/2005
Flow m ³ /day	W1	Quarterly	01/02/2005
pH	W1	Quarterly	01/02/2005
Cadmium and its compounds (g/year)	W1	Quarterly	01/02/2005
Mercury and its compounds (g/year)	W1	Quarterly	01/02/2005
Ammonia	W1	Quarterly	01/02/2005
Copper and its compounds (mg/l)	S1	Quarterly	01/02/2005
Free cyanide (mg/l)	S1	Quarterly	01/02/2005
Flow (m ³ /hour)	S1	Quarterly	01/02/2005
pH	S1	Quarterly	01/02/2005
Cadmium and its compounds (g/year)	S1	Annually	01/02/2005
Mercury and its compounds (g/year)	S1	Annually	01/02/2005

Schedule 3 - Forms to be used

Table S3: Reporting Forms		
Media / parameter	Form Number	Date of Form
Air	A1	01/02/2005
Water (excluding sewer)	W1	01/02/2005
Sewer	S2	01/02/2005
Energy	E1	01/02/2005
Waste Return	R1	01/02/2005
Water usage	WU1	01/02/2005
Performance indicators	PI1	01/02/2005
Quarterly Substance reports	SC1	01/02/2005
Mass Release	MR1	01/02/2005

Schedule 4 - Reporting of performance data

Data required to be recorded and reported by Condition 4.1.3. The data should be assessed at the frequency given and reported annually to the Agency.


Table S4.1: Annual Production/Treatment

Final product tonnage (treated coins)	Tonnes
---------------------------------------	--------

Table S4.2: Performance parameters

Parameter	Frequency of assessment	Performance indicator
Total waste/Tonne total product	Annually	Tonne waste/Tonne product
Water usage/final product tonnage	Annually	Tonne water/Tonne product
CO ₂ /final product tonnage	Annually	Tonne CO ₂ /Tonne product

Schedule 5 - Site Plan



END OF PERMIT