

Intended for
The Royal Mint

Date
September 2016

Project Number
UK17-23405

THE ROYAL MINT, LLANTRISANT SITE PROTECTION AND MONITORING PROGRAMME (SPMP) GROUNDWATER MONITORING ROUND XII

**THE ROYAL MINT, LLANTRISANT
SITE PROTECTION AND MONITORING PROGRAMME
(SPMP) GROUNDWATER MONITORING ROUND XII**

Project No. **UK17-23405**
Issue No. **2**
Date **21/09/2016**
Made by **Robert Hodgson**
Checked by **Lucy Cleverley**
Approved by **Andy Goddard**

Made by:



Checked/Approved by:



This report has been prepared by Ramboll Environ with all reasonable skill, care and diligence, and taking account of the Services and the Terms agreed between Ramboll Environ and the Client. This report is confidential to the Client, and Ramboll Environ accepts no responsibility whatsoever to third parties to whom this report, or any part thereof, is made known, unless formally agreed by Ramboll Environ beforehand. Any such party relies upon the report at their own risk. Ramboll Environ disclaims any responsibility to the Client and others in respect of any matters outside the agreed scope of the Services.

Version Control Log

Revision	Date	Made by	Checked by	Approved by	Description
2	21/09/16	RH	LC	AG	Revised Issue to Client

CONTENTS

1.	INTRODUCTION	1
2.	SCOPE OF WORK	2
3.	GROUNDWATER ANALYSIS RESULTS	3
3.1	ZONE 0: Non-Target Zone	3
3.2	ZONE 1: Non-Ferrous Melting and Casting Activities	10
3.3	ZONE 2: Effluent and Cooling Sumps	10
3.4	ZONE 7: Effluent Treatment Plant	12
3.5	ZONE 8: COMAH Area	12
3.6	ZONE 9: Pickling, Duplex Plating Line, Annealing and Burnishing	15
4.	STATISTICAL ANALYSIS	18
4.1	Statistical Analysis for Metals and TPH	18
4.2	Statistical Analysis for VOCs	19
4.3	ZONE 0: Non-Target Zone	20
4.4	ZONE 1: Non-Ferrous Melting and Casting Activities	20
4.5	ZONE 2: Effluent and Cooling Sumps	20
4.6	ZONE 7: Former Effluent Treatment Plant	21
4.7	ZONE 8: COMAH Area	21
4.8	ZONE 9: Pickling, Duplex Plating Line, Annealing and Burnishing	21
5.	RECOMMENDATIONS	22

TABLES

Table 4.1: Results of Trend Analysis for Metals and TPH in Groundwater	18
Table 4.2: Results of Trend Analysis for VOCs in Groundwater	19

APPENDICES

Appendix 1

Figures

Appendix 2

Laboratory Certificates

Appendix 3

Summary Of Results

1. INTRODUCTION

Ramboll Environ UK Limited (Ramboll Environ) was commissioned by The Royal Mint (the Client), to design a Site Protection and Monitoring Programme (SPMP) in order to collect reference data for an IPPC Permit No. VP3539SL (the “permit”).

The first phase report of the SPMP was submitted to the Environment Agency (EA) in April 2006 following an intrusive ground investigation carried out in March 2006. The objectives of the environmental monitoring programme are to monitor the effectiveness of infrastructure and management procedures and provide a warning of loss of containment. The results of the monitoring programme will assist during the permit surrender process by determining the movement of pollutants both within and on/off the site; and will provide information on long term trends.

In accordance with the Design SPMP (Ref: 63C8777, October 2005) groundwater monitoring is to be carried out annually; however, an increased frequency of monitoring may be necessary to facilitate identifying the source and extent of any pollution.

The first round of monitoring was carried out subsequent to the intrusive investigation (initial sampling) in March 2006 and the laboratory results ('Reference Data') are tabulated within the first phase report. Groundwater monitoring has been carried out annually thereafter and this report details the results of the twelfth round of monitoring carried out on 2nd and 3rd August 2016. The results have been compared with the Reference Data and are presented graphically in order to identify trends in groundwater contaminant concentrations over the monitoring period to date.

This report has been written by Ramboll Environ on behalf of The Royal Mint and is to be submitted to Natural Resources Wales (NRW) in pursuance of Condition 4.1.7 of the Permit.

2. SCOPE OF WORK

Groundwater samples were recovered from eleven monitoring wells, eight of which were SPMP specific wells installed by Ramboll Environ in March 2006. The remaining three wells were selected, as agreed between NRW and The Royal Mint, following a review of the monitoring programme that addresses Action 1 of NRW Compliance Assessment Report (CAR) Ref: KP3135KV/0184470, 22nd July 2013. Each well was purged prior to the groundwater sample being obtained. The monitoring well locations are shown on Figure 1 in Appendix 1.

The groundwater samples were analysed for metals (As, Cd, Cr, Cu, Pb, Ni, Hg, Se, Zn, B), pH, total cyanide, sulphate, sulphide, alkalinity, volatile organic compounds (VOC) and Total Petroleum Hydrocarbons (TPH).

For screening purposes, reference has been made to appropriate UK water quality guidelines. Environmental Quality Standards (EQS) were used on the basis that the principal Controlled Waters receptor for the site is the Nant Mychydd River, for which the freshwater EQS is most applicable.

New EQSs were published in 2010 under the Priority Substances (Directive 2008/105/EC) daughter directive of the Water Framework Directive (2000/60/EC). The European EQSs have been transposed into the River Basins Districts Typology, Standards and Groundwater threshold values (Water Framework Directive) (England and Wales) Directions 2010. The EQS are detailed in Part 4 (Specific Pollutants) and Part 5 (Priority Substances) of the Directive.

In the absence of an EQS under the WFD, we have referred to the former EQS under the Dangerous Substances Directive and where EQS are not available, the UK Drinking Water Standards (UK DWS).

3. GROUNDWATER ANALYSIS RESULTS

A full set of laboratory certificates and a summary table of the ongoing groundwater monitoring results are presented in Appendix 2 and Appendix 3 respectively, and the main findings are summarised below. Graphs are presented showing concentrations recorded over time for selected determinands that have been detected above the laboratory limit of detection.

The site has been divided into zones according to their potential for pollution as described in the Design SPMP (Ramboll Environ Ref. 63C8777).


3.1 ZONE 0: Non-Target Zone

3.1.1 Perimeter Boreholes

Three boreholes (BH001, BH002 and BH003) are located outside the target zones. Both BH001 and BH002 are located in an up-hydraulic gradient location on site (i.e. to the north); and BH003 is located down-hydraulic gradient (to the south).

pH Values

The pH value of groundwater from BH001 was within the EQS range (pH 6 to pH 9); however, the pH values of groundwater from BH002 and BH003 were at or below the lower limit of this range, with recorded values of 6.0 and 5.8 respectively. In each case, the recorded pH is lower than that of the reference data; similar low pH values were last recorded at these locations in 2011(BH002) and 2010 (BH003).



Metals

Boron, lead, mercury and selenium were not detected above the laboratory limits of detection (LOD) in the Zone 0 perimeter boreholes.


Arsenic was detected in BH001 only, at a concentration of 0.008mg/l; which is the maximum recorded value at this location; however, the concentration does not exceed EQS of 0.05mg/l.

Cadmium was detected in BH003 at a concentration of 0.0004mg/l; for the purpose of screening, any recorded concentration above the laboratory LOD is considered to exceed the EQS of 0.00008mg/l. Cadmium was not detected in any of the perimeter boreholes during reference data collection; however, it has been detected in low concentrations in BH003 for the last six rounds of annual monitoring.

Chromium was detected in BH001 and BH003 at a concentration of 0.002mg/l in each location, which is typical of previously recorded concentrations at these locations and below the EQS value of 0.0047mg/l. At BH002, during the previous round of monitoring (SPMP Round XI, 2015) an elevated concentration of chromium (0.013mg/l) was recorded. The 2016 monitoring has confirmed that the concentration of chromium has now decreased to below the laboratory LOD in BH002.


Nickel was recorded at concentrations below the EQS value of 0.02mg/l at up-hydraulic gradient boreholes BH001 (0.010mg/l) and BH002 (0.004mg/l). The concentration in BH001 has decreased compared to historical concentrations that have consistently exceeded the EQS. The nickel concentration in BH002 has decreased since the previous elevated concentration detected in 2015.

Nickel was recorded at a concentration above the EQS value of 0.02mg/l in down-hydraulic gradient borehole BH003 (0.141mg/l), which is typical of previous recorded concentrations at this location. However, the concentrations of nickel were below the 2006 reference data at each of the three perimeter boreholes during the most recent round of monitoring.




Copper was detected in BH001 (0.003mg/l) and BH003 (0.009mg/l); the concentration of copper in BH002 was below the laboratory LOD. Concentrations recorded in all three perimeter boreholes have decreased slightly or remained below the laboratory LOD since the previous monitoring round; the concentration in BH001 has reduced to below the EQS of 0.006mg/l and is the lowest recorded value since pre 2007.

The Royal Mint, Llantrisant




Zinc was detected in BH001 (0.061mg/l), BH002 (0.011mg/l) and BH003 (0.109mg/l); the concentrations in BH002 and BH003 exceeded the EQS value of 0.008mg/l. The concentration of zinc of BH001 is considered to be below the EQS of 0.075mg/l, due to a higher value for water hardness, although this is not represented on the graph.



Hydrocarbons

Total Petroleum Hydrocarbons (TPH) was detected in BH001 (0.06mg/l), BH002 (0.08mg/l) and BH003 (0.03mg/l) at or above the screening value of 0.01mg/l. In each case, the most recent recorded values are below the reference data and within the range of previously recorded values at each location.



VOCs

Trace concentrations of VOCs were detected in groundwater from BH003 only, consistent with previous rounds of monitoring. 1,1,1-trichloroethane (TCA) was detected at 8µg/l which is below the EQS value of 100µg/l. Trichloroethene (TCE) has previously been detected in these monitoring wells; however, on this occasion TCE was below the laboratory LOD (<5µg/l).

Cyanide

Cyanide was not detected above the laboratory LOD (<0.02mg/l) during the most recent round of monitoring.

3.1.2 Additional Perimeter Monitoring Wells





Four additional monitoring wells located in the south-east of the site were included within the SPMP monitoring programme on this occasion as, requested by NRW. These wells were required to be added to the SPMP in order to monitor the effectiveness of groundwater remediation (for VOCs) carried out in the south-east of the site by Celtic Technologies Limited ('Celtic') between 2011 and 2013 (Celtic Report Ref: R1430/12/4003).

The additional wells are positioned between Zone 8 and the River Nant Mychudd and comprise: BHNP2, BHE5, BHE6 and CBH6. BHNP2 comprises dual monitoring wells, shallow and deep; this monitoring location has been included in the SPMP since its installation in 2007. It should be noted that only the deep well is monitored under the SPMP (BHNP2D). The other three boreholes (BHE5, BHE6 and CBH6) were installed by Celtic and have only been included in the SPMP since 2013.

The Royal Mint, Llantrisant

pH Values

The pH values in this area ranged from pH 6.6 (BNP2D) to pH 7.1 (CBH6) and are fairly consistent with previous rounds of monitoring.





Metals



Arsenic, cadmium, chromium, lead, mercury and selenium were not detected above the laboratory limits of detection (LOD) in any of the four boreholes in this area.

Boron was detected in BHNP2D only at a concentration of 0.05mg/l, which is well below the EQS values of 2mg/l.





Copper was detected in borehole CBH6 only at a concentration of 0.005mg/l, which is a slight increase on previous rounds of monitoring; however, remains below the relevant EQS value of 0.006mg/l.





The Royal Mint, Llantrisant





Nickel was detected at or above the laboratory LOD in BHNP2D (0.002mg/l), BHE6 (0.001mg/l) and CBH6 (0.003mg/l). The concentration of nickel has reduced in each of these boreholes since the previous round of monitoring; all are now below the EQS of 0.02mg/l.



Zinc was detected above the laboratory limit of detection in BHNP2D (0.004mg/l), BHE5 (0.002mg/l), BHE6 (0.007mg/l) and CBH6 (0.014mg/l); all below the relevant EQS of 0.05mg/l.







The Royal Mint, Llantrisant



Hydrocarbons

TPH was detected at concentrations above the screening value of 0.01mg/l in BHNP2 (0.03mg/l), BHE5 (0.07mg/l), BHE6 (0.05mg/l) and CBH6 (0.24mg/l). The presence of mineral oil has previously been identified in samples from boreholes BHE5 and BHE6, which is the likely source of elevated TPH concentrations at these locations. When boreholes BHE5 and BHE6 were installed in 2010 (Ramboll Environ Ref UK17-15394), field observations of an oily sheen were noted during groundwater sampling and maximum TPH concentrations of 25.4mg/l (BHE5) and 12.6mg/l (BHE6) were recorded. TPH concentrations in these boreholes have decreased in the most recent monitoring round. The only increase in TPH in this area was in CBH6, which recorded the highest TPH concentration at this location.



VOCs

Remediation has been carried out in this area by Celtic between 2011 and 2013 and the additional boreholes were added to the SPMP as a requirement of NRW to verify the success of the remediation scheme. VOCs were detected in groundwater from two of the monitoring wells, BHNP2 and CBH6, at increased concentrations when compared with previous results. BHNP2D has been monitored on eleven occasions since inclusion in the SPMP groundwater monitoring in

2007; and boreholes BHE5, BHE6 and CBH6 have been monitored on four occasions, since inclusion within the SPMP groundwater monitoring in 2013.

The following compounds were detected in BHNP2D: 1,1,1-trichloroethane (169µg/l); 1,1-dichloroethene (15µg/l); 1,1-dichloroethane (53µg/l); cis 1,2-dichloroethene (7µg/l); and trichloroethene (26µg/l). The VOC concentrations have increased compared to the previous round of monitoring and concentrations of 1,1,1-trichloroethane and trichloroethene exceed the respective Controlled Waters screening criteria of 100µg/l and 10µg/l.

However, site specific remedial targets were developed by Celtic for the following VOC compounds as follows:

- 1,1,1-trichloroethane: 341µg/l;
- 1,1 dichloroethene: 10.1µg/l;
- trichloroethene: 34.4µg/l; and
- tetrachloroethene: 38.5µg/l.

Compared with remedial targets, only 1,1 dichloroethene (detected at 15µg/l slightly exceeds the target concentration of 10.14µg/l).

The following VOCs were detected in CBH6: 1,1,1-trichloroethane (72µg/l); 1,1-dichloroethene (3µg/l); 1,1 dichloroethane (5µg/l); cis 1,2-dichloroethene (11µg/l); trichloroethene (28µg/l); and tetrachloroethene (21µg/l). Overall, VOC concentrations have increased at this sampling location and concentrations of trichloroethene and tetrachloroethene exceed the Controlled Waters screening criteria of 10µg/l. However, the concentrations detected do not exceed any of site specific remedial targets.

Cyanide

Cyanide was not detected above the laboratory limit of detection in any of the sampling locations in this area during the most recent round of monitoring.

3.2 ZONE 1: Non-Ferrous Melting and Casting Activities

Zone 1 is located in the north-west section of the site and includes the MRB (Melting, Rolling and Blanking) building. There is one monitoring well in the area, BH101 located up-gradient of the MRB (i.e. to the north). Based on the previous stable or decreasing concentrations of determinands in this monitoring well, BH101 has not been included in the SPMP monitoring programme since August 2012. This decision was made following a review of the SPMP monitoring programme undertaken to address Action 1 of the Compliance Assessment Report (CAR) (Ref: KP3135KV/0184470) issued by NRW.


3.3 ZONE 2: Effluent and Cooling Sumps

Zone 2 is located in the centre of the site between the MRB building (to the north) and the Ancillary Services building (to the south). There is one monitoring well in this area, BH201 located immediately south east of the underground soluble oil chamber (Chamber 19C).

The Royal Mint, Llantrisant

pH Value

The pH value recorded in BH201 was pH 6.4, which is a slight decrease (more acidic) since the previous monitoring round and within the EQS values. The reference data at this location is pH 6.5.




*Metals*

Boron, cadmium, chromium, lead, mercury and selenium were not detected above the laboratory limits of detection (LOD).

Arsenic and copper were each recorded at the laboratory LOD (0.001mg/l), which is below the respective EQS values of 0.05mg/l and 0.006mg/l.


Nickel concentration was detected at 0.002mg/l, which is below the reference data and the EQS of 0.02mg/l.

The concentration of zinc was recorded at 0.008mg/l, which is a decrease on the previous round of monitoring and below the reference data; this remains below the EQS value of 0.050mg/l for total alkalinity as CaCO₃ of 50mg/l to 100mg/l.



Hydrocarbons

TPH was detected at a concentration of 0.06mg/l, which is above the UK DWS (0.01mg/l) and slightly higher than the reference value of 0.03mg/l.



VOCs

The concentration of 1,1,1-trichloroethene was detected above the laboratory LOD in BH201, at a concentration of 5µg/l. Historically, 1,1,1-trichloroethene has regularly been detected in groundwater from BH201 at low concentrations; although always well below the screening value of 100µg/l.

Cyanide

Cyanide was not detected above the laboratory LOD.

3.4 ZONE 7: Effluent Treatment Plant

Zone 7 is located in the COMAH area to the west of Zone 8 and comprises the former effluent treatment plant (ETP) that was decommissioned in 2012. The two monitoring wells in this area (BH701 and WS701) have been removed from the SPMP monitoring programme based on stable or decreasing concentrations of determinands and the decommissioning of the ETP. This decision was made following a review of the SPMP monitoring programme undertaken to address Action 1 of the Compliance Assessment Report (CAR) (Ref: KP3135KV/0184470) issued by NRW.


3.5 ZONE 8: COMAH Area

Zone 8 is located in the north-east section of the site and comprises three copper plating buildings, two nickel plating buildings, a chemical store, a coin store and a services area for acid storage and dilution. There were originally two monitoring wells located in Zone 8 (BH801 and BH802). BH801 is located to the east of Copper Plating 2 (CP2); and BH802 was formerly located immediately south of Nickel Plating 1 (NP1). BH802 was decommissioned in 2010 due to the construction of a new Waste Water Recycling Plant (WWRP).

BH26 has replaced BH802 as an SPMP monitoring well which is located approximately 11m distant (to the east). Both BH802 and BH26 have previously recorded significantly elevated concentrations of nickel. The source is considered likely to be a historical spillage that occurred in the east of the NP1 building. The building has been decommissioned but the structure remains in place. Residual contamination may be present beneath the ground slab of the building in soil and groundwater. Nickel contamination in groundwater has been addressed by Celtic in this area by a 'pump and treat' system which commenced in 2012 (Celtic Report Ref: R1430/12/4003). The treatment is ongoing; however, alternative methods are currently being considered by Celtic for increased nickel removal from the groundwater.

pH Value

The pH value of the groundwater sample from BH801 was pH 6.8 and the pH value recorded in BH26 was pH 6.9. Both recorded values are within the maximum and minimum EQS values of pH 6.0 and 9.0 and are each within the ranges of values previously reported at these locations.



Metals


Chromium, lead mercury, and selenium were not detected above the laboratory LOD in boreholes BH801 and BH26. In addition, arsenic and boron were also not detected above the laboratory LOD in BH801; which is generally consistent with previous rounds of monitoring.

Arsenic was detected in BH26 at a concentration of 0.01mg/l, which is below the EQS value of 0.05mg/l and has continued to decrease since 2013.



Boron was detected in BH26 at a concentration of 1.30mg/l, which does not exceed the EQS value of 2mg/l.

Cadmium concentrations were recorded above the LOD in both locations within Zone 8; in BH801 at 0.0002mg/l and in BH26 at 0.0003mg/l. Recorded values exceed the EQS value of 0.00008mg/l but are consistent with previous monitoring rounds.



Copper was recorded in BH801 at a concentration of 0.163mg/l, which is an increase on the results of the previous round of monitoring; however, this concentration is within the range of previous concentrations recorded at this location. The concentration of copper remains above the relevant EQS value of 0.006mg/l.



Nickel was recorded above the laboratory LOD in both boreholes; BH801 at 0.025mg/l, and BH26 at 7.878mg/l, which both exceed the EQS value of 0.02mg/l. These values are each below the reference data for BH801 and BH26; however, the concentration of nickel in borehole BH26 has increased in each of the last three monitoring occasions. As mentioned above, Celtic is currently considering an alternative method to reduce nickel concentrations in groundwater within this area.



Zinc was detected in BH801 at a concentration of 1.137mg/l, which exceeds the reference data and the relevant EQS value of 0.008mg/l. The concentration in BH26 was 0.009mg/l, which does not exceed the relevant EQS value of 0.050mg/l and is consistent with previous rounds of monitoring.




Cyanide was detected above the laboratory LOD in BH801 only, at a concentration of 0.19mg/l. Any concentration of cyanide above the laboratory LOD is considered to exceed the screening value of 0.001mg/l. Historically, cyanide has regularly been detected at this location and the most recent recorded value is within the range of values previously recorded at this location.

Historically, sulphate has regularly been detected at concentrations exceeding the UK DWS of 400mg/l in BH26. However, during the most recent round of monitoring, a concentration of 223mg/l was recorded; which represents the third consecutive recorded concentration below the UK DWS screening value.

Hydrocarbons

TPH was detected in BH801 at a concentration of 1.64mg/l and BH26 at 0.29mg/l, both exceeding the UK DWS of 0.01mg/l. The recorded concentration in BH801 is greater than the reference data; however, it is within the range of previously recorded concentrations.



VOCs


No VOCs were detected above the respective laboratory LOD in the Zone 8 monitoring wells.

3.6 ZONE 9: Pickling, Duplex Plating Line, Annealing and Burnishing

Zone 9 is located south of the COMAH area and includes the annealing, pickling and plating (AP&P) building. Historically, there has been one monitoring well in this area, BH901, located between the AP&P and the CPR (Coin Press Room). In 2015, BH901 was decommissioned and removed as part of engineering works to the adjacent embankment. During the engineering works, a borehole was installed in the vicinity of the former BH901; for the purposes of the ongoing groundwater monitoring at the site, this borehole is acting as a replacement for BH901 and is referred to as BH901R (BH901 Replacement).

pH Value

The pH value of the groundwater sample from BH901R was pH 5.9. This is slightly greater than the last recorded value from BH901 from the previous round of monitoring; however, it remains slightly below the EQS minimum value of pH 6.0.



Metals

As with the final round of monitoring in BH901, arsenic, chromium, lead, mercury and selenium were not detected above the laboratory LOD in BH901R.


Boron was detected at a concentration of 0.040mg/l in BH901R, which is typical for the range of concentrations recorded in BH901 and is below the EQS value of 2mg/l.

Cadmium was recorded above the laboratory LOD at a concentration of 0.0006mg/l in BH901R, which exceeds the EQS value of 0.0008mg/l. Cadmium was detected in BH901 over the five most recent previous rounds of monitoring.

The concentration of copper was recorded at 0.313mg/l in BH901R, which has decreased since the previous round of monitoring in BH901. However, this concentration exceeds the relevant EQS of 0.006mg/l.


Nickel was detected at a concentration of 0.249mg/l in BH901R, which exceeds the EQS value of 0.02mg/l and is typical for the range of concentrations previously recorded in BH901.

Zinc was detected at a concentration of 0.600mg/l in BH901R, which exceeds the relevant EQS value of 0.050mg/l. This concentration is lower than the final recorded concentration in BH901; however, it is typical for the range of concentrations recorded in BH901.



Hydrocarbons

TPH was detected at a concentration of 0.03mg/l in BH901R, which exceeds the DWS of 0.01mg/l and is within the range of previously recorded concentrations in BH901.



The Royal Mint, Llantrisant

VOCs

VOCs were not detected at concentrations above the respective laboratory LOD in BH901R during this monitoring round.

Cyanide

Cyanide was not detected above the LOD (<0.02 mg/l).

4. STATISTICAL ANALYSIS

Data from previous rounds of monitoring have been further assessed using the Mann Kendall Test, a non-parametric statistical test to detect trends in data. Mann Kendal analysis has been performed using available data from monitoring rounds undertaken from 2006 to 2016. Selected determinands that have regularly exceeded the screening values during the monitoring period have been assessed using this approach. Where sufficient data is available, the results of the statistical analysis for the main contaminants of concern are shown in Tables 4.1 and 4.2 below and are also presented for each sampling location on Figure 2.

4.1 Statistical Analysis for Metals and TPH

Table 4.1: Results of Trend Analysis for Metals and TPH in Groundwater

Borehole Location	TPH	Copper	Nickel	Zinc
BH001	No trend	Increasing	No trend	No trend
BH002	Probably Decreasing	No Trend	No trend	No Trend
BH003	No trend	Stable	Decreasing	Increasing
BHNP2D	No trend	No trend	No Trend	Stable
BH201	No trend	Increasing	Decreasing	No Trend
BH801	No trend	No Trend	No trend	Increasing
BH26	No trend	No trend	No trend	Stable
BH901/BH901R	No trend	No trend	No trend	No trend

In general, the majority of monitoring wells have demonstrated 'no trend' for the concentrations of determinands of concern, with the following exceptions:

- BH001 (Zone 0, up-hydraulic gradient) has identified an 'increasing' trend for concentrations of copper. Whilst the concentrations of copper, nickel and zinc have all decreased slightly during the most recent monitoring round, concentrations are slightly greater than the reference data. The 'increasing' trend identified for copper in BH001 is likely have been influenced by slightly elevated concentrations observed in 2013 and 2014, which were the highest recorded values at this location. The actual concentration of copper has reduced each time in 2015 and 2016; with the most recent recorded concentration below the EQS for the first time since 2011.
- BH002 (Zone 0, up-hydraulic gradient) identified a 'probably decreasing' trend for TPH. The concentration of TPH has remained at very low concentrations, with the exception of the reference data and another result from an early monitoring round.
- BH003 showed a 'stable' trend for copper; a 'decreasing' trend for copper; and an 'increasing' trend for zinc. Each of these determinands consistently exceed the screening values at this location.
- BHNP2 showed a 'stable' trend for zinc; additionally, recorded concentrations are not significantly elevated and remain well below the relevant EQS value.
- BH201 showed a 'decreasing' trend for nickel and an 'increasing' trend for copper. Metal concentrations are considered to be relatively low at this location, with occasional marginal exceedances of the screening values. The 'increasing' trend identified for copper is likely to be reflective of a very slight increase in concentration over the entire monitoring period. Copper was not detected in BH201 until 2012; and, from 2012 onwards, copper was detected at low

concentrations in the majority of monitoring rounds. However, the concentrations of copper recorded at this location in recent years are very low and have actually slightly decreased between 2015 and 2016. Overall, metal concentrations are considered to be relatively low and rarely exceed the screening criteria at this location.

- An 'increasing' trend was identified for zinc concentrations in BH801.
- A 'stable' trend was identified for zinc in BH26 and concentrations are not significantly elevated.

Although 'no trend' has been identified for nickel in BH26, the concentration has slightly increased over the last three monitoring rounds. However, overall the concentration has decreased significantly since 2011 when the most significantly elevated concentration was detected.

The monitoring locations that were removed from the SPMP monitoring programme prior to the August 2013 monitoring round (BHNP1, BH101, BH701 and WS701) did not show any 'increasing' or 'probably increasing' trends prior to removal from the programme.

4.2 Statistical Analysis for VOCs

Throughout the monitoring period, VOCs have been recorded above the relevant EQS value in locations BHNP1 (no longer monitored within the programme) and BHNP2. Groundwater remediation has been undertaken in this area by Celtic between 2011 and 2013 and a subsequent period of groundwater monitoring (by Celtic) indicated that one single borehole had concentrations of VOCs fluctuating around the remedial target. Accordingly, the affected borehole was added to the SPMP as recommended by NRW.

Mann Kendall analysis was carried out on the relevant VOC data at these locations, results of the statistical analysis for VOCs are presented in Table 4.2 below.

Table 4.2: Results of Trend Analysis for VOCs in Groundwater

Borehole Location	1,1,1-Trichloroethane	Trichloroethene	Tetrachloroethene
BH001	No Exceedances	No Trend	No Exceedances
BH002	No Exceedances	Stable	No Exceedances
BH003	Increasing	Decreasing	No Exceedances
BHNP2D	No Trend	No Trend	Probably Decreasing
BH201	Increasing	Decreasing	No Exceedances
BH801	No Exceedances	No Exceedances	No Exceedances
BH901	No Trend	No Exceedances	No Exceedances

'Increasing' trends were identified for 1,1,1-trichloroethane in boreholes BH201 and BH003; however, recorded concentrations are very low and well below the EQS.

'Decreasing' trends have been identified for trichloroethene in boreholes BH201 and BH003; concentrations of trichloroethene have not been recorded above the laboratory LOD at these locations since August 2007 (BH201) and December 2008 (BH003).

A 'Probably Decreasing' trend was identified for tetrachloroethene in borehole BHNP2D; this has remained below the laboratory LOD since 2011 at this location.

Although statistical analysis has indicated 'no trend' for the concentrations of 1,1,1-trichloroethane and trichloroethene in BHNP2D, concentrations of 1,1,1-trichloroethane have increased over the last three rounds; and the concentration of trichloroethene has increased in

the most recent round of monitoring. However, only the concentration of 1,1, dichloroethene exceeds the site specific remedial target.

4.3 ZONE 0: Non-Target Zone

The pH values of groundwater from BH001 and BH003 have decreased since the previous round of monitoring to below (more acidic than) the lower EQS limit and are also lower than the reference data. The recorded values are only slightly below the lower EQS pH limit of pH 6 and as such are not considered significant.

Overall, the concentrations of the metals copper, nickel and zinc have decreased in boreholes BH001 and BH002; and with the exception of zinc in BH002, are below the EQS. The most notable decreases in concentration during the latest round of monitoring were seen in BH001. Concentrations of metals in BH003 remain above the EQS for copper, nickel and zinc. Whilst a 'decreasing' trend was identified for nickel and an 'increasing' trend identified for zinc, the most recent recorded concentrations are within the range of values previously recorded at this location.

The majority of metals in the perimeter boreholes in the south-east of the site (BHNP2, BHE5, BHE6 and CBH6) were below the laboratory LOD and all were below the relevant EQS values.

During the previous round of monitoring, chromium was detected above the screening criteria in all of the monitoring wells located in the east of the site. Chromium was not detected in these boreholes during the most recent round of monitoring.

Elevated TPH concentrations have overall decreased slightly since the previous round of monitoring in the perimeter boreholes, with the exception of borehole CBH6, where a slight increase was recorded. A source of TPH has not been identified to date; however, potential sources in this area should be investigated by The Royal Mint.

A historical source of VOC contamination in groundwater was previously identified and investigated by Ramboll Environ. Subsequent remediation using In-Situ Chemical Oxidation (ISCO) was carried out by Celtic between 2011 and 2012. A period of post-remediation groundwater monitoring (by Celtic) indicated that one single borehole had concentrations of VOCs fluctuating around the remedial target. Accordingly, the affected borehole was added to the SPMP as recommended by NRW. During the most recent round of monitoring, an increase in VOC concentrations was recorded in borehole BHNP2D, with 1,1,1-trichloroethane and trichloroethene concentrations exceeding the relevant Controlled Waters screening criteria, but not exceeding the site specific remedial targets developed by Celtic. 1,1, dichloroethene was detected at a concentration of 15µg/l in BHNP2D, which does exceed the site specific remedial target of 10µg/l.

An increase in VOC concentrations was also recorded in borehole CBH6, with concentrations of trichloroethene and tetrachloroethene exceeding the Controlled Waters screening criteria of 10µg/l. However, the concentrations detected do not exceed any of the site specific remedial targets.

4.4 ZONE 1: Non-Ferrous Melting and Casting Activities

Based on stable or decreasing concentrations of determinands, BH101 is no longer included in the SPMP monitoring programme, as agreed previously with NRW.

4.5 ZONE 2: Effluent and Cooling Sumps

Statistical analysis identified a 'decreasing' trend for nickel and an 'increasing' trend for copper in borehole BH201. However, metal concentrations are considered to be relatively low and have remained relatively consistent with previous monitoring rounds at this location.

4.6 ZONE 7: Former Effluent Treatment Plant

BH701 and WS701 have been removed from the SPMP monitoring programme based on stable or decreasing concentrations of determinands; and the decommissioning of the ETP.

4.7 ZONE 8: COMAH Area

Copper, nickel and zinc concentrations have remained within the same order of magnitude as previous monitoring rounds; however, statistical analysis has indicated an 'increasing' trend for zinc in borehole BH801.

In BH26, the concentration of nickel remains elevated. It is understood that groundwater continues to be abstracted from BH26 (carried out by Celtic) and treated in the waste water recycling plant. Overall, the nickel concentration has decreased significantly since 2010; however, there has been a gradual increase in concentration over the last three monitoring rounds. Whilst Celtic has demonstrated that the nickel plume is currently stable, the 'pump and treat' system does not appear to be sufficient to maintain a decreasing trend in concentrations; alternative remedial technologies are being considered by Celtic to increase the removal of nickel from groundwater in this area.

4.8 ZONE 9: Pickling, Duplex Plating Line, Annealing and Burnishing

In 2015, BH901 was decommissioned and removed as part of engineering works to the adjacent embankment. During the engineering works, a borehole was installed in the vicinity of the former BH901; for the purposes of the ongoing groundwater monitoring at the site, this borehole is acting as a replacement for BH901 and is referred to as BH901R (BH901 Replacement).

No trends were identified for contaminant concentrations in BH901 and BH901R. Metal concentrations recorded in BH901R appear to be generally slightly lower than those previously recorded in BH901; however, concentrations of TPH, cadmium, copper, nickel and zinc all exceed the relevant screening values.

The pH value of BH901R is slightly higher than recent values in BH901; yet the most recent pH value recorded in BH901R remains low and marginally outside of the EQS range.

The adjacent borehole (BH9), (although not monitored under the SPMP) has identified similarly elevated concentrations of metals in this area. Overall, the results and visual observations indicate that there is a potential source of impact in this area, which may be associated with Building 9A or an associated below ground pipe.


5. RECOMMENDATIONS

On the basis of this round of groundwater monitoring the following recommendations are made:

- Recent improvements to the drainage system and housekeeping in the north of the site have likely resulted in the decreasing concentrations of metals detected in up-gradient borehole, BH001. Mitigation measures to prevent the pathway for contaminants to groundwater and drainage systems should continue.
- The programme of drain cleaning appears to be having a positive effect on metals detected in groundwater across the wider site and it is recommended that this programme is continued. Furthermore, below ground process pipes are progressively being diverted above-ground which should also continue. NRW has confirmed that it is in agreement with this approach.
- A culvert survey and subsequent cleaning has identified several areas of cracking and an inlet pipe into the culvert. *Repair work commenced in August 2016, including decommissioning of an inlet pipe. Ramboll Environ is monitoring surface water quality before, during and after the repair work to demonstrate that the activities carried out by the contractor do not adversely affect the watercourse. This work is on-going at the time of writing.*
- Groundwater pumping from BH26 should continue until NP1 is decommissioned and a more detailed investigation of the contaminant source area beneath NP1 can be performed. Nickel contamination in groundwater has been addressed by Celtic in this area by a 'pump and treat' system which commenced in 2012 and the treatment is ongoing. Whilst Celtic has demonstrated that the nickel plume is currently stable, the 'pump and treat' system does not appear to be resulting in a downward trend in concentrations over time; alternative methods are currently being considered for removal of nickel from groundwater in this area. *Ramboll Environ understands that Celtic will present the new strategy to NRW for agreement prior to commencing alternative methods. It is envisaged that Ramboll Environ will continue to sample groundwater in this area under the SPMP to monitor nickel concentrations going forward.*
- In the area of borehole BHNP2D and CBH6, VOC concentrations have increased since the previous round of monitoring. Following the completion of VOC remediation in this area, the inclusion of boreholes BHE5, BHE6 and CBH6 into the ongoing SPMP forms part of follow on work to meet the specific objectives and remediation targets agreed with NRW. Considering the recent concentration increases and that certain compounds are fluctuating in concentration around the remedial target, Ramboll Environ recommends that the frequency of groundwater monitoring for VOCs should be increased temporarily in this area. To achieve this, the affected boreholes can be included within Ramboll Environ's periodic groundwater monitoring programme, currently undertaken at the site on a four-monthly basis.
- Elevated concentrations of copper, nickel and zinc have consistently been detected in Zone 9. Ramboll Environ has proposed to undertake further investigation in this area, comprising a compliance review of Building 9A (Pickling and Plating). This would include a detailed inspection to review the facility infrastructure, including the provision of storage, containment and handling of potentially polluting substances. Given the consistently elevated concentrations in BH901 and BH901R, Ramboll Environ considers this should be a priority going forward.
- Further rounds of groundwater monitoring should be carried out on an annual basis, in accordance with the Design SPMP.

The results of this SPMP groundwater monitoring occasion should be provided to the NRW in accordance with the Permit.

APPENDIX 1 FIGURES



- Key
- Site Boundary
 - ✕ Sampled Boreholes
 - ✕ Previously Sampled Boreholes

Title **Figure 1: Borehole Location Plan**

Project No. **UK17-23405**

Site **The Royal Mint
Llantrisant
Pontyclun, CF72 8YT**

Client **The Royal Mint**

Date **August 2016**

Scale **NTS**

Issue **1**

Drawn by **RH**

RAMBOLL
ENVIRON


BH001	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	Increasing
Nickel	No Trend
Zinc	No Trend

BH002	
Constituent	Mann-Kendall Test
TPH	Probably Decreasing
Copper	No trend
Nickel	No trend
Zinc	No trend

BH801	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	No Trend
Nickel	No Trend
Zinc	Increasing



- Key
- Site Boundary
 - Sampled Boreholes
 - Previously Sampled Boreholes



BH201	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	Increasing
Nickel	Decreasing
Zinc	No Trend

BH003	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	Stable
Nickel	Decreasing
Zinc	Increasing

BH901 / BH901R	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	No Trend
Nickel	No Trend
Zinc	No Trend

BHNP2D	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	No Trend
Nickel	No Trend
Zinc	Stable

BH26	
Constituent	Mann-Kendall Test
TPH	No Trend
Copper	No Trend
Nickel	No Trend
Zinc	Stable

Title Figure 2:
Mann Kendall Analysis

Project No. UK17-23405

Site The Royal Mint,
Llantrisant,
Pontyclun, CF72 8YT

Client The Royal Mint

Date August 2016

Scale NTS

Issue 1 Drawn by RH

APPENDIX 2

LABORATORY CERTIFICATES

Our Ref: EXR/224365 (Ver. 1)

Your Ref: UK17-23405

August 10, 2016



Environmental Chemistry

ESG

Bretby Business Park

Ashby Road

Burton-on-Trent

Staffordshire

DE15 0YZ

Telephone: 01283 554400

Facsimile: 01283 554422

Lucy Cleverley
Ramboll Environ
8 Village Way
Cardiff
CF15 2NE

For the attention of Lucy Cleverley

Dear Lucy Cleverley

Sample Analysis - Royal Mint SPMP 2016

Samples from the above site have been analysed in accordance with the schedule supplied.

The sample details and the results of analyses for these samples are given in the appended report.

An invoice for this work will follow under a separate cover.

Please be aware that our policy for the retention of paper based laboratory records and analysis reports is 6 years.

The work was carried out in accordance with Environmental Scientifics Group Ltd (Multi-Sector Services) Standard Terms and Conditions of Contract.

If I can be of any further assistance please do not hesitate to contact me.

Yours sincerely

for ESG

A handwritten signature in black ink, appearing to read 'J Colbourne', written over a horizontal line.

J Colbourne
Project Co-ordinator
01283 554547

TEST REPORT



Report No. EXR/224365 (Ver. 1)

Ramboll Environ
8 Village Way
Cardiff
CF15 2NE

Site: Royal Mint SPMP 2016

The 7 samples described in this report were registered for analysis by ESG on 03-Aug-2016. This report supersedes any versions previously issued by the laboratory.

The analysis was completed by: 10-Aug-2016

Tests where the accreditation is set to N or No, and any individual data items marked with a * are not UKAS accredited. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.

The following tables are contained in this report:

Table 1 Main Analysis Results (Pages 2 to 3)
GC-FID Chromatograms (Pages 4 to 10)
Table of VOC (HSA) Results (Pages 11 to 17)
Analytical and Deviating Sample Overview (Pages 18 to 19)
Table of Method Descriptions (Page 20)
Table of Report Notes (Page 21)
Table of Sample Descriptions (Appendix A Page 1 of 1)

On behalf of
ESG :
Declan Burns


Managing Director
Multi-Sector Services

Date of Issue: 10-Aug-2016

Tests marked '^' have been subcontracted to another laboratory.

Where samples have been flagged as deviant on the Analytical and Deviating Sample Overview, for any reason, the data may not be representative of the sample at the point of sampling and the validity of the data may be affected.

ESG accepts no responsibility for any sampling not carried out by our personnel.

Where individual results are flagged see report notes for status.

Units : Method Codes : Method Reporting Limits : UKAS Accredited :			pH units	mg/l	mg/l	µg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	
			WSLM3	WSLM12	Calc HD	VOCHSAW	ICPWATVAR	ICPWATVAR	ICPWATVAR	ICPWATVAR	ICPMSW	ICPMSW	ICPMSW	ICPMSW	ICPMSW	ICPMSW	ICPMSW	ICPMSW	ICPWATVAR
					7	1	3	1	1	0.01	0.001	0.001	0.0001	0.001	0.001	0.002	0.001	0.01	
			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LAB ID Number EX/	Client Sample Description	Sample Date	pH units w	Total Alkalinity as CaCO3 w	Total Hardness as CaCO3	VOC HSA-GCMS o	Total Sulphur as SO4 (Dissolved) a	Calcium as Ca (Dissolved) a	Magnesium as Mg (Dissolved) a	Barium as Ba (Dissolved) a	Nickel as Ni (Dissolved)	Chromium as Cr (Dissolved)	Cadmium as Cd (Dissolved)	Copper as Cu (Dissolved)	Lead as Pb (Dissolved)	Zinc as Zn (Dissolved)	Arsenic as As (Dissolved)	Boron as B (Dissolved) a	
1719152	BH901R	02-Aug-16 10:00	5.9	36	89	Req	104	26.4	5.6	0.02	0.249	<0.001	0.0006	0.313	<0.001	0.6	<0.001	0.04	
1719153	BH002	02-Aug-16 10:45	6	23	43	Req	12.2	7.3	6.1	0.01	0.004	<0.001	<0.0001	<0.001	<0.001	0.011	<0.001	<0.01	
1719154	BH801	02-Aug-16 11:15	6.8	52	46	Req	3.4	13.6	3.0	0.08	0.025	<0.001	0.0002	0.163	<0.001	1.137	<0.001	<0.01	
1719155	CBH6	02-Aug-16 12:45	7.1	794	77	Req	10.5	23.5	4.5	0.04	0.003	<0.001	<0.0001	0.005	<0.001	0.014	<0.001	<0.01	
1719156	BHE5	02-Aug-16 13:00	7	65	86	Req	12.0	26.9	4.6	0.03	<0.001	<0.001	<0.0001	<0.001	<0.001	0.002	<0.001	<0.01	
1719157	BHE6	02-Aug-16 13:45	6.7	73	78	Req	9.7	24.3	4.1	0.06	0.001	<0.001	<0.0001	<0.001	<0.001	0.007	<0.001	<0.01	
1719158	BH26	02-Aug-16 15:00	6.9	347	102	Req	223	24.4	10.0	0.02	7.878	<0.001	0.0003	<0.001	<0.001	0.009	0.01	1.30	
 Bretby Business Park, Ashby Road Burton-on-Trent, Staffordshire, DE15 0YZ Tel +44 (0) 1283 554400 Fax +44 (0) 1283 554422			Client Name		Ramboll Environ						Sample Analysis								
			Contact		Lucy Cleverley														
			Royal Mint SPMP 2016						Date Printed		10-Aug-2016								
									Report Number		EXRI/224365								
									Table Number		1								

Bretby Business Park, Ashby Road
Burton-on-Trent, Staffordshire, DE15 0YZ
Tel +44 (0) 1283 554400
Fax +44 (0) 1283 554422

Client Name
Contact


Ramboll Environ
Lucy Cleverley

Royal Mint SPMP 2016

Sample Analysis

Date Printed	10-Aug-2016
Report Number	EXR/224365
Table Number	1


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719152	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	BH901R
Acquisition Date/Time:	09-Aug-16, 00:36:16		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\074B3101.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719153	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	BH002
Acquisition Date/Time:	09-Aug-16, 00:53:53		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\075B3201.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719154	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	BH801
Acquisition Date/Time:	09-Aug-16, 01:11:45		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\076B3301.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719155	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	CBH6
Acquisition Date/Time:	09-Aug-16, 01:29:24		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\077B3401.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719156	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	BHE5
Acquisition Date/Time:	09-Aug-16, 01:47:01		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\078B3501.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719157	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	BHE6
Acquisition Date/Time:	09-Aug-16, 02:04:40		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\079B3601.D		

Where individual results are flagged see report notes for status.

Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719158	Job Number:	W22_4365
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	TPH_RUNF.M	Client Sample Ref:	BH26
Acquisition Date/Time:	09-Aug-16, 02:22:29		
Datafile:	D:\TES\DATA\Y2016\080816TPH_GC17\080816 2016-08-08 15-41-27\080B3701.D		

Where individual results are flagged see report notes for status.

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0804VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BH901R				Date Booked in:		03-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719152				Date Analysed:		05-Aug-16		Multiplier:	1
Job Number:		W22_ 4365				Operator:		PR		Position:	1

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	101	Dibromofluoromethane	120
1,4-Difluorobenzene	3.68	104	Toluene-d8	98
Chlorobenzene-d5	4.85	102	Bromofluorobenzene	90
1,4-Dichlorobenzene-d4	5.64	87		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0804VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BH002				Date Booked in:		03-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719153				Date Analysed:		05-Aug-16		Multiplier:	1
Job Number:		W22_ 4365				Operator:		PR		Position:	2

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	89	Dibromofluoromethane	118
1,4-Difluorobenzene	3.68	93	Toluene-d8	98
Chlorobenzene-d5	4.85	94	Bromofluorobenzene	88
1,4-Dichlorobenzene-d4	5.64	73		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0804VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BH801				Date Booked in:		03-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719154				Date Analysed:		05-Aug-16		Multiplier:	1
Job Number:		W22_ 4365				Operator:		PR		Position:	3

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	105	Dibromofluoromethane	119
1,4-Difluorobenzene	3.68	109	Toluene-d8	98
Chlorobenzene-d5	4.85	108	Bromofluorobenzene	88
1,4-Dichlorobenzene-d4	5.64	89		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0804VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		CBH6				Date Booked in:		03-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719155				Date Analysed:		05-Aug-16		Multiplier:	1
Job Number:		W22_ 4365				Operator:		PR		Position:	4

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	1.52	3	81
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	2.50	5	94
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	2.97	11	87
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	3.26	72	81
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	3.80	28	97
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	4.54	21	92
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	107	Dibromofluoromethane	114
1,4-Difluorobenzene	3.68	110	Toluene-d8	98
Chlorobenzene-d5	4.85	109	Bromofluorobenzene	89
1,4-Dichlorobenzene-d4	5.64	88		

Volatile Organic Compounds by HSA-GCMS

UKAS accredited?: Yes

Customer and Site Details: Ramboll Environ: Royal Mint SPMP 2016
Sample Details: BHE5
LIMS ID Number: EX1719156
Job Number: W22_ 4365

Directory/Quant file: 0804VOC.MS8\ Initial Calibration
Date Booked in: 03-Aug-16
Date Analysed: 05-Aug-16
Operator: PR
Matrix: Water
Method: Headspace
Multiplier: 1
Position: 5

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	94	Dibromofluoromethane	118
1,4-Difluorobenzene	3.68	98	Toluene-d8	99
Chlorobenzene-d5	4.85	99	Bromofluorobenzene	89
1,4-Dichlorobenzene-d4	5.64	79		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0804VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BHE6				Date Booked in:		03-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719157				Date Analysed:		05-Aug-16		Multiplier:	1
Job Number:		W22_ 4365				Operator:		PR		Position:	6

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	92	Dibromofluoromethane	115
1,4-Difluorobenzene	3.68	94	Toluene-d8	99
Chlorobenzene-d5	4.85	96	Bromofluorobenzene	89
1,4-Dichlorobenzene-d4	5.64	77		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0804VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BH26				Date Booked in:		03-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719158				Date Analysed:		05-Aug-16		Multiplier:	1
Job Number:		W22_ 4365				Operator:		PR		Position:	7

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.32	101	Dibromofluoromethane	120
1,4-Difluorobenzene	3.68	105	Toluene-d8	99
Chlorobenzene-d5	4.85	106	Bromofluorobenzene	89
1,4-Dichlorobenzene-d4	5.64	85		

Customer Ramboll Environ
Site Royal Mint SPMP 2016
Report No W224365

Consignment No W107447
Date Logged 03-Aug-2016

Report Due 10-Aug-2016

ID Number	Description	Matrix Type	MethodID	Calc_HD	CUSTSERV	ICPMSW											ICPMA TVAR			
			Sampled	Total Hardness as CaCO3 (CALC)	Report A	Nickel as Ni MS (Dissolved)	Chromium as Cr MS (Dissolved)	Cadmium as Cd MS (Dissolved)	Copper as Cu MS (Dissolved)	Lead as Pb MS (Dissolved)	Zinc as Zn MS (Dissolved)	Arsenic as As MS (Dissolved)	Mercury as Hg MS (Dissolved)	Selenium as Se MS (Dissolved)	Vanadium as V MS (Dissolved)	Total Sulphur as SO4 (Diss) VAR	Calcium as Ca (Dissolved) VAR	Magnesium as Mg (Dissolved) VAR	Barium as Ba (Dissolved) VAR	Boron as B (Dissolved) VAR
				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
EX/1719152	BH901R	Groundwater	02/08/16																	
EX/1719153	BH002	Groundwater	02/08/16																	
EX/1719154	BH801	Groundwater	02/08/16																	
EX/1719155	CBH6	Groundwater	02/08/16																	
EX/1719156	BHE5	Groundwater	02/08/16																	
EX/1719157	BHE6	Groundwater	02/08/16																	
EX/1719158	BH26	Groundwater	02/08/16																	

Note: For analysis where the scheduled turnaround is greater than the holding time we will do our utmost to prioritise these samples. However, it is possible that samples could become deviant whilst being processed in the laboratory.

In this instance please contact the laboratory immediately should you wish to discuss how you would like us to proceed. If you do not respond within 24 hours, we will proceed as originally requested.

Deviating Sample Key	
A	The sample was received in an inappropriate container for this analysis
B	The sample was received without the correct preservation for this analysis
C	Headspace present in the sample container
D	The sampling date was not supplied so holding time may be compromised - applicable to all analysis
E	Sample processing did not commence within the appropriate holding time
F	Sample processing did not commence within the appropriate handling time
Requested Analysis Key	
	Analysis Required
	Analysis dependant upon trigger result - Note: due date may be affected if triggered
	No analysis scheduled
^	Analysis Subcontracted - Note: due date may vary

The integrity of data for samples/analysis that have been categorised as Deviating may be compromised. Data may not be representative of the sample at the time of sampling.
Where individual results are flagged see report notes for status.

Customer
Site
Report No

Ramboll Environ
Royal Mint SPMP 2016
W224365

Consignment No W107447
Date Logged 03-Aug-2016

Report Due 10-Aug-2016

ID Number	Description	MethodID		SFAPI	SFAS	TPHFID	VOCHSAW	WSLM12	WSLM3
		Matrix Type	Sampled	Cyanide (Total) as CN SFA	Sulphide as S SFA	TPH GC	VOC HSA-GCMS	Total Alkalinity as CaCO3	pH units
				✓	✓	✓	✓	✓	✓
EX/1719152	BH901R	Groundwater	02/08/16						
EX/1719153	BH002	Groundwater	02/08/16						
EX/1719154	BH801	Groundwater	02/08/16						
EX/1719155	CBH6	Groundwater	02/08/16						
EX/1719156	BHE5	Groundwater	02/08/16						
EX/1719157	BHE6	Groundwater	02/08/16						
EX/1719158	BH26	Groundwater	02/08/16						

Note: For analysis where the scheduled turnaround is greater than the holding time we will do our utmost to prioritise these samples. However, it is possible that samples could become deviant whilst being processed in the laboratory.

In this instance please contact the laboratory immediately should you wish to discuss how you would like us to proceed. If you do not respond within 24 hours, we will proceed as originally requested.

Deviating Sample Key	
A	The sample was received in an inappropriate container for this analysis
B	The sample was received without the correct preservation for this analysis
C	Headspace present in the sample container
D	The sampling date was not supplied so holding time may be compromised - applicable to all analysis
E	Sample processing did not commence within the appropriate holding time
F	Sample processing did not commence within the appropriate handling time
Requested Analysis Key	
	Analysis Required
	Analysis dependant upon trigger result - Note: due date may be affected if triggered
	No analysis scheduled
^	Analysis Subcontracted - Note: due date may vary

The integrity of data for samples/analysis that have been categorised as Deviating may be compromised. Data may not be representative of the sample at the time of sampling.
Where individual results are flagged see report notes for status.

Method Descriptions

Matrix	MethodID	Analysis Basis	Method Description
Water	Calc_HD	As Received	Calculation based on Dissolved metals analysis by ICPOES
Water	ICPMSW	As Received	Direct quantitative determination of Metals in water samples using ICPMS
Water	ICPWATVAR	As Received	Direct determination of Metals and Sulphate in water samples using ICPOES
Water	SFAPI	As Received	Segmented flow analysis with colorimetric detection
Water	SFAS	As Received	Determination of Sulphide by segmented flow analysis with colorimetric detection
Water	TPHFID	As Received	Determination of pentane extractable hydrocarbons in water by GCFID
Water	VOCHSAW	As Received	Determination of Volatile Organics Compounds by Headspace GCMS
Water	WSLM12	As Received	Titration with Sulphuric Acid to required pH
Water	WSLM3	As Received	Determination of the pH of water samples by pH probe

Report Notes

Generic Notes

Soil/Solid Analysis

Unless stated otherwise,

- Results expressed as mg/kg have been calculated on the basis indicated in the Method Description table.
All results on MCERTS reports are reported on a 105°C dry weight basis with the exception of pH and conductivity.
- Sulphate analysis not conducted in accordance with BS1377
- Water Soluble Sulphate is on a 2:1 water:soil extract

Waters Analysis

Unless stated otherwise results are expressed as mg/l

Nil: Where "Nil" has been entered against Total Alkalinity or Total Acidity this indicates that a measurement was not required due to the inherent pH of the sample.

Oil analysis specific

Unless stated otherwise,

- Results are expressed as mg/kg
- SG is expressed as g/cm³ @ 15°C

Gas (Tedlar bag) Analysis

Unless stated otherwise, results are expressed as ug/l

Asbestos Analysis

CH Denotes Chrysotile

TR Denotes Tremolite

CR Denotes Crocidolite

AC Denotes Actinolite

AM Denotes Amosite

AN Denotes Anthophyllite

NAIIS No Asbestos Identified in Sample

NADIS No Asbestos Detected In Sample

Symbol Reference

^ Sub-contracted analysis.

\$\$ Unable to analyse due to the nature of the sample

¶ Samples submitted for this analyte were not preserved on site in accordance with laboratory protocols.

This may have resulted in deterioration of the sample(s) during transit to the laboratory.

Consequently the reported data may not represent the concentration of the target analyte present in the sample at the time of sampling

¥ Results for guidance only due to possible interference

& Blank corrected result

I.S Insufficient sample to complete requested analysis

I.S(g) Insufficient sample to re-analyse, results for guidance only

Intf Unable to analyse due to interferences

N.D Not determined

N.Det Not detected

N.F No Flow

NS Information Not Supplied

Req Analysis requested, see attached sheets for results

▮ Raised detection limit due to nature of the sample

* All accreditation has been removed by the laboratory for this result

‡ MCERTS accreditation has been removed for this result

§ accreditation has been removed for this result as it is a non-accredited matrix

Note: The Laboratory may only claim that data is accredited when all of the requirements of our Quality System have been met. Where these requirements have not been met the laboratory may elect to include the data in its final report and remove the accreditation from individual data items if it believes that the validity of the data has not been affected. If further details are required of the circumstances which have led to the removal of accreditation then please do not hesitate to contact the laboratory.

Sample Descriptions

Client : Ramboll Environ
Site : Royal Mint SPMP 2016
Report Number : W22_4365

Our Ref: EXR/224447 (Ver. 1)
Your Ref: UK17-23405

August 11, 2016



Environmental Chemistry
ESG
Bretby Business Park
Ashby Road
Burton-on-Trent
Staffordshire
DE15 0YZ

Telephone: 01283 554400
Facsimile: 01283 554422

Rob Hodgson
Ramboll Environ
8 Village Way
Cardiff
CF15 2NE

For the attention of Rob Hodgson

Dear Rob Hodgson

Sample Analysis - Royal Mint SPMP 2016

Samples from the above site have been analysed in accordance with the schedule supplied.
The sample details and the results of analyses for these samples are given in the appended report.

An invoice for this work will follow under a separate cover.

Please be aware that our policy for the retention of paper based laboratory records and analysis reports is 6 years.

The work was carried out in accordance with Environmental Scientifics Group Ltd (Multi-Sector Services) Standard Terms and Conditions of Contract.

If I can be of any further assistance please do not hesitate to contact me.

Yours sincerely

for ESG

A handwritten signature in black ink that reads 'J Colbourne'.

J Colbourne
Project Co-ordinator
01283 554547

TEST REPORT



Report No. EXR/224447 (Ver. 1)

Ramboll Environ
8 Village Way
Cardiff
CF15 2NE

Site: Royal Mint SPMP 2016

The 4 samples described in this report were registered for analysis by ESG on 04-Aug-2016. This report supersedes any versions previously issued by the laboratory.

The analysis was completed by: 11-Aug-2016

Tests where the accreditation is set to N or No, and any individual data items marked with a * are not UKAS accredited. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.

The following tables are contained in this report:

Table 1 Main Analysis Results (Pages 2 to 3)
GC-FID Chromatograms (Pages 4 to 7)
Table of VOC (HSA) Results (Pages 8 to 11)
Analytical and Deviating Sample Overview (Pages 12 to 13)
Table of Method Descriptions (Page 14)
Table of Report Notes (Page 15)
Table of Sample Descriptions (Appendix A Page 1 of 1)

On behalf of
ESG :
Declan Burns


Managing Director
Multi-Sector Services

Date of Issue: 11-Aug-2016

Tests marked '^' have been subcontracted to another laboratory.

Where samples have been flagged as deviant on the Analytical and Deviating Sample Overview, for any reason, the data may not be representative of the sample at the point of sampling and the validity of the data may be affected.

ESG accepts no responsibility for any sampling not carried out by our personnel.

Where individual results are flagged see report notes for status.



Bretby Business Park, Ashby Road
Burton-on-Trent, Staffordshire, DE15 0YZ

Tel +44 (0) 1283 554400

Fax +44 (0) 1283 554422

Client Name

Contact

Ramboll Environ


Rob Hodgson

Royal Mint SPMP 2016

Sample Analysis

Date Printed	11-Aug-2016
Report Number	EXR/224447
Table Number	1


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719746	Job Number:	W22_4447
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	5UL_RUNF.M	Client Sample Ref:	BH001
Acquisition Date/Time:	10-Aug-16, 09:02:21		
Datafile:	D:\TES\DATA\Y2016\080916TPH_GC14\080916A 2016-08-10 08-02-57\075B0601.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719747	Job Number:	W22_4447
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	5UL_RUNF.M	Client Sample Ref:	BH201
Acquisition Date/Time:	10-Aug-16, 09:14:19		
Datafile:	D:\TES\DATA\Y2016\080916TPH_GC14\080916A 2016-08-10 08-02-57\076B0701.D		

Where individual results are flagged see report notes for status.


Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719748	Job Number:	W22_4447
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	5UL_RUNF.M	Client Sample Ref:	BHNP2
Acquisition Date/Time:	10-Aug-16, 09:26:24		
Datafile:	D:\TES\DATA\Y2016\080916TPH_GC14\080916A 2016-08-10 08-02-57\077B0801.D		

Where individual results are flagged see report notes for status.

Petroleum Hydrocarbons (C8 to C40) by GC/FID



Sample ID:	EX1719749	Job Number:	W22_4447
Multiplier:	0.005	Client:	Ramboll Environ
Dilution:	1	Site:	Royal Mint SPMP 2016
Acquisition Method:	5UL_RUNF.M	Client Sample Ref:	BH003
Acquisition Date/Time:	10-Aug-16, 09:38:20		
Datafile:	D:\TES\DATA\Y2016\080916TPH_GC14\080916A 2016-08-10 08-02-57\078B0901.D		

Where individual results are flagged see report notes for status.

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0805VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BH001				Date Booked in:		04-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719746				Date Analysed:		06-Aug-16		Multiplier:	1
Job Number:		W22_4447				Operator:		PR		Position:	3

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	-	< 1	-
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6 *	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	99	Dibromofluoromethane	119
1,4-Difluorobenzene	3.68	104	Toluene-d8	99
Chlorobenzene-d5	4.85	106	Bromofluorobenzene	92
1,4-Dichlorobenzene-d4	5.64	89		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0805VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BH201				Date Booked in:		04-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719747				Date Analysed:		06-Aug-16		Multiplier:	1
Job Number:		W22_4447				Operator:		PR		Position:	4

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	3.19	4	99
1,1,1-Trichloroethane	71-55-6	3.26	5	81
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6 *	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	96	Dibromofluoromethane	120
1,4-Difluorobenzene	3.68	100	Toluene-d8	100
Chlorobenzene-d5	4.85	103	Bromofluorobenzene	92
1,4-Dichlorobenzene-d4	5.64	89		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0805VOC.MS8\	Initial Calibration	Matrix:	Water
Sample Details:		BHNP2				Date Booked in:		04-Aug-16		Method:	Headspace
LIMS ID Number:		EX1719748				Date Analysed:		06-Aug-16		Multiplier:	1
Job Number:		W22_4447				Operator:		PR		Position:	5

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	0.79	5	81
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	1.52	15	88
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	2.49	53	99
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	2.97	7	84
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	3.26	169	84
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	3.51	1	92
Trichloroethene	79-01-6 *	3.80	26	96
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	102	Dibromofluoromethane	119
1,4-Difluorobenzene	3.68	107	Toluene-d8	98
Chlorobenzene-d5	4.85	107	Bromofluorobenzene	92
1,4-Dichlorobenzene-d4	5.64	91		

Volatile Organic Compounds by HSA-GCMS

Customer and Site Details:		Ramboll Environ: Royal Mint SPMP 2016		UKAS accredited?: Yes		Directory/Quant file:		0805VOC.MS8\ Initial Calibration		Matrix:		Water	
Sample Details:		BH003				Date Booked in:		04-Aug-16		Method:		Headspace	
LIMS ID Number:		EX1719749				Date Analysed:		06-Aug-16		Multiplier:		1	
Job Number:		W22_ 4447				Operator:		PR		Position:		6	

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Dichlorodifluoromethane	75-71-8 *	-	< 1	-
Chloromethane	74-87-3	-	< 1	-
Vinyl Chloride	75-01-4	-	< 1	-
Bromomethane	74-83-9 *	-	< 5	-
Chloroethane	75-00-3	-	< 5	-
Trichlorofluoromethane	75-69-4	-	< 1	-
1,1-Dichloroethene	75-35-4	-	< 1	-
trans 1,2-Dichloroethene	156-60-5	-	< 1	-
1,1-Dichloroethane	75-34-3	-	< 1	-
2,2-Dichloropropane	594-20-7 *	-	< 1	-
cis 1,2-Dichloroethene	156-59-2	-	< 1	-
Bromochloromethane	74-97-5	-	< 1	-
Chloroform	67-66-3	-	< 1	-
1,1,1-Trichloroethane	71-55-6	3.27	8	78
Carbon Tetrachloride	56-23-5	-	< 1	-
1,1-Dichloropropene	563-58-6	-	< 1	-
Benzene	71-43-2	-	< 1	-
1,2-Dichloroethane	107-06-2	-	< 1	-
Trichloroethene	79-01-6 *	-	< 5	-
1,2-Dichloropropane	78-87-5	-	< 1	-
Dibromomethane	74-95-3	-	< 1	-
Bromodichloromethane	75-27-4	-	< 1	-
cis 1,3-Dichloropropene	10061-01-5 *	-	< 1	-
Toluene	108-88-3	-	< 1	-
trans 1,3-Dichloropropene	10061-02-6 *	-	< 1	-
1,1,2-Trichloroethane	79-00-5	-	< 1	-
Tetrachloroethene	127-18-4	-	< 5	-
1,3-Dichloropropane	142-28-9	-	< 1	-
Dibromochloromethane	124-48-1	-	< 1	-
1,2-Dibromoethane	106-93-4	-	< 1	-
Chlorobenzene	108-90-7	-	< 1	-
Ethylbenzene	100-41-4	-	< 1	-
1,1,1,2-Tetrachloroethane	630-20-6	-	< 1	-
m and p-Xylene	108-38-3/106-42-3	-	< 1	-
o-Xylene	95-47-6	-	< 1	-

Target Compounds	CAS #	R.T. (min.)	Concentration µg/l	% Fit
Styrene	100-42-5	-	< 1	-
Bromoform	75-25-2	-	< 1	-
iso-Propylbenzene	98-82-8	-	< 1	-
1,1,2,2-Tetrachloroethane	79-34-5 *	-	< 1	-
Propylbenzene	103-65-1	-	< 1	-
Bromobenzene	108-86-1	-	< 1	-
1,2,3-Trichloropropane	96-18-4	-	< 1	-
2-Chlorotoluene	95-49-8	-	< 1	-
1,3,5-Trimethylbenzene	108-67-8	-	< 1	-
4-Chlorotoluene	106-43-4	-	< 1	-
tert-Butylbenzene	98-06-6	-	< 1	-
1,2,4-Trimethylbenzene	95-63-6	-	< 1	-
sec-Butylbenzene	135-98-8	-	< 1	-
p-Isopropyltoluene	99-87-6	-	< 1	-
1,3-Dichlorobenzene	541-73-1	-	< 1	-
1,4-Dichlorobenzene	106-46-7	-	< 1	-
n-Butylbenzene	104-51-8	-	< 1	-
1,2-Dichlorobenzene	95-50-1	-	< 5	-
1,2-Dibromo-3-chloropropane	96-12-8 *	-	< 5	-
1,2,4-Trichlorobenzene	120-82-1	-	< 5	-
Hexachlorobutadiene	87-68-3	-	< 5	-
Naphthalene	91-20-3	-	< 5	-
1,2,3-Trichlorobenzene	87-61-6	-	< 5	-

Compounds marked * are not UKAS accredited
"M" denotes that % fit has been manually interpreted

Internal standards	R.T.	Area %	Surrogates	% Rec
Pentafluorobenzene	3.31	93	Dibromofluoromethane	118
1,4-Difluorobenzene	3.68	97	Toluene-d8	99
Chlorobenzene-d5	4.85	100	Bromofluorobenzene	88
1,4-Dichlorobenzene-d4	5.64	83		

Customer
Site
Report No

Ramboll Environ
Royal Mint SPMP 2016
W224447

Consignment No W107520
Date Logged 04-Aug-2016

Report Due 11-Aug-2016

ID Number	Description	Matrix Type	MethodID	Total Hardness as CaCO3 (CALC)	Report A	Nickel as Ni MS (Dissolved)	Chromium as Cr MS (Dissolved)	Cadmium as Cd MS (Dissolved)	Copper as Cu MS (Dissolved)	Lead as Pb MS (Dissolved)	Zinc as Zn MS (Dissolved)	Arsenic as As MS (Dissolved)	Mercury as Hg MS (Dissolved)	Selenium as Se MS (Dissolved)	Vanadium as V MS (Dissolved)	Total Sulphur as SO4 (Diss) VAR	Calcium as Ca (Dissolved) VAR	Magnesium as Mg (Dissolved) VAR	Barium as Ba (Dissolved) VAR	Boron as B (Dissolved) VAR	Beryllium as Be (Dissolved) VAR
			Calc. HD																		
				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
EX/1719746	BH001	Groundwater	03/08/16																		
EX/1719747	BH201	Groundwater	03/08/16																		
EX/1719748	BHNP2	Groundwater	03/08/16																		
EX/1719749	BH003	Groundwater	03/08/16																		

Note: For analysis where the scheduled turnaround is greater than the holding time we will do our utmost to prioritise these samples. However, it is possible that samples could become deviant whilst being processed in the laboratory.

In this instance please contact the laboratory immediately should you wish to discuss how you would like us to proceed. If you do not respond within 24 hours, we will proceed as originally requested.

Deviating Sample Key

A

The sample was received in an inappropriate container for this analysis

B

The sample was received without the correct preservation for this analysis

C

Headspace present in the sample container

D

The sampling date was not supplied so holding time may be compromised - applicable to all analysis

E

Sample processing did not commence within the appropriate holding time

F

Sample processing did not commence within the appropriate handling time

Requested Analysis Key

Analysis Required

Analysis dependant upon trigger result - Note: due date may be affected if triggered

No analysis scheduled

^

Analysis Subcontracted - Note: due date may vary

The integrity of data for samples/analysis that have been categorised as Deviating may be compromised. Data may not be representative of the sample at the time of sampling.
Where individual results are flagged see report notes for status.

Customer Ramboll Environ
Site Royal Mint SPMP 2016
Report No W224447

Consignment No W107520
Date Logged 04-Aug-2016

Report Due 11-Aug-2016

ID Number	Description	MethodID		SFAP1	SFAS	TPHFID	VOCHSAW	WSLM12	WSLM3
		Matrix Type	Sampled	Cyanide (Total) as CN SFA	Sulphide as S SFA	TPH GC	VOC HSA-GCMS	Total Alkalinity as CaCO3	pH units
				✓	✓	✓	✓	✓	✓
EX/1719746	BH001	Groundwater	03/08/16						
EX/1719747	BH201	Groundwater	03/08/16						
EX/1719748	BHNP2	Groundwater	03/08/16						
EX/1719749	BH003	Groundwater	03/08/16						

Note: For analysis where the scheduled turnaround is greater than the holding time we will do our utmost to prioritise these samples. However, it is possible that samples could become deviant whilst being processed in the laboratory.

In this instance please contact the laboratory immediately should you wish to discuss how you would like us to proceed. If you do not respond within 24 hours, we will proceed as originally requested.

Deviating Sample Key	
A	The sample was received in an inappropriate container for this analysis
B	The sample was received without the correct preservation for this analysis
C	Headspace present in the sample container
D	The sampling date was not supplied so holding time may be compromised - applicable to all analysis
E	Sample processing did not commence within the appropriate holding time
F	Sample processing did not commence within the appropriate handling time
Requested Analysis Key	
	Analysis Required
	Analysis dependant upon trigger result - Note: due date may be affected if triggered
	No analysis scheduled
^	Analysis Subcontracted - Note: due date may vary

The integrity of data for samples/analysis that have been categorised as Deviating may be compromised. Data may not be representative of the sample at the time of sampling.
Where individual results are flagged see report notes for status.

Method Descriptions

Matrix	MethodID	Analysis Basis	Method Description
Water	Calc_HD	As Received	Calculation based on Dissolved metals analysis by ICPOES
Water	ICPMSW	As Received	Direct quantitative determination of Metals in water samples using ICPMS
Water	ICPWATVAR	As Received	Direct determination of Metals and Sulphate in water samples using ICPOES
Water	SFAP1	As Received	Segmented flow analysis with colorimetric detection
Water	SFAS	As Received	Determination of Sulphide by segmented flow analysis with colorimetric detection
Water	TPHFID	As Received	Determination of pentane extractable hydrocarbons in water by GCFID
Water	VOCHSAW	As Received	Determination of Volatile Organics Compounds by Headspace GCMS
Water	WSLM12	As Received	Titration with Sulphuric Acid to required pH
Water	WSLM3	As Received	Determination of the pH of water samples by pH probe

Where individual results are flagged see report notes for status.

Report Notes

Generic Notes

Soil/Solid Analysis

Unless stated otherwise,

- Results expressed as mg/kg have been calculated on the basis indicated in the Method Description table.
All results on MCERTS reports are reported on a 105°C dry weight basis with the exception of pH and conductivity.
- Sulphate analysis not conducted in accordance with BS1377
- Water Soluble Sulphate is on a 2:1 water:soil extract

Waters Analysis

Unless stated otherwise results are expressed as mg/l

Nil: Where "Nil" has been entered against Total Alkalinity or Total Acidity this indicates that a measurement was not required due to the inherent pH of the sample.

Oil analysis specific

Unless stated otherwise,

- Results are expressed as mg/kg
- SG is expressed as g/cm³ @ 15°C

Gas (Tedlar bag) Analysis

Unless stated otherwise, results are expressed as ug/l

Asbestos Analysis

CH Denotes Chrysotile

TR Denotes Tremolite

CR Denotes Crocidolite

AC Denotes Actinolite

AM Denotes Amosite

AN Denotes Anthophyllite

NAIIS No Asbestos Identified in Sample

NADIS No Asbestos Detected In Sample

Symbol Reference

^ Sub-contracted analysis.

\$\$ Unable to analyse due to the nature of the sample

¶ Samples submitted for this analyte were not preserved on site in accordance with laboratory protocols.

This may have resulted in deterioration of the sample(s) during transit to the laboratory.

Consequently the reported data may not represent the concentration of the target analyte present in the sample at the time of sampling

¥ Results for guidance only due to possible interference

& Blank corrected result

I.S Insufficient sample to complete requested analysis

I.S(g) Insufficient sample to re-analyse, results for guidance only

Intf Unable to analyse due to interferences

N.D Not determined

N.Det Not detected

N.F No Flow

NS Information Not Supplied

Req Analysis requested, see attached sheets for results

▮ Raised detection limit due to nature of the sample

* All accreditation has been removed by the laboratory for this result

‡ MCERTS accreditation has been removed for this result

§ accreditation has been removed for this result as it is a non-accredited matrix

Note: The Laboratory may only claim that data is accredited when all of the requirements of our Quality System have been met. Where these requirements have not been met the laboratory may elect to include the data in its final report and remove the accreditation from individual data items if it believes that the validity of the data has not been affected. If further details are required of the circumstances which have led to the removal of accreditation then please do not hesitate to contact the laboratory.

Sample Descriptions

Client : Ramboll Environ
Site : Royal Mint SPMP 2016
Report Number : W22_4447

APPENDIX 3

SUMMARY OF RESULTS

Royal Mint SPMP 2016 (UK17-23405) - Summary of Groundwater Analysis Results (Updated August 2016)

		Analysis																		
Borehole Location	Date	TPH/EPH (mg/l)	Arsenic (mg/l)	Boron (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Chromium (Hexavalent) (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Nickel (mg/l)	Potassium (mg/l)	Selenium (mg/l)	Zinc (mg/l)	Total Cyanide (mg/l)	Total Alkalinity as CaCo3 (mg/l)	Chloride (mg/l)	pH	Sulphide (mg/l)	Sulphate as SO4 (mg/l)
ZONE 0																				
BH001	Mar-06	0.10	<0.005	<0.005	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.012	<1	<0.005	0.031	<0.03	50	21	6.50	<0.05	14
	May-06	0.03	<0.005	0.012	<0.001	<0.005	0.010	<0.005	<0.005	<0.00005	0.010	1.7	<0.005	0.018	<0.03	<20	14	5.50	<0.05	22
	Aug-07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Oct-07	<0.01	<0.005	<0.005	<0.001	<0.005	<0.010	0.008	<0.005	<0.00005	0.021	1.3	<0.005	0.045	<0.02	140	11	6.50	<0.05	18
	Aug-08	1.20	<0.005	0.040	<0.001	<0.005	<0.010	0.018	<0.005	<0.00005	0.035	3.2	<0.005	0.190	<0.02	65	<10	6.20	<0.05	<10
	Dec-08	0.09	<0.005	0.031	<0.001	<0.005	<0.010	0.018	<0.005	<0.00005	0.015	NA	<0.005	0.110	<0.02	88	<10	6.70	<0.05	10
	Sep-09	0.29	<0.005	<0.018	<0.001	<0.005	<0.010	0.015	<0.005	<0.00005	0.024	NA	<0.005	0.312	<0.02	90	9	7.04	<0.05	9
	Aug-10	0.07	0.001	0.020	<0.001	0.002	<0.010	0.041	<0.001	<0.00005	0.083	NA	<0.001	0.301	<0.02	75	6	6.80	<0.05	8
	Aug-11	0.03	0.004	0.030	<0.001	0.002	NA	0.001	<0.001	<0.0001	0.004	NA	<0.001	0.016	<0.02	98	NA	7.10	<0.05	10
	Aug-12	<0.01	0.003	0.010	<0.0001	<0.001	NA	0.042	<0.001	0.0001	0.059	NA	<0.001	0.165	<0.02	85	NA	7.10	<0.05	6
	Aug-13	0.17	<0.001	<0.01	0.0002	0.001	NA	0.054	<0.001	<0.0001	0.130	NA	<0.001	0.358	0.03	88	NA	7.00	<0.05	7
	Sep-14	0.10	<0.001	0.010	0.0002	<0.001	<0.01	0.055	<0.001	<0.0001	0.083	NA	<0.001	0.302	<0.02	72	NA	6.80	<0.05	6
	Sep-15	0.11	0.001	0.150	<0.0001	<0.001	NA	0.031	<0.001	<0.0001	0.045	NA	<0.001	0.094	<0.02	94	NA	7.30	<0.05	7
BH002	Aug-16	0.06	0.008	<0.01	<0.0001	0.002	NA	0.003	<0.001	<0.0001	0.010	NA	<0.001	0.061	<0.02	101	NA	6.70	<0.02	8
	Mar-06	0.32	<0.005	0.008	<0.001	0.005	<0.010	0.012	<0.005	<0.00005	0.005	2.2	0.013	<0.005	<0.03	250	11	7.80	<0.05	39
	May-06	0.09	<0.005	0.034	<0.001	<0.005	0.010	0.008	<0.005	<0.00005	0.021	2.1	<0.005	0.010	<0.03	320	17	8.20	<0.05	42
	Aug-07	0.38	<0.005	0.015	<0.001	<0.005	<0.010	<0.005	0.015	<0.00005	<0.005	1.3	<0.005	<0.005	<0.02	92	14	6.50	<0.05	25
	Aug-08	0.04	<0.005	0.030	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	1.6	<0.005	0.025	<0.02	63	14	6.10	<0.05	16
	Dec-08	0.02	<0.005	0.008	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	NA	<0.005	<0.005	<0.02	<20	12	5.50	<0.05	14
	Sep-09	<0.01	<0.005	<0.018	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.007	NA	<0.005	0.028	<0.02	18	12.3	6.15	<0.05	14.9
	Aug-10	<0.01	<0.001	0.030	<0.001	0.001	<0.010	<0.001	<0.001	<0.00005	0.006	NA	<0.001	0.017	NA	18	12	6.30	<0.05	13
	Aug-11	0.01	<0.001	0.070	<0.001	0.002	NA	0.003	<0.001	<0.0001	0.005	NA	<0.001	0.016	<0.02	19	NA	5.90	<0.05	13
	Aug-12	0.01	<0.001	0.020	<0.0001	0.002	NA	0.003	0.001	<0.0001	0.006	NA	<0.001	0.022	<0.02	36		7.70	<0.05	13
	Sep-13	0.01	<0.001	<0.01	0.0001	<0.001	NA	0.002	<0.001	<0.0001	0.006	NA	<0.001	0.024	<0.02	53	NA	7.10	<0.05	15
	Sep-14	0.01	<0.001	0.010	<0.0001	<0.001	<0.01	0.003	<0.001	<0.0001	0.007	NA	<0.001	0.018	<0.02	32	NA	6.30	<0.05	12
	Sep-15	0.01	<0.001	<0.01	0.0002	0.013	NA	<0.001	<0.001	<0.0001	0.058	NA	<0.001	0.009	<0.02	30	NA	6.30	<0.05	12
	Aug-16	0.08	<0.001	<0.01	<0.0001	<0.001	NA	<0.001	<0.001	<0.0001	0.004	NA	<0.001	0.011	<0.02	43	NA	6.00	<0.02	12.2
BH003	Mar-06	0.07	<0.005	0.019	<0.001	0.009	<0.010	0.053	<0.005	<0.00005	0.190	5.2	<0.005	0.053	<0.03	30	19	6.00	<0.05	55
	May-06	0.03	<0.005	0.026	<0.001	<0.005	0.010	0.014	<0.005	<0.00005	0.150	5.1	<0.005	0.044	<0.03	25	21	6.10	<0.05	57
	Aug-07	<0.01	<0.005	0.032	<0.001	<0.005	<0.010	0.008	<0.005	<0.00005	0.240	6.1	<0.005	0.051	<0.02	38	29	6.00	<0.05	140
	Aug-08	0.04	<0.005	0.029	<0.001	<0.005	<0.010	0.008	<0.005	<0.00005	0.230	6.1	<0.005	0.055	0.02	50	19	6.00	<0.05	81
	Dec-08	0.31	<0.005	0.019	<0.001	<0.005	<0.010	0.019	<0.005	<0.00005	0.110	NA	<0.005	0.060	<0.02	32	12	6.00	<0.05	49
	Sep-09	0.10	<0.005	<0.018	<0.001	<0.005	<0.010	0.063	<0.005	<0.00005	0.198	NA	<0.005	0.091	<0.02	32	21	6.47	<0.05	88.2
	Aug-10	0.01	<0.001	0.040	0.0008	0.002	<0.010	0.008	<0.001	<0.00005	0.477	NA	<0.001	0.081	<0.02	22	35	5.90	<0.05	219
	Aug-11	0.03	<0.001	0.020	0.0004	0.003	NA	0.009	<0.001	<0.0001	0.184	NA	<0.001	0.069	<0.02	37	NA	6.20	<0.05	171
	Aug-12	0.02	<0.001	0.040	0.0001	0.002	NA	0.006	<0.001	<0.0001	0.051	NA	<0.001	0.050	<0.02	99	NA	8.00	<0.05	35
	Aug-13	0.13	<0.001	<0.01	0.0004	0.002	NA	0.046	<0.001	<0.0001	0.113	NA	<0.001	0.161	<0.02	64	NA	6.50	<0.05	46
	Sep-14	0.02	<0.001	0.030	0.0001	0.002	<0.01	0.017	<0.001	<0.0001	0.040	NA	<0.001	0.048	<0.02	35	NA	6.80	<0.05	46
	Sep-15	0.03	<0.001	0.020	0.0002	0.001	NA	0.030	<0.001	<0.0001	0.073	NA	<0.001	0.084	<0.02	33	NA	6.20	<0.05	39
	Aug-16	0.03	<0.001	<0.01	0.0004	0.002	NA	0.009	<0.001	<0.0001	0.141	NA	<0.001	0.109	<0.02	88	NA	5.80	<0.02	37.6
BHNP1S	Feb-07	NA	<0.005	0.046	<0.001	<0.005	<0.005	<0.005	0.008	<0.00005	0.052	NA	<0.005	<0.005	NA	NA	NA	6.40	NA	180
	Aug-07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Aug-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
BHNP1D	Feb-07	NA	<0.005	0.036	<0.001	<0.005	<0.005	<0.005	<0.005	<0.00005	0.035	NA	<0.005	0.013	NA	NA	NA	6.20	NA	110
	Aug-07	0.09	<0.005	0.020	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	2.1	<0.005	<0.005	<0.02	76	15	6.70	<0.05	43
	Aug-08	0.05	<0.005	0.021	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.009	2.3	<0.005	0.007	<0.02	84	12	6.70	<0.05	28
	Dec-08	0.04	<0.005	0.020	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	NA	NA	0.005	<0.02	82	10	7.20	<0.05	22
	Sep-09	0.05	<0.005	0.046	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.006	NA	<0.005	0.016	<0.02	85	9.9	6.98	<0.05	18.3
	Aug-10	<0.01	<0.001	0.060	<0.001	0.002	<0.010	<0.001	<0.001	<0.00005	0.005	NA	<0.001	<0.001	<0.02	95	24	6.70	<0.05	29
	Aug-11	0.01	<0.001	0.100	<0.001	0.002	NA	0.002	<0.001	<0.0001	0.004	NA	<0.001	0.009	<0.02	102	NA	7.10	<0.05	45
	Aug-12	0.06	<0.001	0.050	<0.0001	<0.001	NA	0.002	<0.001	<0.0001	0.002	NA	<0.001	0.004	<0.02	102	NA	7.70	<0.05	22
Screening Value		0.01(2)	0.05(1)	2 (1)	0.00008(1)	0.0047(1)	0.0034 (1)	0.001-0.028* (1)	0.0072 (1)	0.00005(1)	0.02 (1)	NG	0.01(2)	0.008 - 0.125* (1)	0.05(2)	NG	250(3)	6-9 (1)	NG	400(2)

		Analysis																		
Borehole Location	Date	TPH/EPH (mg/l)	Arsenic (mg/l)	Boron (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Chromium (Hexavalent) (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Nickel (mg/l)	Potassium (mg/l)	Selenium (mg/l)	Zinc (mg/l)	Total Cyanide (mg/l)	Total Alkalinity as CaCo3 (mg/l)	Chloride (mg/l)	pH	Sulphide (mg/l)	Sulphate as SO4 (mg/l)
BHNP2S	Feb-07	NA	<0.005	0.082	<0.001	<0.005	<0.005	<0.005	<0.005	<0.00005	0.009	NA	<0.005	<0.005	NA	NA	NA	6.40	NA	47
	Aug-07	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Aug-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
BHNP2D	Feb-07	NA	<0.005	0.072	<0.001	<0.005	<0.005	<0.005	<0.005	<0.00005	0.009	NA	<0.005	0.006	NA	NA	NA	6.30	NA	39
	Aug-07	2.20	<0.005	0.066	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.010	2.6	<0.005	0.007	<0.02	68	19	6.50	<0.05	46
	Aug-08	0.43	<0.005	0.036	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	2.6	<0.005	0.008	<0.02	66	12	6.30	<0.05	21
	Dec-08	0.09	<0.005	0.049	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	NA	NA	0.007	<0.02	71	<10	6.60	<0.05	19
	Sep-09	<0.01	<0.005	<0.018	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	<0.005	NA	<0.005	0.008	<0.02	70	13.3	6.92	<0.05	17.7
	Aug-10	0.01	<0.001	0.11	<0.001	0.002	<0.010	<0.001	<0.001	<0.00005	0.092	NA	<0.001	0.012	<0.02	66	15	6.7	<0.05	28
	Aug-11	0.02	<0.001	0.09	0.0002	0.002	NA	0.003	<0.001	<0.0001	0.028	NA	<0.001	0.033	<0.02	77	NA	6.8	<0.05	37
	Oct-11	NA	<0.001	NA	0.0002	0.002	NA	0.001	<0.001	0.0001	0.019	NA	<0.001	0.009	NA	67	NA	6.9	NA	NA
	Aug-12	<0.01	<0.001	0.08	<0.0001	<0.001	NA	<0.001	<0.001	<0.0001	0.02	NA	<0.001	0.005	<0.02	73	NA	7.4	<0.05	14
	Aug-13	0.02	<0.001	<0.01	<0.0001	0.001	NA	<0.001	<0.001	<0.0001	0.008	NA	<0.001	0.003	0.02	82	NA	7.4	<0.05	13
	Sep-14	0.06	<0.001	<0.01	0.0002	0.001	<0.01	0.002	<0.001	<0.0001	0.002	NA	<0.001	0.019	<0.02	68	NA	7.4	<0.05	15
	Sep-15	0.04	<0.001	<0.01	0.0003	0.006	NA	0.001	<0.001	0.0002	0.027	NA	0.001	0.006	<0.02	75	NA	7.3	<0.05	11
	Aug-16	0.03	<0.001	0.05	<0.0001	<0.001	NA	<0.001	<0.001	<0.0001	0.002	NA	<0.001	0.004	<0.02	80	NA	6.6	<0.02	13
BHE5	Aug-13	0.32	<0.001	<0.01	<0.0001	0.001	NA	0.001	<0.001	<0.0001	0.001	NA	<0.001	<0.002	<0.02	110	NA	7.5	<0.05	14
	Sep-14	0.32	<0.001	<0.01	0.0001	<0.001	<0.01	<0.001	<0.001	<0.0001	<0.001	NA	<0.001	0.003	<0.02	78	NA	7.4	<0.05	14
	Sep-15	0.16	<0.001	<0.01	0.0002	0.018	NA	0.001	<0.001	<0.0001	0.075	NA	<0.001	0.003	<0.02	88	NA	7.4	<0.05	10
	Aug-16	0.07	<0.001	<0.01	<0.0001	<0.001	NA	<0.001	<0.001	<0.0001	<0.001	NA	<0.001	0.002	<0.02	86	NA	7	<0.02	12
BHE6	Aug-13	0.02	<0.001	<0.01	0.0001	<0.001	NA	0.001	<0.001	<0.0001	0.004	NA	<0.001	0.006	<0.02	105	NA	7.1	<0.05	14
	Sep-14	0.13	<0.001	<0.01	<0.0001	<0.001	<0.01	<0.001	<0.001	<0.0001	0.002	NA	<0.001	0.005	<0.02	72	NA	7.3	0.08	15
	Sep-15	0.22	<0.001	<0.01	0.0003	0.012	NA	<0.001	<0.001	0.0001	0.052	NA	<0.001	0.006	<0.02	94	NA	7.1	<0.05	10
	Aug-16	0.05	<0.001	<0.01	<0.0001	<0.001	NA	<0.001	<0.001	<0.0001	0.001	NA	<0.001	0.007	<0.02	78	NA	6.7	<0.02	9.7
CBH6	Aug-13	0.07	<0.001	<0.01	<0.0001	0.001	NA	0.002	<0.001	<0.0001	0.005	NA	<0.001	0.009	<0.02	82	NA	7.5	<0.05	13
	Sep-14	0.05	<0.001	<0.01	<0.0001	<0.001	<0.01	0.002	<0.001	<0.0001	0.005	NA	<0.001	0.018	<0.02	80	NA	7.4	<0.05	11
	Sep-15	0.06	<0.001	<0.01	0.0002	0.011	NA	0.004	<0.001	0.0001	0.045	NA	<0.001	0.005	<0.02	66	NA	7.4	0.15	8
	Aug-16	0.24	<0.001	<0.01	<0.0001	<0.001	NA	0.005	<0.001	<0.0001	0.003	NA	<0.001	0.014	<0.02	77	NA	7.1	<0.02	10.5
ZONE 1																				
BH101	Mar-06	0.03	<0.005	<0.005	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.040	1.3	<0.005	0.020	<0.03	20	13	5.60	<0.05	15
	May-06	0.04	<0.005	0.006	<0.001	<0.005	0.010	0.018	<0.005	<0.00005	0.020	1.3	<0.005	0.970	<0.03	80	<10	6.60	<0.05	<10
	Aug-07	<0.01	<0.005	0.018	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.012	1.4	<0.005	0.026	<0.02	24	16	5.50	<0.05	22
	Aug-08	0.01	<0.005	0.011	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.013	1.5	<0.005	0.039	<0.02	22	17	5.20	<0.05	21
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Sep-09	<0.01	<0.005	<0.018	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.028	NA	<0.005	0.140	<0.02	26	12.6	6.15	<0.05	18.4
	Aug-10	<0.01	<0.001	0.02	<0.001	0.003	<0.010	0.006	<0.001	<0.00005	0.017	NA	<0.001	0.112	<0.02	24	12	5.9	<0.05	17
	Aug-11	<0.01	<0.001	0.05	0.0002	0.003	NA	0.002	<0.001	<0.0001	0.006	NA	<0.001	0.015	<0.02	35	NA	7.6	<0.05	18
	Oct-11	NA	<0.001	NA	0.0001	0.003	NA	0.001	<0.001	<0.0001	0.006	NA	<0.001	0.013	NA	33	NA	6.30	NA	NA
	Aug-12	<0.01	<0.001	0.02	0.0002	0.002	NA	0.002	<0.001	<0.0001	0.004	NA	<0.001	0.012	<0.02	44	NA	6.5	<0.05	17
ZONE 2																				
BH201	Mar-06	0.03	<0.005	<0.005	<0.001	0.008	<0.010	<0.005	<0.005	<0.00005	0.061	5.9	<0.005	0.010	<0.03	75	15	6.50	<0.05	41
	May-06	0.01	<0.005	0.011	<0.001	<0.005	0.010	<0.005	<0.005	<0.00005	0.016	4.1	<0.005	0.039	<0.03	70	14	6.50	<0.05	24
	Aug-07	<0.01	0.056	0.016	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.016	6.3	<0.005	0.073	<0.02	59	21	6.40	<0.05	38
	Oct-07	NA	<0.005	0.006	<0.001	<0.005	NA	<0.005	<0.005	<0.00005	0.011	NA	NA	0.012	NA	NA	NA	6.20	NA	20
	Aug-08	0.03	<0.005	0.014	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.014	4.2	<0.005	0.110	<0.02	85	15	6.40	<0.05	15
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Sep-09	<0.01	<0.005	<0.018	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.009	NA	<0.005	0.044	<0.02	110	12	6.75	<0.05	13.3
	Aug-10	0.01	<0.001	0.03	0.0006	<0.005	<0.010	<0.005	<0.001	<0.00005	0.226	NA	<0.001	0.101	<0.02	50	33	6.4	<0.05	238
	Aug-11	<0.01	<0.001	0.03	<0.0001	0.002	NA	<0.001	<0.001	<0.0001	0.003	NA	<0.001	0.005	<0.02	62	NA	6.8	<0.05	10
	Aug-12	0.01	0.017	0.03	<0.0001	<0.001	NA	0.002	<0.001	<0.0001	0.001	NA	<0.001	0.004	<0.02	46	NA	8	<0.05	17
	Aug-13	0.01	<0.001	<0.01	<0.0001	0.001	NA	<0.001	<0.001	<0.0001	0.002	NA	<0.001	0.003	<0.02	110	NA	7	<0.05	6
	Sep-14	<0.01	<0.001	0.02	<0.0001	<0.001	<0.01	0.002	<0.001	<0.0001	0.006	NA	<0.001	0.022	<0.02	68	NA	6.8	<0.05	8
	Sep-15	0.07	<0.001	<0.01	<0.0001	<0.001	NA	0.006	<0.001	<0.0001	0.003	NA	<0.001	0.019	<0.02	51	NA	7	<0.05	10
	Aug-16	0.06	0.001	<0.01	<0.0001	<0.001	NA	0.001	<0.001	<0.0001	0.002	NA	<0.001	0.008	<0.02	65	NA	6.4	<0.02	7.7
Screening Value		0.01(2)	0.05(1)	2 (1)	0.00008(1)	0.0047(1)	0.0034 (1)	0.001-0.028* (1)	0.0072 (1)	0.00005(1)	0.02 (1)	NG	0.01(2)	0.008 - 0.125* (1)	0.05(2)	NG	250(3)	6-9 (1)	NG	400(2)

		Analysis																		
Borehole Location	Date	TPH/EPH (mg/l)	Arsenic (mg/l)	Boron (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Chromium (Hexavalent) (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Nickel (mg/l)	Potassium (mg/l)	Selenium (mg/l)	Zinc (mg/l)	Total Cyanide (mg/l)	Total Alkalinity as CaCo3 (mg/l)	Chloride (mg/l)	pH	Sulphide (mg/l)	Sulphate as SO4 (mg/l)
ZONE 7																				
BH701	Mar-06	0.02	<0.005	<0.005	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.014	1.5	<0.005	0.005	<0.03	50	26	6.20	<0.05	1300
	May-06	0.03	<0.005	0.013	<0.001	<0.005	0.010	<0.005	<0.005	<0.00005	0.007	2.0	<0.005	0.010	<0.03	65	12	6.30	<0.05	11
	Aug-07	0.11	<0.005	0.009	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.010	1.6	<0.005	0.300	<0.02	65	13	6.80	<0.05	16
	Oct-07	NA	<0.005	<0.005	<0.001	<0.005	NA	<0.005	<0.005	<0.00005	<0.005	NA	NA	0.015	NA	NA	NA	6.00	NA	14
	Aug-08	0.04	<0.005	0.012	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.045	3.1	<0.005	1.200	<0.02	70	15	6.10	<0.05	17
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Sep-09	<0.01	<0.005	<0.018	<0.001	<0.005	<0.010	0.009	<0.005	<0.00005	0.006	NA	<0.005	0.040	<0.02	65	11	6.64	<0.05	10.5
	Aug-10	<0.01	<0.001	0.030	0.0005	0.001	<0.01	0.004	<0.001	<0.00005	0.004	NA	<0.001	0.005	<0.02	61	12	6.30	<0.05	22
	Aug-11	0.01	<0.001	0.020	<0.0001	0.002	NA	0.003	<0.001	<0.0001	0.002	NA	<0.001	0.014	<0.02	69	NA	6.40	<0.05	13
	Oct-11	NA	<0.001	NA	<0.0001	0.002	NA	0.001	<0.001	<0.0001	0.004	NA	<0.001	0.010	NA	64	NA	6.50	NA	NA
	Aug-12	<0.01	<0.001	0.020	<0.0001	<0.001	NA	<0.001	<0.001	<0.0001	0.002	NA	<0.001	0.003	<0.02	68	NA	6.9	<0.05	11
WS701	Mar-06	0.16	<0.005	<0.005	<0.001	0.008	<0.010	30.000	<0.005	0.00054	0.090	45.0	<0.005	0.007	20.00	150	19	7.10	<0.05	110
	May-06	0.11	<0.005	0.012	<0.001	<0.005	0.010	0.013	<0.005	<0.00005	<0.005	26.0	<0.005	<0.005	<0.03	75	13	6.70	<0.05	17
	Aug-07	0.11	<0.005	0.012	<0.001	<0.005	<0.010	0.008	<0.005	<0.00005	<0.005	24.0	<0.005	<0.005	<0.02	75	15	6.90	<0.05	22
	Aug-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Aug-11	0.02	<0.001	0.030	0.001	0.002	NA	0.150	<0.001	<0.0001	0.046	NA	<0.001	0.116	<0.02	18	NA	5.90	<0.05	157
	Oct-11	NA	<0.001	NA	0.0005	0.002	NA	0.069	<0.001	<0.0001	0.021	NA	<0.001	0.043	NA	45	NA	6.20	NA	NA
	Aug-12	0.02	<0.001	0.040	0.0001	<0.001	NA	0.035	<0.001	<0.0001	0.006	NA	<0.001	0.017	<0.02	38	NA	7.50	<0.05	96
ZONE 8																				
BH801	Mar-06	0.47	<0.005	<0.005	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.230	4.5	<0.005	0.042	<0.03	120	22	6.50	<0.05	21
	May-06	0.04	<0.005	0.050	<0.001	<0.005	0.010	0.017	<0.005	<0.00005	0.077	5.8	<0.005	0.180	<0.03	85	33	6.70	<0.05	17
	Dec-06	<0.01	<0.005	0.006	<0.001	<0.005	<0.010	0.140	<0.005	<0.00005	0.014	3.5	<0.005	0.130	0.05	76	<10	6.60	<0.05	<10
	Aug-07	0.07	<0.005	0.006	<0.001	<0.005	<0.010	<0.005	<0.005	<0.00005	0.017	2.5	<0.005	0.047	<0.02	59	15	6.80	<0.05	<10
	Aug-08	0.09	<0.005	0.021	<0.001	<0.005	<0.010	1.800	<0.005	<0.00005	0.370	9.6	<0.005	0.660	1.9	120	24	6.90	<0.05	15
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Sep-09	24.70	<0.005	<0.018	<0.001	0.005	<0.010	15.900	<0.005	<0.00005	0.010	NA	<0.005	0.467	6.49	235	36	7.63	<0.05	33.7
	Oct-09	0.28	<0.001	0.030	<0.001	0.002	NA	0.362	<0.001	0.0002	0.060	NA	<0.001	0.464	0.75	88	NA	6.30	NA	<3
	Aug-10	0.03	<0.001	0.030	<0.001	0.001	<0.010	0.369	<0.001	<0.00005	0.048	NA	<0.001	0.819	0.16	68	12	6.50	<0.05	6
	Aug-11	0.12	<0.001	0.020	0.0002	0.002	NA	0.482	<0.001	<0.0001	0.058	NA	<0.001	1.312	0.58	80	NA	6.70	<0.05	6
	Aug-12	0.01	<0.001	0.010	<0.0001	<0.001	NA	0.066	<0.001	<0.0001	0.017	NA	<0.001	0.347	0.85	72	NA	7.00	<0.05	4
	Aug-13	1.87	<0.001	<0.01	0.0002	0.002	NA	0.767	<0.001	<0.0001	0.043	NA	<0.001	3.119	0.5	100	NA	6.90	<0.05	5
	Sep-14	0.10	<0.001	0.040	0.0002	<0.001	0.030	0.302	<0.001	<0.0001	0.057	NA	<0.001	1.370	0.4	79	NA	7.20	<0.05	4
	Sep-15	0.11	<0.001	<0.01	0.0002	0.014	NA	0.086	<0.001	<0.0001	0.078	NA	<0.001	0.659	<0.02	67	NA	6.80	<0.05	<3
	Aug-16	1.64	<0.001	<0.01	0.0002	<0.001	NA	0.163	<0.001	<0.0001	0.025	NA	<0.001	1.137	0.19	46	NA	6.80	<0.02	3.4
BH802	Mar-06	0.12	<0.005	3.400	0.006	<0.005	<0.010	0.014	<0.005	<0.00005	39.000	8.3	<0.005	0.280	<0.03	25	250	5.60	<0.05	420
	May-06	0.03	<0.005	4.600	0.006	<0.005	0.010	0.018	<0.005	<0.00005	110.000	11.0	<0.005	0.450	<0.03	30	110	5.50	<0.05	1100
	Dec-06	0.05	<.0005	5.600	0.008	<0.005	<0.010	0.710	<0.005	<0.00005	180.000	23.0	<0.005	1.800	<0.02	<20	77	3.60	<0.05	1700
	Dec-06 (2)	<0.01	<0.005	5.100	0.008	<0.005	<0.010	0.770	0.013	<0.00005	190.000	NA	<0.005	3.600	<0.02	<20	120	3.40	<0.05	2200
	Aug-07	0.05	<0.005	1.200	0.005	<0.005	<0.010	0.710	0.008	<0.00005	12.000	28.0	<0.005	1.600	<0.02	<20	130	3.40	<0.05	1200
	Oct-07	NA	<0.005	0.430	0.005	<0.005	NA	0.470	0.007	<0.00005	6.800	NA	<0.005	1.300	NA	NA	NA	3.90	NA	700
	Feb-08	NA	<0.005	1.300	0.006	<0.005	NA	0.380	0.005	<0.00005	18.000	NA	<0.005	1.300	NA	<20	NA	4.00	NA	700
	Aug-08	0.20	<0.005	0.720	0.003	<0.005	<0.010	0.260	<0.005	<0.00005	7.200	19.0	<0.005	0.810	<0.02	<20	41	3.80	<0.05	380
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Sep-09	0.77	MI	MI	MI	MI	<0.010	MI	MI	0.0012	MI	MI	MI	MI	<0.02	1730	38	11.70	<0.05	608
BH26	Oct-09	0.06	0.013	5.770	0.0002	0.004	NA	0.005	<0.001	0.0002	1.273	NA	0.002	0.004	<0.02	395	NA	7.90	NA	2310
	Aug-10	0.3	0.006	4.71	0.0009	0.003	NA	<0.001	<0.001	<0.0001	53.59	NA	0.002	0.014	NA	NA	NA	6.2	NA	698
	Aug-11	0.15	0.081	3.38	<0.001	0.013	NA	0.051	<0.01	<0.001	1.923	NA	<0.01	0.022	<0.02	49	NA	9.5	<0.05	722
	Nov-11	NA	0.053	NA	<0.0001	0.008	NA	0.002	<0.001	<0.0001	1.503	NA	0.007	<0.002	NA	485	NA	7.9	NA	NA
	Aug-12	1.16	0.076	3	0.0007	0.001	NA	0.021	0.001	<0.0001	4.622	NA	0.008	0.019	<0.02	768	NA	9.5	<0.05	444
	Aug-13	0.02	0.084	3.54	0.0008	0.002	NA	0.036	0.005	<0.0001	2.348	NA	0.004	0.031	<0.02	1490	NA	9.6	<0.05	450
	Sep-14	0.06	0.016	1.88	0.0001	0.002	<0.01	0.002	<0.001	<0.0001	4.207	NA	0.002	0.005	<0.02	590	NA	7.5	<0.05	183
	Sep-15	0.28	0.019	1.95	0.0002	0.02	NA	0.001	<0.001	<0.0001	5.741	NA	0.001	0.003	<0.02	291	NA	7.4	<0.05	335
	Aug-16	0.29	0.01	1.3	0.0003	<0.001	NA	<0.001	<0.001	<0.0001	7.878	NA	<0.001	0.009	<0.02	102	NA	6.9	<0.02	223
Screening Value		0.01(2)	0.05(1)	2 (1)	0.00008(1)	0.0047(1)	0.0034 (1)	0.001-0.028* (1)	0.0072 (1)	0.00005(1)	0.02 (1)	NG	0.01(2)	0.008 - 0.125* (1)	0.001(1)	NG	250(3)	6-9 (1)	NG	400(2)

		Analysis																		
Borehole Location	Date	TPH/EPH (mg/l)	Arsenic (mg/l)	Boron (mg/l)	Cadmium (mg/l)	Chromium (mg/l)	Chromium (Hexavalent) (mg/l)	Copper (mg/l)	Lead (mg/l)	Mercury (mg/l)	Nickel (mg/l)	Potassium (mg/l)	Selenium (mg/l)	Zinc (mg/l)	Total Cyanide (mg/l)	Total Alkalinity as CaCo3 (mg/l)	Chloride (mg/l)	pH	Sulphide (mg/l)	Sulphate as SO4 (mg/l)
ZONE 9																				
BH 901	Mar-06	<0.01	<0.005	<0.005	<0.001	0.008	<0.010	0.074	<0.005	<0.00005	0.076	4.4	<0.005	0.031	<0.03	<20	460	5.80	<0.05	110
	May-06	0.12	<0.005	0.032	0.002	<0.005	0.010	2.200	<0.005	<0.00005	2.700	16.0	<0.005	0.890	0.03	<20	13	4.30	<0.05	18
	Dec-06	0.36	<0.005	0.140	0.005	0.006	<0.010	2.300	<0.005	<0.00005	3.800	25.0	<0.005	1.600	<0.02	<20	63	3.50	<0.05	950
	Aug-07	0.05	<0.005	0.031	<0.001	<0.005	<0.010	0.013	<0.005	<0.00005	0.090	6.1	<0.005	0.018	<0.02	62	33	6.70	<0.05	210
	Aug-08	0.06	<0.005	0.060	0.003	<0.005	<0.010	0.960	<0.005	<0.00005	2.100	17.0	<0.005	2.500	<0.02	<20	25	3.30	<0.05	490
	Dec-08	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Sep-09	0.06	<0.005	<0.018	<0.001	<0.005	<0.010	0.401	<0.005	<0.00005	0.342	NA	<0.005	0.522	<0.02	6.5	22	5.36	<0.05	128
	Aug-10	<0.01	<0.001	0.030	<0.001	0.001	<0.010	0.019	<0.001	<0.00005	0.035	NA	<0.005	0.142	<0.02	41	21	6.40	<0.05	47
	Aug-11	<0.01	<0.001	0.030	0.0003	<0.001	NA	0.067	<0.001	<0.0001	0.185	NA	<0.001	0.749	<0.02	11	NA	6.70	<0.05	73
	Aug-12	0.02	<0.001	0.030	0.0006	<0.001	NA	0.330	0.001	<0.0001	0.171	NA	<0.001	0.838	<0.02	3	NA	7.10	<0.05	70
	Aug-13	0.47	<0.001	0.030	0.0014	<0.001	NA	0.642	0.001	<0.0001	0.390	NA	<0.001	1.427	<0.02	0	NA	5.20	<0.05	143
	Sep-14	0.04	<0.001	0.020	0.0037	0.001	<0.01	1.102	0.002	<0.0001	0.886	NA	<0.001	2.609	<0.02	<2	NA	3.20	<0.05	180
	Sep-15	0.26	<0.001	0.160	0.001	<0.001	NA	0.970	<0.001	<0.0001	0.656	NA	<0.001	1.438	<0.02	<2	NA	4.00	<0.05	138
	Aug-16	0.03	<0.001	0.040	0.0006	<0.001	NA	0.313	<0.001	<0.0001	0.249	NA	<0.001	0.600	<0.02	89	NA	5.90	<0.02	104
Screening Value		0.01(2)	0.05(1)	2 (1)	0.00008(1)	0.0047(1)	0.0034 (1)	0.028* (1)	0.0072 (1)	0.00005(1)	0.02 (1)	NG	0.01(2)	0.125* (1)	0.001(1)	NG	250(3)	6-9 (1)	NG	400(2)

The red cells indicate elevated concentrations compared with the screening values

NA= Not Analysed

NS= Not Sampled

NG= No Guidance

MI = Matrix Interference

(1)= European Environmental Quality Standard (EQS): The River Basin Districts Typology, Standards and Groundwater threshold Values (Water Framework

Directive (England and Wales) Directions 2010

(2)= Water Supply (Water Quality) (England and Wales) Regulations 2000 (SI 2000/3184) (as amended); Water Supply (Water Quality) (Wales) Regulations 2001 (SI 3911 W.323) (as amended)

* = Range determined by alkalinity

(3) = Environment Agency Non-Statutory Operational EQS

Royal Mint SPMP 2016 (UK17-23405) - Summary of Groundwater Analysis Results (August 2016)

		Analysis (VOCs, µg/l)					
Borehole Location	Date	1,1,1-Trichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	Cis 1,2-Dichloroethene	Trichloroethene	Tetrachloroethene
ZONE 0							
BH001	Mar-06	<1	<1	<1	<1	<1	<1
	May-06	<1	<1	<1	<1	<1	<1
	Aug-07	NS	NS	NS	NS	NS	NS
	Aug-08	<1	<1	<1	<1	<1	<1
	Dec-08	<1	<1	<1	<1	5	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	<1	<1	<1	<1	<5	<5
	Aug-11	<1	<1	<1	<1	<5	<5
	Aug-12	<1	<1	<1	<1	<5	<5
	Aug-13	<1	<1	<1	<1	<5	<5
	Sep-14	<1	<1	<1	<1	<5	<5
	Sep-15	<1	<1	<1	<1	<5	<5
BH002	Mar-06	<1	<1	<1	<1	<1	<1
	May-06	<1	<1	<1	<1	<1	<1
	Aug-07	<1	<1	<1	<1	<1	<1
	Aug-08	<1	<1	<1	<1	<1	<1
	Dec-08	<1	<1	<1	<1	2	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	<1	<1	<1	<1	<5	<5
	Aug-11	<1	<1	<1	<1	<5	<5
	Aug-12	<1	<1	<1	<1	<5	<5
	Sep-13	<1	<1	<1	<1	<5	<5
	Sep-14	<1	<1	<1	<1	<5	<5
	Sep-15	<1	<1	<1	<1	<5	<5
BH003	Mar-06	<1	<1	<1	<1	5	<1
	May-06	6	<1	<1	<1	2	<1
	Aug-07	8	<1	<1	<1	3	<1
	Aug-08	5	<1	<1	<1	2	<1
	Dec-08	7	<1	<1	<1	4	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	5	<1	<1	<1	<5	<5
	Aug-11	6	<1	<1	<1	<5	<5
	Aug-12	9	<1	<1	<1	<5	<5
	Aug-13	7	<1	<1	<1	<5	<5
	Sep-14	7	<1	<1	<1	<5	<5
	Sep-15	7	<1	<1	<1	<5	<5
BHNP1D	Aug-07	2	<1	1	<1	<1	<1
	Aug-08	<1	1	<1	<1	<1	<1
	Dec-08	4	<1	2	<1	2	<1
	Sep-09	103.0	2.1	10.6	14.7	30.4	3.1
	Aug-10	14	<1	7	2	7	<5
	Aug-11	4	<1	3	2	<5	<5
BHNP2D	Aug-12	3	<1	1	1	<5	<5
	Aug-07	57	<1	7	3	9	3
	Aug-08	29.0	<1	4.0	5.0	10.0	1.0
	Dec-08	86.0	2.0	8.0	5.0	21.0	4.0
	Sep-09	4.69	<1.2	3.93	<2.3	<2.5	<1.5
	Aug-10	106	2	10	5	39	33
	Aug-11	56	2	10	9	20	12
	Aug-12	76	3	13	22	23	<5
	Aug-13	10	<1	3	2	<5	<5
	Sep-14	7	<1	4	4	5	<5
BHE5	Sep-15	9	<1	6	3	5	<5
	Aug-16	169	15	53	7	26	<5
	Aug-13	<1	<1	<1	<1	<5	<5
	Sep-14	<1	<1	<1	<1	<5	<5
BHE6	Sep-15	<1	<1	<1	<1	<5	<5
	Aug-16	<1	<1	<1	<1	<5	<5
	Aug-13	<1	<1	<1	<1	<5	<5
	Sep-14	<1	<1	<1	<1	<5	<5
CBH6	Sep-15	<1	<1	<1	<1	<5	<5
	Aug-16	72	3	5	11	28	21
	Aug-13	27	<1	2	9	16	7
	Sep-14	7	<1	<1	5	6	<5
ZONE 1							
BH101	Mar-06	<1	<1	<1	<1	<1	<1
	May-06	<1	<1	<1	<1	<1	<1
	Aug-07	<1	<1	<1	<1	<1	<1
	Aug-08	<1	<1	<1	<1	<1	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	<1	<1	<1	<1	<5	<5
	Aug-11	<1	<1	<1	<1	<5	<5
Screening Value		100 (1**)	NG	NG	NG	10 (1)	10 (1)

		Analysis (VOCs, µg/l)					
Borehole Location	Date	1,1,1-Trichloroethane	1,1-Dichloroethene	1,1-Dichloroethane	Cis 1,2-Dichloroethene	Trichloroethene	Tetrachloroethene
ZONE 2							
BH201	Mar-06	<1	<1	<1	<1	4	<1
	May-06	3.00	<1	<1	<1	1	<1
	Aug-07	5.00	<1	<1	<1	1	<1
	Aug-08	<1	<1	<1	<1	<1	<1
	Sep-09	2.20	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	2	<1	<1	<1	<5	<5
	Aug-11	6	<1	<1	<1	<5	<5
	Aug-12	3	<1	<1	<1	<5	<5
	Aug-13	<1	<1	<1	<1	<5	<5
	Sep-14	9	<1	<1	<1	<5	<5
	Sep-15	9	<1	<1	<1	<5	<5
Aug-16	5	<1	<1	<1	<5	<5	
ZONE 7							
BH701	Mar-06	<1	<1	<1	<1	<1	<1
	May-06	<1	<1	<1	<1	<1	<1
	Aug-07	<1	<1	<1	<1	<1	<1
	Aug-08	<1	<1	<1	<1	<1	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	<1	<1	<1	<1	<5	<5
	Aug-11	<1	<1	<1	<1	<5	<5
	Aug-12	<1	<1	<1	<1	<5	<5
ZONE 8							
BH801	Mar-06	<1	<1	<1	<1	<1	<1
	May-06	<1	<1	<1	<1	<1	<1
	Aug-07	<1	<1	<1	<1	<1	<1
	Aug-08	<1	<1	<1	<1	<1	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	<1	<1	<1	<1	<5	<5
	Aug-11	<1	<1	<1	<1	<5	<5
	Aug-12	<1	<1	<1	<1	<5	<5
	Aug-13	<1	<1	<1	<1	<5	<5
	Sep-14	<1	<1	<1	<1	<5	<5
	Sep-15	<1	<1	<1	<1	<5	<5
Aug-16	<1	<1	<1	<1	<5	<5	
ZONE 9							
BH901	Mar-06	<1	<1	<1	<1	<1	<1
	May-06	<1	<1	<1	<1	<1	<1
	Aug-07	<1	<1	<1	<1	<1	<1
	Aug-08	<1	<1	<1	<1	<1	<1
	Sep-09	<1.3	<1.2	<1.2	<2.3	<2.5	<1.5
	Aug-10	<1	<1	<1	<1	<5	<5
	Aug-11	<1	<1	<1	<1	<5	<5
	Aug-12	<1	<1	<1	<1	<5	<5
	Aug-13	<1	2	<1	<1	<5	<5
	Sep-14	1	<1	1	<1	<5	<5
	Sep-15	<1	<1	<1	<1	<5	<5
BH901R	Aug-16	<1	<1	<1	<1	<5	<5
Screening Value		100 (1**)	NG	NG	NG	10 (1)	10 (1)

The yellow cells indicate elevated concentrations compared with the screening values.

The green cells indicate VOCs detected above the laboratory limit of detection, however not exceeding the screening value.

NA= Not Analysed

NS= Not Sampled

NG= No UK or European Guidance

(1) - Priority Substances (Directive 2008/105/EC) daughter directive of the Water Framework Directive (WFD) (2000/60/EC). Although EU member states have until 13th July 2010 to implement the daughter directive, European WFD EQSs ahead of the formal deadline in England, Scotland and Wales. Revised European EQS used where available.

** denotes where there is no european EQS, and former EC Dangerous Substances Directive (76/464/EEC) has been applied.