

Pat Mcgrath
Cardiff City Council
Waste Management
Lamby Way
Rumney
Cardiff
CF3 2HP

Decus Research Limited
ExCAL House
Capel Hendre Industrial Estate
Ammanford
Carmarthenshire
SA18 3SJ

Tel: 01269 844558
Fax: 01269 841867
Email: info@decusuk.co.uk


Certificate of Analysis Number: 2498

Project/Site name:	Lamby Way	Samples Taken:	30-07-2018
Job Number:	-	Samples Received:	30-07-2018
Order Number:	-	Date Instructed:	30-07-2018
Quotation Number:	DS 170612	Analysis Complete:	20-08-2018
Sample Matrix:	Groundwater, Surface Water, Leachate Water	Report Issued:	22-08-2018
		Sampled By:	Client

Disposal Times:

All water samples will be retained for a period of two weeks and all soil samples retained for a period of one month following the date of the issued certificate.

Approved by: Adam Whitehouse

Signature: 

Title: Quality Manager



4303

Client: Cardiff City Council
FAO: Pat Mcgrath

CERTIFICATE OF ANALYSIS 2498

Results of analysis of 30 samples received
on the 30/07/18

Report Date
22nd August 2018

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718002	300718003	300718004	300718005
Client Sample Reference:				C18	C19	C20	C21
Sample Date:				30/07/18	30/07/18	30/07/18	30/07/18
Sample Matrix:				Groundwater	Groundwater	Groundwater	Groundwater
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	0.13	0.26	0.65	0.52
INORG-L13	Chloride	mg.l ⁻¹	A	23.7	10.8	3.0	4.9
INORG-L01	pH	pH units	A	7.2	7.3	6.9	7.0

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718006	-	300718008	300718009
Client Sample Reference:				C22	-	SW2	SW3
Sample Date:				30/07/18	-	30/07/18	30/07/18
Sample Matrix:				Groundwater	-	Surface Water	Surface Water
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	5.7	-	0.26	0.26
INORG-L13	Chloride	mg.l ⁻¹	A	4.5	-	65.0	21.3
INORG-L01	pH	pH units	A	7.1	-	7.7	7.4
INORG-L06.1	BOD	mg.l ⁻¹ as O ₂	A	-	-	8.5	11.0

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718010	300718011	-	300718013
Client Sample Reference:				SW4	SW5	-	C2
Sample Date:				30/07/18	30/07/18	-	30/07/18
Sample Matrix:				Surface Water	Surface Water	-	Groundwater
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	1.2	0.08	-	0.13
INORG-L13	Chloride	mg.l ⁻¹	A	23.4	36.1	-	44.6
INORG-L01	pH	pH units	A	7.3	7.3	-	7.4
INORG-L06.1	BOD	mg.l ⁻¹ as O ₂	A	10.0	6.3	-	12.8
1630	Dissolved Methane	mg.l ⁻¹	S-N	-	-	-	<0.050

* Accreditation Status

Tests marked 'A' hold UKAS accreditation

Tests marked 'N' do not hold UKAS accreditation

Tests marked 'S - A' were sub-contracted to an approved laboratory with accreditation on the specific method

Tests marked 'S - N' were sub-contracted to an approved laboratory without accreditation on the specific method

Any comments or interpretations are beyond the scope of UKAS accreditation



Client: Cardiff City Council
FAO: Pat Mcgrath

CERTIFICATE OF ANALYSIS 2498
Results of analysis of 30 samples received
on the 30/07/18

Report Date
22nd August 2018

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718014	300718015	300718016	300718017
Client Sample Reference:				C3	C5	C6	C8
Sample Date:				30/07/18	30/07/18	30/07/18	30/07/18
Sample Matrix:				Groundwater	Groundwater	Surface Water	Surface Water
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	2.0	11.2	1.2	1.7
INORG-L13	Chloride	mg.l ⁻¹	A	32.2	8.5	4.2	3.0
INORG-L01	pH	pH units	A	7.3	7.1	7.0	7.1
1630	Dissolved Methane	mg.l ⁻¹	S-N	<0.050	-	-	-

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718018	300718019	300718020	300718021
Client Sample Reference:				C12	C13	C14	C16
Sample Date:				30/07/18	30/07/18	30/07/18	30/07/18
Sample Matrix:				Groundwater	Groundwater	Groundwater	Groundwater
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	1.6	11.2	22.1	11.6
INORG-L13	Chloride	mg.l ⁻¹	A	2.8	12.2	6.3	2.6
INORG-L01	pH	pH units	A	7.2	7.3	7.1	7.0

* Accreditation Status

Tests marked 'A' hold UKAS accreditation

Tests marked 'N' do not hold UKAS accreditation

Tests marked 'S - A' were sub-contracted to an approved laboratory with accreditation on the specific method

Tests marked 'S - N' were sub-contracted to an approved laboratory without accreditation on the specific method

Any comments or interpretations are beyond the scope of UKAS accreditation



Client: Cardiff City Council
FAO: Pat Mcgrath

CERTIFICATE OF ANALYSIS 2498 Results of analysis of 30 samples received on the 30/07/18

Report Date
22nd August 2018

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718022	300718023	-	-
Client Sample Reference:				C25	L7 / MM4	-	-
Sample Date:				30/07/18	30/07/18	-	-
Sample Matrix:				Leachate	Leachate	-	-
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	5.2	208	-	-
INORG-L13	Chloride	mg.l ⁻¹	A	18.8	37.4	-	-
INORG-L31	Cyanide	mg.l ⁻¹	N	<0.1	<0.1	-	-
INORG-L20	Mono Phenols	mg.l ⁻¹	A	<0.02	0.88	-	-
INORG-L21	Ortho-Phosphate	mg.l ⁻¹ P	A	1.0	0.68	-	-
METALS-L	Sulphate	mg.l ⁻¹	A	17.4	184	-	-
INORG-L10	Suspended Solids	mg.l ⁻¹	A	21.6	48	-	-
INORG-L05	COD	mg.l ⁻¹ O ₂	A	60	330	-	-
1450	Arsenic	µg.l ⁻¹	S-N	11	26	-	-
METALS-L	Chromium	µg.l ⁻¹	A	4.8	29.1	-	-
METALS-L	Copper	µg.l ⁻¹	A	2.1	5.7	-	-
METALS-L	Nickel	µg.l ⁻¹	A	1.4	41.8	-	-
METALS-L	Zinc	µg.l ⁻¹	A	<1.1	5.1	-	-
METALS-L	Sulphur	mg.l ⁻¹	A	5.8	61.3	-	-
1630	Dissolved Methane	mg.l ⁻¹	S-N	<0.050	<0.050	-	-
INORG-L01	pH	pH units	A	7.7	7.4	-	-
INORG-L06.1	BOD	mg.l ⁻¹ as O ₂	A	2.4	1.1	-	-

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718024	300718025	300718026	300718027
Client Sample Reference:				L2	L4	SL4	SL5
Sample Date:				30/07/18	30/07/18	30/07/18	30/07/18
Sample Matrix:				Leachate	Leachate	Leachate	Leachate
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	936	1,250	234	156
INORG-L13	Chloride	mg.l ⁻¹	A	32.1	34.0	16.7	17.5
METALS-L	Nickel	µg.l ⁻¹	A	142	177	5.5	6.2
1450	Cadmium	µg.l ⁻¹	S-N	<0.080	<0.080	<0.080	<0.080
ORG01.17	Mecoprop	µg.l ⁻¹	A	32.7	14.0	49.8	14.3
ORG-L05	Xylene	µg.l ⁻¹	N	25.0	13.4	<1.0	<1.0
1630	Dissolved Methane	mg.l ⁻¹	S-N	-	-	-	-

*** Accreditation Status**

Tests marked 'A' hold UKAS accreditation

Tests marked 'N' do not hold UKAS accreditation

Tests marked 'S - A' were sub-contracted to an approved laboratory with accreditation on the specific method

Tests marked 'S - N' were sub-contracted to an approved laboratory without accreditation on the specific method

Any comments or interpretations are beyond the scope of UKAS accreditation



Client: Cardiff City Council
FAO: Pat Mcgrath

CERTIFICATE OF ANALYSIS 2498

Results of analysis of 30 samples received
on the 30/07/18

Report Date
22nd August 2018

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718028	300718029	300718030	-
Client Sample Reference:				SL6	SL7	SL8	-
Sample Date:				30/07/18	30/07/18	30/07/18	-
Sample Matrix:				Leachate	Leachate	Leachate	-
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	416	923	741	-
INORG-L13	Chloride	mg.l ⁻¹	A	15.9	15.9	31.7	-
METALS-L	Nickel	µg.l ⁻¹	A	29.7	22.0	79.1	-
1450	Cadmium	µg.l ⁻¹	S-N	<0.080	<0.080	<0.080	-
ORG017	Mecoprop	µg.l ⁻¹	A	58.3	27.4	254	-
ORG-L05	Xylene	µg.l ⁻¹	N	<1.0	7.8	5.5	-

Code	Determinand	Units	*	Sample Identification			
Laboratory Sample Number:				300718031	-	-	-
Client Sample Reference:				SW6	-	-	-
Sample Date:				30/07/18	-	-	-
Sample Matrix:				Surface Water	-	-	-
INORG-L12	Ammonia	mg.l ⁻¹ as NH ₄	A	0.13	-	-	-
INORG-L13	Chloride	mg.l ⁻¹	A	22.9	-	-	-
INORG-L01	pH	pH units	A	8.0	-	-	-
INORG-L06.1	BOD	mg.l ⁻¹ as O ₂	A	7.9	-	-	-

*** Accreditation Status**

Tests marked 'A' hold UKAS accreditation

Tests marked 'N' do not hold UKAS accreditation

Tests marked 'S - A' were sub-contracted to an approved laboratory with accreditation on the specific method

Tests marked 'S - N' were sub-contracted to an approved laboratory without accreditation on the specific method

Any comments or interpretations are beyond the scope of UKAS accreditation



Client: Cardiff City Council
FAO: Pat Mcgrath

CERTIFICATE OF ANALYSIS 2498
Results of analysis of 30 samples received
on the 30/07/18

Report Date
22nd August 2018

Analytical Method	Method Code	Accreditation Status
Determination of pH in waters by electrode probe meter (In-house method)	INORG-L01	ISO 17025
Determination of ammonia in waters by colorimetric photometer (In-house method)	INORG-L12	ISO 17025
Determination of chloride by colorimetric photometer (In-house method)	INORG-L13	ISO 17025
Determination of BOD in waters by titration (In-house method)	INORG-L06.1	ISO 17025
Determination of metals (Cr, Ni, Cu, Zn, S) in waters by ICP-OES (In-house method)	METALS-L	ISO 17025
Determination of metals (As, Cd) in waters by colorimetric analysis (In-house method)	1450	None
Determination of Cyanide in water by colorimetric analysis (In-house method)	INORG-L31	None
Determination of COD in waters by colorimetric photometer (In-house method)	INORG-L05	ISO 17025
Determination of Ortho-Phosphates in waters by colorimetric photometer (In-house method)	INORG-L21.1	ISO 17025
Determination of suspended solids in waters by gravimetric (In-house method)	INORG-L10	ISO 17025
Determination of Dissolved Methane in waters by GC-MS (Sub-Contracted method)	1630	None

* Accreditation Status

Tests marked 'A' hold UKAS accreditation

Tests marked 'N' do not hold UKAS accreditation

Tests marked 'S - A' were sub-contracted to an approved laboratory with accreditation on the specific method

Tests marked 'S - N' were sub-contracted to an approved laboratory without accreditation on the specific method

Any comments or interpretations are beyond the scope of UKAS accreditation



Client: Cardiff City Council
FAO: Pat Mcgrath

CERTIFICATE OF ANALYSIS 2498
Results of analysis of 30 samples received
on the 30/07/18

Report Date
22nd August 2018

All results only relate to the items tested.

This report supersedes any previous versions issued by the laboratory.

A full list of determinants relating to abbreviations such as PAHs, VOCs, SVOCs, PCBs etc. is available upon request.

Where results have been labelled as deviating for any reason, the data may not be representative of the sample at the point of sampling:

[I/S]: Insufficient Sample

[U/S]: Unsuitable Sample

[A]: Date of Sampling not supplied

[B]: Sample age exceeds recommended storage time

[C]: Samples not received in appropriate containers

[D]: Broken Container

< "Less Than"

> "Greater Than"

Where any sub-contracted results have been noted as deviating by the laboratory in question, their deviations codes will be applied and detailed.

Accreditation statements are correct at the time of issue.

This report shall not be reproduced in part without the approval of Decus Research Ltd, nor used in any way as to lead to misrepresentation of the results or their implications.

*****END OF REPORT*****

* Accreditation Status

Tests marked 'A' hold UKAS accreditation

Tests marked 'N' do not hold UKAS accreditation

Tests marked 'S - A' were sub-contracted to an approved laboratory with accreditation on the specific method

Tests marked 'S - N' were sub-contracted to an approved laboratory without accreditation on the specific method

Any comments or interpretations are beyond the scope of UKAS accreditation

