

Compliance Assessment Report

Report ID:
CAR_NRW0000125

This form will report compliance with your permit as determined by an NRW officer

Site	Tremorfa Melt Shop EA/EPR/TP3639BH/V002	Permit Ref	TP3639BH		
Operator/Permit holder	Celsa Manufacturing UK Ltd				
Regime	Installations				
Date of assessment	07/04/2016	Time in	N/A	Out	N/A
Assessment type	Report/Data Review				
Parts of the permit assessed	Schedule 5 Notification				
Lead officer's name	Richards, Gareth (Rivers House)				
Accompanied by					
Recipient's name/position	Richard Lewis/Sara Jones/ Environment Dept.	Date issued	07/04/2016		

Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
E1 - Emissions - Air	C3	3.1.2
	C3	3.1.2
G1 - Monitoring and Records, Maintenance and Reporting - Monitoring of emissions and environment	C3	3.5.1
G4 - Monitoring and Records, Maintenance and Reporting - Reporting and notification to the Environment Agency	C3	4.3.1(a)

KEY: See Section 4 for breach categories, suspended scores will be indicated as such.

A = Assessed or assessed in part (no evidence of non-compliance), **N** = Not Assessed, **X** = Action only

Number of breaches recorded	4	Total compliance score (see section 5 for scoring scheme)	16
-----------------------------	---	--	----

If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

Celsa Manufacturing UK Ltd. have notified NRW of a CEMS failure and the following exceedances for CO and particulates through Schedule 5 notifications for the period January to March 2016:

21/1/16 one 1h period, max hourly average CO 154.6 mg/m³

24/1/16 one 1h period, max hourly average CO 190.5 mg/m³

28/1/16 CEMS failure until 4/2/16

12/2/16 four 1h periods, max hourly average CO 192.1 mg/m³

16/2/16 twelve 1h periods, max hourly average CO 219.4 mg/m³

17/2/16 twelve 1h periods, max hourly average CO 190.9 mg/m³

18/2/16 six 1h periods, max hourly average CO 208 mg/m³

26/2/16 seven 1h periods, max hourly average CO 202.1 mg/m³

27/2/16 four 1h periods, max hourly average CO 165.9 mg/m³

4/3/16 one 1h period, max hourly average CO 151.2 mg/m³

5/3/16 one 1h period, max hourly average CO 161.9mg/m³

11/3/16 four 1h periods, max hourly average CO 172 mg/m³

14/3/16 six 1h periods, max hourly average CO 180.4 mg/m³

15/3/16 five 1h periods, max hourly average CO 192.7 mg/m³

16/3/16 six 1h periods, max hourly average CO 216.2 mg/m³

17/3/16 one 1h period, max hourly average CO 176.2 mg/m³

18/3/16 six 1h periods, max hourly average CO 178.4 mg/m³

Daily ave particulates 9.37mg/m³

19/3/16 four 1h periods, max hourly average CO 202.8 mg/m³

Daily ave particulates 10.62mg/m³

20/3/16 twelve 1h periods, max hourly average CO 227 mg/m³

Daily ave particulates 12.14mg/m³

21/3/16 eight 1h periods, max hourly average CO 206.7 mg/m³

Daily ave particulates 11.31mg/m³

22/3/16 twelve 1h periods, max hourly average CO 209.4 mg/m³

Daily ave particulates 8.86mg/m³

23/3/16 two 1h periods, max hourly average CO 164.9 mg/m³

Daily ave particulates 8.42mg/m³

24/3/16 six 1h periods, max hourly average CO 170.2 mg/m³

Daily ave particulates 8.39mg/m³

26/3/16 fourteen 1h periods, max hourly average CO 194.2 mg/m³

27/3/16 nine 1h periods, max hourly average CO 192.4mg/m³

29/3/16 thirteen 1h periods, max hourly average CO 243.4 mg/m³

30/3/16 five 1h periods, max hourly average CO 165.5 mg/m³

As a consequence of the reported exceedances during Q1 2016 three Cat 3 non-compliances have been recorded.

Information provided in Part B of the Notifications from 18th March 2016 to 30th March 2016 identified water leaks in the quench tower as a reason for the CO and particulate exceedances. It is NRW's view that this represents a malfunction of the process and consequently NRW must be informed separately of such instances in accordance with Permit Condition 4.3.1(a). A further Cat 3 non-compliance has therefore been recorded. **Actions are detailed below, due to be reported to NRW by Friday 15th April 2016.**

EPR Compliance Assessment Report

**Report ID:
CAR_NRW0000125**

This form will report compliance with your permit as determined by an NRW officer

Site	Tremorfa Melt Shop EA/EPR/TP3639BH/V002	Permit Ref	TP3639BH
Operator/Permit holder	Celsa Manufacturing UK Ltd	Date	07/04/2016

Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition.

Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

In respect of the above non-compliance you have been issued with a warning. At present we do not intend to take further enforcement action. This does not preclude us from taking additional enforcement action if further relevant information comes to light or offences continue.

Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			
G4	C3	Provide justification to NRW of the proposed schedule for effecting repairs such that normal emission performance is reinstated.	15/04/2016
G1	C3	CEMS was repaired on 4/2/16	08/04/2016
E1	C3	Re-establish normal particulate abatement standards	29/04/2016
E1	C3	Re-establish normal CO control measures	29/04/2016

Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this reports should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within twenty working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.