

6th March 2018

Mrs E A Parr
PPC Compliance Assistant
Natural Resources Wales
Rivers House
St Mellons Business Park
St Mellons
CARDIFF
CF3 0EY

Our Ref: W:\Environmental\IPPC\Environment Agency Reporting\Permit Reporting\New Melt Shop\Annual\2017\TP3639BH
EA Annual Returns 2017.doc,

Dear Mrs Parr,

RE: Melt Shop EPR Permit TP3639BH Annual Returns 2017

In accordance with CELSA Manufacturing UK Ltd Environmental Permitting Regulations (EPR) Melt Shop Permit TP3639BH, please find forms A2, E1, PI1, R1 and S1 duly completed for the annual reporting period 2017.

Should you require any further information regarding these works please do not hesitate to contact me.

Yours sincerely



Richard Lewis
Environmental Manager

Enc

Permit Number: EPR/TP3639BH

Operator:

CELSA Manufacturing (UK) Limited

Facility: Tremorfa Melt Shop

Form Number:

Air 2 / 20/09/13

Reporting of emissions to air for the period from1 January 2017 to 31 December 2017

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	% Uncertainty ^[4]
A1	Particulate Matter	5 mg/m ³		0.6 mg/m ³	BS EN 13284-1:2002	19/12/2017, 13.33-14.42	0.24
	Oxides of Nitrogen (as NO _x)	25 mg/m ³		16.7 mg/m ³	EN 14792:2005	07/06/2017, 12.15-16.15	1.0
	Sulphur Dioxide	25 mg/m ³	15 minute average	0.37 mg/m ³	BS EN 14791	07/06/2017, 12.20-16.20	0.03
	PCDD/F	0.1 ng/m ³		0.083 ng/m ³	BS EN 1948-1:1997	07/06/2017, 09.00-15.05	0.018
	VOC	20 mg/m ³		5.5 mg/m ³	BS EN 12619	07/06/2017, 17.30-21.30	0.50
	PAH	No Limit Set		16.5 ug/m ³	ISO 111338-1:2004	14/06/2017, 08.50-10.55	3.7
	PCB	No Limit Set		0.014 ng/m ³	BS EN 1948-1:1997	07/06/2017, 09.00-15.05	0.003
	Total Metals including:	No Limit Set		0.17 mg/m ³	EN 13211:2001 or BS EN 14385	09/06/2017, 08.30-12.34	0.03
	Hg	0.05 mg/m ³		0.02 mg/m ³		09/06/2017, 08.30-12.34	0.003
A2	Particulate Matter	10 mg/m ³		1.23 mg/m ³	BS EN 13284-1:2002	21/12/2017, 10.24-11.28	0.26

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

Signed *R. Cheni*
(Authorised to sign as representative of Operator)

Date...29 January 2018

Permit Number: EPR/TP3639BH

Operator: CELSA Manufacturing (UK) Limited

Permit Reference Number: TP3639BH

Operator : CELSA Manufacturing (UK) Ltd

Installation: Tremorfa New Melt Shop

Form Number: E1 [11/05/05]

Reporting of Energy Usage for the year2017.....

Energy Source	Energy Usage		CO ₂ Produced (tonnes)**
	Quantity	Primary Energy (MWh)	
Electricity *	MWh	1119513	
Natural Gas	MWh	47695	8,644
TOTAL		1167208	

* Conversion factor for delivered electricity to primary energy = 2.4

**EU ETS annual submission

Trends in Energy Usage			
Year	Parameter		
	Primary Energy usage	CO ₂ produced	CO ₂ per unit output
2011	1,433,752	11,629	0.0103
2012	1,235,708	10,492	0.0095
2013	1,235,708	11212	0.0108
2014	1,094,013	8,422	0.0087
2015	1,235,726	9,428	0.0076
2016	1,198,413	8,887	0.0074
2017	1,167,208	8,644	0.0074

Operator's comments :

Signed*R. Cheni*.....
(authorised to sign as representative of the Operator)

Date...29 January 2018

Permit Reference Number : TP3639BH

Operator : CELSA Manufacturing (UK) Ltd

Installation : Tremorfa New Melt Shop

Form Number : PI1 [11/05/05]

Reporting of Performance Indicators for the year2017.....

Annual Production	
Production of liquid steel	979,643 Tonnes liquid steel

Parameter	Quantity	Units
Electrical energy (delivered)	466,463,820	KWh
Particulates	5716	Kg
Water	781,370	m ³

Trends in Environmental Performance			
Year	Parameter		
	Electricity consumption (KWh / t LS)	Particulates Released (g / t LS)	Towns / Commercial Water used (m ³ / t LS)
2011	490.35	30.09	0.481
2012	465.62	25.88	0.502
2013	459.94	7.78	0.521
2014	470.96	20.82	0.600
2015	460.87	54.00	0.591
2016	468.37	52.09	0.602
2017	476.15	5.83	0.797

Operator's comments

Signed*R. Cheni*.....
(authorised to sign as representative of the Operator)

Date...29 January 2018

Permit Reference Number: TP3639BH Operator: CELSA Manufacturing (UK) Ltd

Installation: Tremorfa New Melt Shop Form Number: R1 [11/05/05]

Reporting of Waste and By-Product Generation

for the period from 01 January 2017 to 31 December 2017

Parameter (tonnes)	Tonnes sent for off-site disposal as special waste	Tonnes sent for off-site disposal as controlled waste	Tonnes sent for off-site recovery or recycling
Ferrous scrap metal			
Non-ferrous scrap metal			
Steel making slag			104925.43
Melting Shop filter dust			17387.49
Other filter dusts including shot-blasting dusts			
General waste			127.68
Antifreeze			33.2
Waste PPE 15.02.02 *			2.64
Waste oil			28.36
Metallic scale/iron oxide			2068.4
Refractory waste			
Sludge from waste water treatment			
Batteries			0.44
Other wastes: Paper/Card			4.72
Wood			84.9
Scrap screening fines		35269.61	
Scrap screening fines			20220.847
Fluorescent tubes			0.059
WEEE			0.62

Signed: *R. Cheni*

(authorised to sign as representative of the Operator)

Date: 29 January 2018.

Facility: Tremorfa Melt Shop

Form Number:

Sewer 1 / 20/09/13

Reporting of emissions to air for the period from1 January 2017... to ...31 December 2017.....

Emission Point	Substance / Parameter	Emission Limit Value	Reference Period	Result ^[1]	Test Method ^[2]	Sample Date and Times ^[3]	Uncertainty ^[4]
S1 (when being discharged) ^[5]	Oil / grease	5 mg/l	Spot sample	<0.6	Material soluble in 1,1,2-trichloro-trifluoroethane	20/12/2017, 11.00	
	Suspended Solids	20mg/l		7.0	The solids shall be separated and dried at 105°C	20/12/2017, 11.00	
	pH	6-10		8.1	BS 6068-2.50:1995, ISO 10523:1994	20/12/2017, 11.00	
	Nickel	0.5 mg/l		0.004	BS 6068-2.60:1988, BS EN ISO 11885 1998	20/12/2017, 11.00	
	Arsenic	0.01 mg/l		0.0014	BS 6068-2.60:1988, BS EN ISO 11885 1998	20/12/2017, 11.00	
	Cadmium	0.05 mg/l		<0.0006	BS 6068-2.60:1988, BS EN ISO 11885 1998	20/12/2017, 11.00	
	Chromium	0.5 mg/l		0.003	BS 6068-2.60:1988, BS EN ISO 11885 1998	20/12/2017, 11.00	
	Zinc	2 mg/l		0.121	BS 6068-2.60:1988, BS EN ISO 11885 1998	20/12/2017, 11.00	
	Mercury	0.02 mg/l		0.00001	BS 6068-2.74:2002, BS EN ISO 13506 2002	20/12/2017, 11.00	
	Iron Compounds	5 mg/l		1.81	BS 6068-2.60:1988, BS EN ISO 11885 1998	20/12/2017, 11.00	
	Flow	No Limit Set	Daily total flow	894 m ³ /day	Flow Meter	Daily averages from effluent meter	

Permit Number: EPR/TP3639BH

Operator: CELSA Manufacturing (UK) Limited

S2	Oil / grease	5 mg/l	Spot Sample	<0.6	Material soluble in 1,1,2-trichloro-trifluoroethane	23/12/2017, 18.00	
	Suspended Solids	20 mg/l		7.0	The solids shall be separated and dried at 105°C	23/12/2017, 18.00	
	pH	6-10		8.1	BS 6068-2.50:1995, ISO 10523:1994	23/12/2017, 18.00	
	Nickel	0.5 mg/l		0.004	BS 6068-2.60:1988, BS EN ISO 11885 1998	23/12/2017, 18.00	
	Arsenic	0.01 mg/l		0.0014	BS 6068-2.60:1988, BS EN ISO 11885 1998	23/12/2017, 18.00	
	Cadmium	0.05 mg/l		<0.0006	BS 6068-2.60:1988, BS EN ISO 11885 1998	23/12/2017, 18.00	
	Chromium	0.5 mg/l		0.003	BS 6068-2.60:1988, BS EN ISO 11885 1998	23/12/2017, 18.00	
	Zinc	2 mg/l		0.121	BS 6068-2.60:1988, BS EN ISO 11885 1998	23/12/2017, 18.00	
	Mercury	0.02 mg/l		0.00001	BS 6068-2.74:2002, BS EN ISO 13506 2002	23/12/2017, 18.00	
	Iron Compounds	5 mg/l		1.81	BS 6068-2.60:1988, BS EN ISO 11885 1998	23/12/2017, 18.00	

[1] The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.

[2] Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Environment Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, for example gas chromatography.

[3] For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.

[4] The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.

[5] A record of the hourly flow at the time the sample of S1 is taken shall be maintained in the Plant records.

Signed *R. Cheni*
(Authorised to sign as representative of Operator)

Date...29 January 2018.