

# Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2010

---

CELSA Manufacturing (UK) Limited

Tremorfa Melt Shop  
Tremorfa Works  
Seawall Road  
Cardiff  
CF24 5TH

Variation application number  
EPR/TP3639BH/V002

Consolidated permit number  
EPR/TP3639BH

# **Tremorfa Melt Shop**

## **Consolidated permit number EPR/TP3639BH**

### **Introductory note**

**This introductory note does not form a part of the notice.**

The following notice gives notice of the variation of environmental permits EPR/TP3639BH (Permit A), EPR/BU2098IP (Permit B) and EPR/WP3699FQ (Permit C) referred to in the status logs below and the replacement of those permits with a consolidated environmental permit.

The Tremorfa New Melt Shop (Permit EPR/TP3639BH) produces steel billet from scrap using an electric arc furnace and continuous casting. The plant was newly built in 2006 with a design capacity of approximately 1.3 million tonnes of finished billet per year (27,000 tonnes per week). The steel plant can operate 24 hours per day, seven days per week, for up to 52 weeks per year with planned maintenance occurring as and when required.

Permit EPR/BU2098IP authorised the production of steel billet from scrap using electric arc furnaces and continuous casting in the melt shop formerly operated by ASW (hereafter referred to as the “Old Melt Shop”). CELSA group purchased the Cardiff steelmaking assets from the former facility owners ASW and a PPC permit transfer was effected. However, steel production ceased at the Old Melt Shop in January 2007.

Permit EPR/WP3699FQ authorised a waste operation which is involved with the storage and processing of by-products from the adjacent CELSA steelworks. The permitted operations comprised a waste transfer station, mill scale treatment area, metals processing area, storage areas for scrap metal and a storage area for processed Electric Arc Furnace (EAF) slag. EAF slag is a by-product of the EAF process and when weathered can be sold as a useful mineral aggregate. The areas of the permitted waste operation were known collectively as the “Mill Services Site”. The operation was formerly operated under Waste Management Licence Ref. WML 30093.

Local Authority Part B permit PPC/27/3.5 authorises the operation of a mineral activity, (processing of slag materials), which was carried out in a distinct area within the boundary of the Mill Services Site. The processing of slag materials involves a segregation, conditioning and grading process; achieved by means of screens, conveyors and when required crushing. During the segregation process, any metal content is separated from the bulk material using an electromagnet. The recovered metal is held on site prior to return to the steelworks and the processed materials are stored on site before dispatch.

The Part B scheduled activity has not been undertaken by CELSA since the acquisition of the site in 2003. The process has now been replaced by the utilisation of a Part B permitted mobile crusher which is used on a campaign basis.

In addition to the scheduled slag processing activity, the Part B permit (PPC/27/3.5) also contains a non-listed Directly Associated Activity (DAA), specifically the processing of hot metal residues from the Electric Arc Furnace. In this process, the hot metal residues are transferred from the steel manufacturing process to the Mill Services Site. Following delivery, the hot metal is cooled in the open air. After cooling the material can be subject to breaking by means of a “drop-ball” or if there are large pieces then it may be subject to lancing in a purpose built fume booth which incorporates fume extraction and abatement. Again this material may then be drop balled. Once the necessary size reduction has been achieved, the metal “skulls” are held on site prior to return to the steelworks.

CELSA Manufacturing (UK) Limited currently operates the activities covered by the environmental permits described above. Prior to consolidation, each activity authorised by the EPR permits had a separate permit and installation boundary. In the interests of simplification and streamlining, the Operator has applied to consolidate permits EPR/TP3639BH, EPR/BU2098IP and EPR/WP3699FQ into a single permit. The permits have been consolidated into EPR/TP3639BH (the New Melt Shop permit) as a result of this notice. Therefore EPR/TP3639BH will become the base permit for the installation going forward.

This variation also incorporates the following changes:

- (i) Transfer of non-listed DAAs from the Part B permit (PPC/27/3.5), specifically cooling and size reduction of metal residues (skulls) by drop balling and oxygen lancing.
- (ii) Update installation name from “Tremorfa New Melt Shop” to “Tremorfa Melt Shop”.
- (iii) Removal of Suspended Solids ELV to sewer at emission point S1
- (iv) Correction of definitions of emission points to sewer S2 and S3, by reversal of the point source descriptions.
- (v) Adjustment of consolidated installation boundary to include two small additional areas.
- (vi) Reuse of area formerly occupied by the Old Melt Shop for scrap storage and finished material storage.
- (vii) Removal of Schedule 1, Part 2, Section 2.1 Part A(1)(b) activity from Old Melt Shop permit (EPR/BU2098IP) and associated emission points, specifically: Air emission points (A1 and A2) and sewer emission point (S1).
- (viii) Renumbering of emission point S2 from permit (EPR/BU2098IP) to S4 in the consolidated permit.
- (ix) Insertion of two new improvement conditions to investigate the abatement of visible fume from the caster / billet bay roof vents.
- (x) Amendment of ambient air monitoring requirements following the installation of a TOPAS particulate monitor.

The schedules specify the changes made to the permit.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of permit A: EPR/TP3639BH</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application TP3639BH	Received 15/10/04	
Request for additional information	22/12/04	
Additional information received	03/02/05	
Request to extend determination	18/03/05	
Request accepted	22/03/05	
Request to extend determination	29/04/05	
Request accepted	03/05/05	
Permit determined TP3639BH	11/05/05	
Application EPR/TP3639BH/V002 (variation and consolidation)	Duly made 21/12/11	Application to vary, consolidate and update the permit to modern conditions.
Request for additional information	17/02/12	Trade effluent consent for emission point S1 and updated site plan showing emission point locations.
EA request to extend determination date to 20/04/12	20/03/12	
Extension request agreed	22/03/12	
Additional information received	23/02/12 & 10/04/12	
Variation determined Consolidated Permit: EPR/TP3639BH	24/04/12	Varied and consolidated permit issued in modern condition format The following permits have been consolidated: EPR/TP3639BH, EPR/BU2098IP and EPR/WP3699FQ

**Status log of permit B: EPR/BU2098IP**

<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application BL9372	Received 28/08/01	
Request for additional information	05/11/02	
Additional information received	29/03/02 & 07/05/02	
Request to extend determination	17/06/02	
Request accepted	20/06/02	
Request to extend determination	23/08/02	
Request accepted	27/08/02	
Request to extend determination	28/10/02	
Request accepted	30/10/02	
Request to extend determination	18/12/02	
Request accepted	20/12/02	
Permit determined BL9372	07/01/03	
Application for transfer BU2098	Received 31/01/03	
Request for additional information	05/02/03	
Request to extend determination	18/03/03	
Request accepted	26/03/03	
Additional information received via meeting	14/05/03	
Permit determined BU2098	20/06/03	
Application EPR/TP3639BH/V002 (variation and consolidation)	Duly made 21/12/11	Application to vary, consolidate and update the permit to modern conditions.
Request for additional information	17/02/12	Trade effluent consent for emission point S1 and updated site plan showing emission point locations.
EA request to extend determination date to 20/04/12	20/03/12	
Extension request agreed	22/03/12	
Additional information received	23/02/12 & 10/04/12	
Variation determined Consolidated Permit: EPR/TP3639BH	24/04/12	Varied and consolidated permit issued in modern condition format. The following permits have been consolidated: EPR/TP3639BH, EPR/BU2098IP and EPR/WP3699FQ

**Status log of permit C: EPR/WP3699FQ**

Description	Date	Comments
Cardiff City Council granted the Disposal Licence No 93/2 to Slag Reduction Company Ltd	07/05/93	
EAWML 30093 (previously licence No 93/2) was varied and transferred to Phillip Metals (Europe) Ltd	13/03/98	
Revised Working Plan received	08/09/98	
EAWML 30093 varied	30/03/99	
EAWML 30093 transferred to Simsmetal UK Ltd	26/04/02	
EAWML 30093 varied	14/06/02	
EAWML 30093 varied	28/08/02	
EAWML 30093 transferred to CELSA Manufacturing UK Ltd	08/10/03	
EAWML 30093 varied	05/12/03	
EAWML 30093 varied	02/10/06	
Variation application EPR/WP3699FQ/V004 (EAWML 30093)	Duly made 16/03/10	
Additional information received	15/07/10	
Variation determined EPR/WP3699FQ (EAWML 30093)	26/07/10	
Application EPR/TP3639BH/V002 (variation and consolidation)	Duly made 21/12/11	Application to vary, consolidate and update the permit to modern conditions.
Request for additional information	17/02/12	Trade effluent consent for emission point S1 and updated site plan showing emission point locations.
EA request to extend determination date to 20/04/12	20/03/12	
Extension request agreed	22/03/12	
Additional information received	23/02/12 & 10/04/12	
Variation determined Consolidated Permit: EPR/TP3639BH	24/04/12	Varied and consolidated permit issued in modern condition format The following permits have been consolidated: EPR/TP3639BH, EPR/BU2098IP and EPR/WP3699FQ

End of introductory note

## Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulations 18 and 20 of the Environmental Permitting (England and Wales) Regulations 2010 varies and consolidates environmental permits

permit numbers

**EPR/TP3639BH**

**EPR/BU2098IP**

**EPR/WP3699FQ**

issued to

**CELSA Manufacturing (UK) Limited** (“the operator”)

whose registered office is

**Building 58  
East Moors Road  
Cardiff  
CF24 5NN**

company registration number 4577881

to operate regulated facilities at

**Tremorfa Works  
Seawall Road  
Cardiff  
CF24 5TH**

to the extent set out in the schedules.

The notice shall take effect from 24<sup>th</sup> April 2012

**The number of the consolidated permit is EPR/TP3639BH**

Name	Date
<b>EIRIAN MACDONALD</b>	<b>24/04/2012</b>

Principal Permitting Team Leader, National Permitting Service

Authorised on behalf of the Environment Agency

### **Schedule 1 – changes in the permit**

**Note:** The conditions numbers used in this schedule refer to those in the consolidated permit.

All conditions have been varied by the consolidated permit as a result of the application made by the operator.

### **Schedule 2 – consolidated permit**

Consolidated permit issued as a separate document.

# Permit with introductory note

The Environmental Permitting (England & Wales) Regulations 2010

---

CELSA Manufacturing (UK) Limited

Tremorfa Melt Shop  
Tremorfa Works  
Seawall Road  
Cardiff  
CF24 5TH

Permit number  
EPR/TP3639BH

# **Tremorfa Melt Shop**

## **Permit number EPR/TP3639BH**

### **Introductory note**

**This introductory note does not form a part of the notice.**

The main features of the permit are as follows.

The Tremorfa Melt Shop consists of two regulated facilities comprising the Chapter 2, S2.1, Part A(1)(b)(i) installation and a waste operation.

The Chapter 2, S2.1, Part A(1)(b)(i) installation produces steel billet from scrap using an electric arc furnace and continuous casting. The plant was newly built in 2006 with a design capacity of approximately 1.3 million tonnes of finished billet per year (27,000 tonnes per week). The steel plant can operate 24 hours per day, seven days per week, for up to 52 weeks per year with planned maintenance occurring as and when required.

The waste operation is involved with the storage and processing of by-products from the adjacent CELSA steelworks. The permitted operations comprise a waste transfer station, mill scale treatment area, and a storage area for the weathering of processed Electric Arc Furnace (EAF) slag. EAF slag is a by-product of the EAF process and when weathered can be sold as a useful mineral aggregate.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application TP3639BH	Received 15/10/04	
Request for additional information	22/12/04	
Additional information received	03/02/05	
Request to extend determination	18/03/05	
Request accepted	22/03/05	
Request to extend determination	29/04/05	
Request accepted	03/05/05	
Permit determined TP3639BH	11/05/05	
Application EPR/TP3639BH/V002 (variation and consolidation)	Duly made 21/12/11	Application to vary, consolidate and update the permit to modern conditions.
Request for additional information	17/02/12	Trade effluent consent for emission point S1 and updated site plan showing emission point locations.
EA request to extend determination date to 20/04/12	20/03/12	
Extension request agreed	22/03/12	
Additional information received	23/02/12 & 10/04/12	
Variation determined Consolidated Permit: EPR/TP3639BH	24/04/12	Varied and consolidated permit issued in modern condition format. The following permits have been consolidated: EPR/TP3639BH, EPR/BU2098IP and EPR/WP3699FQ

# Permit

The Environmental Permitting (England and Wales) Regulations 2010

**Permit number**  
**EPR/TP3639BH**

This is the consolidated permit referred to in the variation and consolidation notice for application EPR/TP3639BH/V002 authorising,

**CELSA Manufacturing (UK) Limited** ("the operator"),  
whose registered office is

**Building 58**  
**East Moors Road**  
**Cardiff**  
**CF24 5NN**

company registration number 4577881

to operate an installation and waste operation at

**Tremorfa Melt Shop**  
**Tremorfa Works**  
**Seawall Road**  
**Cardiff**  
**CF24 5TH**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
<b>EIRIAN MACDONALD</b>	<b>24/04/2012</b>

Principal Permitting Team Leader, National Permitting Service

Authorised on behalf of the Environment Agency

# 1 Management

## 1.1 General management

1.1.1 The operator shall manage and operate the activities:

- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
- (b) using sufficient competent persons and resources.

1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.

1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.

1.1.4 The operator shall comply with the requirements of an approved competence scheme.

## 1.2 Energy efficiency

1.2.1 For the following activities referenced in schedule 1, table S1.1, A1 to A9. The operator shall:

- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
- (b) review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
- (c) take any further appropriate measures identified by a review.

## 1.3 Efficient use of raw materials

1.3.1 For the following activities referenced in schedule 1, table S1.1, A1 to A9. The operator shall:

- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
- (b) maintain records of raw materials and water used in the activities;
- (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
- (d) take any further appropriate measures identified by a review.

## **1.4 Avoidance, recovery and disposal of wastes produced by the activities**

- 1.4.1 The operator shall take appropriate measures to ensure that:
- (a) the waste hierarchy referred to in Article 4 of the Waste Framework Directive is applied to the generation of waste by the activities; and
  - (b) any waste generated by the activities is treated in accordance with the waste hierarchy referred to in Article 4 of the Waste Framework Directive; and
  - (c) where disposal is necessary, this is undertaken in a manner which minimises its impact on the environment.
- 1.4.2 The operator shall review and record at least every four years whether changes to those measures should be made and take any further appropriate measures identified by a review.

## **2 Operations**

### **2.1 Permitted activities**

- 2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

### **2.2 The site**

- 2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

### **2.3 Operating techniques**

- 2.3.1 (a) The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.
- (b) If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan specified in schedule 1, table S1.2 or otherwise required under this permit, and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 2.3.2 Any raw materials or fuels listed in schedule 2 table S2.1 shall conform to the specifications set out in that table.

- 2.3.3 Waste shall only be accepted if:
- (a) it is of a type and quantity listed in schedule 2 tables S2.2 and S2.3; and
  - (b) it conforms to the description in the documentation supplied by the producer and holder.
- 2.3.4 The operator shall ensure that where waste produced by the activities is sent to a relevant waste operation, that operation is provided with the following information, prior to the receipt of the waste:
- (a) the nature of the process producing the waste;
  - (b) the composition of the waste;
  - (c) the handling requirements of the waste;
  - (d) the hazardous property associated with the waste, if applicable; and
  - (e) the waste code of the waste.
- 2.3.5 The operator shall ensure that where waste produced by the activities is sent to a landfill site, it meets the waste acceptance criteria for that landfill.
- 2.3.6 The operator shall obtain written agreement from the Environment Agency prior to any period of use of the mobile crushing and screening plant.
- 2.3.7 The operator shall obtain written agreement from the Environment Agency prior to any lancing of steel pieces outside the lancing booth.

## **2.4 Improvement programme**

- 2.4.1 The operator shall complete the improvements specified in schedule 1 table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

# **3 Emissions and monitoring**

## **3.1 Emissions to water, air or land**

- 3.1.1 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.1 and S3.2.
- 3.1.2 The limits given in schedule 3 shall not be exceeded.

## **3.2 Emissions of substances not controlled by emission limits**

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution, submit to the Environment Agency for approval within the period specified, an emissions management plan;
  - (b) implement the approved emissions management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.
- 3.2.3 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

## **3.3 Odour**

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan;
  - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## **3.4 Noise and vibration**

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.

3.4.2 The operator shall:

- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan;
- (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## 3.5 Monitoring

3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring specified in the following tables in schedule 3 to this permit:

- (a) point source emissions specified in tables S3.1 and S3.2;
- (b) ambient air monitoring specified in table S3.3.

3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.

3.5.3 Monitoring equipment, techniques, personnel and organisations employed for the emissions monitoring programme and the environmental or other monitoring specified in condition 3.3.1 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.

3.5.4 Permanent means of access shall be provided to enable sampling/monitoring to be carried out in relation to the emission points specified in schedule 3 tables S3.1 and S3.2 unless otherwise agreed in writing by the Environment Agency.

## 4 Information

### 4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
  - (i) off-site environmental effects; and
  - (ii) matters which affect the condition of the land and groundwater.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

## 4.2 Reporting

4.2.1 The operator shall send all reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

4.2.2 For the following activities referenced in schedule 1, table S1.1, A1 to A9. A report or reports on the performance of the activities over the previous year shall be submitted to the Environment Agency by 31 January (or other date agreed in writing by the Environment Agency) each year. The report(s) shall include as a minimum:

(a) a review of the results of the monitoring and assessment carried out in accordance with the permit including an interpretive review of that data.

4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:

(a) in respect of the parameters and emission points specified in schedule 4 table S4.1;

(b) for the reporting periods specified in schedule 4 table S4.1 and using the forms specified in schedule 4 table S4.2 ; and

(c) giving the information from such results and assessments as may be required by the forms specified in those tables.

4.2.4 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

4.2.5 For the following activities referenced in schedule 1, table S1.1, A1 to A9. Within 1 month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter, if during that quarter the total amount accepted exceeds 100 tonnes of non-hazardous waste or 10 tonnes of hazardous waste.

4.2.6 For the following activities referenced in schedule 1, table S1.1, A10. Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.

## 4.3 Notifications

4.3.1 The Environment Agency shall be notified without delay following the detection of:

- (a) any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution;
- (b) any failure of the ambient air monitoring equipment;
- (c) the breach of a limit specified in the permit; or
- (d) any significant adverse environmental effects.

4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.

4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.

4.3.4 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:

Where the operator is a registered company:

- (a) any change in the operator's trading name, registered name or registered office address; and
- (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.

Where the operator is a corporate body other than a registered company:

- (a) any change in the operator's name or address; and
- (b) any steps taken with a view to the dissolution of the operator.

In any other case:

- (a) the death of any of the named operators (where the operator consists of more than one named individual);
- (b) any change in the operator's name(s) or address(es); and
- (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.

- 4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
- (a) the Environment Agency shall be notified at least 14 days before making the change; and
  - (b) the notification shall contain a description of the proposed change in operation.
- 4.3.6 The Environment Agency shall be given at least 14 days notice before implementation of any part of the site closure plan.
- 4.3.7 Where the operator has entered into a climate change agreement with the Government, the Environment Agency shall be notified within one month of:
- (a) a decision by the Secretary of State not to re-certify the agreement;
  - (b) a decision by either the operator or the Secretary of State to terminate the agreement; and
  - (c) any subsequent decision by the Secretary of State to re-certify such an agreement.

## **4.4 Interpretation**

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

# Schedule 1 – Operations

**Table S1.1 activities**

Activity reference	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity and WFD Annex I and II operations	Limits of specified activity and waste types
A1	Producing steel using electric arc furnaces with a designed holding capacity of 7 tonnes or more [Schedule 1 Activity – Chapter 2, Section 2.1, Part A(1)(b)(i)]	The operation of an electric arc furnace, including ladle furnace; continuous caster; fume extraction plant; baghouse dust storage; oxygen, argon and nitrogen storage.	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.  Waste types as specified in Table S2.2.
<b>Directly Associated Activity</b>			
A2	Scrap handling and storage	Scrap unloading, sorting and storage. Loading into baskets and transfer to the furnaces.  <b>R13:</b> Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)  <b>R4:</b> Recycling / reclamation of metals and metal compounds	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.  Storage of waste scrap metal in dedicated scrap storage areas prior to submission to the scheduled activity. Storage shall be limited to: - 200,000 tonnes for waste type 20 01 40 - 1,000 tonnes for waste type 19 12 03 at any one time.  Treatment shall be limited to: - sorting of waste scrap prior to submission to the scheduled activity
A3	Other raw material handling	Unloading, storage and transfer to the furnaces.	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.
A4	Billet Storage	Storage in billet warehouse	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.
A5	Water Treatment Systems	Closed circuit water cooling systems and open circuit water treatment plant (removing scale).	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.
A6	Scale handling	Dewatering of scale removed in water treatment.	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.

*Table continued overleaf*

**Directly Associated Activity (Continued)**

A7	Slag handling	Slag collection and transfer from installation to waste operation.	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.
A8	Processing of hot metal residues	Cooling and breaking of hot metal residues by drop balling and oxygen lancing prior to return to the electric arc furnace.  <b>R4:</b> Recycling / reclamation of metals and metal compounds	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.  Treatment shall be limited to: - drop balling and oxygen lancing of metal residue (skulls)
A9	Electric Arc Furnace Dust storage and handling	Storage of EAF dust collected from the EAF dust abatement plant prior to transportation off site for recovery	The limits of specified and associated activities collectively comprise all activities carried out in the installation between the receipt of raw materials and the supply of finished products.  Storage shall be limited to: - 1,000 tonnes for waste type 10 02 07* at any one time.

*Table continued overleaf*

Directly Associated Activity (Continued)		
Activity reference	Description of activities for waste operations	Limits of activities
A10 Waste transfer station with treatment	<p><b>R13:</b> Storage of waste pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced)</p> <p><b>R3:</b> Recycling/ reclamation of organic substances which are not used as solvents</p> <p><b>R4:</b> Recycling/ reclamation of metals and metal compounds</p> <p><b>R5:</b> Recycling/ reclamation of other inorganic compounds</p>	<p>All non-hazardous waste must be stored and treated on an impermeable surface with sealed drainage.</p> <p>All inert wastes must be stored and treated on hardstanding or an impermeable surface with sealed drainage.</p> <p>Treatment operations shall be limited to:</p> <ol style="list-style-type: none"> <li>1. manual sorting / separation</li> <li>2. mechanical sorting / screening /separation</li> <li>3. shredding</li> <li>4. compaction</li> <li>5. crushing of slag using dedicated plant</li> <li>6. weathering of slag</li> </ol> <p>of waste into different components for recovery.</p> <p>Storage of the waste types specified below at any one time shall not exceed the limits given:</p> <p>20 03 01 – 150 tonnes  17 01 07 – 1,000 tonnes  10 02 10 – 2,000 tonnes  10 02 99 – 3,000 tonnes  10 02 01 – 300,000 tonnes  16 11 02 – 1,000 tonnes</p> <p>Waste types as specified in Table S2.3.</p> <p>Notwithstanding the waste types permitted in table S2.3 wastes which have any of the following characteristics shall not be accepted;</p> <ul style="list-style-type: none"> <li>- wastes consisting of or contaminated with Japanese Knotweed</li> <li>- wastes consisting of or contaminated with asbestos</li> <li>- consisting solely or mainly of dusts, powders, or loose fibres</li> <li>- hazardous wastes</li> <li>- wastes in the form of liquid or sludge</li> <li>- liquefied petroleum gas cylinders</li> <li>- any putrescible wastes</li> <li>- healthcare or clinical wastes</li> </ul>

**Table S1.2 Operating techniques**

<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
Application TP3639BH	The response given to questions 2.1 and 2.2 given in pages 27-49 of sections 2.3 and 2.4 of the application.	15/10/04
Schedule 4 Notice (Application TP3639BH)	Responses to questions S1.3 Q28 S2.1 Q3 S2.2 Q1 S2.3 Q3, Q13	03/02/05
Application EPR/TP3639BH/V002	The response to Form C2, question 5a given on page 8 of main application document 11-1079 – confirming that the boundary of the original scrap storage area is being extended to reflect current usage patterns.	25/10/11
Application EPR/TP3639BH/V002 Further Information Required for Duly Making	The response to question 2 – confirming that scrap metal storage and handling in the area of the former old melt shop permit (EPR/BU2098IP) will take place within the Old Melt Shop building for noise attenuation purposes. The response to question 3 – outlining the control measures used to prevent pollution from the scrap metal storage area within the Old Melt Shop building. The response to question 6 – detailing control measures in place to minimise the environmental impact of the drop ball process. The response to question 7 – detailing the Lancing booth specification and abatement equipment. “Downflo <sup>®</sup> II Dust Collectors” – specification of the dust collectors serving the Lancing Booth Harsco Metals Work Instruction: “Lancing of Skulls from within a Lancing Booth”	21/12/11

**Table S1.3 Improvement programme requirements**

<b>Reference</b>	<b>Requirement</b>	<b>Date</b>
IC1	The Operator shall review the most appropriate method(s) for the abatement of fume releases from casting operations such that the visible release of casting fume through the caster / billet bay roof vents is minimised. The feasibility of implementing such abatement and / or techniques shall be assessed in detail to include engineering, timescales and costs. A report shall be submitted to the Environment Agency that describes the appropriate method(s), together with an implementation and commissioning schedule.	01/11/12
IC2	The Operator shall complete any agreed improvements to abatement and / or techniques to the caster / billet bay, to an agreed timescale, such that fugitive releases to air from the casting operation are minimised effectively.	01/11/13

## Schedule 2 - Waste types, raw materials and fuels

**Table S2.1 Raw materials and fuels**

Raw materials and fuel description	Specification
-	-

**Table S2.2 Permitted waste types and quantities for use in the Melt Shop Activity**

<b>Maximum quantity</b>	No annual maximum throughput subject to storage limits for specified waste in Table S1.1
<b>Waste code</b>	<b>Description</b>
<b>19</b>	<b>WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE</b>
19 12	Wastes from the mechanical treatment of waste (for example, sorting, crushing, compacting, pelletising) not otherwise specified
19 12 03	Non-ferrous metal
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
20 01	Separately collected fractions (except 15 01)
20 01 40	Metals

**Table S2.3 Permitted waste types and quantities for Waste Transfer Station and Treatment**

<b>Maximum quantity</b>	The total quantity of waste accepted at the site shall be less than 450,000 tonnes a year subject to storage limits for specified waste in Table S1.1.
<b>Waste code</b>	<b>Description</b>
<b>10</b>	<b>WASTES FROM THERMAL PROCESSES</b>
10 02	Wastes from the iron and steel industry
10 02 01	Wastes from the processing of slag
10 02 10	Millscales
10 02 99	Wastes not otherwise specified
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>
16 11	Waste linings and refractories
16 11 02	Carbon-based linings and refractories from metallurgical processes other than those mentioned in 16 11 01.
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>
17 01	Concrete, bricks, tiles and ceramic
17 01 07	Mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
20 03	Other municipal wastes
20 03 01	Mixed municipal waste

## Schedule 3 – Emissions and monitoring

**Table S3.1 Point source emissions to air – emission limits and monitoring requirements**

Emission point ref. & location	Source	Parameter	Limit (including unit)	Reference period	Monitoring frequency	Monitoring standard or method
A1 [Point A1 on Site Plan in Schedule 7]	Furnace fume extraction plant stack	Particulates <sup>(3)(5)</sup>	10 mg/m <sup>3</sup>	Hourly average	Continuous	BS ISO 10155
		Particulates <sup>(1)</sup>	10 mg/m <sup>3</sup>		Annual	BS EN 13284-1:2002
		Carbon Monoxide <sup>(3)(5)</sup>	100 mg/m <sup>3</sup>	Hourly average	Continuous	ISO 12039
		Oxides of Nitrogen (as NO <sub>x</sub> ) <sup>(1)</sup>	25 mg/m <sup>3</sup>		Annual	ISO 10849
		Sulphur Dioxide <sup>(2)</sup>	25 mg/m <sup>3</sup>	15 minute average	Annual	BS 6069: Section 4.4: 1993 (ISO 7935:1992)
		PCDD/F <sup>(1)</sup>	0.3 ng/m <sup>3</sup>		Annual	BS EN 1948
		VOC <sup>(1)</sup>	20 mg/m <sup>3</sup>		Annual	BS EN 12619
		Metals <sup>(4)</sup>	- mg/m <sup>3</sup>		Annual	USEPA Method 29 or BS EN 14385
		PAH <sup>(1)</sup>	No Limit Set		Annual	BS EN 1948
		PCB <sup>(1)</sup>	No Limit Set		Annual	BS EN 1948
A2 [Point A2 on Site Plan in Schedule 7]	Materials handling extraction plant stack	Particulates <sup>(1)</sup>	10 mg/m <sup>3</sup>		Annual	BS EN 13284-1:2002

*Table continued overleaf*

**Table S3.1 Point source emissions to air – emission limits and monitoring requirements**

<b>Emission point ref. &amp; location</b>	<b>Source</b>	<b>Parameter</b>	<b>Limit (including unit)</b>	<b>Reference period</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>
A3 [Point A3 on Site Plan in Schedule 7]	Water Cooling Towers	No Parameters set	No limit set	-	-	-
A4 [Point A4 on Site Plan in Schedule 7]	Lancing Fume Booth	Particulate Matter	Ringelmann Shade 1	Instantaneous	Daily	BS2742:1969

## Notes:

1. Refers to any representative manual spot sample
2. SO<sub>2</sub> shall be sampled in accordance with BS6069 Part 4.4 (or equivalent) and expressed as a maximum 15-minute average during the representative sampling period.
3. For continuous monitoring the release limit is complied with if 95% of the hourly average readings for each rolling 24 hours do not exceed the emission limit value given in Table S3.1 and the peak hourly average does not exceed 1.5 times the limit value. The averaging period shall only include those hours during which the plant is in operation including start-up and shut-down.
4. Metals means elements and compounds expressed as the metal of: Ni, As, Cd, Cr, Cu, Pb, Hg, Fe, Zn.
5. MCERT accredited CEMs shall be installed unless by written agreement of the Agency.

**Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site– emission limits and monitoring requirements**

Emission point ref. & location	Source	Parameter	Limit (incl. Unit)	Reference period	Monitoring frequency	Monitoring standard or method
S1 [Point S1 on Site Plan in Schedule 7]	Occasional overflow from cooling tower cold well and the clarifier, released to Dŵr Cymru Welsh Water sewer at S2.	Free or emulsified grease or oil	5 mg/l	Spot Sample	Midway through drain down of cooling system	Material soluble in 1,1,2-trichloro-trifluoroethane
		Suspended Solids	No limit set			The solids shall be separated and dried at 105°C
		pH	6-10			BS 6068-2.50:1995,ISO10523:1994
		Lead	0.2 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Nickel	0.5 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Arsenic	0.01 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Cadmium	0.05 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Chromium	0.2 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Copper	0.5 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Zinc	0.5 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
		Mercury	0.02 mg/l			BS 6068-2.74:2002, BS EN ISO 13506:2002
		Iron Compounds	5 mg/l			BS 6068-2.60:1988, BS EN ISO 11885 1998
	Flow	No Limit Set	Daily total flow	Continuous	Flow meter	

**Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site– emission limits and monitoring requirements**

Emission point ref. & location	Source	Parameter	Limit (incl. Unit)	Reference period	Monitoring frequency	Monitoring standard or method
S2 [Point S2 on Site Plan in Schedule 7]	Site roof water run-off from dust extraction plant to SW corner of installation combined with any flow from occasional cooling water discharge from S1 in this table	Free or emulsified grease or oil	5 mg/l	Spot sample	Annual	Material soluble in 1,1,2-trichloro-trifluoroethane
		Suspended Solids	200 mg/l	Spot sample	Annual	The solids shall be separated and dried at 105°C
		pH	6-10	Spot sample	Annual	BS 6068-2.50:1995,ISO10523:1994
		Lead	0.2 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Nickel	0.5 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Arsenic	0.01 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Cadmium	0.05 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Chromium	0.2 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Copper	0.5 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Zinc	0.5 mg/l	Spot sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998
		Mercury	0.02 mg/l	Spot sample	Annual	BS 6068-2.74:2002, BS EN ISO 13506:2002
		Iron Compounds	5 mg/l	Spot Sample	Annual	BS 6068-2.60:1988, BS EN ISO 11885 1998

**Table S3.2 Point source emissions to sewer, effluent treatment plant or other transfers off-site– emission limits and monitoring requirements**

<b>Emission point ref. &amp; location</b>	<b>Source</b>	<b>Parameter</b>	<b>Limit (incl. Unit)</b>	<b>Reference period</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>
S3 [Point S3 on site plan in Schedule 7]	Site surface water run-off from hardstanding to all but SE corner of installation, combined with foul water from site amenities	No parameters set.	No limit set	-	-	-
S4 [Point S4 on site plan in Schedule 7]	Surface water run-off	No parameters set	No limit set	-	-	-

**Table S3.3 Ambient air monitoring requirements**

<b>Location or description of point of measurement</b>	<b>Parameter</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>	<b>Other specifications</b>
NGR ST 21118 76755 (Willows High School) or other agreed location	Wind Direction	Continuous	Turnkey Optical Particle Analysis System (TOPAS) monitor or other agreed method	-
	Wind Velocity			
	PM <sub>10</sub> Particulate Matter			
	PM <sub>2.5</sub> Particulate matter			

## Schedule 4 - Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

**Table S4.1 Reporting of monitoring data**

Parameter	Emission or monitoring point/reference	Reporting period	Period begins
Emissions to air Parameters as required by condition 3.5.1.	A1	Quarterly	01/01, 01/04, 01/07, 01/10
Emissions to air Parameters as required by condition 3.5.1.	A1, A2	Annual	01/01
Ambient air monitoring Parameters as required by condition 3.5.1	NGR ST 21118 76755 (Willows High School) or other agreed location	Quarterly	01/01, 01/04, 01/07, 01/10
Emissions to sewer Parameters as required by condition 3.5.1	S1, S2	Annual	01/01

**Table S4.2 Reporting forms**

Media/parameter	Reporting format	Date of form
Air	Form Air 1 or other form as agreed in writing by the Environment Agency	06/04/10
Air	Form Air 2 or other form as agreed in writing by the Environment Agency	24/04/12
Ambient Air	Agreed Format or other form as agreed in writing by the Environment Agency	N/A
Sewer	Form Sewer 1 or other form as agreed in writing by the Environment Agency	24/04/12
Waste Subject to Conditions 4.2.5 and 4.2.6	Waste tonnage return form from the Environment Agency website or other form as agreed in writing by the Environment Agency	N/A

# Schedule 5 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

## Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

**(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution**

**To be notified within 24 hours of detection**

Date and time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

**(b) Notification requirements for the breach of a limit**

**To be notified within 24 hours of detection unless otherwise specified below**

Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

Time periods for notification following detection of a breach of a limit	
Parameter	Notification period

(c) Notification requirements for the detection of any significant adverse environmental effect	
To be notified within 24 hours of detection	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

### Part B - to be submitted as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

<b>Name*</b>	
<b>Post</b>	
<b>Signature</b>	
<b>Date</b>	

\* authorised to sign on behalf of CELSA Manufacturing UK Limited

## Schedule 6 - Interpretation

*“accident”* means an accident that may result in pollution.

*“Annex I”* means Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

*“Annex II”* means Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

*“annually”* means once every year.

*“application”* means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

*“authorised officer”* means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

*“D”* means a disposal operation provided for in Annex I to Directive 2008/98/EC of the European Parliament and of the Council on waste.

*“emissions of substances not controlled by emission limits”* means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission limit.

*“emissions to land”* includes emissions to groundwater.

*“EP Regulations”* means The Environmental Permitting (England and Wales) Regulations SI 2010 No.675 and words and expressions used in this permit which are also used in the Regulations have the same meanings as in those Regulations.

*“groundwater”* means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

*“hazardous property”* has the meaning given in Schedule 3 of the Hazardous Waste (England and Wales) Regulations 2005 No.894 and the Hazardous Waste (Wales) Regulations 2005 No. 1806 (W.138).

*“hazardous waste”* has the meaning given in the Hazardous Waste (England and Wales) Regulations 2005 No.894, the Hazardous Waste (Wales) Regulations 2005 No. 1806 (W.138), the List of Wastes (England) Regulations 2005 No.895 and the List of Wastes (Wales) Regulations 2005 No. 1820 (W.148).

*“MCERTS”* means the Environment Agency’s Monitoring Certification Scheme.

*“quarter”* means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

*“R”* means a recovery operation provided for in Annex II to Directive 2008/98/EC of the European Parliament and of the Council on waste.

“*Waste code*” means the six digit code referable to a type of waste in accordance with the List of Wastes (England) Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

“*Waste Framework Directive*” or “*WFD*” means Waste Framework Directive 2008/98/EC of the European Parliament and of the Council on waste.


“year” means calendar year ending 31 December.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means:

- (a) in relation to emissions from combustion processes, the concentration in dry air at a temperature of 273K, at a pressure of 101.3 kPa and with an oxygen content of 3% dry for liquid and gaseous fuels, 6% dry for solid fuels; and/or
- (b) in relation to emissions from non-combustion sources, the concentration at a temperature of 273K and at a pressure of 101.3 kPa, with no correction for water vapour content

## Schedule 7 - Site plan



“©Crown Copyright. All rights reserved. Environment Agency, 100026380, 2012.”

END OF PERMIT