

Water Resources Act 1991
as amended by the Environment Act 1995

**Consent to Discharge
Certificate of Holder**



**ENVIRONMENT
AGENCY**

Part A

To: ASSOCIATED BRITISH PORTS
ASSISTANT PORT MANAGER
150 HOLBORN

LONDON EC1N 2LR

The **Environment Agency** ("the Agency") hereby confirm that the above named person is a/the registered holder of consent AN0033407

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS
at

CARDIFF (ROATH) DOCKS - O/F 6 SOUTH CROSS BERTH

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

Name:

Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to:

* delete as appropriate

Name(s) of new holder(s):

Address:

Post Code:

Date of Transfer to new Holder(s);

Signed: **Dated:**

Name (block capitals): **Position:**



ASSOCIATED BRITISH PORTS

150 HOLBORN
LONDON EC1N 2LR

dk to update
updated
18.12.96
BEP



ASIANTAETH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

Consent Number	Effluent Type	Date Consent Given or Last Reviewed	FOR OFFICE USE ONLY Chargeable? (Y/N)
AN0033407 ✓	TREATED SEWAGE EFFLUENT + Surface water Discharge Site : CARDIFF DOCKS-OUTFALL 6, 5TH CROSS BERTH, ROATH DOCK	08-DEC-92	Y
[AN0033409	TRADE EFFLUENT + Treated Sewerage (S.T.) Discharge Site : CARDIFF DOCKS	08-DEC-92	Y
AN0033411 ✓	Treated (septic tank) CRUDE SEWAGE EFFLUENT Discharge Site : CARDIFF DOCKS-OUTFALL 14 PLUS SURFACE WATER	08-DEC-92	Y
AN0033414 ✓	Treated (S.T.) CRUDE SEWAGE EFFLUENT Discharge Site : CARDIFF DOCKS-DOCK MASTERS OFFICE	08-DEC-92	Y
* AN0033417	CRUDE SEWAGE EFFLUENT Discharge Site : CARDIFF DOCKS-OUTFALL 44, BRITANNIA RD	08-DEC-92	Y
AN0033418 ✓	Treated (S.T.) CRUDE SEWAGE EFFLUENT Discharge Site : CARDIFF DOCKS-PIERHEAD BUILDING	08-DEC-92	Y
[AN0033424x Joint	Treated (S.T.) CRUDE SEWAGE EFFLUENT Discharge Site : CARDIFF DOCKS-NO 18 NE CORNER QA DOCK	08-DEC-92	Y
* AN0033419	Treated (S.T.) Sewage Effluent Cardiff Docks No 65 S/S Roath Basin	Revoked 'insert Notice' 31-3-95	
* AN 0033422	Treated (ST) sewage Effluent. Cardiff Docks no 9 Communication Passage	Revoked 'Superseded' by AN0033409-2 consents issued under	
* NOT Known	INTERNATIONAL Cold Stores. East end QA dock. Treated Sewage (S.T.)		
* NOT Known	12" outfall Cold Stores Road. (Ryan Transport + Hunter Timber + S.W.)		

JOINT
WITH NSM
MINING
(C'd to
S.W.)

sent to PLO
S-CHASE
SPICE

need to all
JOINT WITH
CONSTRUCTION
LINE LTD

Signed:

Date:

8/5/96



NOTICE TO THE ENVIRONMENT AGENCY*

Environment Act 1995, Schedule 23, para 21(2)(b)(ii)



*The notes below may help in completing this notice.

WITH RESPECT TO THE FOLLOWING CONSENT [as given by the National Rivers Authority (or its predecessors)] WHICH WAS IN FORCE ON 31st MARCH 1996,

Name on former NRA Register on 31/3/96 ASSOCIATED BRITISH PORTS

Consent Number as attached signed and dated list Date consent was given or last reviewed

for the making of a discharge/several discharges of sewage effluent

at Discharge Site Address Port of Cardiff

I HEREBY GIVE NOTICE TO THE ENVIRONMENT AGENCY THAT I AM THE PERSON MAKING THE DISCHARGE(S) REFERRED TO ABOVE AND THAT I PROPOSE TO RELY ON this consent / the consents as on the attached signed and dated list** *Delete as appropriate*

AFTER 1st OCTOBER 1996 AND WISH TO BE REGISTERED AS THE CONSENT HOLDER.

Name of Consent Holder ('the Discharger') ASSOCIATED BRITISH PORTS

<If you are a body corporate please complete with the registered name/address of the body corporate - see note 2 below>

Address 150 HOLBORN LONDON EC1N 2LR

Post Code

SIGNED D. A. Jones DATED 8/5/96

<job title> ASSISTANT PORT MANAGER (CARDIFF + BARRY)

<being the person with the delegated authority to sign of behalf of a body corporate - see note 2 below>

NOTES TO HELP YOU TO COMPLETE THIS NOTICE

1. If you are attaching a list of consents (as prepared by us from the NRA Register as on 31/3/96) then please overwrite the top section of this notice with the words 'Consents as on attached signed and dated list'. You should thoroughly check this list and modify and initial where necessary before signing and dating each page of the list and attaching to this completed notice. You may of course use your own list of consents you propose to rely on provided that the information above is included in full and each page is signed and dated.
2. In addition to an individual, a 'person' in legal terms may refer to a 'body corporate' (e.g. public limited company ('plc'), limited company, local authority etc.). In these cases the body corporate will be registered as the consent holder. The person signing on behalf of the body corporate will be the person who has the power to do so (usually the Company Secretary for a plc or limited company, the Chief Executive for a local authority etc). The legal validity of the signatory is the responsibility of the body corporate. If you are signing with the delegated authority of the body corporate, please indicate your job title.
3. Legal advice may be advisable for some situations (e.g. grant maintained schools outside of local authority control).
4. If you are a partnership or registered charity then up to 4 partners/trustees should individually complete this notice. These partners/trustees will then be registered as joint consent holders.
5. If you share the making of the discharge(s) with another person(s) then you should all complete the notice and be registered as joint consent holders. (e.g. householders individually and severally discharging via a common private sewage treatment works).
6. If in doubt, it may help to consider the 'person' as the person, either individually or severally, who would apply for the consent if an application were in future to be made to the Environment Agency. Under the amended legislation, ONLY the registered consent holder may in future apply to the Agency for a variation of the consent.

NOTE: The responsibility for this notice rests entirely with you and the Agency cannot be held responsible in any way for mistakes made as a result of the notes above (or otherwise) which are given in good faith.

Port Engg office + workshops
+ subsea water.

6

HIGH PRIORITY
Special Ligat

Please Return this form to:

Passed to P.C. 21/2/91
Consents Officer.
N.R.A. Welsh Region,
FREEPOST
Rivers House,
St. Mellons Business Park,
St. Mellons,
Cardiff,
Glamorgan
CF3 7ZZ.

For office use only:

Reference No.:

AN00033407

Reply Received:

27/12/90

Action:

E 13/2/91 CS
(note different billing address and
addition to description *)

21/2/91

Our records contain the following consent details:

Name and Address Of Owner:

Associated British Ports
150 Holborn,
London EC1N 2LR

Please Indicate Changes:

Consent No.: AN0033407 Operative Date : 10TH SEPTEMBER 1987

Is this discharge still in operation ? YES ☒ NO ☐

If NO, do you wish this consent to be revoked ? YES ☐ NO ☐

If you wish this consent to be revoked, please sign here :
This discharge is not in operation. I wish this consent to be revoked.

Signed : _____ Date : _____

If you do not wish this consent to be revoked, please verify the details
which follow and supply further details if known.

Address of premises
Location of discharge :

~~Cardiff Docks~~

~~Grude Sewage~~

Please Indicate Changes:

outfall 6 South Cross berth
Roath Dock

Road Drainage + secondary/septic tank

Outlet National Grid Reference : ST 19930 74620

Population Served : Not Known

Is discharge periodic or continuous? Periodic ☒ Continuous ☐

Discharge Consent Conditions :

Condition Name

Limit Unit

Ind

Other Details.

Note: If the discharge has changed in composition or volume since the consent was issued, then please indicate the changes above.

If you wish future bills to be sent to a name and address other than that shown at the top of the previous page then please complete the details here.

PORT MANAGER
PIERHEAD BUILDING
BUTE DOCK
CARDIFF
S GPM CFI 5TH
471 311

Please give a contact name and telephone number here.

Signed : [Signature] Date: 19/12/89

Engs office + workshops
free water.

76

HIGH PRIORITY
Spencer Liggett

Please Return this form to:

Passed to P.C. 20/2/91
Consents Officer.
N.R.A. Welsh Region,
FREEPOST
Rivers House,
St. Mellons Business Park,
St. Mellons,
Cardiff,
Glamorgan
CF3 7ZZ.

For office use only:

Reference No.:

AN0033407

Reply Received:

27/12/90

Action:

E 13/2/91 CS
(note different billing address and
addition to description *)

LOW
PRIORITY
REVIEW

Our records contain the following consent details:

Name and Address Of Owner:

Associated British Ports
150 Holborn,
London EC1N 2LR

Please Indicate Changes:

B 17/9/91
MC

Consent No.: AN0033407 Operative Date : 10TH SEPTEMBER 1987

Is this discharge still in operation ? YES ☒ NO ☐

If NO, do you wish this consent to be revoked ? YES ☐ NO ☐

If you wish this consent to be revoked, please sign here :
This discharge is not in operation. I wish this consent to be revoked.

Signed : _____ Date : _____

If you do not wish this consent to be revoked, please verify the details
which follow and supply further details if known.

Address of premises
Location of discharge :

~~Cardiff Docks~~

~~Grude Sewage~~

Please Indicate Changes:

outfall 67 South Cross berth

Roath Dock

Road Drainage + secondary/septic tank

Outlet National Grid Reference : ST 19930 74620

Population Served : Not Known

Is discharge periodic or continuous? Periodic ☒ Continuous ☐

Review (Take this change of composition into account when determining
the deemed application.

will require up to date drainage plan

LETTER SENT to ADP
requesting drainage plan
and Vol. letter sent approx 25/4/91

Nothing heard
as at 4/9/91

N.B. shown as outfall ⑦ on schedule not 6.
From Eng. & Ryan plant — Determination. write requests water
meter readings.

Discharge Consent Conditions :

Condition Name Limit Unit Ind


Other Details.

Note: If the discharge has changed in composition or volume since the consent was issued, then please indicate the changes above.

If you wish future bills to be sent to a name and address other than that shown at the top of the previous page then please complete the details here.

Please give a contact name and telephone number here.

Post Manager
Pierhead Building
Suite 204
Cardiff
S Gwyn CFI 5TH
471311

Signed :  Date: 19/12/34.

1

1. The first part of the report
2. The second part of the report
3. The third part of the report
4. The fourth part of the report
5. The fifth part of the report
6. The sixth part of the report
7. The seventh part of the report
8. The eighth part of the report
9. The ninth part of the report
10. The tenth part of the report

11. The eleventh part of the report
12. The twelfth part of the report
13. The thirteenth part of the report
14. The fourteenth part of the report
15. The fifteenth part of the report
16. The sixteenth part of the report
17. The seventeenth part of the report
18. The eighteenth part of the report
19. The nineteenth part of the report
20. The twentieth part of the report



Awdurdod Afonydd Cenedlaethol
Rhanbarth Cymru



National Rivers Authority
Welsh Region

File
H040736

Consent No.	SEE APPENDIX
-------------	--------------

WATER RESOURCES ACT 1991

Under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers the National Rivers Authority hereby gives this

C O N S E N T

Page 1 of 3.

To : Associated British Ports.
Of : 150 Holborn, London, EC1N 2LR
For : Discharges of sewage or trade effluent
From : Premises at Port of Cardiff.
Into : Estuarial waters.

WHEREAS

1. On the 20th July 1987 Associated British Ports applied to the Welsh Water Authority for consent to make discharges of sewage effluent from the Port of Cardiff into controlled waters.
2. Consent was deemed granted on 10th September 1987 such that the discharges could lawfully be made provided they remained consistent with the nature, composition and volume stated in the application until either
 - a. the Welsh Water Authority or its successors gave consent unconditionally.
 - or b. 3 months after consent is refused or granted subject to conditions.
 - or c. the determination of any appeal.

NOWHEREFORE under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers, the National Rivers Authority HEREBY GIVES YOU NOTICE that the said discharges identified in the Appendix and entitled 'Schedule of Effluent Discharges - Port of Cardiff' will become subject to the conditions contained herein three months from the date of issue of this Consent.

Rheolwr Cyffredinol Rhanbarthol
Dr John Stoner
Plos-yr-Afon
Parc Busnes Lloneirwg
Lloneirwg
Caerdydd CF3 0LT
Ffôn: Caerdydd (0222) 770088
Ffacs: (0222) 798555

Regional General Manager
Dr John Stoner
Rivers House
St. Mellons Business Park
St. Mellons
Cardiff CF3 0LT
Tel: Cardiff (0222) 770088
Fax: (0222) 798555



Awdurdod Afonydd Cenedlaethol
Rhanbarth Cymru



National Rivers Authority
Welsb Region

WATER RESOURCES ACT 1991
Continuation Sheet

Consent No. SEE APPENDIX

page 2 of 3.

CONDITIONS OF CONSENT

- 1 The discharges shall consist of sewage and/or trade effluent as described in the Appendix to this Consent entitled 'Schedule of Effluent Discharges - Port of Cardiff'.
- 2 The maximum volume of each discharge shall be as specified in the Appendix.
- 3 The discharges shall be made to controlled waters at the locations specified in the Appendix and as shown on the attached Drawing No. CD3522.
- 4 Adequate facilities shall be provided to enable representative samples of the discharges to be conveniently obtained at any time.
- 5 Within two years of the date of issue of this Consent all discharges of crude sewage only or in admixture with surface water, shall receive treatment to a standard at least equivalent to that provided by an appropriately sized septic tank.
- 6 All effluent treatment facilities shall be regularly maintained to ensure optimum performance.
- 7 The discharge shall not contain any matter which will cause the receiving water to be poisonous or injurious to fish, their spawn, spawning grounds or food, or cause damage to the ecology of the receiving water or have any adverse visual environmental impact.

This Consent is given on: 8th December 1992 on behalf of the Authority
by: T.A. Westwood Area Environmental Quality Manager.

During the period ending with the 7th December 1994 the terms of this Consent will not be altered without the written agreement of the person making the discharge.

Rheolwr Cyffredinol Rhanbarthol
Dr John Stoner
Plas-yr-Afon
Parc Busnes Llanelwyr
Llanelwyr
Caerdydd CF3 0LT
Ffôn: Caerdydd (0222) 770088
Ffacs: (0222) 798555

Regional General Manager
Dr John Stoner
Rivers House
St. Mellons Business Park
St. Mellons
Cardiff CF3 0LT
Tel: Cardiff (0222) 770088
Fax: (0222) 798555



Awdurdod Afonydd Cenedlaethol
Rhanbarth Cymru



National Rivers Authority
Welsh Region

APPENDIX

Page 3 of 3.

SCHEDULE OF EFFLUENT DISCHARGES - PORT OF CARDIFF

OUTFALL NO.	CONSENT REF NO.	NATIONAL GRID REFERENCE	NATURE OF EFFLUENT	MAX VOLUME OF DISCHARGE/DAY	RECEIVING WATER
7	AN0033407	ST 19945 74605	SEPTIC TANK	5 cubic metres	ROATH DOCK
8	AN0033408	ST 19670 74375	SEPTIC TANK	5 cubic metres	ROATH BASIN
9	AN0033409	ST 20030 74425	TRADE EFFLUENT	5 cubic metres	ROATH DOCK PASSG
14	AN0033411	ST 19700 73910	CRUDE SEWAGE	5 cubic metres	QUEEN ALEX DOCK
18	AN0033424	ST 20180 74110	CRUDE SEWAGE	5 cubic metres	QUEEN ALEX DOCK
35	AN0033414	ST19410 73280	CRUDE SEWAGE	5 cubic metres	CARDIFF BAY
44	AN0033417	ST 19340 74390	CRUDE SEWAGE	5 cubic metres	CARDIFF BAY
45	AN0033418	ST 19275 74430	CRUDE SEWAGE	5 cubic metres	CARDIFF BAY

Rheolwr Cyffredinol Rhanbarthol
Dr John Stoner
Plos-yr-Afon
Parc Busnes Lloneirwg
Lloneirwg
Coerdydd CF3 0LT
Ffôn: Coerdydd (0222) 770088
Ffacs: (0222) 798555

Regional General Manager
Dr John Stoner
Rivers House
St. Mellons Business Park
St. Mellons
Cardiff CF3 0LT
Tel: Cardiff (0222) 770088
Fax: (0222) 798555



ASSOCIATED
BRITISH PORTS
CAERDYDD A'R
BARRI

ASSOCIATED
BRITISH PORTS
CARDIFF &
BARRY

PIERHEAD BUILDING
BUTE DOCKS
CARDIFF
SOUTH GLAMORGAN CF1 5TH
TELEPHONE (01222) 471311


TELEX 498542
FACSIMILE (01222) 471100

L R GRAVESTOCK
PORT MANAGER

Our ref: PM.732

8 May 1996

The Environment Agency,
Rivers House,
St. Mellons Business Park,
St. Mellons,
CARDIFF.
CF3 0LT.



Dear Sirs,

Environment Act 1995
Discharge Consents


Reference your letter and enclosures of 2nd April, 1996 addressed to my Head Office. Please find appended the schedule and notice endorsed as requested.

Please note consent ~~AN0033417~~ is no longer operational and may be deleted.

A number of outfalls do not appear on your lists and I have, therefore, added them in manuscript and appended a plan of their location. Please note I have no record of the consents for the Cold Store as ABP has only recently assumed full responsibility for this installation.

As discussed, I will forward your Notice form to other organisations having an interest in the outfalls.

Yours faithfully,


D.J. HARRISON
ASSISTANT PORT MANAGER

AN0033409
AN0033411
AN0033414
AN0033417
AN0033418
AN0033424
AN0033419
AN0033422

NOTICE TO THE ENVIRONMENT AGENCY*

Environment Act 1995, Schedule 23, para 21(2)(b)(ii)



*The notes below may help in completing this notice.

WITH RESPECT TO THE FOLLOWING CONSENT [as given by the National Rivers Authority (or its predecessors)] WHICH WAS IN FORCE ON 31st MARCH 1996,

Name on former NRA Register on 31/3/96 ASSOCIATED BRITISH PORTS

Consent Number as attached signed and dated list Date consent was given
or last reviewed

for the making of a discharge/several discharges of sewage effluent

at Discharge Site Address Port of Cardiff

I HEREBY GIVE NOTICE TO THE ENVIRONMENT AGENCY THAT I AM THE PERSON MAKING THE DISCHARGE(S) REFERRED TO ABOVE AND THAT I PROPOSE TO RELY ON this consent / the consents as on the attached signed and dated list** Delete as appropriate
AFTER 1st OCTOBER 1996 AND WISH TO BE REGISTERED AS THE CONSENT HOLDER.

Name of Consent Holder ('the Discharger') ASSOCIATED BRITISH PORTS

<If you are a body corporate please complete with the registered name/address of the body corporate - see note 2 below>

Address 150 HOLBORN LONDON EC1N 2LR

Post Code

SIGNED [Signature] DATED 8/5/96

<job title ASSISTANT PORT MANAGER (CARDIFF + BARRY)>

<being the person with the delegated authority to sign of behalf of a body corporate - see note 2 below>

NOTES TO HELP YOU TO COMPLETE THIS NOTICE

1. If you are attaching a list of consents (as prepared by us from the NRA Register as on 31/3/96) then please overwrite the top section of this notice with the words 'Consents as on attached signed and dated list'. You should thoroughly check this list and modify and initial where necessary before signing and dating each page of the list and attaching to this completed notice. You may of course use your own list of consents you propose to rely on provided that the information above is included in full and each page is signed and dated.

2. In addition to an individual, a 'person' in legal terms may refer to a 'body corporate' (e.g. public limited company ('plc'), limited company, local authority etc.). In these cases the body corporate will be registered as the consent holder. The person signing on behalf of the body corporate will be the person who has the power to do so (usually the Company Secretary for a plc or limited company, the Chief Executive for a local authority etc). The legal validity of the signatory is the responsibility of the body corporate. If you are signing with the delegated authority of the body corporate, please indicate your job title.

3. Legal advice may be advisable for some situations (e.g. grant maintained schools outside of local authority control).

4. If you are a partnership or registered charity then up to 4 partners/trustees should individually complete this notice. These partners/trustees will then be registered as joint consent holders.

5. If you share the making of the discharge(s) with another person(s) then you should all complete the notice and be registered as joint consent holders. (e.g. householders individually and severally discharging via a common private sewage treatment works).

6. If in doubt, it may help to consider the 'person' as the person, either individually or severally, who would apply for the consent if an application were in future to be made to the Environment Agency. Under the amended legislation, ONLY the registered consent holder may in future apply to the Agency for a variation of the consent.

NOTE: The responsibility for this notice rests entirely with you and the Agency cannot be held responsible in any way for mistakes made as a result of the notes above (or otherwise) which are given in good faith.

ASSOCIATED BRITISH PORTS

150 HOLBORN
LONDON EC1N 2LR



ASIAN TAETH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

Consent Number	Effluent Type	Date Consent Given or Last Reviewed	FOR OFFICE USE ONLY Chargeable? (Y/N)
AN0033407	TREATED SEWAGE EFFLUENT + Surface water	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS-OUTFALL 6, STH CROSS BERTH, ROATH DOCK		
AN0033409	TRADE EFFLUENT + Treated Sewerage (S.T.)	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS Treated (septic tanks)		
AN0033411	CRUDE SEWAGE EFFLUENT	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS-OUTFALL 14 PLUS SURFACE WATER Treated (S.T.)		
AN0033414	CRUDE SEWAGE EFFLUENT	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS-DOCK MASTERS OFFICE		
* AN0033417	CRUDE SEWAGE EFFLUENT	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS-OUTFALL 44, BRITANNIA RD		
AN0033418	CRUDE SEWAGE EFFLUENT	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS-PIERHEAD BUILDING Treated (S.T.)		
AN0033424	CRUDE SEWAGE EFFLUENT	08-DEC-92	Y
Discharge Site :	CARDIFF DOCKS-NO 18 NE CORNER QA DOCK		

* AN0033419 Treated (S.T.) sewage Effluent
Cardiff docks No 55 s/s Roath Basin

Revoked 'insert notice'
31-3-95

* AN 0033422 Treated (ST) sewage Effluent.

Cardiff docks no 9 Communication passage by AN0033409 - 2
Consents issued under

NOT KNOWN INTERNATIONAL COAL STORES.
East end QA dock.
Treated Sewage (S.T.)


* NOT KNOWN 12" outfall Cold Stores Road.
(Ryan Transport + Hunter Timber + SW) ?

Signed: *[Signature]*

Date: 8/5/96



6. 8. 1962



ST 1974 NE
CARDIFF C.B. & C.P.

198

197

GL JORGAN

196

Metres
CARDIFF (CAERDYDD)

1958

ST 19670 74375
AN0033419

ROATH BASIN

SEPTIC TANK

Sand & Gravel Wharf
Hoppers

Travelling Crane

Bollards

