

Water Resources Act 1991
as amended by the Environment Act 1995
Consent to Discharge
Certificate of Holder



**ENVIRONMENT
AGENCY**

Part A

To: ASSOCIATED BRITISH PORTS
PORT MANAGER
ALEXANDRA DOCK

NEWPORT NP9 2UW

The Environment Agency ("the Agency") hereby confirm that the above named person is a/the registered holder of consent AC0123702

Nature of Discharge(s); SEWAGE EFF/TREATED EFF/CONTINUOUS
at
PREMISES AT PORT OF NEWPORT

Note: This certificate should be kept with the consent document for future reference. If you transfer responsibility for the discharge to somebody else you must pass the consent to them and tell the Agency within 21 days. **Responsibility for the consent cannot be disclaimed by the holder but the registration of holder may be transferred to a successor.** To do this please complete the form below, then tear it off and return it to the address shown. If you fail to transfer the consent, even though you are no longer on the site, you may still be liable for prosecution for pollution. If you transfer the consent but do not tell us, you will be committing an offence. In case of any queries please contact your local Environment Agency office.

Part B Please complete in block capitals or type.

To:

Water Resources Act 1991: Notice of transfer of consent to discharge

Consent:

Name:
Address:

I/We* hereby serve notice on the Agency that I/we* am/are* no longer a/the* Holder of the above consent which will be/was* transferred to: * delete as appropriate

Name(s) of new holder(s):
Address:

Post Code:

Date of Transfer to new Holder(s);


Signed: Dated:

Name (block capitals): Position:

JWB/S/96

(to be completed when signing
on behalf of corporate bodies)





NOTICE TO THE ENVIRONMENT AGENCY*

Environment Act 1995, Schedule 23, para 21(2)(b)(ii)

*The notes below may help in completing this notice.



WITH RESPECT TO THE FOLLOWING CONSENT [as given by the National Rivers Authority (or its predecessors)] WHICH WAS IN FORCE ON 31st MARCH 1996,

Name on former NRA Register on 31/3/96

CONSENTS AS ON ATTACHED SIGNED AND DATED LIST

Consent Number

Date consent was given
or last reviewed

for the making of a discharge/several discharges of

at Discharge Site Address

I HEREBY GIVE NOTICE TO THE ENVIRONMENT AGENCY THAT I AM THE PERSON MAKING THE DISCHARGE(S) REFERRED TO ABOVE AND THAT I PROPOSE TO RELY ON this consent / the consents as on the attached signed and dated list** Delete as appropriate
AFTER 1st OCTOBER 1996 AND WISH TO BE REGISTERED AS THE CONSENT HOLDER.

Name of Consent Holder ('the Discharger')

ASSOCIATED BRITISH PORTS

<If you are a body corporate please complete with the registered name/address of the body corporate - see note 2 below>

Address

ALEXANDRA DOCK, NEWPORT

SOUTH WALES

Post Code

NPD 2UW

SIGNED

[Signature]

DATED

5/9/96

<job title>


PORT MANAGER

<being the person with the delegated authority to sign on behalf of a body corporate - see note 2 below>

NOTES TO HELP YOU TO COMPLETE THIS NOTICE

1. If you are attaching a list of consents (as prepared by us from the NRA Register as on 31/3/96) then please overwrite the top section of this notice with the words 'Consents as on attached signed and dated list'. You should thoroughly check this list and modify and initial where necessary before signing and dating each page of the list and attaching to this completed notice. You may of course use your own list of consents you propose to rely on provided that the information above is included in full and each page is signed and dated.
2. In addition to an individual, a 'person' in legal terms may refer to a 'body corporate' (e.g. public limited company ('plc'), limited company, local authority etc.). In these cases the body corporate will be registered as the consent holder. The person signing on behalf of the body corporate will be the person who has the power to do so (usually the Company Secretary for a plc or limited company, the Chief Executive for a local authority etc). The legal validity of the signatory is the responsibility of the body corporate. If you are signing with the delegated authority of the body corporate, please indicate your job title.
3. Legal advice may be advisable for some situations (e.g. grant maintained schools outside of local authority control).
4. If you are a partnership or registered charity then up to 4 partners/trustees should individually complete this notice. These partners/trustees will then be registered as joint consent holders.
5. If you share the making of the discharge(s) with another person(s) then you should all complete the notice and be registered as joint consent holders. (e.g. householders individually and severally discharging via a common private sewage treatment works).
6. If in doubt, it may help to consider the 'person' as the person, either individually or severally, who would apply for the consent if an application were in future to be made to the Environment Agency. Under the amended legislation, ONLY the registered consent holder may in future apply to the Agency for a variation of the consent.

NOTE: The responsibility for this notice rests entirely with you and the Agency cannot be held responsible in any way for mistakes made as a result of the notes above (or otherwise) which are given in good faith.



ASSOCIATED ~~BRITISH~~ PORTS

ALEXANDRA DOCK
NEWPORT
GWENT NP9 2UW



ASIANTAETH YR
AMGYLCHEDD
ENVIRONMENT
AGENCY

Consent Number Effluent Type

AB0055401 ✓ TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT PORT OF NEWPORT

AC0123701 ✓ TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT PORT OF NEWPORT

AC0123702 ✓ TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT PORT OF NEWPORT

AN0033302 TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033303 TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033305 TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033308 TREATED SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033309 CRUDE SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033313 CRUDE SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033314 CRUDE SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033315 CRUDE SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

AN0033316 CRUDE SEWAGE EFFLUENT
Discharge Site : PREMISES AT NEWPORT DOCKS

TRANSFER TO
SIMS BIRD

TRANSFER TO
SEVERN SANDS

TRANSFER TO
MLM (MEYER)

TRANSFER TO
BURT BOLTON & HAYWARD

TRANSFER TO
BURT BOLTON & HAYWARD

TRANSFER
TO MOORFIELD


Date Consent Given or Last Reviewed	FOR OFFICE USE ONLY Chargeable? (Y/N)
14-JUN-94	Y
14-JUN-94	Y
14-JUN-94	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y
03-NOV-92	Y

Signed: _____

Date: _____

5/9/96





Our Ref: EQ/TS/LC/AC0123702
Your Ref:

Date: 14th June, 1994

Associated British Ports,
Alexandria Dock,
Newport,
Gwent.
NP9 2UW

Dear Sir,

Water Resources Act 1991 Section 88 Schedule 10
Review of Consent to Discharge

Further to our recent correspondence concerning the consent to discharge sewage effluent from premises at port of Newport, Gwent. I have enclosed the Authority's formal notice of the modifications made to the conditions of the consent.

Under the present Scheme of Charges for Discharges to Controlled Waters an annual charge will be made for all consents to discharge, except where the discharge is of sewage effluent of five cubic metres or less per day. This charge is based on information derived from the conditions attached to the consent to discharge, as outlined in the enclosed leaflet. A change in conditions may therefore result in a change in annual charge, you may therefore receive a revised bill in due course.

Where there is a change of ownership of the discharge, the Authority should be informed in writing in order that an apportioned charge may be raised.

If you are not satisfied with the new conditions of the consent you may appeal against the decision to the Secretary of State for Wales at the Welsh Office, Cathays Park, Cardiff, CF1 3NQ.

Yours faithfully,



 T. A. Westwood
Area Environmental Quality Manager

Please ask for Miss L. Colledge

Dr JOHN STONER Rheolwr Cyffredinol Rhanbarthol / Regional General Manager
Awdurdod Afonydd Cenedlaethol, Rhanbarth Cymru / National Rivers Authority, Welsh Region
Plas-yr-Afon, Parc Busnes Lloneirwg, Lloneirwg, Caerdydd, CF3 0LT. Ffôn: (0222) 770088, Ffacs: (0222) 798555
Rivers House, St. Mellons Business Park, St. Mellons, Cardiff, CF3 0LT. Tel: (0222) 770088, Fax: (0222) 798555

COPY

COPY

WATER RESOURCES ACT 1991

Consent No. AC0123702

Under Section 88 and Schedule 10 of the Water Resources Act 1991 and all other enabling powers the National Rivers Authority hereby serves this Notice

R E V I E W O F C O N S E N T

Page 1 of 2

To : Associated British Ports.

Of : Alexandria Dock, Newport, Gwent. NP9 2UW.

In respect of the previous Consent No. AC0123702 issued on : 04-MAR-80

For : A discharge of sewage effluent.

To : Estuarial waters.

From : Premises at port of Newport.

This Consent shall not be taken as providing a statutory defence against a charge of pollution in respect of any poisonous, noxious or polluting constituents not specified herein.

THE FOLLOWING REPLACE ALL PREVIOUS CONDITIONS

1. The discharge shall consist only of septic tank effluent.
2. The discharge shall be made in the manner and at the place specified as follows:-

Discharging via : 300 mm dia. pipe.

Discharging to : South Dock

At os Grid Ref. : ST31950 85290

As shown marked : Consent Point on the attached plan no: D294

3. Adequate facilities, approved in writing by the Authority, shall be provided to enable representative samples to be safely and conveniently obtained at any time at the outfall as shown 'sampling point' on the attached plan no. D294

continued.....

Dr JOHN STONER Rheolwr Cyffredinol Rhonbarthol / Regional General Manager

Awdurdod Afonydd Cenedlaethol, Rhonbarth Cymru / National Rivers Authority, Welsh Region

Plas-yr-Afon, Parc Busnes Lloneirwg, Lloneirwg, Caerdydd, CF3 0LT. Ffôn: (0222) 770088, Ffacs: (0222) 798555

Rivers House, St. Mellons Business Park, St. Mellons, Cardiff, CF3 0LT. Tel: (0222) 770088, Fax: (0222) 798555

902

902

WATER RESOURCES ACT 1991
Continuation Sheet

Consent No. AC0123702


page 2 of 2

4. The maximum volume of effluent discharged shall not exceed 5 cubic metres per day.
5. The works shall be operated and maintained in accordance with the manufacturer's instructions, in particular the works shall be maintained such that:
 - (a) it remains fully operational except at times of mechanical or electrical breakdown;
 - (b) any such breakdowns shall be attended to promptly and the equipment returned to normal operation as soon as possible; and
 - (c) tanks shall be desludged at sufficient frequency and in such a manner as to prevent problems with rising sludge or excessive carry over of suspended solids.
6. As far as is reasonably practicable, the works shall be operated so as to prevent:
 - i) any matter being present in the effluent which will cause the receiving water to be poisonous or injurious to fish or to their spawn, or spawning grounds or food, or otherwise cause damage to the ecology of the receiving waters; and
 - ii) the treated effluent from having any adverse environmental impact.

This Notice is served on: 14th June, 1994 on behalf of the Authority
by: *T.A. Westwood* Area Environmental Quality Manager

During the period ending with the 13th June, 1996 the terms of this Notice will not be altered without the written agreement of the person making the discharge.


Dr JOHN STONER Rheolwr Cyffredinol Rhanbarthol / Regional General Manager
Awdurdod Afonydd Cenedlaethol, Rhanbarth Cymru / National Rivers Authority, Welsh Region
Plas-yr-Afon, Parc Busnes Lloneirwg, Lloneirwg, Caerdydd, CF3 0LT. Ffôn: (0222) 770088, Ffacs: (0222) 798555
Rivers House, St. Mellons Business Park, St. Mellons, Cardiff, CF3 0LT. Tel: (0222) 770088, Fax: (0222) 798555



COPY

NEWPORT DOCKS AUTHORITY VULCAN REGION	
CONSENT NOTED	ACO123702 14.6.94
AUTHORISED N.B.	T.A. Westwood

Scanned for D2 Project 2005



Alexandra Docks

CONSENT POINT

SAMPLING POINT

ACO 123702

NATIONAL GRID REFERENCE 31958529

D294

CONSENT PLAN

NEWPORT DOCKS - NATIONAL RIVERS AUTHORITY

DISCHARGE CONSENT - ACO 123702

Depot

200