

Form WRE: Application for a new impoundment licence, technical variation to an impoundment licence or the removal of an existing impoundment

Reference number (The number you generated in form WRA). Example:
WRNATURALRESOURCESWALES1101

WRnaturalresourceswales1712

Are you applying for a licence for a new impoundment or an existing impoundment

removal of an impoundment

Impoundment details

All information should correspond with any maps and drawings submitted with this application

	Impoundment location name/reference	Left bank National Grid Reference	Right bank National Grid Reference
	Honddu Forge Weir	SO 05028 29744	SO 05041 29742
	-	-	-
	-	-	-

Provide details about the type of impoundment you propose to construct at the points specified above and how the works will operate. This should include a description of any existing works and how your proposal will affect the flow of inland water.

Tell us the purpose of the works. If the water is to be impounded for more than one purpose, list both the primary and secondary purpose

The project aims to improve fish passage by removing a redundant weir and associated structures on the River Honddu, Powys. The weir was previously used for gauging but is no longer in use. These works will provide access to 20km of suitable spawning and juvenile salmonid habitat.

The 13m wide, 0.75m high weir to be removed is a concrete broad crested/ crump weir built in the 1960s and with no known current impoundment licence.

The proposed design involves 4 elements:

(1) Removal of existing concrete weir including wing wall and base on the Western (right bank) and regrade the river bank and strengthen with tree trunks. Removal of the weir will to reduce residual barriers to fish passage.

(2) Localised channel levelling only. NRW have requested any upstream sediment should be left in place where possible rather than reprofiling the stream.

(3) Localised regrading and reinforcement of banks on the eastern bank

(4) Scour protection upstream of the footbridge and for banks. This will include:

- Scour protection of the upstream footbridge. Under the bridge, this is to be concrete repairs to the existing scour protection and some localised repointing of masonry.
- Scour protection for the riverbank upstream of the weir and bridge where flow conditions are deemed to be excessive following hydraulic modelling due to the removal of the weir. This to be provided by a combination of rock rolls and erosion protection matting.

The weir is a concrete crump weir and is no longer in use. Its removal has been shown not to increase downstream flood risk and upstream erosion protection will be installed upstream of the weir removal. More details are given in the design philosophy and flood consequence assessments appended.

Description of impoundment

Name of watercourse

River Honddu

Will your proposed impoundment result in a change to the submerged area (downstream) or new submerged areas behind (upstream of) the impounding works?
(If yes, ensure this is shown on any map or drawings submitted)

Yes

Will the ponded area created by the impoundment be lined?

No

Give the height of the impoundment structure, from the downstream toe to crest or top of spillway (in metres above Ordnance Datum). If the proposal involves an existing impoundment, state the change in height (in millimetres).

n/a being removed

What is the overflow or crest level of the impoundment (in metres above Ordnance Datum)?

n/a being removed

Will the proposal create a raised reservoir?

(A raised reservoir is one where water is stored at a level above the natural level of the lowest level of the surrounding area.)

No

What is the proposed capacity of the impoundment when full to spillway level (in cubic metres)?

n/a

Does the proposal involve the controlled release of water to safeguard downstream flows?

This could be the release of flood attenuation flows, reservoir compensation flows or a residual flow via a notch or orifice.

No

Is the impounded water to be used for a subsequent purpose?

No

How will the impounded area be filled initially, and subsequently refilled if applicable?

Example: by rainwater, overland flow or pumped from another source.

n/a

Fish and eel passage

Confirm the fish species present at your site.

- Salmon
- Sea Trout
- Brown Trout
- Eels
- Minor species, bullhead, minnows, stone loach

Please confirm type of fish screen

Intake n/a

Outfall n/a

Please confirm screen height and width - intake (millimetres)

Width n/a

Height n/a

Please confirm screen height and width - outfall (millimetres)

Width n/a

Height n/a

Please confirm screen aperture size (millimetres)

Intake n/a

Outfall n/a

Please confirm type of upstream fish/eel passage intake

open channel

Please confirm type of downstream fish/eel passage

open channel

Please confirm proposed flow for fish pass

natural area average flow velocity

Construction, maintenance and operation

Provide details of maintenance or activities relating to the operation of the impoundment. Include the extent and frequency of activities. This could include the operation of scour valves or maintenance of a fish pass.

Describe any sediment management plan associated with the impoundment.

No maintenance of the structure will be required following the works as the weir and associated gauging structures are being removed entirely. The stability of the banks may require ongoing monitoring to for bankside erosion following large storm events has no adverse effects.

Do you intend to divert the flow of the inland water while you are building, changing or removing the impounding works?

Yes

How do you intend to divert the flow of the inland water while you are building, changing or removing the impounding works. Give details.

Temporary works for in river working have yet to be identified by the contractor, however it is likely that temporary works using sandbags, or similar will be used to create a dry working area for demolition. This will cover half the river and then be switched over. Sediment and pollution control measures will be in place at all times.

Proposed Design of Structure

Upload design drawings and calculations here. (Spreadsheet file formats need to be: .xls, .xlsx, or .ods)

- File: 277161 - ARP - 03 - XX - DR - XX - 0004_Ver1.pdf - [Download](#)
- File: 277161 - ARP - 03 - XX - DR - XX - 0005.pdf - [Download](#)
- File: 277161 - ARP - 03 - XX - DR - XX - 0006.pdf - [Download](#)
- File: 277161 - ARP - 03 - XX - DR - XX - 0008.pdf - [Download](#)
- File: 277161 - ARP - 03 - XX - DR - XX - 0009.pdf - [Download](#)
- File: 277161 - ARP - 03 - XX - DR - XX - 0011_Ver1.pdf - [Download](#)
- File: Topographic survey and sections.pdf - [Download](#)
- File: Photo Survey doc.docx - [Download](#)
- File: OGN 200 FORM 1 - Honddu Forge rev3_Ver2 - signed.pdf - [Download](#)
- File: OGN 200 FORM 2 - Priory Mill Forge removal project River Honddu.doc - [Download](#)

Other permissions

Planning permission advice received?

No

Is planning permission required?

No

What is the status of the planning permission?

Not required

Have you applied for or do you hold a Flood Risk Activity Permit (FRAP) for the proposed works?

No

Commercial confidentiality and national security

Are you applying for Commercial Confidentiality?

No

Have you applied to the Welsh Ministers for national security for your application?

No

Would you like a copy of your submission?

Yes

Your email address

melissa.mahavar-snow@cyfoethnaturiolcymru.gov.uk