



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: Scott Bowler

CERTIFICATE OF ANALYSIS

Date of report Generation:	14 January 2020
Customer:	Atkins Global Ltd
Sample Delivery Group (SDG):	200103-42
Your Reference:	
Location:	Llanwern
Report No:	537147

We received 24 samples on Friday January 03, 2020 and 24 of these samples were scheduled for analysis which was completed on Tuesday January 14, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
21444628	D1-C		0.00 - 0.00	02/01/2020
21444653	D2-C		0.00 - 0.00	02/01/2020
21444602	D1-N		0.00 - 0.00	02/01/2020
21444507	D2-N		0.00 - 0.00	02/01/2020
21444521	D3-N		0.00 - 0.00	02/01/2020
21444704	D1-S		0.00 - 0.00	02/01/2020
21444692	D2-S		0.00 - 0.00	02/01/2020
21444534	D3-S		0.00 - 0.00	02/01/2020
21444665	Pond-N		0.00 - 0.00	02/01/2020
21444677	Pond-S		0.00 - 0.00	02/01/2020
21444799	R3-C		0.00 - 0.00	02/01/2020
21444750	R4-C		0.00 - 0.00	02/01/2020
21444641	R5-C		0.00 - 0.00	02/01/2020
21444614	R1-E		0.00 - 0.00	02/01/2020
21444491	R2-E		0.00 - 0.00	02/01/2020
21444778	R3-E		0.00 - 0.00	02/01/2020
21444732	R4-E		0.00 - 0.00	02/01/2020
21444478	R5-E		0.00 - 0.00	02/01/2020
21444812	R3-W		0.00 - 0.00	02/01/2020
21444763	R4-W		0.00 - 0.00	02/01/2020
21444717	R5-W		0.00 - 0.00	02/01/2020
21444548	SL-N		0.00 - 0.00	02/01/2020
21444586	SL-S		0.00 - 0.00	02/01/2020
21444567	SL-W		0.00 - 0.00	02/01/2020

Maximum Sample/Coolbox Temperature (°C) :

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

7.2

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend

- X** Test
- N** No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)

21444653

Customer
Sample Reference

D2C

AGS Reference

Depth (m)

0.00 - 0.00

Container

Sample Type

SW

Total Metals by ICP-MS

All

NDPs: 0
Tests: 25

X



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend



Test


No Determination
Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)

Customer
Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 24

VOC MS (W)

All

NDPs: 0
Tests: 24

21444628

D1-C

0.00 - 0.00

0.5l glass bottle
(ALE227)

SW

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

21444521	D3-N		0.00 - 0.00	HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW		X	
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
21444507	D2-N		0.00 - 0.00	H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
21444602	D1-N		0.00 - 0.00	250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			
				NaOH (ALE245)	SW		X	
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend



Test


No Determination
Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)

Customer
Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 24

VOC MS (W)

All

NDPs: 0
Tests: 24

21444521

D3-N

0.00 - 0.00

HNO3 Unfiltered
(ALE204)

HNO3 Filtered
(ALE204)

H2SO4 (ALE244)

250ml Amber Gl.
PTFE/PE (ALE219)

1l plastic (ALE221)

0.5l glass bottle
(ALE227)

ZnAc (ALE246)

Vial (ALE297)

NaOH (ALE245)

HNO3 Unfiltered
(ALE204)

HNO3 Filtered
(ALE204)

H2SO4 (ALE244)

250ml Amber Gl.
PTFE/PE (ALE219)

1l plastic (ALE221)

0.5l glass bottle
(ALE227)

ZnAc (ALE246)

Vial (ALE297)

NaOH (ALE245)

HNO3 Unfiltered
(ALE204)

HNO3 Filtered
(ALE204)

H2SO4 (ALE244)

250ml Amber Gl.
PTFE/PE (ALE219)

1l plastic (ALE221)

0.5l glass bottle
(ALE227)

ZnAc (ALE246)

Vial (ALE297)

NaOH (ALE245)

HNO3 Unfiltered
(ALE204)

HNO3 Filtered
(ALE204)

H2SO4 (ALE244)

250ml Amber Gl.
PTFE/PE (ALE219)

1l plastic (ALE221)

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

SW

21444665	Pond-N		0.00 - 0.00	ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			X
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				11plastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			X
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
21444534	D3-S		0.00 - 0.00	HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				11plastic (ALE221)	SW			
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			X
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				11plastic (ALE221)	SW	X		
21444692	D2-S		0.00 - 0.00	0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			X
				NaOH (ALE245)	SW			

21444614	R1-E		0.00 - 0.00	HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW		X	
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
21444641	R5-C		0.00 - 0.00	H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
21444750	R4-C		0.00 - 0.00	1lplastic (ALE221)	SW			
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			
				NaOH (ALE245)	SW		X	
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			

CERTIFICATE OF ANALYSIS

2144478	R5-E		0.00 - 0.00	ZnAc (ALE246)	SW				X
				Vial (ALE297)	SW				
				NaOH (ALE245)	SW				
				HNO3 Unfiltered (ALE204)	SW				
				HNO3 Filtered (ALE204)	SW				
				H2SO4 (ALE244)	SW				
				250ml Amber Gl. PTFE/PE (ALE219)	SW				
				11plastic (ALE221)	SW	X			
				0.5l glass bottle (ALE227)	SW				
				ZnAc (ALE246)	SW				
				Vial (ALE297)	SW				X
				NaOH (ALE245)	SW				
2144732	R4-E		0.00 - 0.00	HNO3 Unfiltered (ALE204)	SW				
				HNO3 Filtered (ALE204)	SW				
				H2SO4 (ALE244)	SW				
				250ml Amber Gl. PTFE/PE (ALE219)	SW				
				11plastic (ALE221)	SW				
				0.5l glass bottle (ALE227)	SW				
				ZnAc (ALE246)	SW				
				Vial (ALE297)	SW				X
				NaOH (ALE245)	SW				
				HNO3 Unfiltered (ALE204)	SW				
				HNO3 Filtered (ALE204)	SW				
				H2SO4 (ALE244)	SW				
2144778	R3-E		0.00 - 0.00	250ml Amber Gl. PTFE/PE (ALE219)	SW				
				11plastic (ALE221)	SW	X			
				0.5l glass bottle (ALE227)	SW				
				ZnAc (ALE246)	SW				
				Vial (ALE297)	SW				X
				NaOH (ALE245)	SW				
				HNO3 Unfiltered (ALE204)	SW				
				HNO3 Filtered (ALE204)	SW				
				H2SO4 (ALE244)	SW				
				250ml Amber Gl. PTFE/PE (ALE219)	SW				
				11plastic (ALE221)	SW				
				0.5l glass bottle (ALE227)	SW				

21444548	SL-N	0.00 - 0.00	H2SO4 (ALE244)	SW			
			250ml Amber Gl. PTFE/PE (ALE219)	SW			
			1lplastic (ALE221)	SW	X		
			0.5l glass bottle (ALE227)	SW			
			ZnAc (ALE246)	SW			
			Vial (ALE297)	SW		X	
			NaOH (ALE245)	SW			
			HNO3 Unfiltered (ALE204)	SW			
			HNO3 Filtered (ALE204)	SW			
			H2SO4 (ALE244)	SW			
21444717	RS-W	0.00 - 0.00	250ml Amber Gl. PTFE/PE (ALE219)	SW			
			1lplastic (ALE221)	SW	X		
			0.5l glass bottle (ALE227)	SW			
			ZnAc (ALE246)	SW			
			Vial (ALE297)	SW			X
			NaOH (ALE245)	SW			
			HNO3 Unfiltered (ALE204)	SW			
			HNO3 Filtered (ALE204)	SW			
			H2SO4 (ALE244)	SW			
			250ml Amber Gl. PTFE/PE (ALE219)	SW			
			1lplastic (ALE221)	SW	X		



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend



Test


No Determination
Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)

Customer
Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 24

VOC MS (W)

All

NDPs: 0
Tests: 24

21444586

SL-S

0.00 - 0.00

ZnAc (ALE246)

SW

NDPs: 0
Tests: 24

NDPs: 0
Tests: 24

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.		D1-C	D2-C	D1-N	D2-N	D3-N	D1-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery									
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Suspended solids, Total	<2 mg/l	TM022			4.5	3.5	2.5	<2	40	5
					#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045			2.08	1.71	2.28	1.84	2.1	1.64
					#	#	#	#	#	#
Oxygen, dissolved	<0.3 mg/l	TM046			9.21	10.3	9.83	9.65	10.3	9.63
Carbon, Organic (diss.filt)	<3 mg/l	TM090			8.72	7.45	8.78	8.29	6.34	8.54
Organic Carbon, Total	<3 mg/l	TM090			7.27	6.94	7.84	6.45	5.83	7.61
					#	#	#	#	#	#
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099			0.616	<0.3	0.751	1.04	2.35	<0.3
					#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101			0.0151	0.019	0.0224	0.0176	0.0353	0.0174
Fluoride	<0.5 mg/l	TM104			0.706	0.753	0.731	0.89	0.934	0.701
COD, unfiltered	<7 mg/l	TM107			24.7	23	41.9	20.9	15.2	21.4
					#	#	#	#	#	#
Redox potential	mV	TM110			165	168	165	172	154	164
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120			0.655	0.627	0.671	0.647	1.12	0.678
Dissolved solids, Total (meter)	<5 mg/l	TM123			503	499	487	480	836	523
					#	#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
Antimony (tot.unfilt)	<4 µg/l	TM152			<4	<4	<4	<4	<4	<4
					2					
Arsenic (diss.filt)	<0.5 µg/l	TM152			2.28	1.7	2.29	1.93	2.49	2.12
					#	#	#	#	#	#
Arsenic (tot.unfilt)	<2 µg/l	TM152			2.89	2	2.65	2.08	3.13	2.59
					2 #	#	#	#	#	#
Barium (diss.filt)	<0.2 µg/l	TM152			54.2	53.7	53	55.9	106	58.2
					#	#	#	#	#	#
Barium (tot.unfilt)	<0.5 µg/l	TM152			64	58.3	58.5	57.7	125	66.1
					2 #	#	#	#	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
					#	#	#	#	#	#
Beryllium (tot.unfilt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					2 #	#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152			138	129	139	138	87.2	141
					#	#	#	#	#	#
Boron (tot.unfilt)	<20 µg/l	TM152			134	135	137	133	85.6	135
					2 #	#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152			<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
					#	#	#	#	#	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
					2 #	#	#	#	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152			<3	<3	<3	<3	<3	<3
					2 #	#	#	#	#	#
Chromium (diss.filt)	<1 µg/l	TM152			<1	<1	<1	<1	1.13	<1
					#	#	#	#	#	#
Copper (tot.unfilt)	<1 µg/l	TM152			2.63	2.01	2.32	1.52	4.88	2.04
					2 #	#	#	#	#	#
Lead (tot.unfilt)	<1 µg/l	TM152					<1			
							#			
Copper (diss.filt)	<0.3 µg/l	TM152			1.52	1.52	1.51	1.25	3.23	1.47
					#	#	#	#	#	#
Manganese (tot.unfilt)	<1 µg/l	TM152			334	133	350	230	29.7	199
					2 #	#	#	#	#	#
Lead (diss.filt)	<0.2 µg/l	TM152			<0.2	<0.2	<0.2	<0.2	0.271	<0.2
					#	#	#	#	#	#
Nickel (tot.unfilt)	<1 µg/l	TM152			2.26	1.8	2.1	2.33	2.54	1.86
					2 #	#	#	#	#	#
Manganese (diss.filt)	<3 µg/l	TM152			233	102	309	208	<3	140
					#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend		Customer Sample Ref.	D1-C	D2-C	D1-N	D2-N	D3-N	D1-S
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.		02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.		00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.		03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.		200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		21444628	21444653	21444602	21444507	21444521	21444704
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Phosphorus (tot.unfilt)	<20 µg/l	TM152	98.7 2 #	39.1 #	72.3 #	37.6 #	25.9 #	78.6 #
Selenium (tot.unfilt)	<1 µg/l	TM152	1.17 2 #	1.45 #	1.31 #	1.58 #	3.72 #	1.06 #
Nickel (diss.filt)	<0.4 µg/l	TM152	1.63 #	1.42 #	1.67 #	1.73 #	1.98 #	1.43 #
Phosphorus (diss.filt)	<10 µg/l	TM152	45.7 #	24 #	40.9 #	14 #	<10 #	53.8 #
Selenium (diss.filt)	<1 µg/l	TM152	1.51 #	1.36 #	1.58 #	1.82 #	3.86 #	1.32 #
Vanadium (tot.unfilt)	<5 µg/l	TM152	13.1 2 #	13 #	10.1 #	11.4 #	27.2 #	9.37 #
Zinc (tot.unfilt)	<5 µg/l	TM152	22.9 2 #	5.66 #	64.2 #	<5 #	19 #	9.88 #
Vanadium (diss.filt)	<1 µg/l	TM152	10.7 #	12.2 #	9.18 #	11.7 #	25.8 #	9.36 #
Zinc (diss.filt)	<1 µg/l	TM152	1.8 #	1.93 #	20.1 #	1.73 #	1.6 #	1.95 #
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00187 2 #	<0.001 #		<0.001 #	0.00287 #	<0.001 #
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	10.5 #	8.33 #	10.9 #	8.48 #	0.208 #	11.7 #
Calcium (Dis.Filt)	<0.2 mg/l	TM152	109 #	105 #	110 #	112 #	142 #	109 #
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0449 #	0.0371 #	0.0486 #	0.0457 #	0.0251 #	0.0436 #
Hardness, Total as CaCO3	<0.65 mg/l	TM152	315	298	320	315	355	322
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	12 2 #	0.403 #	11.9 #	9.14 #	0.834 #	12.8 #
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	115 2 #	112 #	117 #	117 #	164 #	118 #
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.763 2 #	0.182 #	0.437 #	0.28 #	0.356 #	0.475 #
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01	<0.01	<0.01	<0.01	0.0798	0.0124
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	0.00747	0.0176	<0.005	0.00841	0.145	<0.005
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	0.106	<0.005
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	0.00546	0.174	<0.005
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	0.0296	<0.005
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0051	<0.005	<0.005	0.212	<0.005
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	0.106	<0.005
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0136	<0.005	<0.005	<0.005	<0.005
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.00608	0.00689	0.00734	0.00744	0.137	<0.005
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0141	<0.005	<0.005	0.013	<0.005
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0228	<0.005	<0.005	<0.005	<0.005



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.		D2-S	D3-S	Pond-N	Pond-S	R3-C	R4-C
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444692	21444534	21444665	21444677	21444799	21444750
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Suspended solids, Total	<2 mg/l	TM022			4.5	2	<2	<2	11	<2
					#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045			1.51	3.54	1.88	2.58	2.08	1.7
					#	#	#	#	#	#
Oxygen, dissolved	<0.3 mg/l	TM046			10.2	9.13	10.5	10.5	9.34	10.5
Carbon, Organic (diss.filt)	<3 mg/l	TM090			7.9	7.94	8.8	7.44	7.94	8.56
Organic Carbon, Total	<3 mg/l	TM090			7.07	7.47	8.16	6.82	7.51	8.2
					#	#	#	#	#	#
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099			<0.3	3.81	<0.3	<0.3	1.76	2.96
					#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101			0.0178	0.772	0.0151	0.0204	0.0166	0.015
Fluoride	<0.5 mg/l	TM104			0.795	1.11	0.572	0.925	0.746	1.17
COD, unfiltered	<7 mg/l	TM107			19.5	24.6	19.2	16.5	29.3	29.2
					#	#	#	#	#	#
Redox potential	mV	TM110			152	145	148	167	165	152
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120			0.613	0.866	0.557	0.525	0.623	0.673
Dissolved solids, Total (meter)	<5 mg/l	TM123			433	755	445	415	453	476
					#	#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
								2		
Antimony (tot.unfilt)	<4 µg/l	TM152			<4	<4	<4	<4	<4	<4
Arsenic (diss.filt)	<0.5 µg/l	TM152			1.96	2.91	0.849	0.679	1.75	2.44
					#	#	#	2 #	#	#
Arsenic (tot.unfilt)	<2 µg/l	TM152			2.15	3.07	<2	<2	2.04	2.46
					#	#	#	#	#	#
Barium (diss.filt)	<0.2 µg/l	TM152			53.6	93.3	55.6	42.9	60.7	56
					#	#	#	2 #	#	#
Barium (tot.unfilt)	<0.5 µg/l	TM152			59.3	95.5	65.4	46.4	65.5	59.5
					#	#	#	#	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
					#	#	#	2 #	#	#
Beryllium (tot.unfilt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152			134	94.4	133	184	122	169
					#	#	#	2 #	#	#
Boron (tot.unfilt)	<20 µg/l	TM152			128	95.2	127	177	129	172
					#	#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152			<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
					#	#	#	2 #	#	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
					#	#	#	#	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152			<3	<3	<3	<3	<3	<3
					#	#	#	#	#	#
Chromium (diss.filt)	<1 µg/l	TM152			<1	1.62	<1	<1	<1	<1
					#	#	#	2 #	#	#
Copper (tot.unfilt)	<1 µg/l	TM152			2.57	4.51	<1	<1	1.47	1.36
					#	#	#	#	#	#
Lead (tot.unfilt)	<1 µg/l	TM152						3.98		
								#		
Copper (diss.filt)	<0.3 µg/l	TM152			1.63	3.75	0.483	<0.3	0.932	1.31
					#	#	#	2 #	#	#
Manganese (tot.unfilt)	<1 µg/l	TM152			69.8	6.48	167	189	281	42.5
					#	#	#	#	#	#
Lead (diss.filt)	<0.2 µg/l	TM152			0.204	<0.2	<0.2	0.609	<0.2	<0.2
					#	#	#	2 #	#	#
Nickel (tot.unfilt)	<1 µg/l	TM152			2.02	2.35	1.14	<1	2.11	2.54
					#	#	#	#	#	#
Manganese (diss.filt)	<3 µg/l	TM152			36	<3	93.1	160	214	8.54
					#	#	#	2 #	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.	D2-S	D3-S	Pond-N	Pond-S	R3-C	R4-C
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.			02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.			00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.			03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.			200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			21444692	21444534	21444665	21444677	21444799	21444750
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Phosphorus (tot.unfilt)	<20 µg/l	TM152	33.9	121	54.1	25.2	72.6	<20	
			#	#	#	#	#	#	
Selenium (tot.unfilt)	<1 µg/l	TM152	1.22	2.58	<1	<1	1.65	2.49	
			#	#	#	#	#	#	
Nickel (diss.filt)	<0.4 µg/l	TM152	1.82	1.99	0.972	0.58	1.74	2.06	
			#	#	#	2 #	#	#	
Phosphorus (diss.filt)	<10 µg/l	TM152	22.2	15	12.9	12.5	12.7	<10	
			#	#	#	2 #	#	#	
Selenium (diss.filt)	<1 µg/l	TM152	1.72	2.42	<1	<1	1.88	2.59	
			#	#	#	2 #	#	#	
Vanadium (tot.unfilt)	<5 µg/l	TM152	16.7	30.1	<5	<5	11.6	21	
			#	#	#	#	#	#	
Zinc (tot.unfilt)	<5 µg/l	TM152	11.6	34.4	10.5	9.52	7	5.14	
			#	#	#	#	#	#	
Vanadium (diss.filt)	<1 µg/l	TM152	16	31.3	1.2	<1	10.3	21.7	
			#	#	#	2 #	#	#	
Zinc (diss.filt)	<1 µg/l	TM152	1.58	<1	2.1	2.11	1.03	<1	
			#	#	#	2 #	#	#	
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00108	<0.001	0.00103		<0.001	<0.001	
			#	#	#		#	#	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	8.54	0.25	16.7	20.8	8.86	5.31	
			#	#	#	2 #	#	#	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	98.6	118	80.8	64.5	114	106	
			#	#	#	2 #	#	#	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0405	0.0261	0.0414	0.0529	0.0519	0.0531	
			#	#	#	2 #	#	#	
Hardness, Total as CaCO3	<0.65 mg/l	TM152	282	296	271	247	321	286	
						2			
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	9.49	0.319	17.9	22.2	9.62	5.85	
			#	#	#	#	#	#	
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	105	127	89	68.1	123	113	
			#	#	#	#	#	#	
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.195	0.0661	0.307	0.354	0.498	0.166	
			#	#	#	#	#	#	
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01	34.3	<0.01	0.0148	<0.01	0.0288	
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.129	<0.005	0.00866	<0.005	0.326	
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0749	<0.005	<0.005	<0.005	0.0778	
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0919	<0.005	<0.005	<0.005	0.0447	
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0333	<0.005	<0.005	<0.005	0.013	
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.18	<0.005	0.00696	<0.005	0.0698	
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0832	<0.005	<0.005	<0.005	0.103	
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0208	<0.005	<0.005	<0.005	<0.005	
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.0078	0.0655	<0.005	<0.005	0.00649	0.048	
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0213	<0.005	<0.005	<0.005	<0.005	
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0198	<0.005	<0.005	<0.005	<0.005	
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0168	<0.005	<0.005	<0.005	<0.005	
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	0.0186	<0.002	<0.002	<0.002	<0.002	
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0268	<0.005	<0.005	<0.005	<0.005	



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.	R5-C	R1-E	R2-E	R3-E	R4-E	R5-E
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444641	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444614	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444491	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444778	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444732	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444478
Suspended solids, Total	<2 mg/l	TM022		11.5	3	<2	3.5	<2	24
				#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045		1.82	3	2.47	1.86	1.11	2.16
				#	#	#	#	#	#
Oxygen, dissolved	<0.3 mg/l	TM046		10.4	9.48	10.7	10.4	9.69	9.96
Carbon, Organic (diss.filt)	<3 mg/l	TM090		8.45	11.1	8.41	8.09	8.83	8.69
Organic Carbon, Total	<3 mg/l	TM090		8.19	10.6	7.65	7.52	8.5	8.28
				#	#	#	#	#	#
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099		2.97	1.59	1.36	1.9	2.8	3.42
				#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101		0.0252	0.0509	0.0162	0.0172	0.0147	0.0314
Fluoride	<0.5 mg/l	TM104		1.2	0.57	0.895	0.745	1.2	1.05
COD, unfiltered	<7 mg/l	TM107		26.8	28.9	22.1	25.5	31.5	19
				#	#	#	#	#	#
Redox potential	mV	TM110		169	163	166	149	156	162
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120		0.727	0.705	0.64	0.642	0.679	0.749
Dissolved solids, Total (meter)	<5 mg/l	TM123		596	520	472	450	530	558
				#	#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152		<1	<1	<1	<1	<1	<1
Antimony (tot.unfilt)	<4 µg/l	TM152		<4	<4	<4	<4	<4	<4
Arsenic (diss.filt)	<0.5 µg/l	TM152		2.58	3.47	2.36	1.83	2.51	2.81
				#	#	#	#	#	#
Arsenic (tot.unfilt)	<2 µg/l	TM152		2.72	3.7	2.45	<2	2.41	2.81
				#	#	#	#	#	#
Barium (diss.filt)	<0.2 µg/l	TM152		64.3	52.1	53.5	61.2	61.2	67.2
				#	#	#	#	#	#
Barium (tot.unfilt)	<0.5 µg/l	TM152		67.1	56.6	55.6	65.9	63.1	73.7
				#	#	#	#	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
				#	#	#	#	#	#
Beryllium (tot.unfilt)	<1 µg/l	TM152		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152		132	171	133	122	174	95
				#	#	#	#	#	#
Boron (tot.unfilt)	<20 µg/l	TM152		132	161	131	123	173	93.4
				#	#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152		<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
				#	#	#	#	#	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				#	#	#	#	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152		<3	<3	<3	<3	<3	<3
				#	#	#	#	#	#
Chromium (diss.filt)	<1 µg/l	TM152		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Copper (tot.unfilt)	<1 µg/l	TM152		2.3	5.39	1.36	1.07	1.46	2.41
				#	#	#	#	#	#
Lead (tot.unfilt)	<1 µg/l	TM152			<1			<1	
					#			#	
Copper (diss.filt)	<0.3 µg/l	TM152		1.49	3.22	1.36	0.921	1.48	1.26
				#	#	#	#	#	#
Manganese (tot.unfilt)	<1 µg/l	TM152		29.5	464	223	208	57.7	21.5
				#	#	#	#	#	#
Lead (diss.filt)	<0.2 µg/l	TM152		<0.2	<0.2	1.14	<0.2	<0.2	<0.2
				#	#	#	#	#	#
Nickel (tot.unfilt)	<1 µg/l	TM152		3.82	3.04	1.83	1.53	2.2	4.32
				#	#	#	#	#	#
Manganese (diss.filt)	<3 µg/l	TM152		<3	420	190	176	17.6	<3
				#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.	R5-C	R1-E	R2-E	R3-E	R4-E	R5-E
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.			02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.			00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.			03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.			200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			21444641	21444614	21444491	21444778	21444732	21444478
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Phosphorus (tot.unfilt)	<20 µg/l	TM152	25.2	73.5	56.6	55.9	<20	<20	
			#	#	#	#	#	#	
Selenium (tot.unfilt)	<1 µg/l	TM152	2.45	1.46	1.95	1.31	2.65	2.42	
			#	#	#	#	#	#	
Nickel (diss.filt)	<0.4 µg/l	TM152	2.49	2.89	1.78	1.63	1.98	3.08	
			#	#	#	#	#	#	
Phosphorus (diss.filt)	<10 µg/l	TM152	<10	37.2	23.3	15.4	12.7	<10	
			#	#	#	#	#	#	
Selenium (diss.filt)	<1 µg/l	TM152	2.85	1.59	1.98	1.66	2.47	2.79	
			#	#	#	#	#	#	
Vanadium (tot.unfilt)	<5 µg/l	TM152	24.2	16.9	13.6	10.2	20.8	21.1	
			#	#	#	#	#	#	
Zinc (tot.unfilt)	<5 µg/l	TM152	18.8	11.8	<5	6.23	8.56	21.2	
			#	#	#	#	#	#	
Vanadium (diss.filt)	<1 µg/l	TM152	25.3	17.4	13.6	10.5	21.7	21	
			#	#	#	#	#	#	
Zinc (diss.filt)	<1 µg/l	TM152	3.57	21.4	90.4	3.19	1.18	12.5	
			#	#	#	#	#	#	
Lead (tot.unfilt)	<0.001 mg/l	TM152	<0.001		<0.001	<0.001		0.00107	
			#		#	#		#	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	3.02	16.3	8.07	8.85	5.71	1.57	
			#	#	#	#	#	#	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	113	88.8	109	115	118	99.1	
			#	#	#	#	#	#	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0266	0.0444	0.0663	0.0714	0.0612	<0.019	
			#	#	#	#	#	#	
Hardness, Total as CaCO3	<0.65 mg/l	TM152	294	289	307	325	319	254	
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	3.76	17.1	8.83	9.92	6.29	2.13	
			#	#	#	#	#	#	
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	118	92	116	126	126	112	
			#	#	#	#	#	#	
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.173	0.332	0.29	0.451	0.154	0.368	
			#	#	#	#	#	#	
Naphthalene (diss.filt)	<0.01 µg/l	TM178	0.207	0.0181	<0.01	0.0201	0.103	0.252	
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	0.117	0.0121	<0.005	0.186	0.189	0.111	
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	0.0363	<0.005	<0.005	0.0186	0.0356	0.0362	
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	0.0486	0.0122	<0.005	0.0245	0.0476	0.0482	
Anthracene (diss.filt)	<0.005 µg/l	TM178	0.0161	<0.005	<0.005	<0.005	0.0131	0.0135	
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	0.0904	0.00847	<0.005	0.0142	0.0503	0.112	
Fluorene (diss.filt)	<0.005 µg/l	TM178	0.0519	0.00565	0.0113	0.031	0.0674	0.0506	
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.0455	0.0195	0.00736	0.028	0.0534	0.0412	
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	0.00224	<0.002	<0.002	<0.002	<0.002	
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.	R3-W	R4-W	R5-W	SL-N	SL-S	SL-W
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3+5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Suspended solids, Total	<2 mg/l	TM022		<2	3	2.5	2	7	2.5
				#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045		1.62	1.68	1.75	2.21	2.16	2.43
				#	#	#	#	#	#
Oxygen, dissolved	<0.3 mg/l	TM046		10.4	10.3	10.1	10.5	10.7	10.7
Carbon, Organic (diss.filt)	<3 mg/l	TM090		8	8.6	9.29	9.02	8.58	9
Organic Carbon, Total	<3 mg/l	TM090		7.34	8.08	8.85	8.47	8.16	8.41
				#	#	#	#	#	#
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099		1.62	3.05	3.9	3.24	3.28	3.33
				#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101		0.0137	0.0238	0.019	0.0168	0.0491	0.014
Fluoride	<0.5 mg/l	TM104		0.906	1.17	1.18	0.966	0.989	1.01
COD, unfiltered	<7 mg/l	TM107		19.2	26.9	29.4	21.8	25.2	25.4
				#	#	#	#	#	#
Redox potential	mV	TM110		174	169	151	154	161	150
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120		0.616	0.692	0.713	0.64	0.632	0.617
Dissolved solids, Total (meter)	<5 mg/l	TM123		498	507	555	495	524	476
				#	#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152		<1	<1	<1	<1	<1	<1
Antimony (tot.unfilt)	<4 µg/l	TM152		<4	<4	<4	<4	<4	<4
Arsenic (diss.filt)	<0.5 µg/l	TM152		2.03	2.58	2.6	3.44	3.53	3.39
				#	#	#	#	#	#
Arsenic (tot.unfilt)	<2 µg/l	TM152		2.17	2.58	2.47	3.45	3.59	3.5
				#	#	#	#	#	#
Barium (diss.filt)	<0.2 µg/l	TM152		53.1	57.2	62.6	55	55.4	54.9
				#	#	#	#	#	#
Barium (tot.unfilt)	<0.5 µg/l	TM152		55.8	58.5	64.5	57.2	60.2	57.3
				#	#	#	#	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
				#	#	#	#	#	#
Beryllium (tot.unfilt)	<1 µg/l	TM152		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152		135	172	167	64.3	64.9	63.2
				#	#	#	#	#	#
Boron (tot.unfilt)	<20 µg/l	TM152		131	167	162	59.5	64.3	66.5
				#	#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152		<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
				#	#	#	#	#	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
				#	#	#	#	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152		<3	<3	<3	<3	<3	<3
				#	#	#	#	#	#
Chromium (diss.filt)	<1 µg/l	TM152		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Copper (tot.unfilt)	<1 µg/l	TM152		1.36	1.54	1.78	2.03	3.01	2.46
				#	#	#	#	#	#
Lead (tot.unfilt)	<1 µg/l	TM152			<1				
					#				
Copper (diss.filt)	<0.3 µg/l	TM152		1.06	1.46	1.79	1.87	1.77	1.9
				#	#	#	#	#	#
Manganese (tot.unfilt)	<1 µg/l	TM152		219	63.9	56.8	4.34	28.4	3
				#	#	#	#	#	#
Lead (diss.filt)	<0.2 µg/l	TM152		<0.2	<0.2	<0.2	<0.2	0.267	<0.2
				#	#	#	#	#	#
Nickel (tot.unfilt)	<1 µg/l	TM152		1.96	2.08	2.24	5.53	6.71	5.54
				#	#	#	#	#	#
Manganese (diss.filt)	<3 µg/l	TM152		190	26.2	19.2	<3	<3	<3
				#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Results Legend			Customer Sample Ref.	R3-W	R4-W	R5-W	SL-N	SL-S	SL-W
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.			02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.			00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.			03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.			200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			21444812	21444763	21444717	21444548	21444586	21444567
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Phosphorus (tot.unfilt)	<20 µg/l	TM152	40.3	22	<20	<20	25.5	<20	
			#	#	#	#	#	#	
Selenium (tot.unfilt)	<1 µg/l	TM152	1.7	2.19	2.63	2.4	2.73	2.68	
			#	#	#	#	#	#	
Nickel (diss.filt)	<0.4 µg/l	TM152	1.76	1.98	1.97	4.92	4.92	4.94	
			#	#	#	#	#	#	
Phosphorus (diss.filt)	<10 µg/l	TM152	16.7	11.5	11	<10	<10	<10	
			#	#	#	#	#	#	
Selenium (diss.filt)	<1 µg/l	TM152	2.17	2.44	2.94	2.86	2.87	2.63	
			#	#	#	#	#	#	
Vanadium (tot.unfilt)	<5 µg/l	TM152	13.7	19.4	25.7	20.4	20.8	20.9	
			#	#	#	#	#	#	
Zinc (tot.unfilt)	<5 µg/l	TM152	<5	181	<5	86.8	107	12.5	
			#	#	#	#	#	#	
Vanadium (diss.filt)	<1 µg/l	TM152	13.8	21.6	26.4	20.5	21.1	22.1	
			#	#	#	#	#	#	
Zinc (diss.filt)	<1 µg/l	TM152	<1	1.82	<1	51.2	131	38.8	
			#	#	#	#	#	#	
Lead (tot.unfilt)	<0.001 mg/l	TM152	<0.001		<0.001	<0.001	0.00497	<0.001	
			#		#	#	#	#	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	7.51	5.93	5.07	0.329	0.321	0.331	
			#	#	#	#	#	#	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	106	109	123	78.3	77.5	77	
			#	#	#	#	#	#	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0478	0.0627	0.0882	<0.019	<0.019	<0.019	
			#	#	#	#	#	#	
Hardness, Total as CaCO3	<0.65 mg/l	TM152	296	296	328	197	195	194	
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	8.38	6.56	5.65	0.352	0.592	0.466	
			#	#	#	#	#	#	
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	115	115	130	82.3	84.2	83.3	
			#	#	#	#	#	#	
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.245	0.175	0.188	0.235	1.32	0.0545	
			#	#	#	#	#	#	
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01	0.0791	0.0581	0.137	0.121	0.137	
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	0.019	0.555	0.154	0.0543	0.0595	0.0546	
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0725	0.034	0.0106	0.0121	0.0121	
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	0.0091	0.048	0.0434	0.0369	0.0372	0.0371	
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0167	0.0109	0.00976	0.00834	0.00882	
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.0828	0.0391	0.0979	0.107	0.0979	
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.169	0.0574	0.032	0.0364	0.032	
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.0111	0.0517	0.0518	0.0194	0.0202	0.0197	
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	D1-C	D2-C	D1-N	D2-N	D3-N	D1-S
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
dis.filt	Dissolved / filtered sample.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
tot.unfilt	Total / unfiltered sample.			02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.			00:00	00:00	00:00	00:00	00:00	00:00
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
(F)	Trigger breach confirmed			200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
1-3+5@	Sample deviation (see appendix)			21444628	21444653	21444602	21444507	21444521	21444704
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<2
				#	#	#	#	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	D2-S	D3-S	Pond-N	Pond-S	R3-C	R4-C
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
dis.filt	Dissolved / filtered sample.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
tot.unfilt	Total / unfiltered sample.			02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.			00:00	00:00	00:00	00:00	00:00	00:00
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
(F)	Trigger breach confirmed			200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
1-3+5@	Sample deviation (see appendix)			21444692	21444534	21444665	21444677	21444799	21444750
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<2
				#	#	#	#	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#

SDG:	200103-42
Location:	Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

SVOC MS (W) - Aqueous

[illegible]



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	R5-C	R1-E	R2-E	R3-E	R4-E	R5-E
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444641	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444614	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444491	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444778	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444732	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444478
dis.filt	Disolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<2
				#	#	#	#	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	R3-W	R4-W	R5-W	SL-N	SL-S	SL-W
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
dis.filt	Dissolved / filtered sample.		Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
tot.unfilt	Total / unfiltered sample.		Date Sampled	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.		Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		Date Received	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
(F)	Trigger breach confirmed		SDG Ref	200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
1-3+5@	Sample deviation (see appendix)		Lab Sample No.(s)	21444812	21444763	21444717	21444548	21444586	21444567
	AGS Reference								
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<2
				#	#	#	#	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

TPH CWG (W)

Results Legend			Customer Sample Ref.		D1-C	D2-C	D1-N	D2-N	D3-N	D1-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444628	21444653	21444602	21444507	21444521	21444704
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			103	106	111	106	113	111
GRO >C5-C12	<50 µg/l	TM245			<50	<50	<50	<50	<50	<50
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Benzene	<7 µg/l	TM245			<7	<7	<7	<7	<7	<7
Toluene	<4 µg/l	TM245			<4	<4	<4	<4	<4	<4
Ethylbenzene	<5 µg/l	TM245			<5	<5	<5	<5	<5	<5
m,p-Xylene	<8 µg/l	TM245			<8	<8	<8	<8	<8	<8
o-Xylene	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Sum of detected Xylenes	<11 µg/l	TM245			<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245			<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

TPH CWG (W)

Results Legend			Customer Sample Ref.		D2-S	D3-S	Pond-N	Pond-S	R3-C	R4-C
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444692	21444534	21444665	21444677	21444799	21444750
(F)	Trigger breach confirmed									
1-3*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			107	104	109	111	108	119
GRO >C5-C12	<50 µg/l	TM245			<50	464	<50	<50	<50	<50
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Benzene	<7 µg/l	TM245			<7	169	<7	<7	<7	<7
Toluene	<4 µg/l	TM245			<4	4	<4	<4	<4	<4
Ethylbenzene	<5 µg/l	TM245			<5	22	<5	<5	<5	<5
m,p-Xylene	<8 µg/l	TM245			<8	13	<8	<8	<8	<8
o-Xylene	<3 µg/l	TM245			<3	6	<3	<3	<3	<3
Sum of detected Xylenes	<11 µg/l	TM245			<11	19	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245			<28	214	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245			<10	10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245			<10	19	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245			<10	123	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	169	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	53	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	82	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			<10	464	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

TPH CWG (W)

Results Legend			Customer Sample Ref.	R5-C	R1-E	R2-E	R3-E	R4-E	R5-E
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444641	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444614	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444491	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444778	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444732	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444478
GRO Surrogate % recovery**	%	TM245		109	107	117	106	113	111
GRO >C5-C12	<50 µg/l	TM245		<50	<50	<50	<50	<50	<50
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245		<3	<3	<3	<3	<3	<3
Benzene	<7 µg/l	TM245		<7	<7	<7	<7	<7	<7
Toluene	<4 µg/l	TM245		<4	<4	<4	<4	<4	<4
Ethylbenzene	<5 µg/l	TM245		<5	<5	<5	<5	<5	<5
m,p-Xylene	<8 µg/l	TM245		<8	<8	<8	<8	<8	<8
o-Xylene	<3 µg/l	TM245		<3	<3	<3	<3	<3	<3
Sum of detected Xylenes	<11 µg/l	TM245		<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245		<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwrn

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

TPH CWG (W)

Results Legend			Customer Sample Ref.	R3-W	R4-W	R5-W	SL-N	SL-S	SL-W
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444812	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444763	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444717	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444548	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444586	0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444567
GRO Surrogate % recovery**	%	TM245		114	105	110	110	119	117
GRO >C5-C12	<50 µg/l	TM245		<50 #	<50 #	<50 #	<50 #	<50 #	<50 #
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245		<3 #	<3 #	<3 #	<3 #	<3 #	<3 #
Benzene	<7 µg/l	TM245		<7 #	<7 #	<7 #	<7 #	<7 #	<7 #
Toluene	<4 µg/l	TM245		<4 #	<4 #	<4 #	<4 #	<4 #	<4 #
Ethylbenzene	<5 µg/l	TM245		<5 #	<5 #	<5 #	<5 #	<5 #	<5 #
m,p-Xylene	<8 µg/l	TM245		<8 #	<8 #	<8 #	<8 #	<8 #	<8 #
o-Xylene	<3 µg/l	TM245		<3 #	<3 #	<3 #	<3 #	<3 #	<3 #
Sum of detected Xylenes	<11 µg/l	TM245		<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245		<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245		<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174		<10	<10	<10	<10	<10	<10



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		D1-C	D2-C	D1-N	D2-N	D3-N	D1-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
dis.filt	Disolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444628	21444653	21444602	21444507	21444521	21444704
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			110	108	109	108	7.58	108
Toluene-d8**	%	TM208			101	99.7	100	101	101	100
4-Bromofluorobenzene**	%	TM208			100	101	100	101	101	99.4
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		D1-C	D2-C	D1-N	D2-N	D3-N	D1-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444628	21444653	21444602	21444507	21444521	21444704
(F)	Trigger breach confirmed									
1-3*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Tetrachloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Styrene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromoform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		D2-S	D3-S	Pond-N	Pond-S	R3-C	R4-C
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444692	21444534	21444665	21444677	21444799	21444750
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			107	17.4	109	109	107	105
Toluene-d8**	%	TM208			99.9	101	100	99.6	101	99.9
4-Bromofluorobenzene**	%	TM208			99.9	102	101	98.7	98.4	101
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	201	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	4.43	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.	D2-S 0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444692	D3-S 0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444534	Pond-N 0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444665	Pond-S 0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444677	R3-C 0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444799	R4-C 0.00 - 0.00 Surface Water (SW) 02/01/2020 00:00 03/01/2020 200103-42 21444750
#	ISO17025 accredited.								
M	mCERTS accredited.								
aq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Tetrachloroethene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208	<1	20.3					
			#	#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208	<1	11.5					
			#	#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208	<1	4.96					
			#	#	#	#	#	#	#
Styrene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Bromoform	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	1.23					
			#	#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	3.53					
			#	#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1						
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208	<1	79.9					
			#	#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1						
			#	#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		R5-C	R1-E	R2-E	R3-E	R4-E	R5-E
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444641	21444614	21444491	21444778	21444732	21444478
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			93.1	108	107	110	107	104
Toluene-d8**	%	TM208			101	99.1	101	100	101	101
4-Bromofluorobenzene**	%	TM208			99.6	99.8	102	99.1	98.2	99.2
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		R5-C	R1-E	R2-E	R3-E	R4-E	R5-E
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444641	21444614	21444491	21444778	21444732	21444478
(F)	Trigger breach confirmed									
1-3*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Tetrachloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Styrene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromoform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		R3-W	R4-W	R5-W	SL-N	SL-S	SL-W
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444812	21444763	21444717	21444548	21444586	21444567
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			107	107	107	102	108	86.4
Toluene-d8**	%	TM208			101	101	101	101	101	102
4-Bromofluorobenzene**	%	TM208			103	101	99.6	101	100	100
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1

10:54:36 14/01/2020



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

VOC MS (W)

Results Legend			Customer Sample Ref.		R3-W	R4-W	R5-W	SL-N	SL-S	SL-W
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020	02/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020	03/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200103-42	200103-42	200103-42	200103-42	200103-42	200103-42
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21444812	21444763	21444717	21444548	21444586	21444567
(F)	Trigger breach confirmed									
1-3*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Tetrachloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Styrene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromoform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Table of Results - Appendix

Method No	Reference	Description
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM110	BS 1377: Part 3 1990	Redox Potential
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM195	Colour and Turbidity of water. Methods for the Examination of Waters and Associated Materials. HMSO, 1981, ISBN 0 11 751955 3.	Determination of Turbidity in Waters & Associated Matrices
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Test Completion Dates

Lab Sample No(s)
Customer Sample Ref.

AGS Ref.
Depth
Type

	21444628	21444653	21444602	21444507	21444521	21444704	21444692	21444534	21444665	21444677
	D1-C	D2-C	D1-N	D2-N	D3-N	D1-S	D2-S	D3-S	Pond-N	Pond-S
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Anions by Kone (w)	06-Jan-2020	06-Jan-2020	06-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	06-Jan-2020
BOD True Total	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020
COD Unfiltered	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020
Conductivity (at 20 deg.C)	03-Jan-2020	03-Jan-2020	08-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020
Cyanide Comp/Free/Total/Thiocyanate	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020
Dissolved Metals by ICP-MS	09-Jan-2020	09-Jan-2020	09-Jan-2020	08-Jan-2020	08-Jan-2020	09-Jan-2020	09-Jan-2020	08-Jan-2020	10-Jan-2020	09-Jan-2020
Dissolved Organic/Inorganic Carbon	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	06-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
Dissolved Oxygen by Probe	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
EPH CWG (Aliphatic) Aqueous GC (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
EPH CWG (Aromatic) Aqueous GC (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Fluoride	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
GRO by GC-FID (W)	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Hexavalent Chromium (w)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Mercury Dissolved	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Mercury Unfiltered	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
PAH in waters by GC-MS (diss.filt)	10-Jan-2020	10-Jan-2020	08-Jan-2020	08-Jan-2020	10-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
PAH Spec MS - Aqueous (W)	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
pH Value	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Phenols by HPLC (W)	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
Phosphate by Kone (w)	06-Jan-2020	06-Jan-2020	06-Jan-2020	03-Jan-2020	03-Jan-2020	06-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	06-Jan-2020
Redox Potential	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Sulphide	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Sulphur Dissolved by ICP-OES	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Suspended Solids	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	03-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020
SVOC MS (W) - Aqueous	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	13-Jan-2020	09-Jan-2020	09-Jan-2020	13-Jan-2020	09-Jan-2020
Total Dissolved Solids	03-Jan-2020	03-Jan-2020	10-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020
Total Metals by ICP-MS	14-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	14-Jan-2020	13-Jan-2020	14-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020
Total Organic and Inorganic Carbon	06-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	06-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
TPH CWG (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Turbidity in waters	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
VOC MS (W)	03-Jan-2020	03-Jan-2020	03-Jan-2020	06-Jan-2020	06-Jan-2020	03-Jan-2020	03-Jan-2020	06-Jan-2020	03-Jan-2020	03-Jan-2020



CERTIFICATE OF ANALYSIS

Validated

SDG: 200103-42
Location: Llanwern

Client Reference:
Order Number: LLA702

Report Number: 537147
Superseded Report:

Lab Sample No(s)
Customer Sample Ref.

AGS Ref.
Depth
Type

	21444799	21444750	21444641	21444614	21444491	21444778	21444732	21444478	21444812	21444763
	R3-C	R4-C	R5-C	R1-E	R2-E	R3-E	R4-E	R5-E	R3-W	R4-W
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	06-Jan-2020		06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Anions by Kone (w)	06-Jan-2020	06-Jan-2020	03-Jan-2020	06-Jan-2020	06-Jan-2020	03-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
BOD True Total	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020
COD Unfiltered	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020
Conductivity (at 20 deg.C)	03-Jan-2020	08-Jan-2020	03-Jan-2020	03-Jan-2020	08-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	08-Jan-2020
Cyanide Comp/Free/Total/Thiocyanate	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020
Dissolved Metals by ICP-MS	08-Jan-2020	08-Jan-2020	08-Jan-2020	09-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Dissolved Organic/Inorganic Carbon	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	06-Jan-2020	06-Jan-2020	07-Jan-2020	06-Jan-2020	07-Jan-2020	07-Jan-2020
Dissolved Oxygen by Probe	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
EPH CWG (Aliphatic) Aqueous GC (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
EPH CWG (Aromatic) Aqueous GC (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Fluoride	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
GRO by GC-FID (W)	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Hexavalent Chromium (w)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Mercury Dissolved	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Mercury Unfiltered	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
PAH in waters by GC-MS (diss.filt)	10-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
PAH Spec MS - Aqueous (W)	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
pH Value	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Phenols by HPLC (W)	07-Jan-2020		07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
Phosphate by Kone (w)	06-Jan-2020	06-Jan-2020	14-Jan-2020	06-Jan-2020	06-Jan-2020	03-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Redox Potential	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Sulphide	06-Jan-2020		06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Sulphur Dissolved by ICP-OES	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Suspended Solids	05-Jan-2020	07-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020	07-Jan-2020
SVOC MS (W) - Aqueous	09-Jan-2020	09-Jan-2020	09-Jan-2020	13-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020	13-Jan-2020	09-Jan-2020
Total Dissolved Solids	03-Jan-2020	10-Jan-2020	03-Jan-2020	03-Jan-2020	10-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020	10-Jan-2020
Total Metals by ICP-MS	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020	13-Jan-2020
Total Organic and Inorganic Carbon	06-Jan-2020		07-Jan-2020	06-Jan-2020	06-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020	06-Jan-2020	06-Jan-2020
TPH CWG (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Turbidity in waters	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
VOC MS (W)	03-Jan-2020	03-Jan-2020	06-Jan-2020	03-Jan-2020	03-Jan-2020	06-Jan-2020	03-Jan-2020	06-Jan-2020	03-Jan-2020	06-Jan-2020

Lab Sample No(s)
Customer Sample Ref.

AGS Ref.
Depth
Type

	21444717	21444548	21444586	21444567
	R5-W	SL-N	SL-S	SL-W
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Anions by Kone (w)	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
BOD True Total	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020
COD Unfiltered	04-Jan-2020	04-Jan-2020	04-Jan-2020	04-Jan-2020
Conductivity (at 20 deg.C)	03-Jan-2020	03-Jan-2020	03-Jan-2020	08-Jan-2020
Cyanide Comp/Free/Total/Thiocyanate	09-Jan-2020	09-Jan-2020	09-Jan-2020	09-Jan-2020
Dissolved Metals by ICP-MS	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Dissolved Organic/Inorganic Carbon	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
Dissolved Oxygen by Probe	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
EPH CWG (Aliphatic) Aqueous GC (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
EPH CWG (Aromatic) Aqueous GC (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Fluoride	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
GRO by GC-FID (W)	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Hexavalent Chromium (w)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Mercury Dissolved	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Mercury Unfiltered	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
PAH in waters by GC-MS (diss.filt)	10-Jan-2020	10-Jan-2020	08-Jan-2020	08-Jan-2020
PAH Spec MS - Aqueous (W)	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
pH Value	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Phenols by HPLC (W)	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
Phosphate by Kone (w)	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Redox Potential	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Sulphide	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Sulphur Dissolved by ICP-OES	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
Suspended Solids	05-Jan-2020	05-Jan-2020	05-Jan-2020	05-Jan-2020
SVOC MS (W) - Aqueous	09-Jan-2020	09-Jan-2020	13-Jan-2020	09-Jan-2020
Total Dissolved Solids	03-Jan-2020	03-Jan-2020	03-Jan-2020	10-Jan-2020
Total Metals by ICP-MS	13-Jan-2020	13-Jan-2020	13-Jan-2020	14-Jan-2020
Total Organic and Inorganic Carbon	07-Jan-2020	07-Jan-2020	07-Jan-2020	07-Jan-2020
TPH CWG (W)	08-Jan-2020	08-Jan-2020	08-Jan-2020	08-Jan-2020
Turbidity in waters	06-Jan-2020	06-Jan-2020	06-Jan-2020	06-Jan-2020
VOC MS (W)	06-Jan-2020	03-Jan-2020	03-Jan-2020	03-Jan-2020



CERTIFICATE OF ANALYSIS

SDG:	200103-42	Client Reference:		Report Number:	537147
Location:	Llanwern	Order Number:	LLA702	Superseded Report:	

Appendix

General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
♦	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil* (2107).

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.