



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Atkins Global Ltd  
Project Jonah site office  
Llan Coed House  
Suite 24  
Coed Darcy  
Llandarcy  
SA10 6HJ

**Attention:** Scott Bowler

## CERTIFICATE OF ANALYSIS

<b>Date of report Generation:</b>	04 February 2020
<b>Customer:</b>	Atkins Global Ltd
<b>Sample Delivery Group (SDG):</b>	200121-87
<b>Your Reference:</b>	
<b>Location:</b>	Llanwern
<b>Report No:</b>	539695

We received 18 samples on Tuesday January 21, 2020 and 17 of these samples were scheduled for analysis which was completed on Tuesday February 04, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





## CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

### Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
21525168	D0-C		0.00 - 0.00	15/01/2020
21524989	D2-C		0.00 - 0.00	15/01/2020
21525027	D3-N		0.00 - 0.00	15/01/2020
21525002	D1-S		0.00 - 0.00	15/01/2020
21524993	D2-S		0.00 - 0.00	15/01/2020
21525014	D3-S		0.00 - 0.00	15/01/2020
21524969	NO ID			
21525085	R1-C		0.00 - 0.00	15/01/2020
21525137	R3-C		0.00 - 0.00	15/01/2020
21525094	R4-C		0.00 - 0.00	15/01/2020
21524978	R1-E		0.00 - 0.00	15/01/2020
21525115	R3-E		0.00 - 0.00	15/01/2020
21525150	R3-W		0.00 - 0.00	15/01/2020
21525102	R4-W		0.00 - 0.00	15/01/2020
21525163	R1-W/D0-N		0.00 - 0.00	15/01/2020
21525074	SL-N		0.00 - 0.00	15/01/2020
21525040	SL-S		0.00 - 0.00	15/01/2020
21525052	SL-W		0.00 - 0.00	15/01/2020

#### Maximum Sample/Coolbox Temperature (°C) :

##### ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

#### 7.2

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

**Only received samples which have had analysis scheduled will be shown on the following pages.**



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## Results Legend

**X** Test

**N** No Determination Possible

## Sample Types -

S - Soil/Solid  
UNS - Unspecified Solid  
GW - Ground Water  
SW - Surface Water  
LE - Land Leachate  
PL - Prepared Leachate  
PR - Process Water  
SA - Saline Water  
TE - Trade Effluent  
TS - Treated Sewage  
US - Untreated Sewage  
RE - Recreational Water  
DW - Drinking Water Non-regulatory  
UNL - Unspecified Liquid  
SL - Sludge  
G - Gas  
OTH - Other

Results Legend	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container		Sample Type	
	21525168		D0-C				0.00 - 0.00		Vial (ALE297)	SW		
	21524989		D2-C				0.00 - 0.00		Vial (ALE297)	SW		
	21525027		D3-N				0.00 - 0.00		0.5l glass bottle (ALE227)	SW		
	21525002		D1-S				0.00 - 0.00		250ml Amber Gl. PTFE/PE (ALE219)	SW		
									1l plastic (ALE221)	SW		
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 16							250ml Amber Gl. PTFE/PE (ALE219)	SW		
Anions by Kone (w)	All	NDPs: 0 Tests: 16							Vial (ALE297)	SW		
BOD True Total	All	NDPs: 0 Tests: 16							0.5l glass bottle (ALE227)	SW		
COD Unfiltered	All	NDPs: 0 Tests: 16							250ml Amber Gl. PTFE/PE (ALE219)	SW		
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 16							1l plastic (ALE221)	SW		
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 16							0.5l glass bottle (ALE227)	SW		
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 16							250ml Amber Gl. PTFE/PE (ALE219)	SW		
Dissolved Organic/Inorganic Carbon	All	NDPs: 0 Tests: 16							1l plastic (ALE221)	SW		
Dissolved Oxygen by Probe	All	NDPs: 1 Tests: 15							0.5l glass bottle (ALE227)	SW		
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 1 Tests: 15							250ml Amber Gl. PTFE/PE (ALE219)	SW		
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 1 Tests: 15							1l plastic (ALE221)	SW		
Fluoride	All	NDPs: 0 Tests: 16							0.5l glass bottle (ALE227)	SW		
GRO by GC-FID (W)	All	NDPs: 0 Tests: 17							250ml Amber Gl. PTFE/PE (ALE219)	SW		
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 16							1l plastic (ALE221)	SW		
Mercury Dissolved	All	NDPs: 0 Tests: 16							0.5l glass bottle (ALE227)	SW		









21525085	R1-C		0.00 - 0.00	NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW		X	
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW		X	
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
21525014	D3-S		0.00 - 0.00	HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				Vial (ALE297)	SW			X
				HNO3 Filtered (ALE204)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				NaOH (ALE245)	SW			
				Vial (ALE297)	SW			
21524993	D2-S		0.00 - 0.00	NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				Vial (ALE297)	SW			X
				HNO3 Filtered (ALE204)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				NaOH (ALE245)	SW			
21525002	D1-S		0.00 - 0.00	HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1lplastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				NaOH (ALE245)	SW			













21526150	R3-W		0.00 - 0.00	HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1plastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW		X	
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
21526115	R3-E		0.00 - 0.00	HNO3 Filtered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1plastic (ALE221)	SW	X		
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				HNO3 Filtered (ALE204)	SW			
21524978	R1-E		0.00 - 0.00	H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			
				1plastic (ALE221)	SW			
				0.5l glass bottle (ALE227)	SW			
				ZnAc (ALE246)	SW			
				Vial (ALE297)	SW			X
				NaOH (ALE245)	SW			
				HNO3 Unfiltered (ALE204)	SW			
				H2SO4 (ALE244)	SW			
				250ml Amber Gl. PTFE/PE (ALE219)	SW			









[illegible]



21525052	SL-W	0.00 - 0.00	ZnAc (ALE246)	SW				X
			Vial (ALE297)	SW				
			NaOH (ALE245)	SW				
			HNO3 Unfiltered (ALE204)	SW				
			HNO3 Filtered (ALE204)	SW				
			H2SO4 (ALE244)	SW				
			250ml Amber Gl. PTFE/PE (ALE219)	SW				
			11plastic (ALE221)	SW		X		
			0.5l glass bottle (ALE227)	SW				
			ZnAc (ALE246)	SW				
			Vial (ALE297)	SW				X
			NaOH (ALE245)	SW				
			HNO3 Unfiltered (ALE204)	SW				
21525040	SL-S	0.00 - 0.00	HNO3 Filtered (ALE204)	SW				
			H2SO4 (ALE244)	SW				
			250ml Amber Gl. PTFE/PE (ALE219)	SW				
			11plastic (ALE221)	SW		X		
			0.5l glass bottle (ALE227)	SW				
			ZnAc (ALE246)	SW				
			Vial (ALE297)	SW				X
			NaOH (ALE245)	SW				
			HNO3 Unfiltered (ALE204)	SW				
			HNO3 Filtered (ALE204)	SW				
			H2SO4 (ALE244)	SW				
			250ml Amber Gl. PTFE/PE (ALE219)	SW				
			11plastic (ALE221)	SW		X		
21525074	SL-N	0.00 - 0.00	0.5l glass bottle (ALE227)	SW				
			ZnAc (ALE246)	SW				
			Vial (ALE297)	SW				X



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 200121-87  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** LLA703

**Report Number:** 539695  
**Superseded Report:**

Results Legend			Customer Sample Ref.		D2-C	D3-N	D1-S	D2-S	D3-S	R1-C
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21524989	21525027	21525002	21524993	21525014	21525085
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Suspended solids, Total	<2 mg/l	TM022				68	33.5	8	7	348
						#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045			<1	1.83	1.08	1.45	1.15	2.03
					@ #	@ #	@ #	@ #	@ #	@ #
Oxygen, dissolved	<0.3 mg/l	TM046				9.83	9.99	9.73	10.1	9.99
Carbon, Organic (diss.filt)	<3 mg/l	TM090			6.7	4.36	5.73	5.57	5.73	6.6
Organic Carbon, Total	<3 mg/l	TM090			5.21	3.99	6.03	6.02	5.21	5.44
					2 #	@ #	@ #	2 #	@ #	@ #
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099			<0.3	1.3	<0.3	<0.3	2.71	0.66
					2 #	#	#	2 #	#	#
Sulphide	<0.01 mg/l	TM101				0.0469	0.0224	<0.01	0.0241	<0.01
								2		
Fluoride	<0.5 mg/l	TM104			0.596	0.7	<0.5	0.517	0.857	0.624
COD, unfiltered	<7 mg/l	TM107			21.9	34.2	21.3	22.1	18	54.9
					#	#	#	#	#	#
Redox potential	mV	TM110				132	170	156	68	173
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120			0.519	0.735	0.495	0.528	1.2	0.493
Dissolved solids, Total (meter)	<5 mg/l	TM123				518	384	420	903	380
						#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					2 #	#	#	#	#	2 #
Antimony (tot.unfilt)	<4 µg/l	TM152			<4	<4	<4	<4	<4	<4
					2 #	#	2 #	2 #	#	#
Arsenic (diss.filt)	<0.5 µg/l	TM152			1.44	2.34	1.79	1.71	2.04	3.49
					2 #	#	#	#	#	2 #
Arsenic (tot.unfilt)	<2 µg/l	TM152			<2	3.59	2.65	<2	2.4	7.71
					2 #	#	2 #	2 #	#	#
Barium (diss.filt)	<0.2 µg/l	TM152			45.3	82.7	44.5	47.1	128	64.7
					2 #	#	#	#	#	2 #
Barium (tot.unfilt)	<0.5 µg/l	TM152			113	109	64.1	55	133	185
					2 #	#	2 #	2 #	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
					2 #	#	#	#	#	2 #
Beryllium (tot.unfilt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					2 #	#	2 #	2 #	#	#
Boron (diss.filt)	<10 µg/l	TM152			108	64.5	90.2	88.3	78.5	115
					2 #	#	#	#	#	2 #
Boron (tot.unfilt)	<20 µg/l	TM152			312	69.9	97.3	94.4	82.2	119
					2 #	#	2 #	2 #	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152			<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
					2 #	#	#	#	#	2 #
Cadmium (tot.unfilt)	<0.5 µg/l	TM152			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
					2 #	#	2 #	2 #	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152			<3	3.46	<3	<3	<3	13.3
					2 #	#	2 #	2 #	#	#
Chromium (diss.filt)	<1 µg/l	TM152			<1	2.05	<1	<1	1.76	<1
					2 #	#	#	#	#	2 #
Copper (tot.unfilt)	<1 µg/l	TM152			2.86	7.4	5.58	3.1	4.53	17.5
					2 #	#	2 #	2 #	#	#
Lead (tot.unfilt)	<1 µg/l	TM152							<1	
									#	
Copper (diss.filt)	<0.3 µg/l	TM152			2.49	5.75	2.75	2.28	4.7	4.47
					2 #	#	#	#	#	2 #
Manganese (tot.unfilt)	<1 µg/l	TM152			12.1	96.9	121	34.3	8.47	764
					2 #	#	2 #	2 #	#	#
Lead (diss.filt)	<0.2 µg/l	TM152			<0.2	0.284	0.248	0.241	0.887	<0.2
					2 #	#	#	#	#	2 #
Nickel (tot.unfilt)	<1 µg/l	TM152			1.68	3.48	3.24	1.99	2.68	14.4
					2 #	#	2 #	2 #	#	#
Manganese (diss.filt)	<3 µg/l	TM152			<3	<3	28.7	11.8	9.36	30.7
					2 #	#	#	#	#	2 #



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

Results Legend			Customer Sample Ref.	D2-C	D3-N	D1-S	D2-S	D3-S	R1-C
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21524989	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525027	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525002	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21524993	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525014	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525085
M	mCERTS accredited.								
aq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Phosphorus (tot.unfilt)	<20 µg/l	TM152	47.3 2 #	42.7 #	135 2 #	63.3 2 #	<20 #	265 #	
Selenium (tot.unfilt)	<1 µg/l	TM152	1.06 2 #	3 #	<1 2 #	1.32 2 #	3.73 #	2.31 #	
Nickel (diss.filt)	<0.4 µg/l	TM152	0.873 2 #	2.05 #	1.36 #	1.43 #	2.58 #	1.55 2 #	
Phosphorus (diss.filt)	<10 µg/l	TM152	34.1 2 #	<10 #	82 #	33 #	11.5 #	82.1 2 #	
Selenium (diss.filt)	<1 µg/l	TM152	1.28 2 #	2.35 #	<1 #	1.15 #	2.89 #	1.5 2 #	
Vanadium (tot.unfilt)	<5 µg/l	TM152	10 2 #	34.8 #	13.8 2 #	14.2 2 #	24.8 #	48.4 #	
Zinc (tot.unfilt)	<5 µg/l	TM152	12.3 2 #	30.6 #	31.4 2 #	11.1 2 #	5.54 #	170 #	
Vanadium (diss.filt)	<1 µg/l	TM152	9.21 2 #	30.2 #	10.4 #	12 #	23.4 #	21.8 2 #	
Zinc (diss.filt)	<1 µg/l	TM152	2.56 2 #	<1 #	1.36 #	1.69 #	2.68 #	1.87 2 #	
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00134 2 #	0.0106 #	0.00808 2 #	0.00293 2 #		0.0512 #	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	7.89 2 #	0.442 #	9.63 #	7.8 #	0.218 #	10.9 2 #	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	87.1 2 #	89.7 #	81.1 #	91.4 #	139 #	77.4 2 #	
Iron (Dis.Filt)	<0.019 mg/l	TM152	<0.019 2 #	<0.019 #	0.033 #	0.0305 #	0.0856 #	<0.019 2 #	
Hardness, Total as CaCO3	<0.65 mg/l	TM152	250 2	226	243	261	348	239 2	
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	8.52 2 #	1.26 #	10.6 2 #	8.3 2 #	0.207 #	13.8 #	
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	96.9 2 #	104 #	86.6 2 #	95.3 2 #	146 #	92.1 #	
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.253 2 #	1.34 #	1.71 2 #	0.525 2 #	0.115 #	11.2 #	
Naphthalene (diss.filt)	<0.01 µg/l	TM178		0.0285 @	<0.01 @	<0.01 @	0.0119 @	<0.01 @	
Acenaphthene (diss.filt)	<0.005 µg/l	TM178		0.0597 @	<0.005 @	<0.005 @	0.104 @	0.00607 @	
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178		0.0652 @	<0.005 @	<0.005 @	0.0715 @	0.0113 @	
Fluoranthene (diss.filt)	<0.005 µg/l	TM178		0.139 @	0.0252 @	0.00693 @	0.123 @	0.08 @	
Anthracene (diss.filt)	<0.005 µg/l	TM178		0.0241 @	0.00621 @	0.00677 @	0.027 @	0.0171 @	
Phenanthrene (diss.filt)	<0.005 µg/l	TM178		0.116 @	0.0184 @	0.00779 @	0.138 @	0.0598 @	
Fluorene (diss.filt)	<0.005 µg/l	TM178		0.0566 @	<0.005 @	<0.005 @	0.0799 @	0.0115 @	
Chrysene (diss.filt)	<0.005 µg/l	TM178		0.0218 @	<0.005 @	0.00932 @	<0.005 @	0.0447 @	
Pyrene (diss.filt)	<0.005 µg/l	TM178		0.108 @	0.021 @	0.00965 @	0.0868 @	0.0534 @	
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178		0.0211 @	<0.005 @	0.00691 @	<0.005 @	0.0384 @	
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178		0.0133 @	0.0212 @	0.0053 @	<0.005 @	0.0516 @	
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178		0.00617 @	0.0114 @	0.00618 @	<0.005 @	0.0188 @	
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178		0.00859 @	0.0121 @	0.00485 @	<0.002 @	0.0277 @	
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178		<0.005 @	0.00658 @	<0.005 @	<0.005 @	<0.005 @	
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178		0.0103 @	0.00647 @	<0.005 @	<0.005 @	0.0189 @	





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 200121-87  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** LLA703

**Report Number:** 539695  
**Superseded Report:**

Results Legend			Customer Sample Ref.	R3-C	R4-C	R1-E	R3-E	R3-W	R4-W
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3+5@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525137	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525094	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21524978	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525115	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525150	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525102
Suspended solids, Total	<2 mg/l	TM022		12.5 #	3.5 #	12.5 #	5.5 #	9 #	5.5 #
BOD, unfiltered	<1 mg/l	TM045		1.68 @ #	1.35 @ #	1.13 @ #	1.26 @ #	1.43 @ #	1.45 @ #
Oxygen, dissolved	<0.3 mg/l	TM046		9.99	9.64	9.94	9.92	9.81	10.7
Carbon, Organic (diss.filt)	<3 mg/l	TM090		6.21	6.22	6.4	5.89	6.67	5.95
Organic Carbon, Total	<3 mg/l	TM090		5.67 @ #	5.57 @ #	6.04 @ #	4.89 @ #	5.61 @ #	5.12 @ #
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099		0.564 #	0.891 #	<0.3 #	<0.3 #	0.701 #	0.501 #
Sulphide	<0.01 mg/l	TM101		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Fluoride	<0.5 mg/l	TM104		<0.5	0.537	0.613	<0.5	<0.5	<0.5
COD, unfiltered	<7 mg/l	TM107		49.6 #	8.3 #	16.2 #	20.2 #	17.4 #	11.5 #
Redox potential	mV	TM110		166	168	162	156	193	165
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120		0.587	0.63	0.517	0.518	0.57	0.562
Dissolved solids, Total (meter)	<5 mg/l	TM123		461 #	469 #	404 #	403 #	444 #	431 #
Antimony (diss.filt)	<1 µg/l	TM152		<1 #	<1 #	<1 2 #	<1 #	<1 #	<1 #
Antimony (tot.unfilt)	<4 µg/l	TM152		<4 #	<4 #	<4 #	<4 #	<4 #	<4 #
Arsenic (diss.filt)	<0.5 µg/l	TM152		1.34 #	1.6 #	1.49 2 #	1.06 #	1.49 #	1.27 #
Arsenic (tot.unfilt)	<2 µg/l	TM152		<2 #	2.07 #	2.21 #	<2 #	<2 #	<2 #
Barium (diss.filt)	<0.2 µg/l	TM152		50.7 #	51.6 #	48.7 2 #	45.7 #	49.4 #	49.9 #
Barium (tot.unfilt)	<0.5 µg/l	TM152		57.3 #	55.6 #	55.4 #	49 #	55.7 #	51.4 #
Beryllium (diss.filt)	<0.1 µg/l	TM152		<0.1 #	<0.1 #	<0.1 2 #	<0.1 #	<0.1 #	<0.1 #
Beryllium (tot.unfilt)	<1 µg/l	TM152		<1 #	<1 #	<1 #	<1 #	<1 #	<1 #
Boron (diss.filt)	<10 µg/l	TM152		90.1 #	105 #	145 2 #	57.7 #	85 #	74.3 #
Boron (tot.unfilt)	<20 µg/l	TM152		95.1 #	108 #	150 #	58.6 #	96 #	72.6 #
Cadmium (diss.filt)	<0.08 µg/l	TM152		<0.08 #	<0.08 #	<0.08 2 #	<0.08 #	<0.08 #	<0.08 #
Cadmium (tot.unfilt)	<0.5 µg/l	TM152		<0.5 #	<0.5 #	<0.5 #	<0.5 #	<0.5 #	<0.5 #
Chromium (tot.unfilt)	<3 µg/l	TM152		<3 #	<3 #	<3 #	<3 #	<3 #	<3 #
Chromium (diss.filt)	<1 µg/l	TM152		<1 #	<1 #	<1 2 #	<1 #	<1 #	<1 #
Copper (tot.unfilt)	<1 µg/l	TM152		3.08 #	3.17 #	3.75 #	3.66 #	2.74 #	2.89 #
Lead (tot.unfilt)	<1 µg/l	TM152			<1 #				
Copper (diss.filt)	<0.3 µg/l	TM152		1.98 #	2.57 #	2.68 2 #	2.54 #	1.94 #	2.5 #
Manganese (tot.unfilt)	<1 µg/l	TM152		94.6 #	57.9 #	57.8 #	44 #	70 #	45.3 #
Lead (diss.filt)	<0.2 µg/l	TM152		<0.2 #	0.251 #	<0.2 2 #	<0.2 #	<0.2 #	0.244 #
Nickel (tot.unfilt)	<1 µg/l	TM152		1.9 #	1.9 #	1.99 #	1.6 #	1.59 #	1.48 #
Manganese (diss.filt)	<3 µg/l	TM152		42 #	52.9 #	16 2 #	38 #	45.7 #	44.9 #

13:23:49 04/02/2020





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

Results Legend			Customer Sample Ref.	R3-C	R4-C	R1-E	R3-E	R3-W	R4-W
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference							
M	mCERTS accredited.								
aq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Phosphorus (tot.unfilt)	<20 µg/l	TM152	116	86.8	204	107	95.9	86.1	
			#	#	#	#	#	#	
Selenium (tot.unfilt)	<1 µg/l	TM152	1.34	1.85	2.05	1.15	1.54	1.5	
			#	#	#	#	#	#	
Nickel (diss.filt)	<0.4 µg/l	TM152	1.39	1.27	1.32	1.3	1.16	1.27	
			#	#	2 #	#	#	#	
Phosphorus (diss.filt)	<10 µg/l	TM152	45.9	67.4	154	77.9	53.8	67.4	
			#	#	2 #	#	#	#	
Selenium (diss.filt)	<1 µg/l	TM152	1.37	<1	1.44	<1	1.4	<1	
			#	#	2 #	#	#	#	
Vanadium (tot.unfilt)	<5 µg/l	TM152	9.2	10.5	7.58	7.21	9.16	7.17	
			#	#	#	#	#	#	
Zinc (tot.unfilt)	<5 µg/l	TM152	9.64	9.28	13.2	12.8	11.7	7.48	
			#	#	#	#	#	#	
Vanadium (diss.filt)	<1 µg/l	TM152	7.45	8.31	5.91	6.01	8.16	5.59	
			#	#	2 #	#	#	#	
Zinc (diss.filt)	<1 µg/l	TM152	2.33	2.67	2.92	4.14	2.32	3.1	
			#	#	2 #	#	#	#	
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00127		0.00165	<0.001	0.00211	<0.001	
			#		#	#	#	#	
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	7.83	7.93	12	7.5	7.43	8.11	
			#	#	2 #	#	#	#	
Calcium (Dis.Filt)	<0.2 mg/l	TM152	106	115	93.8	99.5	102	105	
			#	#	2 #	#	#	#	
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0455	0.0485	0.0247	0.069	0.0442	0.0582	
			#	#	2 #	#	#	#	
Hardness, Total as CaCO3	<0.65 mg/l	TM152	307	319	284	280	295	296	
					2				
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	8.19	7.35	11.5	6.86	7.96	7.26	
			#	#	#	#	#	#	
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	117	119	101	100	115	105	
			#	#	#	#	#	#	
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.508	0.281	0.697	0.43	0.499	0.32	
			#	#	#	#	#	#	
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01	<0.1	<0.01	<0.01	<0.01	<0.01	
			@	@	@	@	@	@	
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	0.00685	<0.005	<0.005	
			@	@	@	@	@	@	
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	0.00535	<0.05	<0.005	0.00831	0.00676	<0.005	
			@	@	@	@	@	@	
Anthracene (diss.filt)	<0.005 µg/l	TM178	0.00548	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	0.00639	<0.05	<0.005	<0.005	0.00723	<0.005	
			@	@	@	@	@	@	
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.00638	<0.05	<0.005	0.0099	0.00737	0.012	
			@	@	@	@	@	@	
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	<0.02	<0.002	<0.002	0.00323	<0.002	
			@	@	@	@	@	@	
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.05	<0.005	<0.005	<0.005	<0.005	
			@	@	@	@	@	@	





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 200121-87  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** LLA703

**Report Number:** 539695  
**Superseded Report:**

Results Legend		Customer Sample Ref.	R1-W/D0-N	SL-N	SL-S	SL-W		
#	ISO17025 accredited.							
M	mCERTS accredited.							
sq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Suspended solids, Total	<2 mg/l	TM022	242	12.5	10.5	15		
			#	#	#	#		
BOD, unfiltered	<1 mg/l	TM045	2.07	2.07	1.81	1.57		
			@ #	@ #	@ #	@ #		
Oxygen, dissolved	<0.3 mg/l	TM046	10	10.2	10.2	10.5		
Carbon, Organic (diss.filt)	<3 mg/l	TM090	6.98	7.35	8.43	7.18		
Organic Carbon, Total	<3 mg/l	TM090	6.04	7.46	7.97	7.64		
			2 #	2 #	@ #	@ #		
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099	0.63	2.58	2.71	2.71		
			2 #	2 #	#	#		
Sulphide	<0.01 mg/l	TM101	<0.01	<0.01	0.0117	0.0255		
			2					
Fluoride	<0.5 mg/l	TM104	0.625	0.886	0.898	0.907		
COD, unfiltered	<7 mg/l	TM107	48.1	23.9	20.7	13		
			#	#	#	#		
Redox potential	mV	TM110	175	125	125	147		
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120	0.471	0.8	0.783	0.742		
Dissolved solids, Total (meter)	<5 mg/l	TM123	362	635	619	606		
			#	#	#	#		
Antimony (diss.filt)	<1 µg/l	TM152	<1	<1	<1	<1		
			2 #	#	#	#		
Antimony (tot.unfilt)	<4 µg/l	TM152	<4	<4	<4	<4		
			2 #	2 #	#	#		
Arsenic (diss.filt)	<0.5 µg/l	TM152	3.39	3.15	3.14	3.14		
			2 #	#	#	#		
Arsenic (tot.unfilt)	<2 µg/l	TM152	6.66	3.42	3.61	3.35		
			2 #	2 #	#	#		
Barium (diss.filt)	<0.2 µg/l	TM152	58.1	60.7	58.7	58.7		
			2 #	#	#	#		
Barium (tot.unfilt)	<0.5 µg/l	TM152	153	63.1	63	60.8		
			2 #	2 #	#	#		
Beryllium (diss.filt)	<0.1 µg/l	TM152	<0.1	<0.1	<0.1	<0.1		
			2 #	#	#	#		
Beryllium (tot.unfilt)	<1 µg/l	TM152	<1	<1	<1	<1		
			2 #	2 #	#	#		
Boron (diss.filt)	<10 µg/l	TM152	115	57.3	55.7	57.5		
			2 #	#	#	#		
Boron (tot.unfilt)	<20 µg/l	TM152	117	62.5	57.4	56.5		
			2 #	2 #	#	#		
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	<0.08	<0.08	<0.08		
			2 #	#	#	#		
Cadmium (tot.unfilt)	<0.5 µg/l	TM152	<0.5	<0.5	<0.5	<0.5		
			2 #	2 #	#	#		
Chromium (tot.unfilt)	<3 µg/l	TM152	10.8	<3	<3	<3		
			2 #	2 #	#	#		
Chromium (diss.filt)	<1 µg/l	TM152	<1	<1	<1	<1		
			2 #	#	#	#		
Copper (tot.unfilt)	<1 µg/l	TM152	14.3	1.91	1.67	1.53		
			2 #	2 #	#	#		
Lead (tot.unfilt)	<1 µg/l	TM152	40.8			<1		
			2 #			#		
Copper (diss.filt)	<0.3 µg/l	TM152	4.51	1.65	1.55	1.68		
			2 #	#	#	#		
Manganese (tot.unfilt)	<1 µg/l	TM152	609	10.1	5.67	10		
			2 #	2 #	#	#		
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	0.413	0.263	0.335		
			2 #	#	#	#		
Nickel (tot.unfilt)	<1 µg/l	TM152	11.2	5.79	5.68	5.68		
			2 #	2 #	#	#		
Manganese (diss.filt)	<3 µg/l	TM152	23.2	<3	<3	<3		
			2 #	#	#	#		



# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 200121-87  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** LLA703

**Report Number:** 539695  
**Superseded Report:**

Results Legend		Customer Sample Ref.	R1-W/D0-N	SL-N	SL-S	SL-W		
#	ISO17025 accredited.	<b>Depth (m)</b> <b>Sample Type</b> <b>Date Sampled</b> <b>Sample Time</b> <b>Date Received</b> <b>SDG Ref</b> <b>Lab Sample No.(s)</b> <b>AGS Reference</b>	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00		
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)		
aq	Aqueous / settled sample.		15/01/2020	15/01/2020	15/01/2020	15/01/2020		
diss.filt	Dissolved / filtered sample.		00:00	00:00	00:00	00:00		
tot.unfilt	Total / unfiltered sample.		21/01/2020	21/01/2020	21/01/2020	21/01/2020		
*	Subcontracted - refer to subcontractor report for accreditation status.		200121-87	200121-87	200121-87	200121-87		
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		21525163	21525074	21525040	21525052		
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Phosphorus (tot.unfilt)	<20 µg/l	TM152	208	<20	<20	<20		
			2 #	2 #	#	#		
Selenium (tot.unfilt)	<1 µg/l	TM152	1.96	2.1	2.58	2.64		
			2 #	2 #	#	#		
Nickel (diss.filt)	<0.4 µg/l	TM152	1.48	5.36	5.35	5.38		
			2 #	#	#	#		
Phosphorus (diss.filt)	<10 µg/l	TM152	29.1	<10	<10	<10		
			2 #	#	#	#		
Selenium (diss.filt)	<1 µg/l	TM152	1.4	2.19	1.93	2.11		
			2 #	#	#	#		
Vanadium (tot.unfilt)	<5 µg/l	TM152	43.5	16.3	16	17.4		
			2 #	2 #	#	#		
Zinc (tot.unfilt)	<5 µg/l	TM152	147	89.5	22.1	<5		
			2 #	2 #	#	#		
Vanadium (diss.filt)	<1 µg/l	TM152	23.6	15.5	16.3	15.2		
			2 #	#	#	#		
Zinc (diss.filt)	<1 µg/l	TM152	<1	1.09	39.9	1		
			2 #	#	#	#		
Lead (tot.unfilt)	<0.001 mg/l	TM152		0.00135	<0.001			
				2 #	#			
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	10.6	0.282	0.283	0.284		
			2 #	#	#	#		
Calcium (Dis.Filt)	<0.2 mg/l	TM152	70.4	83.9	80.3	80.4		
			2 #	#	#	#		
Iron (Dis.Filt)	<0.019 mg/l	TM152	<0.019	<0.019	<0.019	<0.019		
			2 #	#	#	#		
Hardness, Total as CaCO3	<0.65 mg/l	TM152	220	211	202	202		
			2					
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	12.5	0.441	0.344	0.347		
			2 #	2 #	#	#		
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	82.3	84.1	88.5	84.7		
			2 #	2 #	#	#		
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	8.61	0.21	0.105	0.105		
			2 #	2 #	#	#		
Naphthalene (diss.filt)	<0.01 µg/l	TM178	0.0116	0.0688	0.0688	0.071		
			@	@	@	@		
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	0.00703	0.0419	0.0421	0.0445		
			@	@	@	@		
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	0.0126	0.011	0.0105	0.012		
			@	@	@	@		
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	0.0771	0.0487	0.0478	0.0415		
			@	@	@	@		
Anthracene (diss.filt)	<0.005 µg/l	TM178	0.0171	0.0144	0.0144	0.0239		
			@	@	@	@		
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	0.0575	0.105	0.103	0.104		
			@	@	@	@		
Fluorene (diss.filt)	<0.005 µg/l	TM178	0.0111	0.0333	0.0321	0.0328		
			@	@	@	@		
Chrysene (diss.filt)	<0.005 µg/l	TM178	0.0457	<0.005	<0.005	0.0154		
			@	@	@	@		
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.0548	0.0293	0.029	0.0265		
			@	@	@	@		
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	0.0363	<0.005	<0.005	0.0162		
			@	@	@	@		
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	0.0539	<0.005	<0.005	<0.005		
			@	@	@	@		
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	0.0231	<0.005	<0.005	0.00674		
			@	@	@	@		
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	0.0287	<0.002	<0.002	0.00571		
			@	@	@	@		
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	0.0052	<0.005	<0.005	0.00966		
			@	@	@	@		
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	0.0198	<0.005	<0.005	0.0215		
			@	@	@	@		















# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	D3-N	D1-S	D2-S	D3-S	R1-C	R3-C
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525027	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525002	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21524993	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525014	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525085	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525137
dis.filt	Disolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3+5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<4	<2
				@ #	@ #	@ #	@ #	@ #	@ #
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<2	<1
				@ #	@ #	@ #	@ #	@ #	@ #





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	R4-C	R1-E	R3-E	R3-W	R4-W	R1-W/D0-N
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.		Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
dis.filt	Dissolved / filtered sample.		Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
tot.unfilt	Total / unfiltered sample.		Date Sampled	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.		Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		Date Received	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
(F)	Trigger breach confirmed		SDG Ref	200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
1-3+5@	Sample deviation (see appendix)		Lab Sample No.(s)	21525094	21524978	21525115	21525150	21525102	21525163
AGS Reference									
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<8
				@ #	@ #	@ #	@ #	@ #	@ #
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<4
				@ #	@ #	@ #	@ #	@ #	@ #





## CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: LlanwernClient Reference:  
Order Number: LLA703Report Number: 539695  
Superseded Report:

## SVOC MS (W) - Aqueous

Results Legend		Customer Sample Ref.	SL-N	SL-S	SL-W			
#	ISO17025 accredited.							
M	mCERTS accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525074	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525040	0.00 - 0.00 Surface Water (SW) 15/01/2020 00:00 21/01/2020 200121-87 21525052			
aq	Aqueous / settled sample.							
dis.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component		LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
1,2-Dichlorobenzene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
1,3-Dichlorobenzene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
1,4-Dichlorobenzene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2,4,5-Trichlorophenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2,4,6-Trichlorophenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2,4-Dichlorophenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2,4-Dimethylphenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2,4-Dinitrotoluene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2,6-Dinitrotoluene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2-Chloronaphthalene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2-Chlorophenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2-Methylnaphthalene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2-Methylphenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2-Nitroaniline (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
2-Nitrophenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
3-Nitroaniline (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
4-Bromophenylphenylether (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
4-Chloro-3-methylphenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
4-Chloroaniline (aq)		<1 µg/l	TM176	<1	<1	<1		
4-Chlorophenylphenylether (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
4-Methylphenol (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
4-Nitroaniline (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
4-Nitrophenol (aq)		<1 µg/l	TM176	<1	<1	<1		
Azobenzene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
bis(2-Chloroethyl)ether (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
bis(2-Chloroethoxy)methane (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
bis(2-Ethylhexyl) phthalate (aq)		<2 µg/l	TM176	<2	<2	<2		
				@ #	@ #	@ #		
Butylbenzyl phthalate (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
Benzo(k)fluoranthene (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
Carbazole (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
Dibenzofuran (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		
n-Dibutyl phthalate (aq)		<1 µg/l	TM176	<1	<1	<1		
				@ #	@ #	@ #		





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## TPH CWG (W)

Results Legend			Customer Sample Ref.		D3-N	D1-S	D2-S	D3-S	R1-C	R3-C
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21525027	21525002	21524993	21525014	21525085	21525137
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			114	116	108	118	112	102
GRO >C5-C12	<50 µg/l	TM245			<50	<50	<50	<50	<50	<50
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Benzene	<7 µg/l	TM245			<7	<7	<7	<7	<7	<7
Toluene	<4 µg/l	TM245			<4	<4	<4	<4	<4	<4
Ethylbenzene	<5 µg/l	TM245			<5	<5	<5	<5	<5	<5
m,p-Xylene	<8 µg/l	TM245			<8	<8	<8	<8	<8	<8
o-Xylene	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Sum of detected Xylenes	<11 µg/l	TM245			<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245			<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			10	<10	<10	27	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## TPH CWG (W)

Results Legend			Customer Sample Ref.		R4-C	R1-E	R3-E	R3-W	R4-W	R1-W/D0-N
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	TM245	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21525094	21524978	21525115	21525150	21525102	21525163
(F)	Trigger breach confirmed									
1-3*§§	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			110	115	93	102	112	102
					1					1
GRO >C5-C12	<50 µg/l	TM245			<50	<50	<50	<50	<50	<50
					1 #	#	#	#	#	1 #
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
					1 #	#	#	#	#	1 #
Benzene	<7 µg/l	TM245			<7	<7	<7	<7	<7	<7
					1 #	#	#	#	#	1 #
Toluene	<4 µg/l	TM245			<4	<4	<4	<4	<4	<4
					1 #	#	#	#	#	1 #
Ethylbenzene	<5 µg/l	TM245			<5	<5	<5	<5	<5	<5
					1 #	#	#	#	#	1 #
m,p-Xylene	<8 µg/l	TM245			<8	<8	<8	<8	<8	<8
					1 #	#	#	#	#	1 #
o-Xylene	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
					1 #	#	#	#	#	1 #
Sum of detected Xylenes	<11 µg/l	TM245			<11	<11	<11	<11	<11	<11
					1					1
Sum of detected BTEX	<28 µg/l	TM245			<28	<28	<28	<28	<28	<28
					1					1
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aliphatics >C6-C8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aliphatics >C8-C10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aliphatics >C10-C12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
					1					1
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## TPH CWG (W)

Results Legend		Customer Sample Ref.	SL-N	SL-S	SL-W			
#	ISO17025 accredited.							
M	mCERTS accredited.							
sq	Aqueous / settled sample.							
dis.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-3*§@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
GRO Surrogate % recovery**	%	TM245	114	114	103			
GRO >C5-C12	<50 µg/l	TM245	<50 #	<50 #	<50 #			
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245	<3 #	<3 #	<3 #			
Benzene	<7 µg/l	TM245	<7 #	<7 #	<7 #			
Toluene	<4 µg/l	TM245	<4 #	<4 #	<4 #			
Ethylbenzene	<5 µg/l	TM245	<5 #	<5 #	<5 #			
m,p-Xylene	<8 µg/l	TM245	<8 #	<8 #	<8 #			
o-Xylene	<3 µg/l	TM245	<3 #	<3 #	<3 #			
Sum of detected Xylenes	<11 µg/l	TM245	<11	<11	<11			
Sum of detected BTEX	<28 µg/l	TM245	<28	<28	<28			
Aliphatics >C5-C6	<10 µg/l	TM245	<10	<10	<10			
Aliphatics >C6-C8	<10 µg/l	TM245	<10	<10	<10			
Aliphatics >C8-C10	<10 µg/l	TM245	<10	<10	<10			
Aliphatics >C10-C12	<10 µg/l	TM245	<10	<10	<10			
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174	<10	<10	<10			
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174	<10	<10	<10			
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174	<10	<10	<10			
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174	<10	<10	<10			
Aromatics >EC5-EC7	<10 µg/l	TM245	<10	<10	<10			
Aromatics >EC7-EC8	<10 µg/l	TM245	<10	<10	<10			
Aromatics >EC8-EC10	<10 µg/l	TM245	<10	<10	<10			
Aromatics >EC10-EC12	<10 µg/l	TM245	<10	<10	<10			
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174	<10	<10	<10			
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174	<10	<10	<10			
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174	<10	<10	<10			
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174	<10	<10	<10			
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174	<10	<10	<10			
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174	<10	<10	<10			



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.		D0-C	D2-C	D3-N	D1-S	D2-S	D3-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21525168	21524989	21525027	21525002	21524993	21525014
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			110	112	12	111	112	0.73
Toluene-d8**	%	TM208			97.9	98.1	98.7	98.6	98.6	98.5
4-Bromofluorobenzene**	%	TM208			95.7	96.4	96.5	97.2	95.6	96.8
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	2.45
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.		D0-C	D2-C	D3-N	D1-S	D2-S	D3-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21525168	21524989	21525027	21525002	21524993	21525014
(F)	Trigger breach confirmed									
1-3*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Tetrachloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Styrene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromoform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.		R1-C	R3-C	R4-C	R1-E	R3-E	R3-W
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21525085	21525137	21525094	21524978	21525115	21525150
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			111	111	110	110	110	112
					1		2			
Toluene-d8**	%	TM208			100	98.7	100	99.4	99	97.8
					1		2			
4-Bromofluorobenzene**	%	TM208			99	95.3	98.9	98.2	96.5	96.2
					1		2			
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 @ #	#	2 #	#	#	#
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
					1 #	#	2 #	#	#	#
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1		2			
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					1 #	#	2 #	#	#	#

13:23:49 04/02/2020



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.  Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	R1-C	R3-C	R4-C	R1-E	R3-E	R3-W
#	ISO17025 accredited.			0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.			15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020
diss.filt	Dissolved / filtered sample.			00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.			21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020
*	Subcontracted - refer to subcontractor report for accreditation status.			200121-87	200121-87	200121-87	200121-87	200121-87	200121-87
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			21525085	21525137	21525094	21524978	21525115	21525150
(F)	Trigger breach confirmed								
1-3*5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
o-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Styrene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Bromoform	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1		2				
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
Naphthalene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#	#	
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	<1	
			1 #	#	2 #	#	#		







# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 200121-87  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** LLA703

**Report Number:** 539695  
**Superseded Report:**

## VOC MS (W)

Results Legend			Customer Sample Ref.		R4-W	R1-W/D0-N	SL-N	SL-S	SL-W	
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	
sq	Aqueous / settled sample.				15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	
tot.unfilt	Total / unfiltered sample.				21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	
*	Subcontracted - refer to subcontractor report for accreditation status.				200121-87	200121-87	200121-87	200121-87	200121-87	
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21525102	21525163	21525074	21525040	21525052	
(F)	Trigger breach confirmed									
1-3*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			107	114	27.9	25	37.2	
						2				
Toluene-d8**	%	TM208			101	99.3	99.3	98	99.8	
						2				
4-Bromofluorobenzene**	%	TM208			99.2	98	99.6	96.6	99.8	
						2				
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	
					#	2 #	#	#	#	
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
						2				
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	
					#	2 #	#	#	#	



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## VOC MS (W)

Results Legend		Customer Sample Ref.	R4-W	R1-W/D0-N	SL-N	SL-S	SL-W	
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	
M	mCERTS accredited.		Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	
aq	Aqueous / settled sample.		15/01/2020	15/01/2020	15/01/2020	15/01/2020	15/01/2020	
diss.filt	Dissolved / filtered sample.		00:00	00:00	00:00	00:00	00:00	
tot.unfilt	Total / unfiltered sample.		21/01/2020	21/01/2020	21/01/2020	21/01/2020	21/01/2020	
*	Subcontracted - refer to subcontractor report for accreditation status.		200121-87	200121-87	200121-87	200121-87	200121-87	
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		21525102	21525163	21525074	21525040	21525052	
(F)	Trigger breach confirmed							
1-3*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
o-Xylene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Styrene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Bromoform	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Bromobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Propylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1		<1	<1	<1	
				2				
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
Naphthalene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1	<1	<1	
			#	2 #	#	#	#	





# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## Notification of NDPs (No determination possible)

Date Received : 21/01/2020 18:52:39

Sample No	Customer Sample Ref.	Depth (m)	Test	Comment
21524989	D2-C	0.00 - 0.00	EPH CWG (Aliphatic) Aqueous GC (W)	Insufficient Sample
21524989	D2-C	0.00 - 0.00	EPH CWG (Aromatic) Aqueous GC (W)	Insufficient Sample
21524989	D2-C	0.00 - 0.00	Dissolved Oxygen by Probe	Insufficient Sample
21524989	D2-C	0.00 - 0.00	PAH Spec MS - Aqueous (W)	Insufficient Sample
21524989	D2-C	0.00 - 0.00	Redox Potential	Insufficient Sample
21524989	D2-C	0.00 - 0.00	Sulphide	Insufficient Sample
21524989	D2-C	0.00 - 0.00	SVOC MS (W) - Aqueous	Insufficient Sample
21524989	D2-C	0.00 - 0.00	Total Dissolved Solids	Insufficient Sample
21524989	D2-C	0.00 - 0.00	TPH CWG (W)	Insufficient Sample
21524989	D2-C	0.00 - 0.00	Suspended Solids	Insufficient Sample
21524989	D2-C	0.00 - 0.00	Turbidity in waters	Insufficient Sample
21524989	D2-C	0.00 - 0.00	PAH in waters by GC-MS (diss.filt)	Insufficient Sample



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwrn

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## Table of Results - Appendix

Method No	Reference	Description
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM110	BS 1377: Part 3 1990	Redox Potential
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM195	Colour and Turbidity of water. Methods for the Examination of Waters and Associated Materials. HMSO, 1981, ISBN 0 11 751955 3.	Determination of Turbidity in Waters & Associated Matrices
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

SDG: 200121-87  
Location: Llanwern

Client Reference:  
Order Number: LLA703

Report Number: 539695  
Superseded Report:

## Test Completion Dates

Lab Sample No(s)  
Customer Sample Ref.

AGS Ref.  
Depth  
Type

	21525168	21524989	21525027	21525002	21524993	21525014	21525085	21525137	21525094	21524978
	D0-C	D2-C	D3-N	D1-S	D2-S	D3-S	R1-C	R3-C	R4-C	R1-E
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen		27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020
Anions by Kone (w)		28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	24-Jan-2020	24-Jan-2020	28-Jan-2020	24-Jan-2020	28-Jan-2020
BOD True Total		30-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020
COD Unfiltered		26-Jan-2020	25-Jan-2020	25-Jan-2020	25-Jan-2020	25-Jan-2020	24-Jan-2020	25-Jan-2020	24-Jan-2020	25-Jan-2020
Conductivity (at 20 deg.C)		27-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Cyanide Comp/Free/Total/Thiocyanate		28-Jan-2020	23-Jan-2020	23-Jan-2020	29-Jan-2020	23-Jan-2020	27-Jan-2020	23-Jan-2020	27-Jan-2020	23-Jan-2020
Dissolved Metals by ICP-MS		29-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	29-Jan-2020	30-Jan-2020	30-Jan-2020
Dissolved Organic/Inorganic Carbon		30-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Dissolved Oxygen by Probe			23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
EPH CWG (Aliphatic) Aqueous GC (W)			31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
EPH CWG (Aromatic) Aqueous GC (W)			31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
Fluoride		27-Jan-2020	22-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	22-Jan-2020	24-Jan-2020
GRO by GC-FID (W)	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	28-Jan-2020	24-Jan-2020	28-Jan-2020	24-Jan-2020
Hexavalent Chromium (w)		28-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Mercury Dissolved		30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	04-Feb-2020	30-Jan-2020	30-Jan-2020	04-Feb-2020
Mercury Unfiltered		31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
PAH in waters by GC-MS (diss.filt)			30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
PAH Spec MS - Aqueous (W)			31-Jan-2020	31-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020	31-Jan-2020
pH Value		28-Jan-2020	27-Jan-2020	24-Jan-2020	24-Jan-2020	23-Jan-2020	24-Jan-2020	24-Jan-2020	27-Jan-2020	24-Jan-2020
Phenols by HPLC (W)		29-Jan-2020	24-Jan-2020	24-Jan-2020	30-Jan-2020	24-Jan-2020	23-Jan-2020	23-Jan-2020	24-Jan-2020	23-Jan-2020
Phosphate by Kone (w)		29-Jan-2020	22-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	22-Jan-2020	28-Jan-2020
Redox Potential			23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	28-Jan-2020	23-Jan-2020	28-Jan-2020	29-Jan-2020
Sulphide			30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
Sulphur Dissolved by ICP-OES		31-Jan-2020	31-Jan-2020	24-Jan-2020	31-Jan-2020	24-Jan-2020	31-Jan-2020	24-Jan-2020	24-Jan-2020	31-Jan-2020
Suspended Solids			22-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	22-Jan-2020	23-Jan-2020
SVOC MS (W) - Aqueous			30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
Total Dissolved Solids			22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020
Total Metals by ICP-MS		29-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	24-Jan-2020	23-Jan-2020	30-Jan-2020	24-Jan-2020
Total Organic and Inorganic Carbon		29-Jan-2020	24-Jan-2020	23-Jan-2020	28-Jan-2020	24-Jan-2020	22-Jan-2020	22-Jan-2020	24-Jan-2020	22-Jan-2020
TPH CWG (W)			31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
Turbidity in waters			22-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	22-Jan-2020	23-Jan-2020
VOC MS (W)	24-Jan-2020	24-Jan-2020	27-Jan-2020	24-Jan-2020	24-Jan-2020	27-Jan-2020	28-Jan-2020	24-Jan-2020	28-Jan-2020	24-Jan-2020



## CERTIFICATE OF ANALYSIS

SDG: 200121-87  
Location: LlanwernClient Reference:  
Order Number: LLA703Report Number: 539695  
Superseded Report:Lab Sample No(s)  
Customer Sample Ref.AGS Ref.  
Depth  
Type

	21525115	21525150	21525102	21525163	21525074	21525040	21525052
	R3-E	R3-W	R4-W	R1-W/D0-N	SL-N	SL-S	SL-W
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020
Anions by Kone (w)	24-Jan-2020	24-Jan-2020	24-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020
BOD True Total	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020
COD Unfiltered	25-Jan-2020	25-Jan-2020	24-Jan-2020	25-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020
Conductivity (at 20 deg.C)	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Cyanide Comp/Free/Total/Thiocyanate	23-Jan-2020	23-Jan-2020	27-Jan-2020	29-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Dissolved Metals by ICP-MS	30-Jan-2020	29-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
Dissolved Organic/Inorganic Carbon	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Dissolved Oxygen by Probe	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
EPH CWG (Aliphatic) Aqueous GC (W)	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
EPH CWG (Aromatic) Aqueous GC (W)	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
Fluoride	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020
GRO by GC-FID (W)	24-Jan-2020	24-Jan-2020	27-Jan-2020	28-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020
Hexavalent Chromium (w)	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
Mercury Dissolved	30-Jan-2020	30-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
Mercury Unfiltered	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
PAH in waters by GC-MS (diss.filt)	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
PAH Spec MS - Aqueous (W)	31-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020
pH Value	24-Jan-2020	23-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020	27-Jan-2020
Phenols by HPLC (W)	24-Jan-2020	24-Jan-2020	24-Jan-2020	30-Jan-2020	30-Jan-2020	24-Jan-2020	24-Jan-2020
Phosphate by Kone (w)	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020	28-Jan-2020
Redox Potential	23-Jan-2020	22-Jan-2020	23-Jan-2020	22-Jan-2020	23-Jan-2020	22-Jan-2020	23-Jan-2020
Sulphide	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020	30-Jan-2020
Sulphur Dissolved by ICP-OES	31-Jan-2020	24-Jan-2020	31-Jan-2020	31-Jan-2020	24-Jan-2020	24-Jan-2020	24-Jan-2020
Suspended Solids	23-Jan-2020	23-Jan-2020	23-Jan-2020	27-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
SVOC MS (W) - Aqueous	30-Jan-2020	31-Jan-2020	30-Jan-2020	31-Jan-2020	30-Jan-2020	30-Jan-2020	04-Feb-2020
Total Dissolved Solids	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020	22-Jan-2020
Total Metals by ICP-MS	29-Jan-2020	23-Jan-2020	29-Jan-2020	29-Jan-2020	30-Jan-2020	30-Jan-2020	29-Jan-2020
Total Organic and Inorganic Carbon	24-Jan-2020	23-Jan-2020	24-Jan-2020	28-Jan-2020	28-Jan-2020	23-Jan-2020	23-Jan-2020
TPH CWG (W)	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020	31-Jan-2020
Turbidity in waters	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020	23-Jan-2020
VOC MS (W)	24-Jan-2020	24-Jan-2020	27-Jan-2020	28-Jan-2020	27-Jan-2020	27-Jan-2020	27-Jan-2020



# CERTIFICATE OF ANALYSIS

<b>SDG:</b>	200121-87	<b>Client Reference:</b>		<b>Report Number:</b>	539695
<b>Location:</b>	Llanwern	<b>Order Number:</b>	LLA703	<b>Superseded Report:</b>	

## Appendix

## General

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH<sub>4</sub> by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
♦	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.

Standing Committee of Analysts, *The Quantification of Asbestos in Soil* (2107).

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

**The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.**