



Unit 7-8 Hawarden Business Park
Manor Road (off Manor Lane)
Hawarden
Deeside
CH5 3US
Tel: (01244) 528700
Fax: (01244) 528701
email: hawardencustomerservices@alsglobal.com
Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: Scott Bowler

CERTIFICATE OF ANALYSIS

Date of report Generation: 20 April 2020
Customer: Atkins Global Ltd
Sample Delivery Group (SDG): 200328-15
Your Reference:
Location: Llanwern
Report No: 549819

This report has been revised and directly supersedes 549671 in its entirety.

We received 15 samples on Saturday March 28, 2020 and 15 of these samples were scheduled for analysis which was completed on Monday April 20, 2020. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
21971426	D5-C1		0.00 - 0.00	26/03/2020
21971451	D5-C2		0.00 - 0.00	26/03/2020
21971254	D5-N1		0.00 - 0.00	26/03/2020
21971405	D5-N2		0.00 - 0.00	26/03/2020
21971385	D5-N3		0.00 - 0.00	26/03/2020
21971372	D5-N4		0.00 - 0.00	26/03/2020
21971477	D5-S1		0.00 - 0.00	26/03/2020
21971502	D5-S2		0.00 - 0.00	26/03/2020
21971515	D5-S3		0.00 - 0.00	26/03/2020
21971268	D5-S4		0.00 - 0.00	26/03/2020
21971282	MD-N		0.00 - 0.00	26/03/2020
21971295	MD-S		0.00 - 0.00	26/03/2020
21971348	SL-N		0.00 - 0.00	26/03/2020
21971308	SL-S		0.00 - 0.00	26/03/2020
21971329	SL-W		0.00 - 0.00	26/03/2020

Maximum Sample/Coolbox Temperature (°C) :

4.8

ISO5667-3 Water quality - Sampling - Part3 -

During Transportation samples shall be stored in a cooling device capable of maintaining a temperature of (5±3)°C.

ALS have data which show that a cool box with 4 frozen icepacks is capable of maintaining pre-chilled samples at a temperature of (5±3)°C for a period of up to 24hrs.

Only received samples which have had analysis scheduled will be shown on the following pages.



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend



Test



No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)

Customer Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 15

X

X

VOC MS (W)

All

NDPs: 0
Tests: 15

X

X

21971385	D5-N3		0.00 - 0.00	H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
21971405	D5-N2		0.00 - 0.00	Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
21971254	D5-N1		0.00 - 0.00	NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW		
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW	X	



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend

- X** Test
N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container										Sample Type
									HNO3 Filtered (ALE204)	H2SO4 (ALE244)	250ml Amber Gl. PTFE/PE (ALE219)	1plastic (ALE221)	0.5l glass bottle (ALE227)	ZnAc (ALE246)	Vial (ALE297)	NaOH (ALE245)	HNO3 Unfiltered (ALE204)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)
		21971385		D5-N3			0.00 - 0.00	0.00 - 0.00	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
		21971372		D5-N4			0.00 - 0.00	0.00 - 0.00	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
		21971477		D5-S1			0.00 - 0.00	0.00 - 0.00	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
Ammoniacal Nitrogen	All		NDPs: 0 Tests: 15																
Anions by Kone (w)	All		NDPs: 0 Tests: 15																
BOD True Total	All		NDPs: 0 Tests: 15																
COD Unfiltered	All		NDPs: 0 Tests: 15																
Conductivity (at 20 deg.C)	All		NDPs: 0 Tests: 15																
Cyanide Comp/Free/Total/Thiocyanate	All		NDPs: 0 Tests: 15																
Dissolved Metals by ICP-MS	All		NDPs: 0 Tests: 15																
Dissolved Organic/Inorganic Carbon	All		NDPs: 0 Tests: 15																
Dissolved Oxygen by Probe	All		NDPs: 0 Tests: 15																
EPH CWG (Aliphatic) Aqueous GC (W)	All		NDPs: 0 Tests: 15																
EPH CWG (Aromatic) Aqueous GC (W)	All		NDPs: 0 Tests: 15																
Fluoride	All		NDPs: 0 Tests: 15																
GRO by GC-FID (W)	All		NDPs: 0 Tests: 15																
Hexavalent Chromium (w)	All		NDPs: 0 Tests: 15																
Mercury Dissolved	All		NDPs: 0 Tests: 15																



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend

- X** Test
N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

<div>Results Legend</div> <div><div>X</div> Test</div> <div><div>N</div> No Determination Possible</div> <div>Sample Types -</div> <div>S - Soil/Solid</div> <div>UNS - Unspecified Solid</div> <div>GW - Ground Water</div> <div>SW - Surface Water</div> <div>LE - Land Leachate</div> <div>PL - Prepared Leachate</div> <div>PR - Process Water</div> <div>SA - Saline Water</div> <div>TE - Trade Effluent</div> <div>TS - Treated Sewage</div> <div>US - Untreated Sewage</div> <div>RE - Recreational Water</div> <div>DW - Drinking Water Non-regulatory</div> <div>UNL - Unspecified Liquid</div> <div>SL - Sludge</div> <div>G - Gas</div> <div>OTH - Other</div>	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container										Sample Type																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	21971385		D5-N3				0.00 - 0.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Mercury Unfiltered	All	NDPs: 0 Tests: 15		X																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend



Test


No Determination
Possible

Sample Types -

S - Soil/Solid
 UNS - Unspecified Solid
 GW - Ground Water
 SW - Surface Water
 LE - Land Leachate
 PL - Prepared Leachate
 PR - Process Water
 SA - Saline Water
 TE - Trade Effluent
 TS - Treated Sewage
 US - Untreated Sewage
 RE - Recreational Water
 DW - Drinking Water Non-regulatory
 UNL - Unspecified Liquid
 SL - Sludge
 G - Gas
 OTH - Other

Lab Sample No(s)

Customer
Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 15

VOC MS (W)

All

NDPs: 0
Tests: 15

21971385

D5-N3

0.00 - 0.00

HNO3 Filtered
(ALE204)

SW

X

X

21971372

D5-N4

0.00 - 0.00

HNO3 Filtered
(ALE204)

SW

X

X

21971477

D5-S1

0.00 - 0.00

HNO3 Filtered
(ALE204)

SW

X

X

21971515	D5-S3	0.00 - 0.00	Vial (ALE297)	SW			X
			NaOH (ALE245)	SW			
			HNO3 Unfiltered (ALE204)	SW			
			HNO3 Filtered (ALE204)	SW			
			H2SO4 (ALE244)	SW			
			250ml Amber Gl. PTFE/PE (ALE219)	SW			
			1plastic (ALE221)	SW	X		
			0.5l glass bottle (ALE227)	SW			
			ZnAc (ALE246)	SW			
			Vial (ALE297)	SW			X
21971502	D5-S2	0.00 - 0.00	NaOH (ALE245)	SW			
			HNO3 Unfiltered (ALE204)	SW			
			HNO3 Filtered (ALE204)	SW			
			H2SO4 (ALE244)	SW			
			250ml Amber Gl. PTFE/PE (ALE219)	SW			
			1plastic (ALE221)	SW	X		
			0.5l glass bottle (ALE227)	SW			
			ZnAc (ALE246)	SW			
			Vial (ALE297)	SW			
			NaOH (ALE245)	SW			
21971477	D5-S1	0.00 - 0.00	Vial (ALE297)	SW			X
			NaOH (ALE245)	SW			
			HNO3 Unfiltered (ALE204)	SW			
			HNO3 Filtered (ALE204)	SW			
			H2SO4 (ALE244)	SW			
			250ml Amber Gl. PTFE/PE (ALE219)	SW			
			1plastic (ALE221)	SW	X		
			0.5l glass bottle (ALE227)	SW			
			ZnAc (ALE246)	SW			
			Vial (ALE297)	SW			



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend



Test



No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type															
						ZnAc (ALE246)	Vial (ALE297)	NaOH (ALE245)	HNO3 Unfiltered (ALE204)	HNO3 Filtered (ALE204)	H2SO4 (ALE244)	250ml Amber Gl. PTFE/PE (ALE219)	1plastic (ALE221)	0.5l glass bottle (ALE227)	ZnAc (ALE246)	0.5l glass bottle (ALE227)	250ml Amber Gl. PTFE/PE (ALE219)	1plastic (ALE221)	0.5l glass bottle (ALE227)	ZnAc (ALE246)
21971515	D5-S3		0.00 - 0.00		SW															
21971268	D5-S4		0.00 - 0.00		SW															
21971282	MD-N		0.00 - 0.00		SW															
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 15																		
Anions by Kone (w)	All	NDPs: 0 Tests: 15																		
BOD True Total	All	NDPs: 0 Tests: 15																		
COD Unfiltered	All	NDPs: 0 Tests: 15																		
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 15																		
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 15																		
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 15																		
Dissolved Organic/Inorganic Carbon	All	NDPs: 0 Tests: 15																		
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 15																		
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 15																		
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 15																		
Fluoride	All	NDPs: 0 Tests: 15																		
GRO by GC-FID (W)	All	NDPs: 0 Tests: 15																		
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 15																		
Mercury Dissolved	All	NDPs: 0 Tests: 15																		



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend

- X** Test
N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

	Lab Sample No(s)		21971268														21971282	
	Customer Sample Reference		D5-S4														MD-N	
	AGS Reference																	
	Depth (m)		0.00 - 0.00														0.00 - 0.00	
	Container		ZnAc (ALE246)	0.5l glass bottle (ALE227)	1plastic (ALE221)	250ml Amber Gl. PTFE/PE (ALE219)	H2SO4 (ALE244)	HNO3 Filtered (ALE204)	HNO3 Unfiltered (ALE204)	NaOH (ALE245)	Vial (ALE297)	ZnAc (ALE246)	0.5l glass bottle (ALE227)	1plastic (ALE221)	250ml Amber Gl. PTFE/PE (ALE219)	H2SO4 (ALE244)	HNO3 Filtered (ALE204)	HNO3 Unfiltered (ALE204)
	Sample Type		SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW	SW
Mercury Unfiltered	All	NDPs: 0 Tests: 15							X								X	
PAH in waters by GC-MS (diss.filt)	All	NDPs: 0 Tests: 15	X									X						
PAH Spec MS - Aqueous (W)	All	NDPs: 0 Tests: 15				X								X				
pH Value	All	NDPs: 0 Tests: 15		X									X					
Phenols by HPLC (W)	All	NDPs: 0 Tests: 15					X									X		
Phosphate by Kone (w)	All	NDPs: 0 Tests: 15		X									X					
Redox Potential	All	NDPs: 0 Tests: 15	X									X						
Sulphide	All	NDPs: 0 Tests: 15	X									X						X
Sulphur Dissolved by ICP-OES	All	NDPs: 0 Tests: 15			X									X				
Suspended Solids	All	NDPs: 0 Tests: 15			X									X				
SVOC MS (W) - Aqueous	All	NDPs: 0 Tests: 15	X									X						
Total Dissolved Solids	All	NDPs: 0 Tests: 15		X										X				
Total Metals by ICP-MS	All	NDPs: 0 Tests: 15							X								X	
Total Organic and Inorganic Carbon	All	NDPs: 0 Tests: 15					X									X		
TPH CWG (W)	All	NDPs: 0 Tests: 15	X										X					



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend



Test



No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

Lab Sample No(s)

Customer Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 15

VOC MS (W)

All

NDPs: 0
Tests: 15

21971515

D5-S3

0.00 - 0.00

ZnAc (ALE246)

SW

0.5l glass bottle (ALE227)

SW

1l plastic (ALE221)

SW

250ml Amber Gl. PTFE/PE (ALE219)

SW

H2SO4 (ALE244)

SW

HNO3 Filtered (ALE204)

SW

HNO3 Unfiltered (ALE204)

SW

NaOH (ALE245)

SW

Vial (ALE297)

SW

ZnAc (ALE246)

SW

0.5l glass bottle (ALE227)

SW

1l plastic (ALE221)

SW

250ml Amber Gl. PTFE/PE (ALE219)

SW

H2SO4 (ALE244)

SW

HNO3 Filtered (ALE204)

SW

HNO3 Unfiltered (ALE204)

SW

NaOH (ALE245)

SW

Vial (ALE297)

SW

ZnAc (ALE246)

SW

21971268

D5-S4

0.00 - 0.00

ZnAc (ALE246)

SW

21971282

MD-N

0.00 - 0.00

ZnAc (ALE246)

SW

21971308	SL-S		0.00 - 0.00	250ml Amber Gl. PTFE/PE (ALE219)	SW		
				1lplastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		
21971348	SL-N		0.00 - 0.00	ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				1lplastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		
21971295	MD-S		0.00 - 0.00	ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				1lplastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend



Test



No Determination Possible

Sample Types -

S - Soil/Solid
 UNS - Unspecified Solid
 GW - Ground Water
 SW - Surface Water
 LE - Land Leachate
 PL - Prepared Leachate
 PR - Process Water
 SA - Saline Water
 TE - Trade Effluent
 TS - Treated Sewage
 US - Untreated Sewage
 RE - Recreational Water
 DW - Drinking Water Non-regulatory
 UNL - Unspecified Liquid
 SL - Sludge
 G - Gas
 OTH - Other

Lab Sample No(s)

Customer Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0
Tests: 15

VOC MS (W)

All

NDPs: 0
Tests: 15

21971308

SL-S

0.00 - 0.00

ZnAc (ALE246)

SW

Vial (ALE297)

SW

NaOH (ALE245)

SW

HNO3 Unfiltered (ALE204)

SW

HNO3 Filtered (ALE204)

SW

H2SO4 (ALE244)

SW

250ml Amber GL PTFE/PE (ALE219)

SW

1plastic (ALE221)

SW

0.5l glass bottle (ALE227)

SW

ZnAc (ALE246)

SW

Vial (ALE297)

SW

NaOH (ALE245)

SW

HNO3 Unfiltered (ALE204)

SW

HNO3 Filtered (ALE204)

SW

H2SO4 (ALE244)

SW

X

X

X



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend			Customer Sample Ref.		D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971426	21971451	21971254	21971405	21971385	21971372
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Suspended solids, Total	<2 mg/l	TM022	11.5	#	6	#	5.5	#	5.5	#
BOD, unfiltered	<1 mg/l	TM045	2.23	#	2.56	#	<1	#	<1	#
Oxygen, dissolved	<0.3 mg/l	TM046	11.2		11.4		11		10.3	
Carbon, Organic (diss.filt)	<3 mg/l	TM090	7.41		7.15		9.45		6.59	
Organic Carbon, Total	<3 mg/l	TM090	7.08	#	6.18	#	6.17	#	6.06	#
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099	1.34	#	1.07	#	0.517	#	0.483	#
Sulphide	<0.01 mg/l	TM101	<0.01		<0.01		<0.01		<0.01	
Fluoride	<0.5 mg/l	TM104	0.672		0.52		<0.5		<0.5	
COD, unfiltered	<7 mg/l	TM107	18	#	19.6	#	17	#	<7	#
Redox potential	mV	TM110	158		156		157		164	
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120	0.434		0.433		0.437		0.446	
Dissolved solids, Total (meter)	<5 mg/l	TM123	327	#	331	#	343	#	353	#
Antimony (diss.filt)	<1 µg/l	TM152	<1	#	<1	#	<1	#	<1	#
Antimony (tot.unfilt)	<4 µg/l	TM152	<4	#	<4	#	<4	#	<4	#
Arsenic (diss.filt)	<0.5 µg/l	TM152	1.49	#	1.53	#	1.37	#	1.14	#
Arsenic (tot.unfilt)	<2 µg/l	TM152	<2	#	<2	#	<2	#	<2	#
Barium (diss.filt)	<0.2 µg/l	TM152	46.2	#	46.9	#	54.3	#	54.6	#
Barium (tot.unfilt)	<0.5 µg/l	TM152	49.5	#	51.4	#	60.3	#	62.7	#
Beryllium (diss.filt)	<0.1 µg/l	TM152	<0.1	#	<0.1	#	<0.1	#	<0.1	#
Beryllium (tot.unfilt)	<1 µg/l	TM152	<1	#	<1	#	<1	#	<1	#
Boron (diss.filt)	<10 µg/l	TM152	70.6	#	70.3	#	59.8	#	55.4	#
Boron (tot.unfilt)	<20 µg/l	TM152	67.3	#	64.4	#	77.1	#	61.6	#
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	#	<0.08	#	<0.08	#	<0.08	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152	<0.5	#	<0.5	#	<0.5	#	<0.5	#
Chromium (tot.unfilt)	<3 µg/l	TM152	<3	#	<3	#	<3	#	<3	#
Chromium (diss.filt)	<1 µg/l	TM152	<1	#	<1	#	<1	#	<1	#
Copper (tot.unfilt)	<1 µg/l	TM152	2.62	#	3.08	#	2.85	#	2.83	#
Lead (tot.unfilt)	<1 µg/l	TM152					<1			
Copper (diss.filt)	<0.3 µg/l	TM152	2.05	#	2.44	#	2.42	#	1.75	#
Manganese (tot.unfilt)	<1 µg/l	TM152	33.5	#	34.7	#	37.5	#	62.5	#
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	#	<0.2	#	<0.2	#	<0.2	#
Nickel (tot.unfilt)	<1 µg/l	TM152	2.1	#	2.42	#	2.29	#	2.14	#
Manganese (diss.filt)	<3 µg/l	TM152	12.9	#	14.7	#	17.9	#	30.5	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

Results Legend			Customer Sample Ref.		D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971426	21971451	21971254	21971405	21971385	21971372
(F)	Trigger breach confirmed									
1-3+§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Phosphorus (tot.unfilt)	<20 µg/l	TM152			49.3	44.5	47.7	53.9	190	61.5
					#	#	#	#	#	#
Selenium (tot.unfilt)	<1 µg/l	TM152			1.45	1.61	1.38	1.28	1.22	1.23
					#	#	#	#	#	#
Nickel (diss.filt)	<0.4 µg/l	TM152			1.92	1.83	1.96	1.93	1.97	1.78
					#	#	#	#	#	#
Phosphorus (diss.filt)	<10 µg/l	TM152			14	15.7	19.6	22	16.1	13.1
					#	#	#	#	#	#
Selenium (diss.filt)	<1 µg/l	TM152			1.46	1.22	1.03	<1	1.17	<1
					#	#	#	#	#	#
Vanadium (tot.unfilt)	<5 µg/l	TM152			13.9	12.3	8.25	<5	<5	<5
					#	#	#	#	#	#
Zinc (tot.unfilt)	<5 µg/l	TM152			7.27	9.72	11.9	5.44	8.69	6.21
					#	#	#	#	#	#
Vanadium (diss.filt)	<1 µg/l	TM152			12.1	12.7	8.37	4.83	4.13	3.93
					#	#	#	#	#	#
Zinc (diss.filt)	<1 µg/l	TM152			<1	1.74	2.06	5.66	1.06	<1
					#	#	#	#	#	#
Lead (tot.unfilt)	<0.001 mg/l	TM152			<0.001	0.00111		<0.001	<0.001	<0.001
					#	#		#	#	#
Magnesium (Dis.Filt)	<0.036 mg/l	TM152			7.84	8.77	8.81	10.6	9.97	9.47
					#	#	#	#	#	#
Calcium (Dis.Filt)	<0.2 mg/l	TM152			58.4	67.6	65.3	73.7	67.2	61.5
					#	#	#	#	#	#
Iron (Dis.Filt)	<0.019 mg/l	TM152			0.0226	0.0405	0.0268	0.185	0.0265	0.027
					#	#	#	#	#	#
Hardness, Total as CaCO3	<0.65 mg/l	TM152			178	205	200	228	209	193
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152			7.12	7.55	8.15	9.11	9.02	8.71
					#	#	#	#	#	#
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152			67.9	74.2	75.4	79.7	75	71.2
					#	#	#	#	#	#
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152			0.183	0.38	0.261	0.275	0.404	0.354
					#	#	#	#	#	#
Naphthalene (diss.filt)	<0.01 µg/l	TM178			0.0284	<0.01	<0.01	<0.01	0.0152	<0.01
Acenaphthene (diss.filt)	<0.005 µg/l	TM178			0.0332	0.0163	0.0175	<0.005	0.0145	0.0117
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Fluoranthene (diss.filt)	<0.005 µg/l	TM178			0.0207	0.0118	0.0145	0.0102	0.0172	0.0241
Anthracene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Phenanthrene (diss.filt)	<0.005 µg/l	TM178			0.0137	0.00762	<0.005	<0.005	<0.005	<0.005
Fluorene (diss.filt)	<0.005 µg/l	TM178			0.0222	0.00975	0.00905	<0.005	0.00861	0.0114
Chrysene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Pyrene (diss.filt)	<0.005 µg/l	TM178			0.0155	0.00858	0.00987	0.00589	0.0103	0.0146
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178			<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend			Customer Sample Ref.		D5-S1	D5-S2	D5-S3	D5-S4	MD-N	MD-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971477	21971502	21971515	21971268	21971282	21971295
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Suspended solids, Total	<2 mg/l	TM022	41.5	#	95	#	6	#	8.5	6
BOD, unfiltered	<1 mg/l	TM045	6.17	#	11.3	#	<1	#	8.75	<1
Oxygen, dissolved	<0.3 mg/l	TM046	10.9		4.16		9.87		8.29	11.7
Carbon, Organic (diss.filt)	<3 mg/l	TM090	8.58		8.2		7.04		5.04	4.36
Organic Carbon, Total	<3 mg/l	TM090	8.27	#	7.28	#	6.3	#	4.79	<3
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099	1.01	#	0.973	#	<0.3	#	0.935	<0.3
Sulphide	<0.01 mg/l	TM101	<0.01		<0.01		<0.01		<0.01	<0.01
Fluoride	<0.5 mg/l	TM104	0.552		0.565		0.822		<0.5	<0.5
COD, unfiltered	<7 mg/l	TM107	30.8	#	62.3	#	20.7	#	<7	<7
Redox potential	mV	TM110	165		135		159		162	160
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120	0.427		0.438		0.459		0.36	0.352
Dissolved solids, Total (meter)	<5 mg/l	TM123	331	#	333	#	354	#	280	270
Antimony (diss.filt)	<1 µg/l	TM152	<1	#	<1	#	<1	#	<1	<1
Antimony (tot.unfilt)	<4 µg/l	TM152	<4	#	<4	#	<4	#	<4	<4
Arsenic (diss.filt)	<0.5 µg/l	TM152	1.94	#	1.8	#	1.6	#	0.531	0.523
Arsenic (tot.unfilt)	<2 µg/l	TM152	2.35	#	2.42	#	<2	#	<2	<2
Barium (diss.filt)	<0.2 µg/l	TM152	31.5	#	32.4	#	37.9	#	108	104
Barium (tot.unfilt)	<0.5 µg/l	TM152	57.8	#	60.3	#	40	#	115	113
Beryllium (diss.filt)	<0.1 µg/l	TM152	<0.1	#	<0.1	#	<0.1	#	<0.1	<0.1
Beryllium (tot.unfilt)	<1 µg/l	TM152	<1	#	<1	#	<1	#	<1	<1
Boron (diss.filt)	<10 µg/l	TM152	74.3	#	78.4	#	102	#	18.8	18.2
Boron (tot.unfilt)	<20 µg/l	TM152	74.6	#	73	#	85.8	#	<20	<20
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	#	<0.08	#	<0.08	#	<0.08	<0.08
Cadmium (tot.unfilt)	<0.5 µg/l	TM152	<0.5	#	<0.5	#	<0.5	#	<0.5	<0.5
Chromium (tot.unfilt)	<3 µg/l	TM152	<3	#	<3	#	<3	#	<3	<3
Chromium (diss.filt)	<1 µg/l	TM152	<1	#	<1	#	<1	#	<1	<1
Copper (tot.unfilt)	<1 µg/l	TM152	4.22	#	3.64	#	2.62	#	1.66	1.04
Lead (tot.unfilt)	<1 µg/l	TM152					<1	#	<1	<1
Copper (diss.filt)	<0.3 µg/l	TM152	2.45	#	2.38	#	2.14	#	0.638	0.474
Manganese (tot.unfilt)	<1 µg/l	TM152	76.6	#	61.8	#	30.3	#	39.1	47.6
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	#	<0.2	#	<0.2	#	<0.2	<0.2
Nickel (tot.unfilt)	<1 µg/l	TM152	3.5	#	2.91	#	3.2	#	<1	<1
Manganese (diss.filt)	<3 µg/l	TM152	14.9	#	16.3	#	22.5	#	29.2	38.8



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend			Customer Sample Ref.		D5-S1	D5-S2	D5-S3	D5-S4	MD-N	MD-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971477	21971502	21971515	21971268	21971282	21971295
(F)	Trigger breach confirmed									
1-3+§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Phosphorus (tot.unfilt)	<20 µg/l	TM152	132	160	30.1	34.3	261	64		
			#	#	#	#	#	#		
Selenium (tot.unfilt)	<1 µg/l	TM152	1.49	1.66	1.49	1.65	<1	<1		
			#	#	#	#	#	#		
Nickel (diss.filt)	<0.4 µg/l	TM152	1.97	1.66	1.66	1.67	<0.4	<0.4		
			#	#	#	#	#	#		
Phosphorus (diss.filt)	<10 µg/l	TM152	15.8	14.1	17.1	16	181	49.3		
			#	#	#	#	#	#		
Selenium (diss.filt)	<1 µg/l	TM152	2	1.77	<1	<1	<1	<1		
			#	#	#	#	#	#		
Vanadium (tot.unfilt)	<5 µg/l	TM152	18.5	17.3	11.6	12.1	<5	<5		
			#	#	#	#	#	#		
Zinc (tot.unfilt)	<5 µg/l	TM152	44.9	14.6	6.45	8.82	10.9	7.51		
			#	#	#	#	#	#		
Vanadium (diss.filt)	<1 µg/l	TM152	15.5	17	11.7	11.9	<1	<1		
			#	#	#	#	#	#		
Zinc (diss.filt)	<1 µg/l	TM152	2.02	1.26	1.94	2.39	1.9	<1		
			#	#	#	#	#	#		
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00175	0.00217	<0.001					
			#	#	#					
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	6.53	7.27	7.97	8.07	16	16		
			#	#	#	#	#	#		
Calcium (Dis.Filt)	<0.2 mg/l	TM152	66.7	64.3	65.2	65.1	49.4	48.4		
			#	#	#	#	#	#		
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0398	0.0382	0.0365	0.0414	0.0303	<0.019		
			#	#	#	#	#	#		
Hardness, Total as CaCO3	<0.65 mg/l	TM152		191	196	196	189	187		
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	7.37	6.9	7.05	6.99	14.3	14.4		
			#	#	#	#	#	#		
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	77.5	74.3	73	69.9	56.2	53.2		
			#	#	#	#	#	#		
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.393	0.515	0.231	0.237	0.398	0.296		
			#	#	#	#	#	#		
Naphthalene (diss.filt)	<0.01 µg/l	TM178	0.0119	<0.01	<0.01	<0.01	<0.01	0.0321		
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	0.0214	<0.005	<0.005	<0.005	<0.005	<0.005		
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	0.00558	<0.005		
Fluorene (diss.filt)	<0.005 µg/l	TM178	0.00946	<0.005	<0.005	<0.005	<0.005	<0.005		
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Pyrene (diss.filt)	<0.005 µg/l	TM178	<0.005	0.00801	0.0101	0.00942	<0.005	<0.005		
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002		
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005		



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend			Customer Sample Ref.	SL-N		SL-S		SL-W				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00		0.00 - 0.00		0.00 - 0.00				
M	mCERTS accredited.			Surface Water (SW)		Surface Water (SW)		Surface Water (SW)				
aq	Aqueous / settled sample.			26/03/2020		26/03/2020		26/03/2020				
diss.filt	Dissolved / filtered sample.			00:00		00:00		00:00				
tot.unfilt	Total / unfiltered sample.			28/03/2020		28/03/2020		28/03/2020				
*	Subcontracted - refer to subcontractor report for accreditation status.			200328-15		200328-15		200328-15				
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			21971348		21971308		21971329				
(F)	Trigger breach confirmed											
1-3+5@	Sample deviation (see appendix)											
Component	LOD/Units		Method									
Suspended solids, Total	<2 mg/l	TM022	2	#	2.5	#	8	#				
BOD, unfiltered	<1 mg/l	TM045	<1	#	<1	#	<1	#				
Oxygen, dissolved	<0.3 mg/l	TM046	10.7		10.4		9.82					
Carbon, Organic (diss.filt)	<3 mg/l	TM090	6.83		6.74		6.97					
Organic Carbon, Total	<3 mg/l	TM090	6.19	#	6.92	#	6.39	#				
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099	2.91	#	2.66	#	2.96	#				
Sulphide	<0.01 mg/l	TM101	<0.01		<0.01		<0.01					
Fluoride	<0.5 mg/l	TM104	<0.5		1		1.05					
COD, unfiltered	<7 mg/l	TM107	30.9	#	14.3	#	15.2	#				
Redox potential	mV	TM110	159		157		156					
Conductivity @ 20 deg.C (diss.filt)	<0.014 mS/cm	TM120	0.784		0.766		0.795					
Dissolved solids, Total (meter)	<5 mg/l	TM123	533	#	595	#	590	#				
Antimony (diss.filt)	<1 µg/l	TM152	<1	#	<1	#	<1	#				
Antimony (tot.unfilt)	<4 µg/l	TM152	<4	#	<4	#	<4	#				
Arsenic (diss.filt)	<0.5 µg/l	TM152	2.7	#	2.64	#	2.74	#				
Arsenic (tot.unfilt)	<2 µg/l	TM152	2.78	#	2.9	#	3.1	#				
Barium (diss.filt)	<0.2 µg/l	TM152	59.2	#	60.5	#	62.4	#				
Barium (tot.unfilt)	<0.5 µg/l	TM152	60.9	#	61.3	#	64.4	#				
Beryllium (diss.filt)	<0.1 µg/l	TM152	<0.1	#	<0.1	#	<0.1	#				
Beryllium (tot.unfilt)	<1 µg/l	TM152	<1	#	<1	#	<1	#				
Boron (diss.filt)	<10 µg/l	TM152	69.8	#	68.4	#	68.1	#				
Boron (tot.unfilt)	<20 µg/l	TM152	64.5	#	61.4	#	66.3	#				
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	#	<0.08	#	<0.08	#				
Cadmium (tot.unfilt)	<0.5 µg/l	TM152	<0.5	#	<0.5	#	<0.5	#				
Chromium (tot.unfilt)	<3 µg/l	TM152	<3	#	<3	#	<3	#				
Chromium (diss.filt)	<1 µg/l	TM152	1.18	#	1.04	#	1.04	#				
Copper (tot.unfilt)	<1 µg/l	TM152	2.68	#	2.48	#	2.86	#				
Lead (tot.unfilt)	<1 µg/l	TM152	<1	#								
Copper (diss.filt)	<0.3 µg/l	TM152	2.47	#	1.97	#	2.15	#				
Manganese (tot.unfilt)	<1 µg/l	TM152	3.12	#	3.68	#	7.45	#				
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	#	<0.2	#	<0.2	#				
Nickel (tot.unfilt)	<1 µg/l	TM152	4.77	#	4.69	#	4.81	#				
Manganese (diss.filt)	<3 µg/l	TM152	4.46	#	<3	#	<3	#				



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Results Legend			Customer Sample Ref.	SL-N	SL-S	SL-W			
#	ISO17025 accredited.								
M	mCERTS accredited.								
aq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3*§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference						
Phosphorus (tot.unfilt)	<20 µg/l	TM152	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971348	<20 #	<20 #	<20 #			
Selenium (tot.unfilt)	<1 µg/l	TM152	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971308	2.28 #	2.54 #	2.44 #			
Nickel (diss.filt)	<0.4 µg/l	TM152	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971329	4.59 #	4.58 #	4.44 #			
Phosphorus (diss.filt)	<10 µg/l	TM152		11.4 #	<10 #	<10 #			
Selenium (diss.filt)	<1 µg/l	TM152		1.85 #	1.72 #	2 #			
Vanadium (tot.unfilt)	<5 µg/l	TM152		17.1 #	17 #	17.6 #			
Zinc (tot.unfilt)	<5 µg/l	TM152		7.56 #	5.38 #	7.26 #			
Vanadium (diss.filt)	<1 µg/l	TM152		17.9 #	17.2 #	16.8 #			
Zinc (diss.filt)	<1 µg/l	TM152		1.75 #	<1 #	<1 #			
Lead (tot.unfilt)	<0.001 mg/l	TM152			<0.001 #	0.00128 #			
Magnesium (Dis.Filt)	<0.036 mg/l	TM152		0.363 #	0.388 #	0.353 #			
Calcium (Dis.Filt)	<0.2 mg/l	TM152		84 #	85.2 #	88.3 #			
Iron (Dis.Filt)	<0.019 mg/l	TM152		<0.019 #	<0.019 #	<0.019 #			
Hardness, Total as CaCO3	<0.65 mg/l	TM152		212	215	222			
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152		0.37 #	0.398 #	0.441 #			
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152		92 #	92.1 #	98.8 #			
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152		0.084 #	0.0752 #	0.158 #			
Naphthalene (diss.filt)	<0.01 µg/l	TM178		0.111	0.103	0.127			
Acenaphthene (diss.filt)	<0.005 µg/l	TM178		0.0481	0.0444	0.0521			
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178		0.0113	0.0104	0.0124			
Fluoranthene (diss.filt)	<0.005 µg/l	TM178		0.0454	0.0467	0.0465			
Anthracene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Phenanthrene (diss.filt)	<0.005 µg/l	TM178		0.129	0.121	0.133			
Fluorene (diss.filt)	<0.005 µg/l	TM178		0.0421	0.0374	0.0403			
Chrysene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Pyrene (diss.filt)	<0.005 µg/l	TM178		0.00704	0.00622	0.00862			
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178		<0.002	<0.002	<0.002			
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178		<0.005	<0.005	<0.005			



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.	Dissolved / filtered sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
aq	Total / unfiltered sample.	Subcontracted - refer to subcontractor report for accreditation status.	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
diss.filt			Date Sampled	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
tot.unfilt			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
*	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		Date Received	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
**	Trigger breach confirmed		SDG Ref	200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
(F)	Sample deviation (see appendix)		Lab Sample No.(s)	21971426	21971451	21971254	21971405	21971385	21971372
1-3+5@			AGS Reference						
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<2
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	D5-S1	D5-S2	D5-S3	D5-S4	MD-N	MD-S
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.	Dissolved / filtered sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
aq	Total / unfiltered sample.	Subcontracted - refer to subcontractor report for accreditation status.	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
diss.filt			Date Sampled	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
tot.unfilt			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
*			Date Received	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
**			SDG Ref	200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
			Lab Sample No.(s)	21971477	21971502	21971515	21971268	21971282	21971295
			AGS Reference						
(F)									
1-3+5@									
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dichlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dimethylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Chloronaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Chlorophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Methylnaphthalene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
3-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Bromophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Chloroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Methylphenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Nitroaniline (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Nitrophenol (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176		<2	<2	<2	<2	<2	<2
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Butylbenzyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Carbazole (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Dibenzofuran (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176		<1	<1	<1	<1	<1	<1
				◆ #	◆ #	◆ #	◆ #	◆ #	◆ #



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.	SL-N	SL-S	SL-W			
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.	Dissolved / filtered sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00			
aq	Total / unfiltered sample.	Subcontracted - refer to subcontractor report for accreditation status.	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)			
dis.filt	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Trigger breach confirmed	Date Sampled	26/03/2020	26/03/2020	26/03/2020			
tot.unfilt		Sample deviation (see appendix)	Sample Time	00:00	00:00	00:00			
*			Date Received	28/03/2020	28/03/2020	28/03/2020			
**			SDG Ref	200328-15	200328-15	200328-15			
			Lab Sample No.(s)	21971348	21971308	21971329			
(F)			AGS Reference						
1-3+5@									
Component	LOD/Units	Method							
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2-Methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	<1	<1				
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
4-Methylphenol (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	<1	<1				
Azobenzene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<2	<2	<2				
			◆ #	◆ #	◆ #				
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
Carbazole (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
Dibenzofuran (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	<1	<1				
			◆ #	◆ #	◆ #				



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

TPH CWG (W)

Results Legend			Customer Sample Ref.		D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971426	21971451	21971254	21971405	21971385	21971372
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			104	112	107	105	109	99
GRO >C5-C12	<50 µg/l	TM245			<50	<50	<50	<50	<50	<50
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Benzene	<7 µg/l	TM245			<7	<7	<7	<7	<7	<7
Toluene	<4 µg/l	TM245			<4	<4	<4	<4	<4	<4
Ethylbenzene	<5 µg/l	TM245			<5	<5	<5	<5	<5	<5
m,p-Xylene	<8 µg/l	TM245			<8	<8	<8	<8	<8	<8
o-Xylene	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
Sum of detected Xylenes	<11 µg/l	TM245			<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245			<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

TPH CWG (W)

Results Legend			Customer Sample Ref.	D5-S1	D5-S2	D5-S3	D5-S4	MD-N	MD-S
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971477	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971502	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971515	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971268	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971282	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971295
M	mCERTS accredited.								
aq	Aqueous / settled sample.								
diss.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3+5@	Sample deviation (see appendix)								
Component	LOD/Units	Method							
GRO Surrogate % recovery**	%	TM245	96	100	93	97	99	100	
GRO >C5-C12	<50 µg/l	TM245	<50 #	<50 #	<50 #	<50 #	<50 #	<50 #	
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245	<3 #	<3 #	<3 #	<3 #	<3 #	<3 #	
Benzene	<7 µg/l	TM245	<7 #	<7 #	<7 #	<7 #	<7 #	<7 #	
Toluene	<4 µg/l	TM245	<4 #	<4 #	<4 #	<4 #	<4 #	<4 #	
Ethylbenzene	<5 µg/l	TM245	<5 #	<5 #	<5 #	<5 #	<5 #	<5 #	
m,p-Xylene	<8 µg/l	TM245	<8 #	<8 #	<8 #	<8 #	<8 #	<8 #	
o-Xylene	<3 µg/l	TM245	<3 #	<3 #	<3 #	<3 #	<3 #	<3 #	
Sum of detected Xylenes	<11 µg/l	TM245	<11	<11	<11	<11	<11	<11	
Sum of detected BTEX	<28 µg/l	TM245	<28	<28	<28	<28	<28	<28	
Aliphatics >C5-C6	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aliphatics >C6-C8	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aliphatics >C8-C10	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aliphatics >C10-C12	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	
Aromatics >EC5-EC7	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aromatics >EC7-EC8	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aromatics >EC8-EC10	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aromatics >EC10-EC12	<10 µg/l	TM245	<10	<10	<10	<10	<10	<10	
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	15	<10	
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	15	<10	
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174	<10	<10	<10	<10	21	<10	
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174	<10	<10	<10	<10	<10	<10	



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

TPH CWG (W)

Results Legend			Customer Sample Ref.			SL-N			SL-S			SL-W					
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971348	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971308	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971329											
M	mCERTS accredited.																
aq	Aqueous / settled sample.																
diss.filt	Dissolved / filtered sample.																
tot.unfilt	Total / unfiltered sample.																
*	Subcontracted - refer to subcontractor report for accreditation status.																
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery																
(F)	Trigger breach confirmed																
1-3+5@	Sample deviation (see appendix)																
Component	LOD/Units	Method															
GRO Surrogate % recovery**	%	TM245		109	106	98											
GRO >C5-C12	<50 µg/l	TM245		<50	<50	<50											
				#	#	#											
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245		<3	<3	<3											
				#	#	#											
Benzene	<7 µg/l	TM245		<7	<7	<7											
				#	#	#											
Toluene	<4 µg/l	TM245		<4	<4	<4											
				#	#	#											
Ethylbenzene	<5 µg/l	TM245		<5	<5	<5											
				#	#	#											
m,p-Xylene	<8 µg/l	TM245		<8	<8	<8											
				#	#	#											
o-Xylene	<3 µg/l	TM245		<3	<3	<3											
				#	#	#											
Sum of detected Xylenes	<11 µg/l	TM245		<11	<11	<11											
Sum of detected BTEX	<28 µg/l	TM245		<28	<28	<28											
Aliphatics >C5-C6	<10 µg/l	TM245		<10	<10	<10											
Aliphatics >C6-C8	<10 µg/l	TM245		<10	<10	<10											
Aliphatics >C8-C10	<10 µg/l	TM245		<10	<10	<10											
Aliphatics >C10-C12	<10 µg/l	TM245		<10	<10	<10											
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174		<10	<10	<10											
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174		<10	<10	<10											
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174		<10	<10	<10											
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174		<10	<10	<10											
Aromatics >EC5-EC7	<10 µg/l	TM245		<10	<10	<10											
Aromatics >EC7-EC8	<10 µg/l	TM245		<10	<10	<10											
Aromatics >EC8-EC10	<10 µg/l	TM245		<10	<10	<10											
Aromatics >EC10-EC12	<10 µg/l	TM245		<10	<10	<10											
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174		<10	<10	<10											
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174		<10	<10	<10											
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174		<10	<10	<10											
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174		<10	<10	<10											
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174		<10	<10	<10											
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174		<10	<10	<10											



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

VOC MS (W)

Results Legend			Customer Sample Ref.		D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971426	21971451	21971254	21971405	21971385	21971372
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			110	117	120	121	118	109
Toluene-d8**	%	TM208			99.7	98.9	99	98.1	98.8	101
4-Bromofluorobenzene**	%	TM208			94.4	97.4	96.5	94.7	97.5	95.1
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

VOC MS (W)

Results Legend			Customer Sample Ref.	D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4
#	ISO17025 accredited.								
M	mCERTS accredited.								
sq	Aqueous / settled sample.								
dis.filt	Dissolved / filtered sample.								
tot.unfilt	Total / unfiltered sample.								
*	Subcontracted - refer to subcontractor report for accreditation status.								
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery								
(F)	Trigger breach confirmed								
1-3+§@	Sample deviation (see appendix)								
Component	LOD/Units	Method	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971426	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971451	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971254	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971405	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971385	0.00 - 0.00 Surface Water (SW) 26/03/2020 00:00 28/03/2020 200328-15 21971372
Tetrachloroethene	<1 µg/l	TM208							
				#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Styrene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Bromoform	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,4-Trichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3,5-Trichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

VOC MS (W)

Results Legend			Customer Sample Ref.		D5-S1	D5-S2	D5-S3	D5-S4	MD-N	MD-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
*	Subcontracted - refer to subcontractor report for accreditation status.				200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				21971477	21971502	21971515	21971268	21971282	21971295
(F)	Trigger breach confirmed									
1-3+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			116	111	129	118	113	130
Toluene-d8**	%	TM208			92	105	103	103	99.5	99.4
4-Bromofluorobenzene**	%	TM208			107	96.6	104	102	95.1	104
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

VOC MS (W)

Results Legend			Customer Sample Ref.	D5-S1	D5-S2	D5-S3	D5-S4	MD-N	MD-S
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.	Disolved / filtered sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
dis.filt	Total / unfiltered sample.	Subcontracted - refer to subcontractor report for accreditation status.	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
tot.unfilt		% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Date Sampled	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020	26/03/2020
*			Sample Time	00:00	00:00	00:00	00:00	00:00	00:00
**			Date Received	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020	28/03/2020
			SDG Ref	200328-15	200328-15	200328-15	200328-15	200328-15	200328-15
(F)	Trigger breach confirmed		Lab Sample No.(s)	21971477	21971502	21971515	21971268	21971282	21971295
1-3+5@	Sample deviation (see appendix)		AGS Reference						
Component	LOD/Units	Method							
Tetrachloroethene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Styrene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Bromoform	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,4-Trichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#
1,3,5-Trichlorobenzene	<1 µg/l	TM208		<1	<1	<1	<1	<1	<1
				#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

VOC MS (W)

Results Legend			Customer Sample Ref.	SL-N	SL-S	SL-W			
#	ISO17025 accredited.			0.00 - 0.00	0.00 - 0.00	0.00 - 0.00			
M	mCERTS accredited.			Surface Water (SW)	Surface Water (SW)	Surface Water (SW)			
aq	Aqueous / settled sample.			26/03/2020	26/03/2020	26/03/2020			
diss.filt	Dissolved / filtered sample.			00:00	00:00	00:00			
tot.unfilt	Total / unfiltered sample.			28/03/2020	28/03/2020	28/03/2020			
*	Subcontracted - refer to subcontractor report for accreditation status.			200328-15	200328-15	200328-15			
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			21971348	21971308	21971329			
(F)	Trigger breach confirmed								
1-3+5@	Sample deviation (see appendix)								
Component		LOD/Units	Method						
Dibromofluoromethane**		%	TM208	42.5	57.5	33.4			
Toluene-d8**		%	TM208	100	100	99.6			
4-Bromofluorobenzene**		%	TM208	94.4	95.2	94.6			
Dichlorodifluoromethane		<1 µg/l	TM208	<1	<1	<1			
Chloromethane		<1 µg/l	TM208	<1	<1	<1			
Vinyl chloride		<1 µg/l	TM208	<1	<1	<1			
Bromomethane		<1 µg/l	TM208	<1	<1	<1			
Chloroethane		<1 µg/l	TM208	<1	<1	<1			
Trichlorofluoromethane		<1 µg/l	TM208	<1	<1	<1			
1,1-Dichloroethene		<1 µg/l	TM208	<1	<1	<1			
Carbon disulphide		<1 µg/l	TM208	<1	<1	<1			
Dichloromethane		<3 µg/l	TM208	<3	<3	<3			
Methyl tertiary butyl ether (MTBE)		<1 µg/l	TM208	<1	<1	<1			
trans-1,2-Dichloroethene		<1 µg/l	TM208	<1	<1	<1			
1,1-Dichloroethane		<1 µg/l	TM208	<1	<1	<1			
cis-1,2-Dichloroethene		<1 µg/l	TM208	<1	<1	<1			
2,2-Dichloropropane		<1 µg/l	TM208	<1	<1	<1			
Bromochloromethane		<1 µg/l	TM208	<1	<1	<1			
Chloroform		<1 µg/l	TM208	<1	<1	<1			
1,1,1-Trichloroethane		<1 µg/l	TM208	<1	<1	<1			
1,1-Dichloropropene		<1 µg/l	TM208	<1	<1	<1			
Carbontetrachloride		<1 µg/l	TM208	<1	<1	<1			
1,2-Dichloroethane		<1 µg/l	TM208	<1	<1	<1			
Benzene		<1 µg/l	TM208	<1	<1	<1			
Trichloroethene		<1 µg/l	TM208	<1	<1	<1			
1,2-Dichloropropane		<1 µg/l	TM208	<1	<1	<1			
Dibromomethane		<1 µg/l	TM208	<1	<1	<1			
Bromodichloromethane		<1 µg/l	TM208	<1	<1	<1			
cis-1,3-Dichloropropene		<1 µg/l	TM208	<1	<1	<1			
Toluene		<1 µg/l	TM208	<1	<1	<1			
trans-1,3-Dichloropropene		<1 µg/l	TM208	<1	<1	<1			
1,1,2-Trichloroethane		<1 µg/l	TM208	<1	<1	<1			
1,3-Dichloropropane		<1 µg/l	TM208	<1	<1	<1			



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: LlanwernClient Reference:
Order Number: LLA732Report Number: 549819
Superseded Report: 549671

VOC MS (W)

Results Legend			Customer Sample Ref.	SL-N	SL-S	SL-W			
#	ISO17025 accredited.	mCERTS accredited.							
M	Aqueous / settled sample.	Dissolved / filtered sample.	Depth (m)	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00			
dis.filt	Total / unfiltered sample.	Subcontracted - refer to subcontractor report for accreditation status.	Sample Type	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)			
tot.unfilt	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery	Trigger breach confirmed	Date Sampled	26/03/2020	26/03/2020	26/03/2020			
*			Sample Time	00:00	00:00	00:00			
**			Date Received	28/03/2020	28/03/2020	28/03/2020			
			SDG Ref	200328-15	200328-15	200328-15			
(F)			Lab Sample No.(s)	21971348	21971308	21971329			
1-3+§@			AGS Reference						
Sample deviation (see appendix)									
Component	LOD/Units	Method							
Tetrachloroethene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Dibromochloromethane	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2-Dibromoethane	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Chlorobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Ethylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
m,p-Xylene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
o-Xylene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Styrene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Bromoform	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Isopropylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Bromobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Propylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
2-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
4-Chlorotoluene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
tert-Butylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
sec-Butylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
4-iso-Propyltoluene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
n-Butylbenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Hexachlorobutadiene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
Naphthalene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1				
			#	#	#				
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	<1	<1				



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Table of Results - Appendix

Method No	Reference	Description
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM110	BS 1377: Part 3 1990	Redox Potential
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM195	Colour and Turbidity of water. Methods for the Examination of Waters and Associated Materials. HMSO, 1981, ISBN 0 11 751955 3.	Determination of Turbidity in Waters & Associated Matrices
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671

Test Completion Dates

Lab Sample No(s)
Customer Sample Ref.

AGS Ref.
Depth
Type

	21971426	21971451	21971254	21971405	21971385	21971372	21971477	21971502	21971515	21971268
	D5-C1	D5-C2	D5-N1	D5-N2	D5-N3	D5-N4	D5-S1	D5-S2	D5-S3	D5-S4
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Anions by Kone (w)	02-Apr-2020	02-Apr-2020	03-Apr-2020	02-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
BOD True Total	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
COD Unfiltered	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020
Conductivity (at 20 deg.C)	31-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	31-Mar-2020	30-Mar-2020	31-Mar-2020
Cyanide Comp/Free/Total/Thiocyanate	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Dissolved Metals by ICP-MS	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	31-Mar-2020	31-Mar-2020	01-Apr-2020	31-Mar-2020	01-Apr-2020	01-Apr-2020
Dissolved Organic/Inorganic Carbon	03-Apr-2020	02-Apr-2020	03-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	03-Apr-2020	02-Apr-2020	03-Apr-2020
Dissolved Oxygen by Probe	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
EPH CWG (Aliphatic) Aqueous GC (W)	01-Apr-2020	01-Apr-2020	02-Apr-2020	01-Apr-2020	02-Apr-2020	07-Apr-2020	02-Apr-2020	02-Apr-2020	01-Apr-2020	02-Apr-2020
EPH CWG (Aromatic) Aqueous GC (W)	01-Apr-2020	01-Apr-2020	02-Apr-2020	01-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	01-Apr-2020	02-Apr-2020
Fluoride	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
GRO by GC-FID (W)	06-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020
Hexavalent Chromium (w)	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
Mercury Dissolved	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	31-Mar-2020	31-Mar-2020	02-Apr-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Mercury Unfiltered	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	02-Apr-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
PAH in waters by GC-MS (diss.filt)	02-Apr-2020	02-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	02-Apr-2020	02-Apr-2020	06-Apr-2020	02-Apr-2020	06-Apr-2020
PAH Spec MS - Aqueous (W)	01-Apr-2020	01-Apr-2020	01-Apr-2020	02-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
pH Value	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Phenols by HPLC (W)	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Phosphate by Kone (w)	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
Redox Potential	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Sulphide	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	07-Apr-2020	02-Apr-2020	02-Apr-2020	07-Apr-2020	02-Apr-2020
Sulphur Dissolved by ICP-OES	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Suspended Solids	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
SVOC MS (W) - Aqueous	15-Apr-2020	15-Apr-2020	15-Apr-2020	17-Apr-2020	09-Apr-2020	15-Apr-2020	15-Apr-2020	15-Apr-2020	15-Apr-2020	15-Apr-2020
Total Dissolved Solids	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Total Metals by ICP-MS	01-Apr-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	02-Apr-2020	31-Mar-2020	02-Apr-2020	31-Mar-2020
Total Organic and Inorganic Carbon	02-Apr-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
TPH CWG (W)	06-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	07-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020
Turbidity in waters	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
VOC MS (W)	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020	06-Apr-2020

Lab Sample No(s)
Customer Sample Ref.

AGS Ref.
Depth
Type

	21971282	21971295	21971348	21971308	21971329
	MD-N	MD-S	SL-N	SL-S	SL-W
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Anions by Kone (w)	02-Apr-2020	02-Apr-2020	03-Apr-2020	03-Apr-2020	02-Apr-2020
BOD True Total	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
COD Unfiltered	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020
Conductivity (at 20 deg.C)	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
Cyanide Comp/Free/Total/Thiocyanate	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Dissolved Metals by ICP-MS	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Dissolved Organic/Inorganic Carbon	02-Apr-2020	03-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
Dissolved Oxygen by Probe	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
EPH CWG (Aliphatic) Aqueous GC (W)	02-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
EPH CWG (Aromatic) Aqueous GC (W)	02-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Fluoride	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
GRO by GC-FID (W)	06-Apr-2020	06-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020
Hexavalent Chromium (w)	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
Mercury Dissolved	31-Mar-2020	31-Mar-2020	30-Mar-2020	31-Mar-2020	31-Mar-2020
Mercury Unfiltered	02-Apr-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
PAH in waters by GC-MS (diss.filt)	02-Apr-2020	02-Apr-2020	01-Apr-2020	06-Apr-2020	01-Apr-2020
PAH Spec MS - Aqueous (W)	01-Apr-2020	01-Apr-2020	02-Apr-2020	02-Apr-2020	02-Apr-2020
pH Value	30-Mar-2020	31-Mar-2020	30-Mar-2020	31-Mar-2020	30-Mar-2020
Phenols by HPLC (W)	01-Apr-2020	01-Apr-2020	31-Mar-2020	01-Apr-2020	31-Mar-2020
Phosphate by Kone (w)	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
Redox Potential	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Sulphide	07-Apr-2020	07-Apr-2020	02-Apr-2020	07-Apr-2020	02-Apr-2020
Sulphur Dissolved by ICP-OES	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
Suspended Solids	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020	01-Apr-2020
SVOC MS (W) - Aqueous	15-Apr-2020	15-Apr-2020	15-Apr-2020	20-Apr-2020	20-Apr-2020
Total Dissolved Solids	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Total Metals by ICP-MS	02-Apr-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020	31-Mar-2020
Total Organic and Inorganic Carbon	02-Apr-2020	02-Apr-2020	30-Mar-2020	01-Apr-2020	31-Mar-2020
TPH CWG (W)	06-Apr-2020	06-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020
Turbidity in waters	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020	30-Mar-2020
VOC MS (W)	03-Apr-2020	06-Apr-2020	03-Apr-2020	03-Apr-2020	03-Apr-2020



CERTIFICATE OF ANALYSIS

Validated

SDG: 200328-15
Location: Llanwern

Client Reference:
Order Number: LLA732

Report Number: 549819
Superseded Report: 549671



CERTIFICATE OF ANALYSIS

SDG:	200328-15	Client Reference:		Report Number:	549819
Location:	Llanwrn	Order Number:	LLA732	Superseded Report:	549671

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

General

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
§	Sampled on date not provided
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.
Standing Committee of Analysts, *The Quantification of Asbestos in Soil* (2017).

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.