



Unit 7-8 Hawarden Business Park

Manor Road (off Manor Lane)

Hawarden

Deeside

CH5 3US

Tel: (01244) 528700

Fax: (01244) 528701

email: hawardencustomerservices@alsglobal.com

Website: www.alsenvironmental.co.uk

Atkins Global Ltd
Project Jonah site office
Llan Coed House
Suite 24
Coed Darcy
Llandarcy
SA10 6HJ

Attention: John Fitzgerald

CERTIFICATE OF ANALYSIS

Date of report Generation: 15 April 2021
Customer: Atkins Global Ltd
Sample Delivery Group (SDG): 210325-82
Your Reference:
Location: Llanwern
Report No: 594146

This report has been revised and directly supersedes 592557 in its entirety.

We received 7 samples on Thursday March 25, 2021 and 7 of these samples were scheduled for analysis which was completed on Thursday April 15, 2021. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

Sonia McWhan

Operations Manager





CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: Llanwern

Client Reference:
Order Number: 108282

Report Number: 594146
Superseded Report: 592557

Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
23967946	D5-C		0.00 - 0.00	24/03/2021
23968062	Ellens Reen		0.00 - 0.00	24/03/2021
23968002	EWD-E		0.00 - 0.00	24/03/2021
23968017	KW-C		0.00 - 0.00	24/03/2021
23967966	ML-N		0.00 - 0.00	24/03/2021
23968040	ML-S		0.00 - 0.00	24/03/2021
23967982	R3-C		0.00 - 0.00	24/03/2021

Only received samples which have had analysis scheduled will be shown on the following pages.



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: Llanwern

Client Reference:
Order Number: 108282

Report Number: 594146
Superseded Report: 592557

Results Legend

X Test
N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

<div>Results Legend</div> <div><div>X</div> Test</div> <div><div>N</div> No Determination Possible</div> <div>Sample Types -</div> <div>S - Soil/Solid</div> <div>UNS - Unspecified Solid</div> <div>GW - Ground Water</div> <div>SW - Surface Water</div> <div>LE - Land Leachate</div> <div>PL - Prepared Leachate</div> <div>PR - Process Water</div> <div>SA - Saline Water</div> <div>TE - Trade Effluent</div> <div>TS - Treated Sewage</div> <div>US - Untreated Sewage</div> <div>RE - Recreational Water</div> <div>DW - Drinking Water Non-regulatory</div> <div>UNL - Unspecified Liquid</div> <div>SL - Sludge</div> <div>G - Gas</div> <div>OTH - Other</div>	Lab Sample No(s)				23967946				23968062				23968002			
	Customer Sample Reference				D5-C				Ellens Reen				EWD-E			
	AGS Reference															
	Depth (m)				0.00 - 0.00						0.00 - 0.00				0.00 - 0.00	
	Container				ZnAc (ALE246)		ZnAc (ALE246)		0.5l glass bottle (ALE227)		250ml Amber Gl. PTFE/PE (ALE219)		500ml Plastic (ALE208)		H2SO4 (ALE244)	
					HNO3 Filtered (ALE204)		HNO3 Unfiltered (ALE204)		NaOH (ALE245)		Vial (ALE297)		NaOH (ALE245)		HNO3 Unfiltered (ALE204)	
	Sample Type				SW		SW		SW		SW		SW		SW	
Ammoniacal Nitrogen	All	NDPs: 0 Tests: 7														
Anions by Kone (w)	All	NDPs: 0 Tests: 7														
BOD True Total	All	NDPs: 0 Tests: 7														
COD Unfiltered	All	NDPs: 0 Tests: 7														
Conductivity (at 20 deg.C)	All	NDPs: 0 Tests: 7														
Cyanide Comp/Free/Total/Thiocyanate	All	NDPs: 0 Tests: 7														
Dissolved Metals by ICP-MS	All	NDPs: 0 Tests: 7														
Dissolved Organic/Inorganic Carbon	All	NDPs: 0 Tests: 7														
Dissolved Oxygen by Probe	All	NDPs: 0 Tests: 7														
EPH CWG (Aliphatic) Aqueous GC (W)	All	NDPs: 0 Tests: 7														
EPH CWG (Aromatic) Aqueous GC (W)	All	NDPs: 0 Tests: 7														
Fluoride	All	NDPs: 0 Tests: 7														
GRO by GC-FID (W)	All	NDPs: 0 Tests: 7														
Hexavalent Chromium (w)	All	NDPs: 0 Tests: 7														
Mercury Dissolved	All	NDPs: 0 Tests: 7														

23967966	ML-N		0.00 - 0.00	H2SO4 (ALE244)	SW		
				500ml Plastic (ALE208)	SW	X	
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
23968017	KW-C		0.00 - 0.00	500ml Plastic (ALE208)	SW	X	
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				500ml Plastic (ALE208)	SW		
23968002	EWD-E		0.00 - 0.00	250ml Amber Gl. PTFE/PE (ALE219)	SW		
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				500ml Plastic (ALE208)	SW	X	
				250ml Amber Gl. PTFE/PE (ALE219)	SW		



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: Llanwern

Client Reference:
Order Number: 108282

Report Number: 594146
Superseded Report: 592557

Results Legend

- X** Test
N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

<div>Results Legend</div> <div><div>X</div> Test</div> <div><div>N</div> No Determination Possible</div> <div>Sample Types -</div> <div>S - Soil/Solid</div> <div>UNS - Unspecified Solid</div> <div>GW - Ground Water</div> <div>SW - Surface Water</div> <div>LE - Land Leachate</div> <div>PL - Prepared Leachate</div> <div>PR - Process Water</div> <div>SA - Saline Water</div> <div>TE - Trade Effluent</div> <div>TS - Treated Sewage</div> <div>US - Untreated Sewage</div> <div>RE - Recreational Water</div> <div>DW - Drinking Water Non-regulatory</div> <div>UNL - Unspecified Liquid</div> <div>SL - Sludge</div> <div>G - Gas</div> <div>OTH - Other</div>	Lab Sample No(s)		Customer Sample Reference		AGS Reference		Depth (m)		Container		Sample Type	
	23967966		ML-N				0.00 - 0.00		HNO3 Filtered (ALE204)		SW	
	23968040		ML-S				0.00 - 0.00		H2SO4 (ALE244)		SW	
	23967982		R3-C				0.00 - 0.00		500ml Plastic (ALE208)		SW	
									250ml Amber Gl. PTFE/PE (ALE219)		SW	
									0.5l glass bottle (ALE227)		SW	
									ZnAc (ALE246)		SW	
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		
								Vial (ALE297)		SW		
								NaOH (ALE245)		SW		
								HNO3 Unfiltered (ALE204)		SW		
								HNO3 Filtered (ALE204)		SW		
								H2SO4 (ALE244)		SW		
								500ml Plastic (ALE208)		SW		
								250ml Amber Gl. PTFE/PE (ALE219)		SW		
								0.5l glass bottle (ALE227)		SW		
								ZnAc (ALE246)		SW		



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82 Client Reference: Report Number: 594146
Location: Llanwern Order Number: 108282 Superseded Report: 592557

Results Legend

X Test
N No Determination Possible

Sample Types -

S - Soil/Solid
UNS - Unspecified Solid
GW - Ground Water
SW - Surface Water
LE - Land Leachate
PL - Prepared Leachate
PR - Process Water
SA - Saline Water
TE - Trade Effluent
TS - Treated Sewage
US - Untreated Sewage
RE - Recreational Water
DW - Drinking Water Non-regulatory
UNL - Unspecified Liquid
SL - Sludge
G - Gas
OTH - Other

<div>Results Legend</div> <div><div>X</div> Test</div> <div><div>N</div> No Determination Possible</div> <div>Sample Types -</div> <div>S - Soil/Solid</div> <div>UNS - Unspecified Solid</div> <div>GW - Ground Water</div> <div>SW - Surface Water</div> <div>LE - Land Leachate</div> <div>PL - Prepared Leachate</div> <div>PR - Process Water</div> <div>SA - Saline Water</div> <div>TE - Trade Effluent</div> <div>TS - Treated Sewage</div> <div>US - Untreated Sewage</div> <div>RE - Recreational Water</div> <div>DW - Drinking Water Non-regulatory</div> <div>UNL - Unspecified Liquid</div> <div>SL - Sludge</div> <div>G - Gas</div> <div>OTH - Other</div>	Lab Sample No(s)	Customer Sample Reference	AGS Reference	Depth (m)	Container	Sample Type
	23967982	R3-C	0.00 - 0.00	HNO3 Filtered (ALE204)	SW	
	23968040	ML-S	0.00 - 0.00	H2SO4 (ALE244)	SW	
	23967966	ML-N	0.00 - 0.00	500ml Plastic (ALE208)	SW	
				250ml Amber Gl. PTFE/PE (ALE219)	SW	
				0.5l glass bottle (ALE227)	SW	
				ZnAc (ALE246)	SW	
				Vial (ALE297)	SW	
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (ALE245)	SW		
			HNO3 Unfiltered (ALE204)	SW		
			HNO3 Filtered (ALE204)	SW		
			H2SO4 (ALE244)	SW		
			500ml Plastic (ALE208)	SW		
			250ml Amber Gl. PTFE/PE (ALE219)	SW		
			0.5l glass bottle (ALE227)	SW		
			ZnAc (ALE246)	SW		
			Vial (ALE297)	SW		
			NaOH (

23967982	R3-C		0.00 - 0.00	ZnAc (ALE246)	SW				
				ViaI (ALE297)	SW				X
				NaOH (ALE245)	SW				
				HNO3 Unfiltered (ALE204)	SW				



CERTIFICATE OF ANALYSIS

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021
Subcontracted - refer to subcontractor report for accreditation status.					210325-82	210325-82	210325-82	210325-82	210325-82	210325-82
% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery					23967946	23968062	23968002	23968017	23967966	23968040
(F) Trigger breach confirmed										
1-4*5@ Sample deviation (see appendix)										
Component	LOD/Units	Method								
Total Organic Carbon, as C*	<0.7 mg/l	SUB			6.1	5.7	7	6	5.5	5.9
Suspended solids, Total	<2 mg/l	TM022			7.5	10	8.5	19	13.5	13
					#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045			<1	<1	2.01	<1	<1	<1
					#	#	#	#	#	#
Oxygen, dissolved	<0.3 mg/l	TM046			10.7	10	10.5	10	10.2	9.63
Carbon, Organic (diss.filt)	<3 mg/l	TM090			6.8	6.14	7.89	7.02	6.67	6.64
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099			2.35	1.44	2.24	2.01	2.2	2.22
					#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101			<0.01	<0.01	<0.01	<0.01	0.028	0.0161
Fluoride	<0.5 mg/l	TM104			1.12	0.531	1.45	0.871	0.735	0.747
COD, unfiltered	<7 mg/l	TM107			13.6	11.3	30.3	11	21.9	15.4
					#	#	#	#	#	#
Redox potential	mV	TM110			82	56	61	17	7	-28
Conductivity @ 20 deg.C (diss.filt)	<0.02 mS/cm	TM120			0.634	0.442	0.568	0.601	0.539	0.521
Dissolved solids, Total (meter)	<5 mg/l	TM123			501	341	433	393	399	420
					#	#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152			1.44	<1	1.02	<1	<1	<1
					#	#	#	#	#	#
Antimony (tot.unfilt)	<4 µg/l	TM152			<4	<4	<4	<4	<4	<4
					#	#	#	#	#	#
Arsenic (diss.filt)	<0.5 µg/l	TM152			3	1.73	5.66	2.05	1.83	1.74
					#	#	#	#	#	#
Arsenic (tot.unfilt)	<2 µg/l	TM152			3.3	2.15	6.61	2.1	<2	<2
					#	#	#	#	#	#
Barium (diss.filt)	<0.2 µg/l	TM152			52.5	35.5	35.2	38.1	33.3	34.5
					#	#	#	#	#	#
Barium (tot.unfilt)	<0.5 µg/l	TM152			62.4	44.5	41.9	44.3	37.9	37.4
					#	#	#	#	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
					#	#	#	#	#	#
Beryllium (tot.unfilt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152			145	96.5	182	84.1	96.2	90.7
					#	#	#	#	#	#
Boron (tot.unfilt)	<20 µg/l	TM152			152	102	194	87	95.5	92.5
					#	#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152			<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
					#	#	#	#	#	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
					#	#	#	#	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152			<3	<3	<3	<3	<3	<3
					#	#	#	#	#	#
Chromium (diss.filt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Copper (tot.unfilt)	<1 µg/l	TM152			3.54	7.46	4.01	1.62	1.45	1.21
					#	#	#	#	#	#
Lead (tot.unfilt)	<1 µg/l	TM152			1.27	1.38		<1		
					#	#		#		
Copper (diss.filt)	<0.3 µg/l	TM152			3	6.42	3.46	1.51	1.73	1.3
					#	#	#	#	#	#
Manganese (tot.unfilt)	<1 µg/l	TM152			36	37.1	168	6.25	3.1	2.61
					#	#	#	#	#	#
Lead (diss.filt)	<0.2 µg/l	TM152			<0.2	0.202	0.207	<0.2	0.76	<0.2
					#	#	#	#	#	#
Nickel (tot.unfilt)	<1 µg/l	TM152			1.9	3.36	2.89	2.78	2.75	2.92
					#	#	#	#	#	#
Manganese (diss.filt)	<3 µg/l	TM152			11.7	4.3	91.1	<3	3.63	<3
					#	#	#	#	#	#



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210325-82	210325-82	210325-82	210325-82	210325-82	210325-82
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				23967946	23968062	23968002	23968017	23967966	23968040
(F)	Trigger breach confirmed									
1-4+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Phosphorus (tot.unfilt)	<20 µg/l	TM152			26.5	41.9	44.5	23.4	<20	<20
					#	#	#	#	#	#
Selenium (tot.unfilt)	<1 µg/l	TM152			1.99	2.28	2.49	1.71	1.41	1.46
					#	#	#	#	#	#
Nickel (diss.filt)	<0.4 µg/l	TM152			1.75	2.3	2.66	2.08	2.8	2.48
					#	#	#	#	#	#
Phosphorus (diss.filt)	<10 µg/l	TM152			<10	<10	12.7	<10	<10	<10
					#	#	#	#	#	#
Selenium (diss.filt)	<1 µg/l	TM152			1.82	1.75	2.11	1.34	1.7	1.31
					#	#	#	#	#	#
Vanadium (tot.unfilt)	<5 µg/l	TM152			32.1	15.5	34.3	13.8	11.7	10.8
					#	#	#	#	#	#
Zinc (tot.unfilt)	<5 µg/l	TM152			5.95	5.14	5.77	<5	10	<5
					#	#	#	#	#	#
Vanadium (diss.filt)	<1 µg/l	TM152			28.2	14.1	29.1	13.2	9.98	10.5
					#	#	#	#	#	#
Zinc (diss.filt)	<1 µg/l	TM152			2.09	3.63	<1	2.75	2.6	<1
					#	#	#	#	#	#
Lead (tot.unfilt)	<0.001 mg/l	TM152					0.00191		<0.001	<0.001
							#		#	#
Magnesium (Dis.Filt)	<0.036 mg/l	TM152			5	5.6	5.29	3.25	4.42	4.43
					#	#	#	#	#	#
Calcium (Dis.Filt)	<0.2 mg/l	TM152			74.1	44.4	84	70.5	57.5	59.2
					#	#	#	#	#	#
Iron (Dis.Filt)	<0.019 mg/l	TM152			0.028	<0.019	0.0387	<0.019	0.0268	<0.019
					#	#	#	#	#	#
Hardness, Total as CaCO3	<0.65 mg/l	TM152			206	134	232	190	162	166
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152			5.35	6	5.68	3.79	4.93	4.77
					#	#	#	#	#	#
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152			79	48.1	91	73.9	63.6	61.9
					#	#	#	#	#	#
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152			0.205	0.326	0.285	0.0386	0.0445	0.0262
					#	#	#	#	#	#
Naphthalene (diss.filt)	<0.01 µg/l	TM178			<0.01	<0.01	0.0115	0.111	0.0978	0.116
					♦	♦	♦	♦	♦	♦
Acenaphthene (diss.filt)	<0.005 µg/l	TM178			<0.005	0.00683	<0.005	0.0721	0.0514	0.0587
					♦	♦	♦	♦	♦	♦
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	0.0185	0.0106	0.0109
					♦	♦	♦	♦	♦	♦
Fluoranthene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	0.0259	0.0234	0.028
					♦	♦	♦	♦	♦	♦
Anthracene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	0.00756	0.00693	0.00805
					♦	♦	♦	♦	♦	♦
Phenanthrene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	0.126	0.126	0.128
					♦	♦	♦	♦	♦	♦
Fluorene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	0.0412	0.0292	0.0344
					♦	♦	♦	♦	♦	♦
Chrysene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦
Pyrene (diss.filt)	<0.005 µg/l	TM178			0.0133	0.0069	0.0167	0.0115	0.00597	0.00725
					♦	♦	♦	♦	♦	♦
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178			<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
					♦	♦	♦	♦	♦	♦
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
					♦	♦	♦	♦	♦	♦



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: Llanwern

Client Reference:
Order Number: 108282

Report Number: 594146
Superseded Report: 592557

Results Legend		Customer Sample Ref.	R3-C				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00				
M	mCERTS accredited.		Surface Water (SW)				
aq	Aqueous / settled sample.		24/03/2021				
diss.filt	Dissolved / filtered sample.		00:00				
tot.unfilt	Total / unfiltered sample.		25/03/2021				
*	Subcontracted - refer to subcontractor report for accreditation status.		210325-82				
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery		23967982				
(F)	Trigger breach confirmed						
1-4*5@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Total Organic Carbon, as C*	<0.7 mg/l	SUB	6				
Suspended solids, Total	<2 mg/l	TM022	32.5	#			
BOD, unfiltered	<1 mg/l	TM045	3.26	#			
Oxygen, dissolved	<0.3 mg/l	TM046	10.3				
Carbon, Organic (diss.filt)	<3 mg/l	TM090	7.11				
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099	0.994	#			
Sulphide	<0.01 mg/l	TM101	0.018				
Fluoride	<0.5 mg/l	TM104	0.704				
COD, unfiltered	<7 mg/l	TM107	25.4	#			
Redox potential	mV	TM110	102				
Conductivity @ 20 deg.C (diss.filt)	<0.02 mS/cm	TM120	0.569				
Dissolved solids, Total (meter)	<5 mg/l	TM123	435	#			
Antimony (diss.filt)	<1 µg/l	TM152	<1	#			
Antimony (tot.unfilt)	<4 µg/l	TM152	<4	#			
Arsenic (diss.filt)	<0.5 µg/l	TM152	1.52	#			
Arsenic (tot.unfilt)	<2 µg/l	TM152	2.14	#			
Barium (diss.filt)	<0.2 µg/l	TM152	41.1	#			
Barium (tot.unfilt)	<0.5 µg/l	TM152	57.9	#			
Beryllium (diss.filt)	<0.1 µg/l	TM152	<0.1	#			
Beryllium (tot.unfilt)	<1 µg/l	TM152	<1	#			
Boron (diss.filt)	<10 µg/l	TM152	111	#			
Boron (tot.unfilt)	<20 µg/l	TM152	115	#			
Cadmium (diss.filt)	<0.08 µg/l	TM152	<0.08	#			
Cadmium (tot.unfilt)	<0.5 µg/l	TM152	<0.5	#			
Chromium (tot.unfilt)	<3 µg/l	TM152	<3	#			
Chromium (diss.filt)	<1 µg/l	TM152	<1	#			
Copper (tot.unfilt)	<1 µg/l	TM152	3.16	#			
Copper (diss.filt)	<0.3 µg/l	TM152	2.24	#			
Manganese (tot.unfilt)	<1 µg/l	TM152	136	#			
Lead (diss.filt)	<0.2 µg/l	TM152	<0.2	#			
Nickel (tot.unfilt)	<1 µg/l	TM152	2.37	#			
Manganese (diss.filt)	<3 µg/l	TM152	55.4	#			
Phosphorus (tot.unfilt)	<20 µg/l	TM152	75.9	#			



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

Results Legend		Customer Sample Ref.	R3-C				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 24/03/2021 00:00 25/03/2021 210325-82 23967982				
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-4+5@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Selenium (tot.unfilt)	<1 µg/l	TM152	1.61	#			
Nickel (diss.filt)	<0.4 µg/l	TM152	1.76	#			
Phosphorus (diss.filt)	<10 µg/l	TM152	14	#			
Selenium (diss.filt)	<1 µg/l	TM152	1.28	#			
Vanadium (tot.unfilt)	<5 µg/l	TM152	12.8	#			
Zinc (tot.unfilt)	<5 µg/l	TM152	7.56	#			
Vanadium (diss.filt)	<1 µg/l	TM152	8.38	#			
Zinc (diss.filt)	<1 µg/l	TM152	1.71	#			
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00143	#			
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	7.67	#			
Calcium (Dis.Filt)	<0.2 mg/l	TM152	81.5	#			
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0251	#			
Hardness, Total as CaCO3	<0.65 mg/l	TM152	235				
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	8.38	#			
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	89.4	#			
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.762	#			
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01	◆			
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Pyrene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	◆			
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
PAH Sum of EPA 16 detected (Diss.filt)	<0.082 µg/l	TM178	<0.082	◆			



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82 **Client Reference:** **Report Number:** 594146
Location: Llanwern **Order Number:** 108282 **Superseded Report:** 592557

SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.		Ellens Reen	EWD-E	KW-C	ML-N	ML-S	R3-C
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021
Subcontracted - refer to subcontractor report for accreditation status.					210325-82	210325-82	210325-82	210325-82	210325-82	210325-82
% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery					23968062	23968002	23968017	23967966	23968040	23967982
(F) Trigger breach confirmed										
1-4*5@ Sample deviation (see appendix)										
Component	LOD/Units	Method								
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dichlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dimethylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Chloronaphthalene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Chlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Methylnaphthalene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Methylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Nitroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
2-Nitrophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
3-Nitroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Bromophenylphenylether (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Chloroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Methylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Nitroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
4-Nitrophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
Azobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176			<2	<2	<2	<2	<2	<20
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Butylbenzyl phthalate (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Carbazole (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Dibenzofuran (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
n-Dibutyl phthalate (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<10
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

TPH CWG (W)

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210325-82	210325-82	210325-82	210325-82	210325-82	210325-82
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				23967946	23968062	23968002	23968017	23967966	23968040
(F)	Trigger breach confirmed									
1-4*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			90	96	98	102	98	96
GRO >C5-C12	<50 µg/l	TM245			<50	<50	<50	<50	<50	<50
					#	#	#	#	#	#
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
					#	#	#	#	#	#
Benzene	<7 µg/l	TM245			<7	<7	<7	<7	<7	<7
					#	#	#	#	#	#
Toluene	<4 µg/l	TM245			<4	<4	<4	<4	<4	<4
					#	#	#	#	#	#
Ethylbenzene	<5 µg/l	TM245			<5	<5	<5	<5	<5	<5
					#	#	#	#	#	#
m,p-Xylene	<8 µg/l	TM245			<8	<8	<8	<8	<8	<8
					#	#	#	#	#	#
o-Xylene	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
					#	#	#	#	#	#
Sum of detected Xylenes	<11 µg/l	TM245			<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245			<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

TPH CWG (W)

Results Legend		Customer Sample Ref.	R3-C				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 24/03/2021 00:00 25/03/2021 210325-82 23967982				
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-4*5@	Sample deviation (see appendix)						
Component	LOD/Units						
GRO Surrogate % recovery**	%	TM245	96				
GRO >C5-C12	<50 µg/l	TM245	<50	#			
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245	<3	#			
Benzene	<7 µg/l	TM245	<7	#			
Toluene	<4 µg/l	TM245	<4	#			
Ethylbenzene	<5 µg/l	TM245	<5	#			
m,p-Xylene	<8 µg/l	TM245	<8	#			
o-Xylene	<3 µg/l	TM245	<3	#			
Sum of detected Xylenes	<11 µg/l	TM245	<11				
Sum of detected BTEX	<28 µg/l	TM245	<28				
Aliphatics >C5-C6	<10 µg/l	TM245	<10				
Aliphatics >C6-C8	<10 µg/l	TM245	<10				
Aliphatics >C8-C10	<10 µg/l	TM245	<10				
Aliphatics >C10-C12	<10 µg/l	TM245	<10				
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174	<10				
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174	<10				
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174	<10				
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174	<10				
Aromatics >EC5-EC7	<10 µg/l	TM245	<10				
Aromatics >EC7-EC8	<10 µg/l	TM245	<10				
Aromatics >EC8-EC10	<10 µg/l	TM245	<10				
Aromatics >EC10-EC12	<10 µg/l	TM245	<10				
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174	<10				
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174	<10				
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174	<10				
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174	<10				
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174	<10				
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174	<10				



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

VOC MS (W)

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210325-82	210325-82	210325-82	210325-82	210325-82	210325-82
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				23967946	23968062	23968002	23968017	23967966	23968040
(F)	Trigger breach confirmed									
1-4*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			112	113	113	118	111	112
Toluene-d8**	%	TM208			98.5	98.5	98.1	99	99	97.8
4-Bromofluorobenzene**	%	TM208			101	101	103	99.6	99	101
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

VOC MS (W)

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
sq	Aqueous / settled sample.				24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021	24/03/2021
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021	25/03/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210325-82	210325-82	210325-82	210325-82	210325-82	210325-82
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				23967946	23968062	23968002	23968017	23967966	23968040
(F)	Trigger breach confirmed									
1-4+5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Tetrachloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Dibromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromoethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Chlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Ethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
m,p-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
o-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Styrene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromoform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Isopropylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Bromobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Propylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
sec-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-iso-Propyltoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
n-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
1,2,4-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Hexachlorobutadiene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Naphthalene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3,5-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: Llanwern

Client Reference:
Order Number: 108282

Report Number: 594146
Superseded Report: 592557

VOC MS (W)

Results Legend			Customer Sample Ref.				
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	R3-C			
M	mCERTS accredited.			0.00 - 0.00			
aq	Aqueous / settled sample.			Surface Water (SW)			
diss.filt	Dissolved / filtered sample.			24/03/2021			
tot.unfilt	Total / unfiltered sample.			00:00			
*	Subcontracted - refer to subcontractor report for accreditation status.			25/03/2021			
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			210325-82			
(F)	Trigger breach confirmed			23967982			
1-4*5@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Dibromofluoromethane**	%	TM208		113			
Toluene-d8**	%	TM208		98.2			
4-Bromofluorobenzene**	%	TM208		99.8			
Dichlorodifluoromethane	<1 µg/l	TM208		<1			
Chloromethane	<1 µg/l	TM208		<1			
Vinyl chloride	<1 µg/l	TM208		<1			
Bromomethane	<1 µg/l	TM208		<1			
Chloroethane	<1 µg/l	TM208		<1			
Trichlorofluoromethane	<1 µg/l	TM208		<1			
1,1-Dichloroethene	<1 µg/l	TM208		<1			
Carbon disulphide	<1 µg/l	TM208		<1			
Dichloromethane	<3 µg/l	TM208		<3			
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208		<1			
trans-1,2-Dichloroethene	<1 µg/l	TM208		<1			
1,1-Dichloroethane	<1 µg/l	TM208		<1			
cis-1,2-Dichloroethene	<1 µg/l	TM208		<1			
2,2-Dichloropropane	<1 µg/l	TM208		<1			
Bromochloromethane	<1 µg/l	TM208		<1			
Chloroform	<1 µg/l	TM208		<1			
1,1,1-Trichloroethane	<1 µg/l	TM208		<1			
1,1-Dichloropropene	<1 µg/l	TM208		<1			
Carbontetrachloride	<1 µg/l	TM208		<1			
1,2-Dichloroethane	<1 µg/l	TM208		<1			
Benzene	<1 µg/l	TM208		<1			
Trichloroethene	<1 µg/l	TM208		<1			
1,2-Dichloropropane	<1 µg/l	TM208		<1			
Dibromomethane	<1 µg/l	TM208		<1			
Bromodichloromethane	<1 µg/l	TM208		<1			
cis-1,3-Dichloropropene	<1 µg/l	TM208		<1			
Toluene	<1 µg/l	TM208		<1			
trans-1,3-Dichloropropene	<1 µg/l	TM208		<1			
1,1,2-Trichloroethane	<1 µg/l	TM208		<1			
1,3-Dichloropropane	<1 µg/l	TM208		<1			



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: LlanwernClient Reference:
Order Number: 108282Report Number: 594146
Superseded Report: 592557

VOC MS (W)

Results Legend		Customer Sample Ref.	R3-C				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 24/03/2021 00:00 25/03/2021 210325-82 23967982				
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-4+§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	#			
Dibromochloromethane	<1 µg/l	TM208	<1	#			
1,2-Dibromoethane	<1 µg/l	TM208	<1	#			
Chlorobenzene	<1 µg/l	TM208	<1	#			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	#			
Ethylbenzene	<1 µg/l	TM208	<1	#			
m,p-Xylene	<1 µg/l	TM208	<1	#			
o-Xylene	<1 µg/l	TM208	<1	#			
Styrene	<1 µg/l	TM208	<1	#			
Bromoform	<1 µg/l	TM208	<1	#			
Isopropylbenzene	<1 µg/l	TM208	<1	#			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	#			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	#			
Bromobenzene	<1 µg/l	TM208	<1	#			
Propylbenzene	<1 µg/l	TM208	<1	#			
2-Chlorotoluene	<1 µg/l	TM208	<1	#			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	#			
4-Chlorotoluene	<1 µg/l	TM208	<1	#			
tert-Butylbenzene	<1 µg/l	TM208	<1	#			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	#			
sec-Butylbenzene	<1 µg/l	TM208	<1	#			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	#			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	#			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	#			
n-Butylbenzene	<1 µg/l	TM208	<1	#			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	#			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1				
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	#			
Hexachlorobutadiene	<1 µg/l	TM208	<1	#			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	#			
Naphthalene	<1 µg/l	TM208	<1	#			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	#			
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1				



CERTIFICATE OF ANALYSIS

Validated

SDG:	210325-82	Client Reference:		Report Number:	594146
Location:	Llanwern	Order Number:	108282	Superseded Report:	592557

Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM110	BS 1377: Part 3 1990	Redox Potential
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM195	Colour and Turbidity of water. Methods for the Examination of Waters and Associated Materials. HMSO, 1981, ISBN 0 11 751955 3.	Determination of Turbidity in Waters & Associated Matrices
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



CERTIFICATE OF ANALYSIS

Validated

SDG: 210325-82
Location: Llanwern

Client Reference:
Order Number: 108282

Report Number: 594146
Superseded Report: 592557

Test Completion Dates

Lab Sample No(s)
Customer Sample Ref.

AGS Ref.
Depth
Type

	23967946	23968062	23968002	23968017	23967966	23968040	23967982
	D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S	R3-C
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	08-Apr-2021	26-Mar-2021	26-Mar-2021	08-Apr-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
Anions by Kone (w)	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
BOD True Total	31-Mar-2021	01-Apr-2021	31-Mar-2021	01-Apr-2021	31-Mar-2021	31-Mar-2021	31-Mar-2021
COD Unfiltered	04-Apr-2021	04-Apr-2021	04-Apr-2021	04-Apr-2021	04-Apr-2021	04-Apr-2021	04-Apr-2021
Conductivity (at 20 deg.C)	31-Mar-2021	31-Mar-2021	31-Mar-2021	31-Mar-2021	31-Mar-2021	31-Mar-2021	31-Mar-2021
Cyanide Comp/Free/Total/Thiocyanate	30-Mar-2021	29-Mar-2021	29-Mar-2021	30-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021
Dissolved Metals by ICP-MS	08-Apr-2021	08-Apr-2021	08-Apr-2021	08-Apr-2021	08-Apr-2021	08-Apr-2021	08-Apr-2021
Dissolved Organic/Inorganic Carbon	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021
Dissolved Oxygen by Probe	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
EPH CWG (Aliphatic) Aqueous GC (W)	14-Apr-2021	14-Apr-2021	09-Apr-2021	14-Apr-2021	09-Apr-2021	09-Apr-2021	09-Apr-2021
EPH CWG (Aromatic) Aqueous GC (W)	14-Apr-2021	14-Apr-2021	09-Apr-2021	14-Apr-2021	09-Apr-2021	09-Apr-2021	09-Apr-2021
Fluoride	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
GRO by GC-FID (W)	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021
Hexavalent Chromium (w)	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
Mercury Dissolved	06-Apr-2021	26-Mar-2021	06-Apr-2021	06-Apr-2021	06-Apr-2021	06-Apr-2021	26-Mar-2021
Mercury Unfiltered	07-Apr-2021	07-Apr-2021	06-Apr-2021	06-Apr-2021	07-Apr-2021	07-Apr-2021	07-Apr-2021
PAH in waters by GC-MS (diss.filt)	09-Apr-2021	12-Apr-2021	09-Apr-2021	09-Apr-2021	09-Apr-2021	09-Apr-2021	09-Apr-2021
PAH Spec MS - Aqueous (W)	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021
pH Value	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021
Phenols by HPLC (W)	01-Apr-2021	26-Mar-2021	26-Mar-2021	06-Apr-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
Phosphate by Kone (w)	26-Mar-2021	29-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021	26-Mar-2021
Redox Potential	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021	25-Mar-2021
Sulphide	30-Mar-2021	30-Mar-2021	30-Mar-2021	30-Mar-2021	30-Mar-2021	12-Apr-2021	30-Mar-2021
Sulphur Dissolved by ICP-OES	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021	01-Apr-2021
Suspended Solids	27-Mar-2021	27-Mar-2021	27-Mar-2021	27-Mar-2021	28-Mar-2021	27-Mar-2021	28-Mar-2021
SVOC MS (W) - Aqueous		12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021	12-Apr-2021
Total Dissolved Solids	06-Apr-2021	06-Apr-2021	06-Apr-2021	06-Apr-2021	06-Apr-2021	06-Apr-2021	06-Apr-2021
Total Metals by ICP-MS	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021
Total Organic Carbon*	30-Mar-2021	30-Mar-2021	30-Mar-2021	30-Mar-2021	30-Mar-2021	30-Mar-2021	30-Mar-2021
TPH CWG (W)	14-Apr-2021	15-Apr-2021	10-Apr-2021	15-Apr-2021	10-Apr-2021	10-Apr-2021	10-Apr-2021
Turbidity in waters	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021	29-Mar-2021
VOC MS (W)	31-Mar-2021	31-Mar-2021	31-Mar-2021	01-Apr-2021	31-Mar-2021	31-Mar-2021	31-Mar-2021



ALS Environmental Ltd
Torrington Avenue
Coventry
CV4 9GU

T: +44 (0)24 7642 1213
F: +44 (0)24 7685 6575
www.alsenvironmental.co.uk

Subcon Results
ALS Life Sciences Limited
Torrington Avenue
Tile Hill CV4 9GU

30 March 2021

Test Report: COV/2111092/2021

Dear Subcon Results

Analysis of your sample(s) received on 26 March 2021 is now complete and we have pleasure in enclosing the appropriate test report(s).

An invoice for the analysis carried out will be sent under separate cover.

Should you have any queries regarding this report(s) or any part of our service, please contact Customer Services on +44 (0)24 7642 1213 who will be happy to discuss your requirements.

If you would like to arrange any further analysis, please contact Customer Services. To arrange container delivery or sample collection, please call the Couriers Department directly on 024 7685 6562.

Thank you for using ALS Environmental Ltd and we look forward to receiving your next samples.

Yours Sincerely,

Signed:

Name:

A. Zunzunegui

Title:

Dept Organic Technical Manager



This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No.02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

Report Summary

ANALYSED BY

Hawarden Subcon Results
ALS Life Sciences Limited
Torrington Avenue
Tile Hill
CV4 9GU



Date of Issue: **30 March 2021**

Report Number: **COV/2111092/2021**

Issue **1**

This issue replaces
all previous issues

Job Description: 2020 Analysis

Job Location: 210325-82

Number of Samples
included in this report **7**

Job Received: **26 March 2021**

Number of Test Results
included in this report **7**

Analysis Commenced: **29 March 2021**

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd was not responsible for sampling unless otherwise stated.

Information on the methods of analysis and performance characteristics are available on request.

Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. The results relate only to the items tested and where relevant sampled.

Tests marked 'Not UKAS Accredited' in this Report/Certificate are not included in the UKAS Accreditation Schedule for our laboratory.

This test report is not a statement of conformity to any specification or standard.

This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No. 02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

(c) ALS Environmental Ltd 2021. All rights reserved. We, ALS Environmental Ltd, are the owner of all copyright in this report. You must not copy, reproduce, amend or adapt this report, its contents or any format in which it is delivered without our prior written agreement. If you copy, reproduce, amend, or adapt this report in any way without our agreement you will be liable for any damage or loss to us. In the event of a dispute the copy of the report held by us shall be the reference copy.

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 1 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277110**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23969664**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **1** of **7**

Sample Reference: **D5-C**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	6.1	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277110: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 2 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277111**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23969432**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **2** of **7**

Sample Reference: **Ellens Reen**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	5.7	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277111: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 3 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277112**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23970022**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **3** of **7**

Sample Reference: **EWD-E**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	7.0	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277112: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 4 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277113**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23969669**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **4** of **7**

Sample Reference: **KW-C**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	6.0	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277113: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 5 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277114**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23970021**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **5** of **7**

Sample Reference: **ML-N**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	5.5	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277114: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 6 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277115**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23970019**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **6** of **7**

Sample Reference: **ML-S**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	5.9	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277115: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 7 of 11

Certificate of Analysis

ANALYSED BY



Report Number: **COV/2111092/2021**
Laboratory Number: **20277116**
Sample Source: **ALS Life Sciences Limited**
Sample Point Description:
Sample Description: **23969419**
Sample Matrix: **Surface Water**
Sample Date/Time: **24 March 2021**
Sample Received: **26 March 2021**
Analysis Complete: **30 March 2021**

Issue **1**
Sample **7** of **7**

Sample Reference: **R3-C**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	6.0	mg/l	29/03/2021	N Cov	WAS005

Analyst Comments for 20277116: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**

ALS Environmental Ltd

Torrington Avenue, Coventry, CV4 9GU
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

Page 8 of 11



ANALYST COMMENTS FOR REPORT COV/2111092/2021

Issue 1

This issue replaces all previous issues

Date of Issue: **30 March 2021**

Sample No	Analysis Comments
20277110	
20277111	
20277112	
20277113	
20277114	
20277115	
20277116	

Signed:

Name: **A. Zunzunegui**

Date: **30 March 2021**

Title: **Dept Organic Technical Manager**




DETERMINAND COMMENTS FOR REPORT COV/2111092/2021

Date of Issue: 30 March 2021

ISSUE 1

This issue replaces
all previous issues

Sample No	Description	Determinand	Comments

Signed: 	Name: A. Zunzunegui	Date: 30 March 2021
	Title: Dept Organic Technical Manager	

Page Intentionally Left Blank



CERTIFICATE OF ANALYSIS

SDG:	210325-82	Client Reference:		Report Number:	594146
Location:	Llanwern	Order Number:	108282	Superseded Report:	592557

Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH₄ by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

General

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Matrix interference
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples
§	Sampled on date not provided

19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung. Standing Committee of Analysts, *The Quantification of Asbestos in Soil* (2017).

Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.