



Unit 7-8 Hawarden Business Park  
Manor Road (off Manor Lane)  
Hawarden  
Deeside  
CH5 3US  
Tel: (01244) 528700  
Fax: (01244) 528701  
email: hawardencustomerservices@alsglobal.com  
Website: www.alsenvironmental.co.uk

Atkins Global Ltd  
Project Jonah site office  
Llan Coed House  
Suite 24  
Coed Darcy  
Llandarcy  
SA10 6HJ

**Attention:** John Fitzgerald

## CERTIFICATE OF ANALYSIS

**Date of report Generation:** 02 May 2021  
**Customer:** Atkins Global Ltd  
**Sample Delivery Group (SDG):** 210415-94  
**Your Reference:**  
**Location:** Llanwern  
**Report No:** 596215

We received 7 samples on Thursday April 15, 2021 and 7 of these samples were scheduled for analysis which was completed on Sunday May 02, 2021. Accredited laboratory tests are defined within the report, but opinions, interpretations and on-site data expressed herein are outside the scope of ISO 17025 accreditation.

Should this report require incorporation into client reports, it must be used in its entirety and not simply with the data sections alone.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).

All sample data is provided by the customer. The reported results relate to the sample supplied, and on the basis that this data is correct.

Incorrect sampling dates and/or sample information will affect the validity of results.

The customer is not permitted to reproduce this report except in full without the approval of the laboratory.

Approved By:

**Sonia McWhan**

Operations Manager





## CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210415-94  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** 108282

**Report Number:** 596215  
**Superseded Report:**

### Received Sample Overview

Lab Sample No(s)	Customer Sample Ref.	AGS Ref.	Depth (m)	Sampled Date
24081075	D5-C		0.00 - 0.00	14/04/2021
24081238	Ellens Reen		0.00 - 0.00	14/04/2021
24081152	EWD-E		0.00 - 0.00	14/04/2021
24081176	KW-C		0.00 - 0.00	14/04/2021
24081103	ML-N		0.00 - 0.00	14/04/2021
24081208	ML-S		0.00 - 0.00	14/04/2021
24081136	R3-C		0.00 - 0.00	14/04/2021

Only received samples which have had analysis scheduled will be shown on the following pages.











24081103	ML-N		0.00 - 0.00	H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
	KW-C		0.00 - 0.00	250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW	X	
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
24081152	EWD-E		0.00 - 0.00	11plastic (ALE221)	SW		
				0.5l glass bottle (ALE227)	SW		
				ZnAc (ALE246)	SW		
				Vial (ALE297)	SW		X
				NaOH (ALE245)	SW		
				HNO3 Unfiltered (ALE204)	SW		
				HNO3 Filtered (ALE204)	SW		
				H2SO4 (ALE244)	SW		
				250ml Amber Gl. PTFE/PE (ALE219)	SW		
				11plastic (ALE221)	SW	X	













# CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: Llanwern

Client Reference:  
Order Number: 108282

Report Number: 596215  
Superseded Report:

## Results Legend

**X** Test

**N** No Determination Possible

## Sample Types -

S - Soil/Solid  
UNS - Unspecified Solid  
GW - Ground Water  
SW - Surface Water  
LE - Land Leachate  
PL - Prepared Leachate  
PR - Process Water  
SA - Saline Water  
TE - Trade Effluent  
TS - Treated Sewage  
US - Untreated Sewage  
RE - Recreational Water  
DW - Drinking Water Non-regulatory  
UNL - Unspecified Liquid  
SL - Sludge  
G - Gas  
OTH - Other

Lab Sample No(s)

Customer Sample Reference

AGS Reference

Depth (m)

Container

Sample Type

Turbidity in waters

All

NDPs: 0  
Tests: 7

VOC MS (W)

All

NDPs: 0  
Tests: 7

24081103

ML-N

0.00 - 0.00

HNO3 Filtered (ALE204)

SW

24081208

ML-S

0.00 - 0.00

HNO3 Filtered (ALE204)

SW

24081136

R3-C

0.00 - 0.00

HNO3 Filtered (ALE204)

SW

X

X

X

X

24081136	R3-C		0.00 - 0.00	ZnAc (ALE246)	SW				
				ViaI (ALE297)	SW				
				NaOH (ALE245)	SW				X
				HNO3 Unfiltered (ALE204)	SW				



## CERTIFICATE OF ANALYSIS

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021
Subcontracted - refer to subcontractor report for accreditation status.					210415-94	210415-94	210415-94	210415-94	210415-94	210415-94
% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery					24081075	24081238	24081152	24081176	24081103	24081208
(F) Trigger breach confirmed										
1-4*5@ Sample deviation (see appendix)										
Component	LOD/Units	Method								
Total Organic Carbon, as C*	<0.7 mg/l	SUB			7	6.3	7.8	7.2	6.9	7.1
Suspended solids, Total	<2 mg/l	TM022			<2	17	2.5	74	74.5	34
					#	#	#	#	#	#
BOD, unfiltered	<1 mg/l	TM045			<1	2.67	<1	2.4	2.01	2.35
					#	#	#	#	#	#
Oxygen, dissolved	<0.3 mg/l	TM046			11	9.84	10.8	10.6	10.5	10.7
Carbon, Organic (diss.filt)	<3 mg/l	TM090			7.56	7.39	8.26	7.96	7.99	8.53
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099			1.25	2.91	6.56	<0.3	0.521	0.447
					#	#	#	#	#	#
Sulphide	<0.01 mg/l	TM101			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Fluoride	<0.5 mg/l	TM104			1.07	0.594	1.46	0.614	0.599	0.619
COD, unfiltered	<7 mg/l	TM107			24.7	19.7	35.1	37.2	28.9	<7
					◆ #	◆ #	◆ #	◆ #	◆ #	◆ #
Redox potential	mV	TM110			124	82	109	126	126	123
Conductivity @ 20 deg.C (diss.filt)	<0.02 mS/cm	TM120			0.657	0.95	0.655	0.695	0.667	0.706
Dissolved solids, Total (meter)	<5 mg/l	TM123			512	655	501	525	512	550
					#	#	#	#	#	#
Antimony (diss.filt)	<1 µg/l	TM152			1.75	<1	1.32	<1	<1	<1
					#	#	#	#	#	#
Antimony (tot.unfilt)	<4 µg/l	TM152			<4	<4	<4	<4	<4	<4
					#	#	#	#	#	#
Arsenic (diss.filt)	<0.5 µg/l	TM152			3.55	2.92	8.52	2.12	2.42	2.34
					#	#	#	#	#	#
Arsenic (tot.unfilt)	<2 µg/l	TM152			4.98	2.76	8.45	3.48	2.74	2.94
					#	#	#	#	#	#
Barium (diss.filt)	<0.2 µg/l	TM152			57.6	113	42.4	55.7	61.5	60.9
					#	#	#	#	#	#
Barium (tot.unfilt)	<0.5 µg/l	TM152			58.4	109	44.2	84.5	72.9	65
					#	#	#	#	#	#
Beryllium (diss.filt)	<0.1 µg/l	TM152			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
					#	#	#	#	#	#
Beryllium (tot.unfilt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Boron (diss.filt)	<10 µg/l	TM152			151	73.6	171	139	136	138
					#	#	#	#	#	#
Boron (tot.unfilt)	<20 µg/l	TM152			135	66	157	139	126	127
					#	#	#	#	#	#
Cadmium (diss.filt)	<0.08 µg/l	TM152			0.0824	<0.08	<0.08	<0.08	<0.08	<0.08
					#	#	#	#	#	#
Cadmium (tot.unfilt)	<0.5 µg/l	TM152			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
					#	#	#	#	#	#
Chromium (tot.unfilt)	<3 µg/l	TM152			<3	<3	<3	3.83	<3	<3
					#	#	#	#	#	#
Chromium (diss.filt)	<1 µg/l	TM152			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Copper (tot.unfilt)	<1 µg/l	TM152			3.05	5.76	2.09	3.1	2.36	2.02
					#	#	#	#	#	#
Lead (tot.unfilt)	<1 µg/l	TM152						4.92	2.81	
								#	#	
Copper (diss.filt)	<0.3 µg/l	TM152			3.43	5.9	2.02	2.69	1.48	1.61
					#	#	#	#	#	#
Manganese (tot.unfilt)	<1 µg/l	TM152			24.1	7.32	138	214	160	139
					#	#	#	#	#	#
Lead (diss.filt)	<0.2 µg/l	TM152			0.578	0.237	<0.2	<0.2	<0.2	<0.2
					#	#	#	#	#	#
Nickel (tot.unfilt)	<1 µg/l	TM152			1.78	3.05	2.57	3.55	2.69	2.35
					#	#	#	#	#	#
Manganese (diss.filt)	<3 µg/l	TM152			5.82	<3	98	99.9	95.4	86
					#	#	#	#	#	#



Validated

## CERTIFICATE OF ANALYSIS

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210415-94	210415-94	210415-94	210415-94	210415-94	210415-94
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				24081075	24081238	24081152	24081176	24081103	24081208
(F)	Trigger breach confirmed									
1-4*§@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Phosphorus (tot.unfilt)	<20 µg/l	TM152	24		#	#	#	#	#	#
Selenium (tot.unfilt)	<1 µg/l	TM152	1.84		#	#	#	#	#	#
Nickel (diss.filt)	<0.4 µg/l	TM152	2		#	#	#	#	#	#
Phosphorus (diss.filt)	<10 µg/l	TM152	<10		#	#	#	#	#	#
Selenium (diss.filt)	<1 µg/l	TM152	1.83		#	#	#	#	#	#
Vanadium (tot.unfilt)	<5 µg/l	TM152	29.2		#	#	#	#	#	#
Zinc (tot.unfilt)	<5 µg/l	TM152	13.5		#	#	#	#	#	#
Vanadium (diss.filt)	<1 µg/l	TM152	33.3		#	#	#	#	#	#
Zinc (diss.filt)	<1 µg/l	TM152	13.4		#	#	#	#	#	#
Lead (tot.unfilt)	<0.001 mg/l	TM152	<0.001		#	#	#			0.00124
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	3.78		#	#	#	#	#	#
Calcium (Dis.Filt)	<0.2 mg/l	TM152	79.2		#	#	#	#	#	#
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.0303		#	#	#	#	#	#
Hardness, Total as CaCO3	<0.65 mg/l	TM152	214			255	259	264	282	278
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	3.8		#	#	#	#	#	#
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	74.6		#	#	#	#	#	#
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	0.151		#	#	#	#	#	#
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01		♦	♦	♦	♦	♦	♦
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.00702		♦	♦	♦	♦	♦	♦
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002		♦	♦	♦	♦	♦	♦
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178	<0.005		♦	♦	♦	♦	♦	♦







## CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

Results Legend			Customer Sample Ref.	R3-C				
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00				
M	mCERTS accredited.			Surface Water (SW)				
aq	Aqueous / settled sample.			14/04/2021				
diss.filt	Dissolved / filtered sample.			00:00				
tot.unfilt	Total / unfiltered sample.			15/04/2021				
*	Subcontracted - refer to subcontractor report for accreditation status.			210415-94				
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			24081136				
(F)	Trigger breach confirmed							
1-4*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
Total Organic Carbon, as C*	<0.7 mg/l	SUB		6.5				
Suspended solids, Total	<2 mg/l	TM022		108	#			
BOD, unfiltered	<1 mg/l	TM045		2.95	#			
Oxygen, dissolved	<0.3 mg/l	TM046		11				
Carbon, Organic (diss.filt)	<3 mg/l	TM090		8.02				
Ammoniacal Nitrogen as NH4	<0.3 mg/l	TM099		<0.3	#			
Sulphide	<0.01 mg/l	TM101		<0.01				
Fluoride	<0.5 mg/l	TM104		0.604				
COD, unfiltered	<7 mg/l	TM107		29.8	◆ #			
Redox potential	mV	TM110		121				
Conductivity @ 20 deg.C (diss.filt)	<0.02 mS/cm	TM120		0.722				
Dissolved solids, Total (meter)	<5 mg/l	TM123		559	#			
Antimony (diss.filt)	<1 µg/l	TM152		<1	#			
Antimony (tot.unfilt)	<4 µg/l	TM152		<4	#			
Arsenic (diss.filt)	<0.5 µg/l	TM152		2.73	#			
Arsenic (tot.unfilt)	<2 µg/l	TM152		3.38	#			
Barium (diss.filt)	<0.2 µg/l	TM152		77.1	#			
Barium (tot.unfilt)	<0.5 µg/l	TM152		91	#			
Beryllium (diss.filt)	<0.1 µg/l	TM152		<0.1	#			
Beryllium (tot.unfilt)	<1 µg/l	TM152		<1	#			
Boron (diss.filt)	<10 µg/l	TM152		147	#			
Boron (tot.unfilt)	<20 µg/l	TM152		137	#			
Cadmium (diss.filt)	<0.08 µg/l	TM152		<0.08	#			
Cadmium (tot.unfilt)	<0.5 µg/l	TM152		<0.5	#			
Chromium (tot.unfilt)	<3 µg/l	TM152		5.08	#			
Chromium (diss.filt)	<1 µg/l	TM152		1.25	#			
Copper (tot.unfilt)	<1 µg/l	TM152		3.63	#			
Copper (diss.filt)	<0.3 µg/l	TM152		3.59	#			
Manganese (tot.unfilt)	<1 µg/l	TM152		244	#			
Lead (diss.filt)	<0.2 µg/l	TM152		6.33	#			
Nickel (tot.unfilt)	<1 µg/l	TM152		4.56	#			
Manganese (diss.filt)	<3 µg/l	TM152		232	#			
Phosphorus (tot.unfilt)	<20 µg/l	TM152		129	#			



## CERTIFICATE OF ANALYSIS

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

Results Legend		Customer Sample Ref.	R3-C				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 14/04/2021 00:00 15/04/2021 210415-94 24081136				
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-4*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Selenium (tot.unfilt)	<1 µg/l	TM152	1.07	#			
Nickel (diss.filt)	<0.4 µg/l	TM152	2.15	#			
Phosphorus (diss.filt)	<10 µg/l	TM152	69.5	#			
Selenium (diss.filt)	<1 µg/l	TM152	<1	#			
Vanadium (tot.unfilt)	<5 µg/l	TM152	13.1	#			
Zinc (tot.unfilt)	<5 µg/l	TM152	23.7	#			
Vanadium (diss.filt)	<1 µg/l	TM152	8.63	#			
Zinc (diss.filt)	<1 µg/l	TM152	204	#			
Lead (tot.unfilt)	<0.001 mg/l	TM152	0.00653	#			
Magnesium (Dis.Filt)	<0.036 mg/l	TM152	16.6	#			
Calcium (Dis.Filt)	<0.2 mg/l	TM152	99.4	#			
Iron (Dis.Filt)	<0.019 mg/l	TM152	0.849	#			
Hardness, Total as CaCO3	<0.65 mg/l	TM152	317				
Magnesium (Tot. Unfilt.)	<0.05 mg/l	TM152	16.8	#			
Calcium (Tot. Unfilt.)	<0.057 mg/l	TM152	90.6	#			
Iron (Tot. Unfilt.)	<0.024 mg/l	TM152	3.29	#			
Naphthalene (diss.filt)	<0.01 µg/l	TM178	<0.01	◆			
Acenaphthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Acenaphthylene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Phenanthrene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Fluorene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Chrysene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Pyrene (diss.filt)	<0.005 µg/l	TM178	0.0085	◆			
Benzo(a)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(b)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(k)fluoranthene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(a)pyrene (diss.filt)	<0.002 µg/l	TM178	<0.002	◆			
Dibenzo(a,h)anthracene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Benzo(g,h,i)perylene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
Indeno(1,2,3-cd)pyrene (diss.filt)	<0.005 µg/l	TM178	<0.005	◆			
PAH Sum of EPA 16 detected (Diss.filt)	<0.082 µg/l	TM178	<0.082	◆			









# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210415-94  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** 108282

**Report Number:** 596215  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021
Subcontracted - refer to subcontractor report for accreditation status.					210415-94	210415-94	210415-94	210415-94	210415-94	210415-94
% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery					24081075	24081238	24081152	24081176	24081103	24081208
(F)	Trigger breach confirmed									
1-4*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2,4-Dichlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2,4-Dimethylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chloronaphthalene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Chlorophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Methylnaphthalene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Methylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Nitroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
2-Nitrophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
3-Nitroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Bromophenylphenylether (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Chloroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Methylphenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Nitroaniline (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
4-Nitrophenol (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
Azobenzene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176			<2	<2	<2	<2	<2	<2
					#	#	#	#	#	#
Butylbenzyl phthalate (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Carbazole (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
Dibenzofuran (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#
n-Dibutyl phthalate (aq)	<1 µg/l	TM176			<1	<1	<1	<1	<1	<1
					#	#	#	#	#	#







# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210415-94  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** 108282

**Report Number:** 596215  
**Superseded Report:**

## SVOC MS (W) - Aqueous

Results Legend			Customer Sample Ref.				
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	R3-C			
M	mCERTS accredited.						
aq	Aqueous / settled sample.						
diss.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.			0.00 - 0.00			
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			Surface Water (SW)			
(F)	Trigger breach confirmed			14/04/2021			
1-4*§@	Sample deviation (see appendix)			00:00			
				15/04/2021			
				210415-94			
				24081136			
Component	LOD/Units	Method					
1,2,4-Trichlorobenzene (aq)	<1 µg/l	TM176	<1	#			
1,2-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	#			
1,3-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	#			
1,4-Dichlorobenzene (aq)	<1 µg/l	TM176	<1	#			
2,4,5-Trichlorophenol (aq)	<1 µg/l	TM176	<1	#			
2,4,6-Trichlorophenol (aq)	<1 µg/l	TM176	<1	#			
2,4-Dichlorophenol (aq)	<1 µg/l	TM176	<1	#			
2,4-Dimethylphenol (aq)	<1 µg/l	TM176	<1	#			
2,4-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	#			
2,6-Dinitrotoluene (aq)	<1 µg/l	TM176	<1	#			
2-Chloronaphthalene (aq)	<1 µg/l	TM176	<1	#			
2-Chlorophenol (aq)	<1 µg/l	TM176	<1	#			
2-Methylnaphthalene (aq)	<1 µg/l	TM176	<1	#			
2-Methylphenol (aq)	<1 µg/l	TM176	<1	#			
2-Nitroaniline (aq)	<1 µg/l	TM176	<1	#			
2-Nitrophenol (aq)	<1 µg/l	TM176	<1	#			
3-Nitroaniline (aq)	<1 µg/l	TM176	<1	#			
4-Bromophenylphenylether (aq)	<1 µg/l	TM176	<1	#			
4-Chloro-3-methylphenol (aq)	<1 µg/l	TM176	<1	#			
4-Chloroaniline (aq)	<1 µg/l	TM176	<1	#			
4-Chlorophenylphenylether (aq)	<1 µg/l	TM176	<1	#			
4-Methylphenol (aq)	<1 µg/l	TM176	<1	#			
4-Nitroaniline (aq)	<1 µg/l	TM176	<1	#			
4-Nitrophenol (aq)	<1 µg/l	TM176	<1	#			
Azobenzene (aq)	<1 µg/l	TM176	<1	#			
bis(2-Chloroethyl)ether (aq)	<1 µg/l	TM176	<1	#			
bis(2-Chloroethoxy)methane (aq)	<1 µg/l	TM176	<1	#			
bis(2-Ethylhexyl) phthalate (aq)	<2 µg/l	TM176	<2	#			
Butylbenzyl phthalate (aq)	<1 µg/l	TM176	<1	#			
Benzo(k)fluoranthene (aq)	<1 µg/l	TM176	<1	#			
Carbazole (aq)	<1 µg/l	TM176	<1	#			
Dibenzofuran (aq)	<1 µg/l	TM176	<1	#			
n-Dibutyl phthalate (aq)	<1 µg/l	TM176	<1	#			

<b>SDG:</b>	210415-94
<b>Location:</b>	Llanwern

**Client Reference:**  
**Order Number:** 108282

**Report Number:** 596215  
**Superseded Report:**

**Location:** Llanwern

**Order Number:** 108282

**Superseded Report:**

## SVOC MS (W) - Aqueous

[illegible]



## CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

## TPH CWG (W)

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210415-94	210415-94	210415-94	210415-94	210415-94	210415-94
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				24081075	24081238	24081152	24081176	24081103	24081208
(F)	Trigger breach confirmed									
1-4*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
GRO Surrogate % recovery**	%	TM245			89	89	94	89	88	88
GRO >C5-C12	<50 µg/l	TM245			<50	<50	<50	<50	<50	<50
					#	#	#	#	#	#
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
					#	#	#	#	#	#
Benzene	<7 µg/l	TM245			<7	<7	<7	<7	<7	<7
					#	#	#	#	#	#
Toluene	<4 µg/l	TM245			<4	<4	<4	<4	<4	<4
					#	#	#	#	#	#
Ethylbenzene	<5 µg/l	TM245			<5	<5	<5	<5	<5	<5
					#	#	#	#	#	#
m,p-Xylene	<8 µg/l	TM245			<8	<8	<8	<8	<8	<8
					#	#	#	#	#	#
o-Xylene	<3 µg/l	TM245			<3	<3	<3	<3	<3	<3
					#	#	#	#	#	#
Sum of detected Xylenes	<11 µg/l	TM245			<11	<11	<11	<11	<11	<11
Sum of detected BTEX	<28 µg/l	TM245			<28	<28	<28	<28	<28	<28
Aliphatics >C5-C6	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C6-C8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C8-C10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C10-C12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC5-EC7	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC7-EC8	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC8-EC10	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC10-EC12	<10 µg/l	TM245			<10	<10	<10	<10	<10	<10
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174			<10	<10	<10	<10	<10	<10



## CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

## TPH CWG (W)

Results Legend		Customer Sample Ref.	R3-C					
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 14/04/2021 00:00 15/04/2021 210415-94 24081136					
M	mCERTS accredited.							
aq	Aqueous / settled sample.							
diss.filt	Dissolved / filtered sample.							
tot.unfilt	Total / unfiltered sample.							
*	Subcontracted - refer to subcontractor report for accreditation status.							
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery							
(F)	Trigger breach confirmed							
1-4*5@	Sample deviation (see appendix)							
Component	LOD/Units	Method						
GRO Surrogate % recovery**	%	TM245	88					
GRO >C5-C12	<50 µg/l	TM245	<50	#				
Methyl tertiary butyl ether (MTBE)	<3 µg/l	TM245	<3	#				
Benzene	<7 µg/l	TM245	<7	#				
Toluene	<4 µg/l	TM245	<4	#				
Ethylbenzene	<5 µg/l	TM245	<5	#				
m,p-Xylene	<8 µg/l	TM245	<8	#				
o-Xylene	<3 µg/l	TM245	<3	#				
Sum of detected Xylenes	<11 µg/l	TM245	<11					
Sum of detected BTEX	<28 µg/l	TM245	<28					
Aliphatics >C5-C6	<10 µg/l	TM245	<10					
Aliphatics >C6-C8	<10 µg/l	TM245	<10					
Aliphatics >C8-C10	<10 µg/l	TM245	<10					
Aliphatics >C10-C12	<10 µg/l	TM245	<10					
Aliphatics >C12-C16 (aq)	<10 µg/l	TM174	<10					
Aliphatics >C16-C21 (aq)	<10 µg/l	TM174	<10					
Aliphatics >C21-C35 (aq)	<10 µg/l	TM174	<10					
Total Aliphatics >C12-C35 (aq)	<10 µg/l	TM174	<10					
Aromatics >EC5-EC7	<10 µg/l	TM245	<10					
Aromatics >EC7-EC8	<10 µg/l	TM245	<10					
Aromatics >EC8-EC10	<10 µg/l	TM245	<10					
Aromatics >EC10-EC12	<10 µg/l	TM245	<10					
Aromatics >EC12-EC16 (aq)	<10 µg/l	TM174	<10					
Aromatics >EC16-EC21 (aq)	<10 µg/l	TM174	<10					
Aromatics >EC21-EC35 (aq)	<10 µg/l	TM174	<10					
Total Aromatics >EC12-EC35 (aq)	<10 µg/l	TM174	<10					
Total Aliphatics & Aromatics >C5-35 (aq)	<10 µg/l	TM174	<10					
Aliphatics >C16-C35 Aqueous	<10 µg/l	TM174	<10					



## CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021
diss.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210415-94	210415-94	210415-94	210415-94	210415-94	210415-94
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				24081075	24081238	24081152	24081176	24081103	24081208
(F)	Trigger breach confirmed									
1-4*5@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Dibromofluoromethane**	%	TM208			110	2.45	110	112	115	115
							1			
Toluene-d8**	%	TM208			97.9	101	98.3	101	101	100
							1			
4-Bromofluorobenzene**	%	TM208			94.6	103	95.5	94.5	94.4	93
							1			
Dichlorodifluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					◆ #	◆ #	◆ #	1 ◆ #	◆ #	◆ #
Chloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Vinyl chloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Bromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Chloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Trichlorofluoromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Carbon disulphide	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Dichloromethane	<3 µg/l	TM208			<3	<3	<3	<3	<3	<3
					#	#	#	1 #	#	#
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
trans-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
cis-1,2-Dichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
2,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
							1			
Bromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Chloroform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1,1-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Carbontetrachloride	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2-Dichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Benzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Trichloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Dibromomethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Bromodichloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
cis-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Toluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
trans-1,3-Dichloropropene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1,2-Trichloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,3-Dichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#



## CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.		D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference		0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
M	mCERTS accredited.				Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)	Surface Water (SW)
aq	Aqueous / settled sample.				14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021	14/04/2021
dis.filt	Dissolved / filtered sample.				00:00	00:00	00:00	00:00	00:00	00:00
tot.unfilt	Total / unfiltered sample.				15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021	15/04/2021
*	Subcontracted - refer to subcontractor report for accreditation status.				210415-94	210415-94	210415-94	210415-94	210415-94	210415-94
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery				24081075	24081238	24081152	24081176	24081103	24081208
(F)	Trigger breach confirmed									
1-4**@	Sample deviation (see appendix)									
Component	LOD/Units	Method								
Tetrachloroethene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Dibromochloromethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2-Dibromoethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Chlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Ethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
m,p-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
o-Xylene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Styrene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Bromoform	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Isopropylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2,3-Trichloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Bromobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Propylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
2-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,3,5-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
4-Chlorotoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
tert-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2,4-Trimethylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
sec-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
4-iso-Propyltoluene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,3-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,4-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
n-Butylbenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2-Dichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
								1		
1,2,4-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Hexachlorobutadiene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
Naphthalene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,2,3-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
					#	#	#	1 #	#	#
1,3,5-Trichlorobenzene	<1 µg/l	TM208			<1	<1	<1	<1	<1	<1
								1		



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: Llanwern

Client Reference:  
Order Number: 108282

Report Number: 596215  
Superseded Report:

## VOC MS (W)

Results Legend			Customer Sample Ref.				
#	ISO17025 accredited.		Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	R3-C			
M	mCERTS accredited.			0.00 - 0.00			
aq	Aqueous / settled sample.			Surface Water (SW)			
diss.filt	Dissolved / filtered sample.			14/04/2021			
tot.unfilt	Total / unfiltered sample.			00:00			
*	Subcontracted - refer to subcontractor report for accreditation status.			15/04/2021			
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery			210415-94			
(F)	Trigger breach confirmed			24081136			
1-4*5@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Dibromofluoromethane**	%	TM208		115			
				1			
Toluene-d8**	%	TM208		99.5			
				1			
4-Bromofluorobenzene**	%	TM208		93.9			
				1			
Dichlorodifluoromethane	<1 µg/l	TM208		<1			
				1 ♦ #			
Chloromethane	<1 µg/l	TM208		<1			
				1 #			
Vinyl chloride	<1 µg/l	TM208		<1			
				1 #			
Bromomethane	<1 µg/l	TM208		<1			
				1 #			
Chloroethane	<1 µg/l	TM208		<1			
				1 #			
Trichlorofluoromethane	<1 µg/l	TM208		<1			
				1 #			
1,1-Dichloroethene	<1 µg/l	TM208		<1			
				1 #			
Carbon disulphide	<1 µg/l	TM208		<1			
				1 #			
Dichloromethane	<3 µg/l	TM208		<3			
				1 #			
Methyl tertiary butyl ether (MTBE)	<1 µg/l	TM208		<1			
				1 #			
trans-1,2-Dichloroethene	<1 µg/l	TM208		<1			
				1 #			
1,1-Dichloroethane	<1 µg/l	TM208		<1			
				1 #			
cis-1,2-Dichloroethene	<1 µg/l	TM208		<1			
				1 #			
2,2-Dichloropropane	<1 µg/l	TM208		<1			
				1			
Bromochloromethane	<1 µg/l	TM208		<1			
				1 #			
Chloroform	<1 µg/l	TM208		<1			
				1 #			
1,1,1-Trichloroethane	<1 µg/l	TM208		<1			
				1 #			
1,1-Dichloropropene	<1 µg/l	TM208		<1			
				1 #			
Carbontetrachloride	<1 µg/l	TM208		<1			
				1 #			
1,2-Dichloroethane	<1 µg/l	TM208		<1			
				1 #			
Benzene	<1 µg/l	TM208		<1			
				1 #			
Trichloroethene	<1 µg/l	TM208		<1			
				1 #			
1,2-Dichloropropane	<1 µg/l	TM208		<1			
				1 #			
Dibromomethane	<1 µg/l	TM208		<1			
				1 #			
Bromodichloromethane	<1 µg/l	TM208		<1			
				1 #			
cis-1,3-Dichloropropene	<1 µg/l	TM208		<1			
				1 #			
Toluene	<1 µg/l	TM208		<1			
				1 #			
trans-1,3-Dichloropropene	<1 µg/l	TM208		<1			
				1 #			
1,1,2-Trichloroethane	<1 µg/l	TM208		<1			
				1 #			
1,3-Dichloropropane	<1 µg/l	TM208		<1			
				1 #			



## CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: LlanwernClient Reference:  
Order Number: 108282Report Number: 596215  
Superseded Report:

## VOC MS (W)

Results Legend		Customer Sample Ref.	R3-C				
#	ISO17025 accredited.	Depth (m) Sample Type Date Sampled Sample Time Date Received SDG Ref Lab Sample No.(s) AGS Reference	0.00 - 0.00 Surface Water (SW) 14/04/2021 00:00 15/04/2021 210415-94 24081136				
M	mCERTS accredited.						
sq	Aqueous / settled sample.						
dis.filt	Dissolved / filtered sample.						
tot.unfilt	Total / unfiltered sample.						
*	Subcontracted - refer to subcontractor report for accreditation status.						
**	% recovery of the surrogate standard to check the efficiency of the method. The results of individual compounds within samples aren't corrected for the recovery						
(F)	Trigger breach confirmed						
1-4*§@	Sample deviation (see appendix)						
Component	LOD/Units	Method					
Tetrachloroethene	<1 µg/l	TM208	<1	1 #			
Dibromochloromethane	<1 µg/l	TM208	<1	1 #			
1,2-Dibromoethane	<1 µg/l	TM208	<1	1 #			
Chlorobenzene	<1 µg/l	TM208	<1	1 #			
1,1,1,2-Tetrachloroethane	<1 µg/l	TM208	<1	1 #			
Ethylbenzene	<1 µg/l	TM208	<1	1 #			
m,p-Xylene	<1 µg/l	TM208	<1	1 #			
o-Xylene	<1 µg/l	TM208	<1	1 #			
Styrene	<1 µg/l	TM208	<1	1 #			
Bromoform	<1 µg/l	TM208	<1	1 #			
Isopropylbenzene	<1 µg/l	TM208	<1	1 #			
1,1,2,2-Tetrachloroethane	<1 µg/l	TM208	<1	1 #			
1,2,3-Trichloropropane	<1 µg/l	TM208	<1	1 #			
Bromobenzene	<1 µg/l	TM208	<1	1 #			
Propylbenzene	<1 µg/l	TM208	<1	1 #			
2-Chlorotoluene	<1 µg/l	TM208	<1	1 #			
1,3,5-Trimethylbenzene	<1 µg/l	TM208	<1	1 #			
4-Chlorotoluene	<1 µg/l	TM208	<1	1 #			
tert-Butylbenzene	<1 µg/l	TM208	<1	1 #			
1,2,4-Trimethylbenzene	<1 µg/l	TM208	<1	1 #			
sec-Butylbenzene	<1 µg/l	TM208	<1	1 #			
4-iso-Propyltoluene	<1 µg/l	TM208	<1	1 #			
1,3-Dichlorobenzene	<1 µg/l	TM208	<1	1 #			
1,4-Dichlorobenzene	<1 µg/l	TM208	<1	1 #			
n-Butylbenzene	<1 µg/l	TM208	<1	1 #			
1,2-Dichlorobenzene	<1 µg/l	TM208	<1	1 #			
1,2-Dibromo-3-chloropropane	<1 µg/l	TM208	<1	1			
1,2,4-Trichlorobenzene	<1 µg/l	TM208	<1	1 #			
Hexachlorobutadiene	<1 µg/l	TM208	<1	1 #			
tert-Amyl methyl ether (TAME)	<1 µg/l	TM208	<1	1 #			
Naphthalene	<1 µg/l	TM208	<1	1 #			
1,2,3-Trichlorobenzene	<1 µg/l	TM208	<1	1 #			
1,3,5-Trichlorobenzene	<1 µg/l	TM208	<1	1			





# CERTIFICATE OF ANALYSIS

Validated

**SDG:** 210415-94  
**Location:** Llanwern

**Client Reference:**  
**Order Number:** 108282

**Report Number:** 596215  
**Superseded Report:**

## Table of Results - Appendix

Method No	Reference	Description
SUB		Subcontracted Test
TM022	Method 2540D, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part120 1981;BS EN 872	Determination of total suspended solids in waters
TM045	MEWAM BOD5 2nd Ed.HMSO 1988 / Method 5210B, AWWA/APHA, 20th Ed., 1999; SCA Blue Book 130	Determination of BOD5 (ATU) Filtered by Oxygen Meter on liquids
TM046	Method 4500G, AWWA/APHA, 20th Ed., 1999	Measurement of Dissolved Oxygen by Oxygen Meter
TM090	Method 5310, AWWA/APHA, 20th Ed., 1999 / Modified: US EPA Method 415.1 & 9060	Determination of Total Organic Carbon/Total Inorganic Carbon in Water and Waste Water
TM099	BS 2690: Part 7:1968 / BS 6068: Part2.11:1984	Determination of Ammonium in Water Samples using the Kone Analyser
TM101	Method 4500B & C, AWWA/APHA, 20th Ed., 1999	Determination of Sulphide in soil and water samples using the Kone Analyser
TM104	Method 4500F, AWWA/APHA, 20th Ed., 1999	Determination of Fluoride using the Kone Analyser
TM107	ISO 6060-1989	Determination of Chemical Oxygen Demand using COD Dr Lange Kit
TM110	BS 1377: Part 3 1990	Redox Potential
TM120	Method 2510B, AWWA/APHA, 20th Ed., 1999 / BS 2690: Part 9:1970	Determination of Electrical Conductivity using a Conductivity Meter
TM123	BS 2690: Part 121:1981	The Determination of Total Dissolved Solids in Water
TM152	Method 3125B, AWWA/APHA, 20th Ed., 1999	Analysis of Aqueous Samples by ICP-MS
TM174	Analysis of Petroleum Hydrocarbons in Environmental Media – Total Petroleum Hydrocarbon Criteria	Determination of Speciated Extractable Petroleum Hydrocarbons in Waters by GC-FID
TM176	EPA 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	Determination of SVOCs in Water by GCMS
TM178	Modified: US EPA Method 8100	Determination of Polynuclear Aromatic Hydrocarbons (PAH) by GC-MS in Waters
TM183	BS EN 23506:2002, (BS 6068-2.74:2002) ISBN 0 580 38924 3	Determination of Trace Level Mercury in Waters and Leachates by PSA Cold Vapour Atomic Fluorescence Spectrometry
TM184	EPA Methods 325.1 & 325.2,	The Determination of Anions in Aqueous Matrices using the Kone Spectrophotometric Analysers
TM195	Colour and Turbidity of water. Methods for the Examination of Waters and Associated Materials. HMSO, 1981, ISBN 0 11 751955 3.	Determination of Turbidity in Waters & Associated Matrices
TM208	Modified: US EPA Method 8260b & 624	Determination of Volatile Organic Compounds by Headspace / GC-MS in Waters
TM227	Standard methods for the examination of waters and wastewaters 20th Edition, AWWA/APHA Method 4500.	Determination of Total Cyanide, Free (Easily Liberatable) Cyanide and Thiocyanate
TM228	US EPA Method 6010B	Determination of Major Cations in Water by iCap 6500 Duo ICP-OES
TM241	Methods for the Examination of Waters and Associated Materials; Chromium in Raw and Potable Waters and Sewage Effluents 1980.	The Determination of Hexavalent Chromium in Waters and Leachates using the Kone Analyser
TM245	By GC-FID	Determination of GRO by Headspace in waters
TM256	The measurement of Electrical Conductivity and the Laboratory determination of pH Value of Natural, Treated and Wastewaters. HMSO, 1978. ISBN 011 751428 4.	Determination of pH in Water and Leachate using the GLpH pH Meter
TM259	by HPLC	Determination of Phenols in Waters and Leachates by HPLC

NA = not applicable.

Chemical testing (unless subcontracted) performed at ALS Life Sciences Ltd Hawarden (Method codes TM) or ALS Life Sciences Ltd Aberdeen (Method codes S).



# CERTIFICATE OF ANALYSIS

Validated

SDG: 210415-94  
Location: Llanwern

Client Reference:  
Order Number: 108282

Report Number: 596215  
Superseded Report:

## Test Completion Dates

Lab Sample No(s)  
Customer Sample Ref.

AGS Ref.  
Depth  
Type

	24081075	24081238	24081152	24081176	24081103	24081208	24081136
	D5-C	Ellens Reen	EWD-E	KW-C	ML-N	ML-S	R3-C
	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00	0.00 - 0.00
	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water	Surface Water
Ammoniacal Nitrogen	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021
Anions by Kone (w)	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
BOD True Total	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021
COD Unfiltered	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021	28-Apr-2021
Conductivity (at 20 deg.C)	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
Cyanide Comp/Free/Total/Thiocyanate	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021
Dissolved Metals by ICP-MS	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021
Dissolved Organic/Inorganic Carbon	01-May-2021	01-May-2021	01-May-2021	01-May-2021	02-May-2021	01-May-2021	01-May-2021
Dissolved Oxygen by Probe	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
EPH CWG (Aliphatic) Aqueous GC (W)	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021
EPH CWG (Aromatic) Aqueous GC (W)	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021	24-Apr-2021
Fluoride	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
GRO by GC-FID (W)	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021
Hexavalent Chromium (w)	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	29-Apr-2021	16-Apr-2021
Mercury Dissolved	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
Mercury Unfiltered	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
PAH in waters by GC-MS (diss.filt)	29-Apr-2021	29-Apr-2021	29-Apr-2021	29-Apr-2021	29-Apr-2021	29-Apr-2021	29-Apr-2021
PAH Spec MS - Aqueous (W)	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021
pH Value	16-Apr-2021	16-Apr-2021	16-Apr-2021	15-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
Phenols by HPLC (W)	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021
Phosphate by Kone (w)	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
Redox Potential	15-Apr-2021	15-Apr-2021	15-Apr-2021	15-Apr-2021	15-Apr-2021	15-Apr-2021	15-Apr-2021
Sulphide	21-Apr-2021	21-Apr-2021	21-Apr-2021	21-Apr-2021	21-Apr-2021	21-Apr-2021	21-Apr-2021
Sulphur Dissolved by ICP-OES	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021
Suspended Solids	27-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021
SVOC MS (W) - Aqueous	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021	22-Apr-2021
Total Dissolved Solids	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
Total Metals by ICP-MS	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021
Total Organic Carbon*	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021	19-Apr-2021
TPH CWG (W)	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021	26-Apr-2021
Turbidity in waters	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021	16-Apr-2021
VOC MS (W)	27-Apr-2021	28-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021	27-Apr-2021



**ALS Environmental Ltd**  
Torrington Avenue  
Coventry  
CV4 9GU

T: +44 (0)24 7642 1213  
F: +44 (0)24 7685 6575  
[www.alsenvironmental.co.uk](http://www.alsenvironmental.co.uk)

**Subcon Results**  
**ALS Life Sciences Limited**  
**Torrington Avenue**  
**Tile Hill CV4 9GU**

19 April 2021

**Test Report: COV/2120244/2021**

Dear Subcon Results

Analysis of your sample(s) received on 16 April 2021 is now complete and we have pleasure in enclosing the appropriate test report(s).

An invoice for the analysis carried out will be sent under separate cover.

Should you have any queries regarding this report(s) or any part of our service, please contact Customer Services on +44 (0)24 7642 1213 who will be happy to discuss your requirements.

If you would like to arrange any further analysis, please contact Customer Services. To arrange container delivery or sample collection, please call the Couriers Department directly on 024 7685 6562.

Thank you for using ALS Environmental Ltd and we look forward to receiving your next samples.

Yours Sincerely,

Signed:

Name:

R. Stocks

Title:

Inorganic Team Leader



This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No.02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

# Report Summary

ANALYSED BY

**Hawarden Subcon Results**  
**ALS Life Sciences Limited**  
**Torrington Avenue**  
**Tile Hill**  
**CV4 9GU**



Date of Issue: **19 April 2021**

Report Number: **COV/2120244/2021**

Issue **1**

This issue replaces  
all previous issues

**Job Description:** 2020 Analysis

**Job Location:** 210415-94

Number of Samples  
included in this report **7**

Job Received: **16 April 2021**

Number of Test Results  
included in this report **7**

Analysis Commenced: **16 April 2021**

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

ALS Environmental Ltd was not responsible for sampling unless otherwise stated.

Information on the methods of analysis and performance characteristics are available on request.

Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. The results relate only to the items tested and where relevant sampled.

Tests marked 'Not UKAS Accredited' in this Report/Certificate are not included in the UKAS Accreditation Schedule for our laboratory.

This test report is not a statement of conformity to any specification or standard.

This communication has been sent to you by ALS Environmental Ltd. Registered in England and Wales. Registration No. 02148934. Registered Office: ALS Environmental Limited, Torrington Avenue, Coventry, CV4 9GU.

(c) ALS Environmental Ltd 2021. All rights reserved. We, ALS Environmental Ltd, are the owner of all copyright in this report. You must not copy, reproduce, amend or adapt this report, its contents or any format in which it is delivered without our prior written agreement. If you copy, reproduce, amend, or adapt this report in any way without our agreement you will be liable for any damage or loss to us. In the event of a dispute the copy of the report held by us shall be the reference copy.

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel: +44 (0)24 7642 1213 Fax: +44 (0)24 7685 6575

**Page 1 of 11**

# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339806**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24082871**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **1** of **7**

Sample Reference: **D5-C**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	7.0	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339806: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 2 of 11**

# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339807**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24083901**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **2** of **7**

Sample Reference: **Ellens Reen**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	6.3	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339807: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 3 of 11**

# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339808**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24083891**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **3** of **7**

Sample Reference: **EWD-E**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	7.8	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339808: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 4 of 11**

# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339809**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24082987**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **4** of **7**

Sample Reference: **KW-C**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	7.2	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339809: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 5 of 11**



# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339810**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24083899**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **5** of **7**

Sample Reference: **ML-N**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	6.9	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339810: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed:

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 6 of 11**

# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339811**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24082916**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **6** of **7**

Sample Reference: **ML-S**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	7.1	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339811: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 7 of 11**

# Certificate of Analysis

ANALYSED BY



Report Number: **COV/2120244/2021**  
Laboratory Number: **20339812**  
Sample Source: **ALS Life Sciences Limited**  
Sample Point Description:  
Sample Description: **24083029**  
Sample Matrix: **Surface Water**  
Sample Date/Time: **14 April 2021**  
Sample Received: **16 April 2021**  
Analysis Complete: **19 April 2021**

Issue **1**  
Sample **7** of **7**

Sample Reference: **R3-C**

Test Description	Result	Units	Analysis Date	Accreditation	Method
TOC as C	6.5	mg/l	16/04/2021	N Cov	WAS005

Analyst Comments for 20339812: No Analyst Comment

This issue replaces all previous issues

Accreditation Codes: Y = UKAS / ISO17025 Accredited, N = Not UKAS / ISO17025 Accredited, M = MCERTS.

Analysed at: CHE = Chester(CH5 3US), COV = Coventry(CV4 9GU), OTT = Otterbourne(SO21 2RU), S = Subcontracted, TRB = Subcontracted to Trowbridge(BA14 0XD), WAK = Wakefield(WF5 9TG), F = Data supplied by customer.

For Microbiological determinands 0 or ND=Not Detected, For Legionella ND=Not Detected in volume of sample filtered.

I/S=Insufficient sample For soil/sludge samples: AR=As received, DW=Dry weight.

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**

**ALS Environmental Ltd**

Torrington Avenue, Coventry, CV4 9GU  
Tel:+44 (0)24 7642 1213 Fax:+44 (0)24 7685 6575

**Page 8 of 11**



**ANALYST COMMENTS FOR REPORT COV/2120244/2021**

**Issue 1**

This issue replaces  
all previous issues

Date of Issue: **19 April 2021**

Sample No	Analysis Comments
20339806	
20339807	
20339808	
20339809	
20339810	
20339811	
20339812	

Signed: 

Name: **R. Stocks**

Date: **19 April 2021**

Title: **Inorganic Team Leader**




**DETERMINAND COMMENTS FOR REPORT COV/2120244/2021**

**ISSUE 1**

This issue replaces  
all previous issues

**Date of Issue: 19 April 2021**

Sample No	Description	Determinand	Comments

Signed: 	Name: <b>R. Stocks</b>	Date: <b>19 April 2021</b>
	Title: <b>Inorganic Team Leader</b>	

Page Intentionally Left Blank



# CERTIFICATE OF ANALYSIS

<b>SDG:</b>	210415-94	<b>Client Reference:</b>		<b>Report Number:</b>	596215
<b>Location:</b>	Llanwern	<b>Order Number:</b>	108282	<b>Superseded Report:</b>	

## Appendix

1. Results are expressed on a dry weight basis (dried at 35°C) for all soil analyses except for the following: NRA and CEN Leach tests, flash point LOI, pH, ammonium as NH<sub>4</sub> by the BRE method, VOC TICs and SVOC TICs.

2. If sufficient sample is received a sub sample will be retained free of charge for 30 days after analysis is completed (e-mailed) for all sample types unless the sample is destroyed on testing. The prepared soil sub sample that is analysed for asbestos will be retained for a period of 6 months after the analysis date. All bulk samples will be retained for a period of 6 months after the analysis date. All samples received and not scheduled will be disposed of one month after the date of receipt unless we are instructed to the contrary. Once the initial period has expired, a storage charge will be applied for each month or part thereof until the client cancels the request for sample storage. ALS reserve the right to charge for samples received and stored but not analysed.

3. With respect to turnaround, we will always endeavour to meet client requirements wherever possible, but turnaround times cannot be absolutely guaranteed due to so many variables beyond our control.

4. We take responsibility for any test performed by sub-contractors (marked with an asterisk). We endeavour to use UKAS/MCERTS Accredited Laboratories, who either complete a quality questionnaire or are audited by ourselves. For some determinands there are no UKAS/MCERTS Accredited Laboratories, in this instance a laboratory with a known track record will be utilised.

5. If no separate volatile sample is supplied by the client, or if a headspace or sediment is present in the volatile sample, the integrity of the data may be compromised. This will be flagged up as an invalid VOC on the test schedule and the result marked as deviating on the test certificate.

6. NDP - No determination possible due to insufficient/unsuitable sample.

7. Results relate only to the items tested.

8. LoDs (Limit of Detection) for wet tests reported on a dry weight basis are not corrected for moisture content.

9. **Surrogate recoveries** - Surrogates are added to your sample to monitor recovery of the test requested. A % recovery is reported, results are not corrected for the recovery measured. Typical recoveries for organics tests are 70-130%. Recoveries in soils are affected by organic rich or clay rich matrices. Waters can be affected by remediation fluids or high amounts of sediment. Test results are only ever reported if all of the associated quality checks pass; it is assumed that all recoveries outside of the values above are due to matrix affect.

10. Stones/debris are not routinely removed. We always endeavour to take a representative sub sample from the received sample.

11. In certain circumstances the method detection limit may be elevated due to the sample being outside the calibration range. Other factors that may contribute to this include possible interferences. In both cases the sample would be diluted which would cause the method detection limit to be raised.

12. Mercury results quoted on soils will not include volatile mercury as the analysis is performed on a dried and crushed sample.

13. For leachate preparations other than Zero Headspace Extraction (ZHE) volatile loss may occur.

14. For the BSEN 12457-3 two batch process to allow the cumulative release to be calculated, the volume of the leachate produced is measured and filtered for all tests. We therefore cannot carry out any unfiltered analysis. The tests affected include volatiles GCFID/GCMS and all subcontracted analysis.

15. Analysis and identification of specific compounds using GCFID is by retention time only, and we routinely calibrate and quantify for benzene, toluene, ethylbenzenes and xylenes (BTEX). For total volatiles in the C5-C12 range, the total area of the chromatogram is integrated and expressed as ug/kg or ug/l. Although this analysis is commonly used for the quantification of gasoline range organics (GRO), the system will also detect other compounds such as chlorinated solvents, and this may lead to a falsely high result with respect to hydrocarbons only. It is not possible to specifically identify these non-hydrocarbons, as standards are not routinely run for any other compounds, and for more definitive identification, volatiles by GCMS should be utilised.

16. We are accredited to MCERTS for sand, clay and loam/topsoil, or any of these materials - whether these are derived from naturally occurring soil profiles, or from fill/made ground, as long as these materials constitute the major part of the sample. Other coarse granular material such as concrete, gravel and brick are not accredited if they comprise the major part of the sample.

## General

17. **Tentatively Identified Compounds (TICs)** are non-target peaks in VOC and SVOC analysis. All non-target peaks detected with a concentration above the LoD are subjected to a mass spectral library search. Non-target peaks with a library search confidence of >75% are reported based on the best mass spectral library match. When a non-target peak with a library search confidence of <75% is detected it is reported as "mixed hydrocarbons". Non-target compounds identified from the scan data are semi-quantified relative to one of the deuterated internal standards, under the same chromatographic conditions as the target compounds. This result is reported as a semi-quantitative value and reported as Tentatively Identified Compounds (TICs). TICs are outside the scope of UKAS accreditation and are not moisture corrected.

### 18. Sample Deviations

If a sample is classed as deviated then the associated results may be compromised.

1	Container with Headspace provided for volatiles analysis
2	Incorrect container received
3	Deviation from method
4	Matrix interference
◆	Sample holding time exceeded in laboratory
@	Sample holding time exceeded due to late arrival of instructions or samples
§	Sampled on date not provided

### 19. Asbestos

When requested, the individual sub sample scheduled will be analysed in house for the presence of asbestos fibres and asbestos containing material by our documented in house method TM048 based on HSG 248 (2005), which is accredited to ISO17025. If a specific asbestos fibre type is not found this will be reported as "Not detected". If no asbestos fibre types are found all will be reported as "Not detected" and the sub sample analysed deemed to be clear of asbestos. If an asbestos fibre type is found it will be reported as detected (for each fibre type found). Testing can be carried out on asbestos positive samples, but, due to Health and Safety considerations, may be replaced by alternative tests or reported as No Determination Possible (NDP). The quantity of asbestos present is not determined unless specifically requested.

#### Identification of Asbestos in Bulk Materials & Soils

The results for identification of asbestos in bulk materials are obtained from supplied bulk materials which have been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

The results for identification of asbestos in soils are obtained from a homogenised sub sample which has been examined to determine the presence of asbestos fibres using ALS (Hawarden) in-house method of transmitted/polarised light microscopy and central stop dispersion staining, based on HSG 248 (2005).

Asbestos Type	Common Name
Chrysotile	White Asbestos
Amosite	Brown Asbestos
Crocidolite	Blue Asbestos
Fibrous Actinolite	-
Fibrous Anthophyllite	-
Fibrous Tremolite	-

#### Visual Estimation Of Fibre Content

Estimation of fibre content is not permitted as part of our UKAS accredited test other than: - Trace - Where only one or two asbestos fibres were identified.

#### Respirable Fibres

Respirable fibres are defined as fibres of <3 µm diameter, longer than 5 µm and with aspect ratios of at least 3:1 that can be inhaled into the lower regions of the lung and are generally acknowledged to be most important predictor of hazard and risk for cancers of the lung.  
Standing Committee of Analysts, *The Quantification of Asbestos in Soil* (2017).

**Further guidance on typical asbestos fibre content of manufactured products can be found in HSG 264.**

The identification of asbestos containing materials and soils falls within our schedule of tests for which we hold UKAS accreditation, however opinions, interpretations and all other information contained in the report are outside the scope of UKAS accreditation.