

34013



PERMIT



ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

ENVIRONMENTAL PROTECTION ACT 1990.



OUTGOING-1

WASTE MANAGEMENT LICENCE.

LICENCE REF.No SWW 182L FACILITY TYPE:- TRANSFER STATION

The Environment Agency, in pursuance of part II of the Environmental Protection Act 1990, hereby grant a waste management licence authorising the keeping and treatment of controlled waste on the land specified in schedule 1 to this licence to Brisco Waste Disposal Limited, company registration number 1523306 of Gorseinon Road, Gorseinon, Swansea SA4 1GE, being in occupation of the said land, the said licence being subject to the conditions specified in schedule 2 to this licence.

In this licence the words and expressions contained in schedule 2 shall have the meaning assigned to them therein.

SCHEDULE 1 – SPECIFIED LAND

The licence relates to the land at 89 Ystrad Road, Fforestfach, Swansea SA5 4BU hereinafter called “the site” shown edged in red on drawing referenced BD/1a (April 1999) and attached to this licence.

Signed:

Dated: 1st November 1999

A EVANS
FOR ENVIRONMENT PLANNING MANAGER
(Welsh Region, South West Area)

FOR ENVIRONMENT AGENCY OFFICIAL USE ONLY.

YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL DETAILED IN THE NOTES AT THE END OF THIS LICENCE.

The Environment Agency
Welsh Region, South West Area
Glan Tawe
154 St Helens Road
Swansea
SA1 4DF



WASTE MANAGEMENT LICENCE

Continuation sheet Page 1 of 16

Licence Number SWW182L

1st November 1999

SCHEDULE 2 – INTERPRETATIONS AND CONDITIONS RELATING TO THIS LICENCE

SECTION 0: DEFINITIONS AND INTERPRETATIONS

In these conditions and their interpretation the following terms have the specified meanings.

The 1990 Act : The Environmental Protection Act 1990

The 1995 Act : The Environment Act 1995.

The Agency : The Environment Agency.

The Site : The land, structures, plant and equipment to which this licence relates.

The Site Location Plan : The drawing referred to in Schedule 1 of this licence which delineates the licensed area.

The Licence Holder : The licence holder specified in this licence or other person(s) to whom the licence has been transferred in accordance with Section 40 of the 1990 Act and section 120 of the 1995 Act.

The Operator : A person who is in occupation of the site and has responsibility for carrying out day to day activities at the site.

Working Plan : The documents and drawings detailing the intended methods of operation for the activities covered by this licence and any later drawings or written statements received by the Agency in substitution or augmentation of such drawings or documents made in accordance with the conditions of this licence.

Technically Competent Person : A person who is the holder of a relevant certificate of Technical Competence awarded by the Waste Management Industry Training and Advisory Board or is subject to the transitional arrangements set out in the Waste Management (Licensing) Regulations 1994 and any subsequent amendments of Regulations 4 and 5 of those regulations.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER 

WASTE MANAGEMENT LICENCE
Continuation sheet Page 2 of 16
Licence Number SWW182L

1st November 1999

Special Waste :

As defined by regulation 2 of The Special Waste Regulations 1996 or any statutory provisions or regulations amending or replacing them.

Clinical Waste :

As defined in regulation 1 (2) of the Controlled Waste Regulations 1992 or any statutory provisions or regulations amending or replacing them.

Impermeable Pavement :

A pavement which is constructed and maintained to a standard sufficient to prevent the transmission of liquid beyond the pavements surface or edges.

Sealed Drainage System :

A drainage system with impermeable components which does not leak and will ensure that no liquid will run off the pavement otherwise than via the system and, except when they may be lawfully discharged, all liquids entering the system are collected in a sealed sump.

Difficult Waste :

waste because of its physical and /or chemical properties requires particular handling or disposal methods and procedures.

Immediately :

For carrying out of actions under the conditions of this licence, shall mean without delay and within a reasonable time, taking into account any more immediate action necessary to prevent or minimise risk to human health and the environment. Notifications to the Agency shall also be by the fastest effective means available and which , if verbally by telephone, is to be confirmed in writing within 1 working day or any such other time as may be agreed by the Agency within the conditions.

Authorised Officer of the Agency :

A person Authorised in writing by the Agency pursuant to Section 108(1) of the 1995 Act to exercise any of the powers specified in subsection (4) of that section.


Relevant Offences :

Offences within the meaning of regulation 3 of the Waste Management (Licensing) Regulations 1994 or any statutory provisions or regulations amending or replacing them.

Secure Container :

A container from which waste cannot escape and to which members of the Container public are unable to gain access to the waste.

A EVANS
FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 3 of 16

Licence Number SWW182L

1st November 1999

Sheltering Cover :

A structure to protect the storage and processing area of wastes so as to minimise the production of contaminated water, dust or litter.

Biodegradable Waste :

Waste material which is broken down by the action of micro-organisms.

Inert Waste :

Waste which is virtually insoluble in water and does not undergo any significant physical, chemical or biological transformation within a landfill or for which the decomposition has an environmental impact which is comparable to that of uncontaminated topsoil.

Received :

For waste being delivered to the site, shall mean delivered to the site and undergoing the waste acceptance procedures specified in the working plan, including storage of those wastes during those procedures prior to acceptance of the waste.

Accepted :

For waste being delivered to the site, shall mean accepted as waste input to the site for storage and /or processing and/or disposal under the specified waste management operations.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 4 of 16

Licence Number SWW182L

1st November 1999

SECTION 1: GENERAL CONSIDERATIONS

1.1 SPECIFIED OPERATIONS

No waste management operations shall be authorised by this licence unless specified in and undertaken in accordance with the limitations in the following table.

TABLE A.

Specified waste Management operation.	Permitted Waste types which shall be subject to the specified operation	Maximum capacity	Duration of storage	Area of site to be used
Keeping non special	Inert - Degradable Household, Commercial and Industrial waste.	400 tonnes 200 tonnes	7 days 3 days	as on drawing BD/1a (April 1999)
Transfer : Bulking operation.	Difficult - Fluorescent tubes. Drummed liquids	3 cu m 1.5 cu m	28 days	as per detail A on drawing BD/1a. (April 1999)
Keeping Special waste	Cement Bonded Asbestos Lead Acid Batteries Mineral oil + oil filters	10 tonnes 20 tonnes 6 tonnes	28 days " " "	as per detail A on drawing BD/1a (April 1999)
Treatment	Screening construction, demolition and building waste		N/A	As per drawing BD/1a (April 1999)

1.1.2 Wastes that are brought onto the site for exempt waste management activities shall be kept clearly segregated and identified from wastes which are being kept on the site for the specified waste management operations under these licence conditions.

1.2.3. For the purpose of determining the appropriate charge for the site the annual throughput of waste shall not exceed the limit set out in the appropriate table of the current Waste Management Licensing (Charges) Scheme. The site is authorised to receive up to 74,999 tonnes. The site falls into Table 2, part E (c) (iii).

A EVANS
FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE
Continuation sheet Page 5 of 16
Licence Number SWW182L

1st November 1999

1.3 WASTE TYPE EXCLUSIONS

1.3.1 Notwithstanding the generality of the types of waste specified in the table A above, the following wastes shall be specifically excluded from being deposited or kept at the site.

- a) Controlled waste designated as "Special Waste" excepting those specifically detailed in table A above.
- b) Substances within the control of the Radioactive Substances Act 1993 and any subsequent amendments.
- c) Percussive and explosive substances.
- d) Liquids, Sludge's and filter cakes unless specifically included in Table A above.
- e) Soils contaminated with Poly Chlorinated Biphenyls and terphenyls and any determinant above the upper threshold values set out in tables 3 and 4 of the ICRL Guidance Note 59/83 (Second edition 1987).

1.3.2 DIFFICULT WASTE

Each of the specific waste types listed below shall be assessed for its suitability for keeping at the site. The assessments shall be made by an Appropriately Qualified Person and shall be set out in the following format and at a minimum include the matters listed below:

a) Description of the waste

To include

- Name
- Physical Characteristics
- Quantity and frequency of arising.

b) Hazard Identification

To include

- Special Waste assessment
- Hazards involved in relation to physical/mechanical handling
- The capacity of the waste to produce gaseous, liquid, or dust emissions, an identification of those emissions.
- An assessment of the flammability of the material, including potential for self-combustion.
- The wastes compatibility with other waste types which may be present on the site.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER

WASTE MANAGEMENT LICENCE

Continuation sheet Page 6 of 16.

Licence Number SWW182L

1st November 1999

c) Identification of the consequences of any hazard

With particular reference to the site and its surrounding environs the identification and assessment of the consequences of the hazard identified in b) above, including the probability, magnitude and risk of such hazards occurring.

d) Risk and impact control.

Details of how the site infrastructure, engineering, equipment, staff and operating procedures will effectively manage hazards associated with the waste and the consequences of any such hazard.

Each waste stream shall be awarded a specific waste stream number and assessment number, a copy of each assessment shall be provided to the Agency in writing prior to the acceptance of the waste type to which it relates being received at the site and a copy kept in the site office and shall be made available to officers of the Agency on request.

The specific waste types to which this condition relates are:

- a) Batteries
- b) Bonded Asbestos
- c) Waste oils
- d) Drummed liquid wastes.
- e) Fluorescent tubes.

1.4 LICENSED AREA

1.4.1 The area on which operations that are the subject of this licence are to take place is that outlined in red on Drawing No BD/1b (April 1999).

1.5 HOURS OF OPERATION

1.5.1 The setting down and removal of containers of waste shall be only carried out between the hours of 0800 hours and 1800 hours Monday to Friday and 0800 hours and 1430 hours on Saturdays and Bank Holidays. Operations to transfer , bulk up and treat any waste by screening or compaction shall be restricted to between 0800 hours and 1630 hours Monday to Friday and 0800 hours and 1300 hours on a Saturday and not at all on Sundays and Bank Holidays.

1.5.2 Movements of waste into or out of the site outside these hours because of circumstances constituting an emergency shall be reported immediately to the Agency.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



1st November 1999

1.6 STAFFING

1.6.1 Whenever the site is open to receive waste it shall be supervised by at least one member of staff who is fully conversant with the requirements of the licence and working plan regarding:

- a) Waste Acceptance and control procedures.
- b) Operational controls and environmental monitoring,
- c) Maintenance,
- d) Record keeping,
- e) emergency action plans and
- f) Notifications to the Agency.

The licence holder shall ensure that all site staff are conversant with, or are working under the direct supervision of a member of staff who is fully conversant with those aspects of the licence conditions and working plan which are relevant to their specific duties.

All staff acting in the supervision role shall have direct access to the Technically Competent Manager/ Management during the period of their duties.

1.6.2. CHANGES IN TECHNICALLY COMPETENT PERSONS

The technically competent persons for the site shall be as set out in the working plan introduction section (March 1999 version). Any changes to the technically competent management of the site and the name of any incoming person shall be submitted to the Agency immediately, together with the evidence any such incoming person has to demonstrate that they have the required technical competence for the operations being carried on under this licence.

1.7 WORKING PLAN AMENDMENTS

The licence holder shall give the Agency prior notice in writing of any change to the working plan which relates to the waste types, handling and storage methods, changes in staffing and alterations in the pollution prevention measures and practices. Unless specifically authorised under the conditions of this licence, any change shall not be implemented unless the Agency has given its written consent to it.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 8 of 16

Licence Number SWW182L

1st November 1999

1.8 NOTIFICATION OF CHANGE OF OPERATORS/ HOLDERS DETAILS

The following information shall be notified in writing immediately to the Agency :

- a) Any change in the holder's name or registered office address;
- b) The event of the holder going into administration or receivership;
- c) Any change to the operator's name or registered office address (if different from the holder).

1.9 NOTIFICATION OF COMMENCEMENT, TEMPORARY CESSATION AND RE-COMMENCEMENT OF WASTE HANDLING OPERATIONS

1.9.1 Not less than 7 days notice in writing shall be given to the Agency of commencement of each of the specified operations.

1.9.2 In the event that the site ceases all waste management operations for longer than 28 days the licence holder shall inform the Agency.

1.9.3 In the event that the site recommences waste management operations following a temporary cessation the licence holder shall inform the Agency immediately.

1.10 MAINTENANCE OF FINANCIAL PROVISION

No activities authorised by this licence shall be commenced until the holder has secured a bond in favour of the Agency in compliance with the Agreement made between the holder and the Agency and the holder has given prior written notice to the Agency of the intention to commence operations at the site.

The financial provision for meeting the obligations under this licence set out in the Agreement referred to in the previous paragraph shall be maintained by the holder from the date that the bond was created throughout the subsistence of this licence and the holder shall produce evidence of such provision whenever required by the Agency.

SECTION 2 - SITE ENGINEERING FOR POLLUTION PREVENTION.

2.1 The site shall be provided with surface water management systems, as specified in section WP/2.210 of the working plan.

**A EVANS
FOR ENVIRONMENT PLANNING MANAGER**



1st November 1999

2.2.1 Each area within which waste operations are carried out shall be provided with an impermeable pavement with side barriers and drainage to a sealed sump.

The construction and maintenance records shall be made available for inspection when required by an authorised officer of the Agency. This shall include the maintenance of the oil interceptor existing on the drainage system and details of the frequency of inspection and emptying of the interceptor.

2.2.2 Each area where degradable and light wastes are deposited shall be provided with a form of sheltering cover to minimise the production of contaminated water, dust and litter.

The construction and maintenance records of the equipment and /or structure(s) to be utilised shall be set out in the working plan and shall be made available for inspection when required by an authorised officer of the Agency.

2.3 The site surface water collection and drainage system shall segregate surface water runoff which is uncontaminated from surface water runoff which is potentially contaminated by contact with waste. Potentially contaminated water shall be disposed of to public sewer as outlined in section WP/ 2.210 of the working plan.

2.4 Impermeable pavements, side barriers, drainage gullies and sealed sumps shall be designed, constructed and maintained to meet the following standards:

- a) Impermeable pavements shall be provided with side barriers and drainage gullies which are laid to a fall such that any liquid lying on the impermeable pavement is directed to a sealed sump: The side barriers required shall be provided to a time table set out in the working plan and agreed in writing by the Agency.
- b) Side barriers shall prevent the escape of any liquid which is collected and prevent the ingress of any water arising outside the impermeable pavement;
- c) In areas where acid- containing wastes are handled, the impermeable pavement, side barriers, drainage gullies and sealed sump shall be constructed of an acid resistant material;
- d) The transmission of fluids through the pavement or joints shall be prevented;
- e) The sealed sump shall not be allowed to overflow.

2.5 All above ground tanks used for the storage of potentially polluting or hazardous liquids shall be located within a bund.

A EVANS
FOR ENVIRONMENT PLANNING MANAGER



1st November 1999

2.6

The containment of these bunded areas shall be designed, constructed and maintained to meet the following standards:

- a) Each bunded area shall have a maintained capacity not less than 110% of the volume of the largest tank;
 - b) The floors and walls of the bund shall be impervious and impermeable to the contents of the tanks;
 - c) Inlet, outlet and vent pipes shall be directed downwards within the bunded area;
 - d) All tanks shall be labelled to show contents;
 - e) The bund shall not have any drainage outlets and the integrity of the bund shall be maintained at all times;
 - f) Liquids accumulating in the bunds shall be removed by syphoning or pumping systems only.
- 2.7 All the above measures are to be inspected and maintained as set out in section 2 and appendix G of the working plan.

SECTION 3 - SITE INFRASTRUCTURE.

3.1 PROVISION OF SITE IDENTIFICATION NOTICEBOARD.

An identification board shall be provided and maintained and shall be easily readable from outside the site entrance at all times. The board shall display the following information:

- a) site name and address;
- b) Licence holder name;
- c) Licence number;
- d) Emergency contact name and number;
- e) Agency national numbers : 0645 333111 and 0800 807060.
- f) Days and hours site is open to receive waste.

A EVANS
FOR ENVIRONMENT PLANNING MANAGER 

1st November 1999

3.2 SITE SECURITY.

Unauthorised access to the site shall be prevented by the site security systems provided and maintained in accordance with section WP/3.500 of the working plan.

Defects in the security measures that may permit unauthorised access shall be repaired by the end of the working day. Where any repair is not possible during that period, personnel shall be employed to ensure that security is maintained at all times until the repair is effected.

SECTION 4 - SITE OPERATIONS

4.1 LOW LIGHT LEVELS

Waste handling operations shall only take place in areas where the light levels are at or above the following specified minimum levels:

- a) Minimum 20 lux for areas subject to machine and vehicle movements.
- b) Minimum 100lux for operations involving perception of detail eg. Inspection of loads.

4.2 CONTROL OF MUD AND DEBRIS

Effective measures shall be implemented in accordance with Section WP 4 ¹⁴⁻⁰~~410~~ and Appendix G of the working plan to prevent the tracking of mud or debris arising from operations at the site, including the delivery or removal of wastes, into public areas outside the site, which shall include public highways and areas of public access outside the site.

In the event of mud and debris arising from the site being deposited on to public areas remedial measures specified in section WP 4 ¹⁴⁻⁰~~410~~ of the working plan shall be implemented immediately.

4.3 POTENTIALLY POLLUTING LEAKS AND SPILLAGES.

4.3.1 All vehicles, plant and equipment used on the site in connection with the specified activities shall be operated and maintained so as to prevent potentially polluting leaks and spillages.

4.3.2 All tanks used to hold potentially polluting liquids shall be;

- a) loaded and unloaded in accordance with the specified filling and emptying procedures;
- b) clearly and unambiguously labelled regarding its contents;
- c) provided with means for measuring the quantity of material and the void space in the tank, which shall be maintained and calibrated to reflect the tank capacity;

A EVANS

FOR ENVIRONMENT PLANNING MANAGER

1st November 1999

- d) monitored for quantity of material and void space and the monitoring measurements recorded.

The maintenance and monitoring records shall be made available for inspection when required by an authorised officer of the Agency.

4.3.3

In the event of any potentially polluting leak or spillage occurring on site, the control and remediation procedures specified in section WP/4.151 of the working plan shall be implemented immediately. The incident shall be recorded and the records shall be made available for inspection when required by an authorised officer of the Agency upon request.

4.3.4

Any leak or spillage which may compromise the effectiveness of the pollution control regime and which either is leading or may imminently lead to pollution of the environment, harm to human health or serious detriment of the amenities of the locality shall be treated as an emergency, and the emergency action plan as set out in section 1.11 and appendix B of the working plan shall be implemented immediately.

4.4 FIRES ON SITE

ALL fires on the site shall be treated as an emergency and the emergency action plan as set out in section 1.11 and Appendix B of the working plan shall be implemented immediately.


4.5 WASTE ACCEPTANCE AND CONTROL SYSTEMS AND PROCEDURES

All waste shall be received, inspected and handled in accordance with the waste acceptance and control procedures set out in section WP / 4.210 of the working plan.
The specified records shall be made available for inspection when required by an authorised officer of the Agency.

4.6 REMOVAL OF RESIDUAL WASTES FROM SITE

In the event that the permitted waste management operations on the site cease and the Agency has reasonable grounds to believe that they will not be resumed, all wastes remaining on the site shall be removed by the date specified in writing by the Agency.

A EVANS
FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 13 of 16

Licence Number SWW182L

1st November 1999

4.7 WASTE QUANTITY MEASUREMENT SYSTEMS

All wastes accepted at and despatched from the site shall be weighed by means of the weighbridge located at the position as set out on the site plan.

The weighbridge shall be maintained and calibrated in accordance with the manufacturers instructions and shall measure quantities of wastes in tonnes to an accuracy of 0.05 tonnes. The weight of each incoming and outgoing load of waste shall be recorded.

4.8 ASBESTOS

Notwithstanding the other conditions in this licence, asbestos wastes shall be kept, treated and disposed of in accordance with measures specified in section WP/4.701 and-Appendix L of the working plan, and such measures shall have due regard to the current version of the IWM Code of Practice for the disposal of Asbestos.

These shall include :

- i. All Asbestos waste shall be held in a secure enclosed container for the sole use to contain Asbestos products.
- ii. Sheet Asbestos shall NOT be broken up or damaged before being deposited in the container.
- iii. The container shall be kept locked when not being loaded or unloaded including after it has been emptied.
- iv. Dust suppression measures shall be utilised to contain any inadvertent emissions of dust and fibres.
- v. The container shall be thoroughly cleansed after each time it is emptied, a method statement shall be included in the working plan .

4.9 WASTE OIL

Notwithstanding the other conditions in this licence waste oils shall not be mixed with toxic and dangerous wastes or PCB's and PCT's and shall be kept separately from other wastes in accordance with measures specified in section WP /4.702 of the working plan.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 14 of 16

Licence Number SWW182L

1st November 1999

4.10 BATTERIES

Notwithstanding the other conditions in this licence waste Acid /alkali batteries shall be kept and treated in accordance with the measures set out in section WP/4.708 of the working plan.

SECTION 5 - POLLUTION CONTROL, MONITORING AND REPORTING.

5.1 SURFACE WATER QUALITY MONITORING AND REPORTING

5.1.1 A surface water monitoring point shall be provided at a point on the surface water drainage system after the interceptor and before it meets the public sewer.

5.1.2 Monitoring of the surface water shall be carried out in accordance with the surface water monitoring and sampling programme specified in Appendix G of the working plan.

5.1.3 The monitoring schedule shall include the following items;

- i) Visual inspection of the effluent on a weekly basis.
- ii) Analysis of a sample of effluent on a *one off* basis including the following parameters; total copper, total lead, total nickel, total zinc, total chromium, ammoniacal nitrogen and biochemical oxygen demand.

5.1.4 *A copy of the surface water one off sampling result shall be sent to the Agency.*

5.1.5 A record of the visual inspection of shall be kept and maintained in accordance with Appendix G of the working plan. These records shall be made available for inspection when required by an authorised officer of the Agency.

5.2 CONTROL MEASURES

Where, on the visual examination, evidence of pollution by oil is seen it shall be noted in the site diary and remedial action shall be taken to examine the oil interceptor and to remove any accumulations of oil forthwith.

SECTION 6 - AMENITY CONTROL AND MONITORING :

6.1 CONTROL OF DUST, FIBRES, PARTICULATES AND LITTER

6.1.1 The generation of dust , fibres, particulates and litter shall be controlled in accordance with the with the measures specified in section WP/6 of the working plan.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 15 of 16

Licence Number SWW182L

1st November 1999

6.1.2 The following measures shall be implemented and maintained throughout the operational life of the site to minimise the release of dust, fibres, particulates and litter beyond the site boundary.

- a) The discharging and treatment of wastes shall be carried out in accordance with the methods and procedures set out in the working plan which have been assessed as minimising the generation of dusts, fibres and particulates.
- b) All wastes stored in the open air shall be held in covered containers or within sheltering cover *as required by condition 2.2.2 and as set out in section WP/110 of the working plan.*
- c) The inspection schedules outlined in the working plan shall be adhered to, records shall be kept and made available to Agency officers of the inspections and comments on the inspection findings.

6.2 CONTROL OF PESTS.

6.2.1 Measures specified in Section WP/6.040 of the working plan shall be taken to prevent possible infestations by pests.

6.3 CONTROL OF NOISE.

6.3.1 The generation of noise shall be controlled in accordance with the measures specified in section WP/6.030 of the working plan.

6.3.2 The noise levels for the operation of the screening unit shall be assessed in line with the guidance set out in BS4142.

6.3.3 Where new items of fixed plant are installed the noise levels shall be assessed as required by condition 6.3.2.

6.3.4 Where the assessment shows an increase in the noise levels suitable remedial measures such as noise barriers shall be installed to ensure that there is no increase in the noise levels at the most sensitive receiver.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



WASTE MANAGEMENT LICENCE

Continuation sheet Page 16 of 16

Licence Number SWW182L

1st November 1999

SECTION 7 - MAINTAINING AND SUBMITTING RECORDS

7.1 Records required by other conditions of this licence shall be maintained and kept secure at the location specified in section 7 of the working plan and shall be made available for inspection when required by an authorised officer of the Agency.

7.2 Records of Waste Movements. A record shall be kept of all wastes received and of all wastes and recovered materials removed from the site. The records shall include the following for each vehicle load of waste or recovered material;

For waste received.

- a) Origin of waste by local authority district,
- b) Time and date received,
- c) Quantities in tonnes received and waste type – as specified in condition 1.1.
- d) Nature of the waste (Solid, liquid, sludge).

For waste/ material removed,

- a) Date removed.
- c) Quantities in tonnes removed and waste or material types,
- d) Destination of materials removed by Local Authority district.
- e) Nature of the waste and /or materials (solid, liquid, sludge).

A summary of the information, including nil returns, shall be submitted to the Agency, in a format required by the Agency. The summary shall be for each quarter of the financial year and shall be submitted within 1 month of the end of each quarter.

7.3 A record of significant events shall be kept in a site diary and made available for inspection at the site. Entries shall be completed within 24 hours of the occurrence.

A EVANS

FOR ENVIRONMENT PLANNING MANAGER



EXPLANATORY NOTES

Notes

These notes are for general guidance only and do not constitute an authoritative statement of the law.

Appeals

If a licence holder is aggrieved by the decision of the Authority to grant a waste management licence subject to conditions he may appeal to the National Assembly for Wales in accordance with Section 43 of the Environmental Protection Act 1990.

Notice of an Appeal must be given within 6 months of the date of issue of this licence. The National Assembly for Wales has power to allow a longer period for the giving of notice of an appeal but he will not normally be prepared to exercise this power unless there are special circumstances that excuse the delay in giving notice of an appeal.

A copy of the form on which notice of an Appeal may be given is available from:

National Assembly for Wales
Cathays Park
Cardiff.
CF10 3NQ

Tel: 01222 823665

Fax: 01222 825008

Waste Management Licensing

The licence relates only to the requirements of the Environmental Protection Act 1990 in respect of the deposit, treatment, keeping and disposal of waste. This licence does not constitute a consent required by any other legislation.

Your attention is drawn to the provisions of Sections 33, 34, 35, 37, 38, 39, 40, 41, 42, 43, 59, 64, 65, and 66 of the Environmental Protection Act 1990.

Section 33

Prohibits under penalty the deposit, treatment, keeping or disposal of controlled waste in or on any land otherwise than in accordance with the terms of a Waste Management Licence.

Non compliance with any licence condition may lead to prosecution under this Section. A person who contravenes Section 33 subsection (1) shall, subject to subsection (7), be guilty of an offence and liable on summary conviction to imprisonment for a term not exceeding 6 months or a fine not exceeding ,20,000 (at the date of issue of this licence) or both, or on conviction on indictment to imprisonment for a term not exceeding 2 years or a fine or both, or in relation to special waste for a term not exceeding 5 years or a fine or both.

Section 34

Places a duty of care on any person who imports, produces, carries, keeps, treats or disposes of controlled waste to take all such measures applicable to him as are reasonable in the circumstances to prevent any other person contravening Section 33, and to prevent the escape of waste from his control or that of any other person and, on the transfer of the waste, to ensure that it is only to an authorised person, or to a person for authorised transport purposes, and that a written description is transferred.

A person who contravenes Section 34 subsection (1) shall be guilty of an offence and liable on summary conviction to a fine not exceeding ,5,000 (at the date of issue of this licence) or on conviction on indictment to a fine.

Section 35

A site licence may be granted by a Waste Regulation Authority authorising the treatment, keeping or disposal of specified wastes on specified land, to the occupier of that land. The licence may be granted subject to such conditions that the Authority considers appropriate, in accordance with directions and guidance issued by the Secretary of State.

Section 37

A Waste Regulation Authority may modify the conditions of a licence on its own initiative, on the application of the licence holder (accompanied by the appropriate fee), and on the direction of the Secretary of State. The licence holder may appeal to the Secretary of State if he is aggrieved by the decision of the Authority in modifying the conditions of a licence.

Section 38

Provides for the Waste Regulation Authority to revoke or suspend all or part of a licence if the licence holder has ceased to be a 'fit and proper person' or activities authorised by the licence have caused or are about to cause pollution of the environment or harm to human health or become seriously detrimental to the amenities of the locality, and the pollution, harm or detriment cannot be avoided by modifying the conditions.

A person who contravenes Section 38 subsection (9) without reasonable excuse shall be guilty of an offence and liable on summary conviction to a fine not exceeding ,5,000 (at the date of issue of this licence), or on conviction on indictment to imprisonment for a term not exceeding 2 years or a fine or both, or in relation to special waste to, respectively imprisonment for a term not exceeding 6 months or a fine of an amount not exceeding ,5,000 (at the date of issue of this licence), or imprisonment for a term not exceeding 5 years or a fine or both.

Section 39

If the licence holder wishes to surrender this licence, he must apply to the Waste Regulation Authority (enclosing the prescribed fee) which will only accept the surrender if it is satisfied that the condition of the land is such that it is unlikely to cause pollution of the environment or harm to human health as a result of the use of the land for the treatment keeping or disposal of waste.

Section 40

If the licence holder wishes to transfer the licence to another person ("the transferee") the licence holder and the transferee shall jointly make an application to the Waste Regulation Authority (enclosing the prescribed fee) which will not effect the transfer unless it is satisfied that the transferee is a Fit and Proper Person.

Section 41

Provides for a scheme of charges which are payable to respect of the subsistence of the licence and on application for modification, transfer or surrender of the licence. Non payment of the subsistence charge may lead to partial revocation of the licence.

Section 42

Places a duty on the Waste Regulation Authority to ensure that activities authorised by the licence do not cause pollution, harm to health, or serious detriment to the amenities of the locality and that the conditions of the licence are complied with. If it appears to the Waste Regulation Authority that a condition in a licence is not being complied with, the authority may serve notice on the licence holder to comply with the condition, and if he fails to do so revoke or suspend all or part of the licence.

Section 43

Provides for the applicant for a licence or modification to appeal against all or any of the conditions in a licence or modification to the Secretary of State, or in certain circumstances, for

a licence holder to appeal against any revocation or suspension of all or any part of a licence or modification to the Secretary of State.

Section 59

The licensing authority is empowered to require the removal of any controlled waste deposited in breach of section 33 (1), or to require the undertaking of such works as are required to reduce or eliminate the consequences of such deposits.

Section 64

The licensing authority is required to maintain a register of current or recently current waste management licences granted by the authority, associated working plans, and matters relating to the transfer, modification, revocation, suspension and supervision of licences. Members of the public have free access to this register and may obtain copies of entries in the register.

Section 65

The Secretary of State may direct the licensing authority to exclude certain information from the public register in the interest of national security.

Section 66

Provides for a licence holder to identify information submitted to the licensing authority as being commercially confidential and to apply for that information to be excluded from the public register. The authority will determine whether the information is commercially confidential and notify the licence holder accordingly. The licence holder has a right of appeal to the Secretary of State if the authority refuses to exclude the information from the public register.

LICENCE CONDITIONS FOR BRISCO WASTE, 89 YSTRAD ROAD, SWANSEA

1. The site shall be used as a Transfer Station for the overnight storage of skips and for the transfer of waste into an enclosed skip by static compaction.
2. The site shall only be operated between the hours of 08.00 hours and 16.30 hours Monday to Friday and 08.00 hours to 13.00 hours on Saturday.
3. The site shall be adequately manned and supervised during working hours and at all other times the entrance gate shall be kept locked.
4. Only soil, subsoil, hardcore, general builders waste and commercial waste shall be allowed on site.
5. No special waste as defined in the Control of Pollution (Special Waste) Regulations 1980 shall be allowed onto or dealt with on the site.
6. No waste shall be deposited or stored on the ground. All accidental spillages must be immediately cleaned up and placed in a suitable skip.
7. All skips containing waste kept within the site overnight must be covered to prevent wind blown waste.
8. The site shall be maintained in a clean and tidy fashion with a daily collection of any wind blown litter. Facilities shall be available to suppress dust and to clean vehicles if necessary.
9. No waste material shall be buried on the site. Fires shall be regarded as an emergency and immediate action taken to extinguish it. All outbreaks are to be notified to the disposal authority forthwith.
10. The compactor skip shall be set in a bunded area with suitable drainage connected to the foul sewer.
11. The compactor skip shall be surrounded by a screen of suitable height and thickness to prevent the scattering of dust and litter during the transfer operation.
12. Permanent baiting points shall be maintained to prevent any infestation by rodents. Suitable steps shall be taken to deal with any insect infestation which may occur. All pest control operations shall comply with Regulations and approved codes under the Food and Environmental Protection Act 1985.
13. The site shall be adequately fenced and all reasonable steps shall be taken to maintain its security.

SUPERCEDED LICENCE

SW/05/TRA/1

No. L1/30

Section 1

CONTROL OF POLLUTION ACT 1974 PART I

WASTE DISPOSAL LICENCE

THE * SWANSEA CITY COUNCIL
HEREBY GRANT a Waste Disposal Licence, pursuant to an application dated
. 22nd September 1987, in respect of the following:

Full name and address of licence holder	Brisco Waste Disposal Ltd., 89, Ystrad Road, Fforestfach, Swansea. SA5 4BU.
Full name and address of local representative (if any) of licence holder	Mr D. J. Thyer (Mananger) (As Above)
Location of site to which this licence relates	Land at 89 Ystrad Road, Fforestfach. Ref: SS 6196 SE [AS OUTLINED IN ATTACHED PLAN]
Form of deposit or disposal to which this licence relates	Transfer station incorporating static compaction of waste and overnight storage of waste.
Types of waste of which deposit or disposal is authorised and any limitation as to quantity	Only Soil, Subsoil, hardcore, general builders waste and commercial waste only to be allowed on site. [No special waste as defined by the Control of Pollution (Special Waste) Regulations 1980 to be allowed onto or dealt with on the site].

This Licence is granted subject to the following conditions:—


- SEE ATTACHED LIST OF 17 CONDITIONS -

Dated

3rd November

1987

(Signed)



(Designation) CHIEF ENVIRONMENTAL
HEALTH OFFICER.

THE LICENCE HOLDER SHOULD READ CAREFULLY THE NOTES OVERLEAF.

* Insert name of Waste Disposal Authority.

Cat. No. W.D. 5.
Copyright form.

SHAW & SONS LTD., Shaway House, London, SE26 5AE

S1161 (w) L

14. No more than ten full skips shall be stored overnight with all waste received on any day being removed by the end of the following working day.
15. A detailed plan showing the intended storage area of full skips and the intended position of the compactor skip showing bunding and drainage points must be provided with written statements where necessary, on how operations are to be conducted at the facility (operational plan). All proposed changes must be notified to the Authority at least one month before the change is implemented.
16. The terms of this licence and the operational plan shall be made know to any person who is given responsibility for the management or control of the facility.
17. A copy of the licence shall be displayed at the facility control office where it can be read by the employees at the facility.

LICENCE CONDITIONS FOR BRISCO WASTE TRANSFER STATION
89 YSTRAD ROAD, FFORESTFACH, SWANSEA.

SCHEDULE B - SITE PREPARATION

1. The site shall be used as a Transfer Station for:

a) The overnight storage of skipped waste. *of waste in*

b) The transfer of waste into an enclosed skip by static compaction.

c) The sorting of waste within a specified building for the removal of recoverable and recyclable material.
2. The preparatory works required by paragraph 2 to *16* below shall be supervised and certified by an appropriately qualified person, that they have been constructed in accordance with the working plan. Certification shall be forwarded to the Waste Disposal Authority and no waste material shall be accepted at the facility until the Waste Disposal Authority confirms, in writing that the site preparatory works have been carried out in accordance with the working plan.

Site Infrastructure

3. Perimeter fencing and gates shall be provided and maintained at all times in accordance with the working plan. the gates shall be securely locked at all times when the facility is unattended. Any damage to the gates and fencing which impairs their effectiveness will be repaired by the end of the working day and if this cannot be accomplished the licence holder shall provide security personnel to guard the facility until such repair is effected.

4. An identification board of durable material and finish shall be displayed at the entrance to the facility, as indicated in the working plan. The following information shall be provided:

- (a) Name, address and telephone number of facility;
- (b) Name, address and telephone number of the Waste Disposal Authority responsible for issuing this Licence and the Waste Disposal Licence Number;
- (c) Hours of operation (as per Licence condition);
- (d) Name, address and telephone number of Licence Holder;
- (e) Twenty-four hour emergency telephone number and contact.

The board shall be maintained in a legible condition at all times.

5. A site control office of the type specified in the working plan shall be provided at the location specified in the working plan. The site control office shall be maintained to the original standard as specified in the working plan.

6. The road from the site entrance to the site control office (hereinafter called the site access road) shall be constructed in accordance with the working plan. The site access road shall be maintained to the original standard as specified in the working plan.

7. Site drainage facilities shall be constructed and maintained in accordance with the working plan so that water does not accumulate at the facility. These shall include interception of contaminated surface water and spillages, to prevent water pollution.

8. Provision for the storage and maintenance of plant shall be constructed in accordance with the working plan and shall be maintained to the original standard as specified in the working plan.

9. Artificial lighting shall be provided for those operations which are to be carried out during the hours of darkness, as defined by the statutory lighting up times published by the Science Research Council, at the locations specified and as specified in the working plan. The lighting shall be maintained to the original standard as specified in the working plan.

10. Storage containers for liquids shall be of a type and construction suitable for the liquids which they contain and labelled to show their contents. They shall conform, where necessary, to all relevant safety and construction standards and shall be installed at a location and to specification in accordance with the working plan. The containers shall be maintained to the original standard as specified in the working plan.

4. An identification board of durable material and finish shall be displayed at the entrance to the facility, as indicated in the working plan. The following information shall be provided:

- (a) Name, address and telephone number of facility;
- (b) Name, address and telephone number of the Waste Disposal Authority responsible for issuing this Licence and the Waste Disposal Licence Number;
- (c) Hours of operation (as per Licence condition);
- (d) Name, address and telephone number of Licence Holder;
- (e) Twenty-four hour emergency telephone number and contact.

The board shall be maintained in a legible condition at all times.

5. A site control office of the type specified in the working plan shall be provided at the location specified in the working plan. The site control office shall be maintained to the original standard as specified in the working plan.

6. The road from the site entrance to the site control office (hereinafter called the site access road) shall be constructed in accordance with the working plan. The site access road shall be maintained to the original standard as specified in the working plan.

7. Site drainage facilities shall be constructed and maintained in accordance with the working plan so that water does not accumulate at the facility. These shall include interception of contaminated surface water and spillages, to prevent water pollution.

8. Provision for the storage and maintenance of plant shall be constructed in accordance with the working plan and shall be maintained to the original standard as specified in the working plan.

9. Artificial lighting shall be provided for those operations which are to be carried out during the hours of darkness, as defined by the statutory lighting up times published by the Science Research Council, at the locations specified and as specified in the working plan. The lighting shall be maintained to the original standard as specified in the working plan.

10. Storage containers for liquids shall be of a type and construction suitable for the liquids which they contain and labelled to show their contents. They shall conform, where necessary, to all relevant safety and construction standards and shall be installed at a location and to specification in accordance with the working plan. The containers shall be maintained to the original standard as specified in the working plan.

LICENCE CONDITIONS FOR BRISCO WASTE TRANSFER STATION
89 YSTRAD ROAD, FFORESTFACH, SWANSEA.

SCHEDULE B - SITE PREPARATION

1. The site shall be used as a Transfer Station for:

- a) The overnight storage of skipped waste. *of waste in*
- b) The transfer of waste into an enclosed skip by static compaction.
- c) The sorting of waste within a specified building for the removal of recoverable and recyclable material.

2. The preparatory works required by paragraph 2 to 16 below shall be supervised and certified, by an appropriately qualified person, that they have been constructed in accordance with the working plan. Certification shall be forwarded to the Waste Disposal Authority and no waste material shall be accepted at the facility until the Waste Disposal Authority confirms, in writing that the site preparatory works have been carried out in accordance with the working plan.

Site Infrastructure

3. Perimeter fencing and gates shall be provided and maintained at all times in accordance with the working plan. the gates shall be securely locked at all times when the facility is unattended. Any damage to the gates and fencing which impairs their effectiveness will be repaired by the end of the working day and if this cannot be accomplished the licence holder shall provide security personnel to guard the facility until such repair is effected.

11. The yard area at the facility shall be surfaced and maintained in accordance with the working plan. Hard surfaces shall be steam cleaned as necessary or when requested by the Waste Disposal Authority.
12. Provision shall be made within the confines of the facility for the parking, loading and unloading of vehicles transporting wastes to and from the facility in accordance with the working plan.
13. Wheel cleaning equipment of the type specified in the working plan shall be provided at the location specified in the working plan. The equipment shall be used as detailed in the working plan.

Emergency Plan

14. An emergency plan shall be provided within in two months of the granting of this licence detailing the procedure to be adopted in the event of the release of any hazardous material, liquid or gas. The Health and Safety Executive, British Gas, the Local Environmental Health Department, National Rivers Authority, the emergency services and the Waste Disposal Authority shall be consulted when drawing up these procedures.
15. The emergency plan required by Condition 14 above shall be reviewed at six monthly intervals and it shall also be updated whenever necessary to take account of changes in personnel or other circumstances, the updated emergency plan shall be forwarded forthwith to the Waste Disposal Authority.
16. The compacter skip shall be set in a bunded area with suitable drainage connected to the foul sewer. The skip hopper shall be surrounded by a screen of a suitable height and thickness to prevent the scattering of dust and litter during the transfer operation.

SCHEDULE C - TYPES OF WASTE

Permitted Wastes

1. Only soil, subsoil, hardcore, general building waste and commercial waste only to be allowed on the site.

Excluded Wastes

2. No liquid waste is allowed on the site.
3. Notwithstanding the generality of the types of waste specified in this Schedule the following wastes shall be specifically excluded from delivery to the facility.
 - (a) Controlled waste being defined as 'Special Waste' in the Control of Pollution (Special Waste) Regulations 1980 and any subsequent amendments, except those listed in paragraph 1 above.
 - (b) Substances within the Control of Radioactive Substances Act 1960 and any subsequent amendments.
 - (c) Percussives and explosives and other substances with similar characteristics, excepting where such wastes are in such a form or state where the percussive or explosive properties are and will remain ineffective.
 - (d) Any waste containing substances listed in the Highly Flammable Liquids and Liquefied Petroleum Gases Regulations 1972.
 - (e) Any substance listed by the United Kingdom Government under the provisions of the European Community Directive on Pollution Caused by Certain Dangerous Substances listed in Annex 1A of the Final Declaration on the Third International Conference of the North Sea 1990.

SCHEDULE C - TYPES OF WASTE

Permitted Wastes

1. Only soil, subsoil, hardcore, general building waste and commercial waste only to be allowed on the site.

Excluded Wastes

2. No liquid waste is allowed on the site.
3. Notwithstanding the generality of the types of waste specified in this Schedule the following wastes shall be specifically excluded from delivery to the facility.
 - (a) Controlled waste being defined as 'Special Waste' in the Control of Pollution (Special Waste) Regulations 1980 and any subsequent amendments, except those listed in paragraph 1 above.
 - (b) Substances within the Control of Radioactive Substances Act 1960 and any subsequent amendments.
 - (c) Percussives and explosives and other substances with similar characteristics, excepting where such wastes are in such a form or state where the percussive or explosive properties are and will remain ineffective.
 - (d) Any waste containing substances listed in the Highly Flammable Liquids and Liquified Petroleum Gases Regulations 1972.
 - (e) Any substance listed by the United Kingdom Government under the provisions of the European Community Directive on Pollution Caused by Certain Dangerous Substances listed in Annex 1A of the Final Declaration on the Third International Conference of the North Sea 1990.

11. The yard area at the facility shall be surfaced and maintained in accordance with the working plan. Hard surfaces shall be steam cleaned as necessary or when requested by the Waste Disposal Authority.
12. Provision shall be made within the confines of the facility for the parking, loading and unloading of vehicles transporting wastes to and from the facility in accordance with the working plan.
13. Wheel cleaning equipment of the type specified in the working plan shall be provided at the location specified in the working plan. The equipment shall be used as detailed in the working plan.

Emergency Plan

14. An emergency plan shall be provided within in two months of the granting of this licence detailing the procedure to be adopted in the event of the release of any hazardous material, liquid or gas. The Health and Safety Executive, British Gas, the Local Environmental Health Department, National Rivers Authority, the emergency services and the Waste Disposal Authority shall be consulted when drawing up these procedures.
15. The emergency plan required by Condition 14 above shall be reviewed at six monthly intervals and it shall also be updated whenever necessary to take account of changes in personnel or other circumstances, the updated emergency plan shall be forwarded forthwith to the Waste Disposal Authority.
16. The compacter skip shall be set in a bunded area with suitable drainage connected to the foul sewer. The skip hopper shall be surrounded by a screen of a suitable height and thickness to prevent the scattering of dust and litter during the transfer operation.

SCHEDULE D - OPERATIONS

1. The licence holder shall operate the facility in accordance with the working plan as approved by the Waste Disposal Authority and contained in Schedule D of this licence.
2. Any proposed modifications to the approved working plan shall be submitted to the Waste Disposal Authority together with the proposed date of implementation of at least 4 weeks before the proposed date of such implementation.
3. The licence holder shall obtain written approval from the Waste Disposal Authority for any proposed modification to the actual conduct of the operations from the proposals approved in the working plan.
4. The types of wastes accepted at the facility shall consist only of those specified in SCHEDULE C of this licence, and which by previous sampling and analysis have been shown to conform with the requirements of SCHEDULE C of this licence. Any wastes not conforming to the requirements of SCHEDULE C shall be rejected as unsuitable for disposal at the facility.
5. Each container used for storage shall be of sound physical condition and marked with the waste type title as detailed in the working plan. Wastes shall be stored according to waste types in the segregated storage areas as detailed in the working plan.
6. The Waste Disposal Authority shall be notified immediately of any waste that has been rejected as unsuitable for disposal in accordance with Condition 4 above and SCHEDULE C of this licence. This notification shall include the nature and quantity of waste, the name and address of the producer of the waste, the registration number of the vehicle delivering the waste, the name and address of the vehicle's driver and operator, and the date and time of rejection of the waste.
7. The facility shall be manned and supervised during operating hours (see paragraph 6 above) in accordance with the working plan. Supervisors must be able to identify the types of waste permitted by this licence and those wastes specifically excluded.
8. Permitted wastes shall be delivered to and removed from the facility between the hours specified below. Except in cases of emergency, no delivery or removal of waste shall take place outside these hours without the prior approval

of the Waste Disposal Authority. All circumstances of emergency movement of such wastes shall be reported forthwith in writing to the Waste Disposal Authority.

Mondays	-	Fridays	From	08.00
			To	16.30

Saturdays	From 08.00
	To 13.00

Bank Holidays	From 08.00
	To 13.00

Not at all on sundays

9. A written record shall be kept of the characteristics and quantities of all wastes delivered to the facility, the name and address of the person delivering the waste, the registration number of the vehicle delivering the waste, the date and time of the delivery, and identification of the origin of the waste. This record shall be available to any representative of the Waste Disposal Authority for inspection at the facility at any reasonable time.

10. No waste material shall be burnt within the boundary of the facility. Any outbreak of fire shall be regarded as an emergency and immediate action shall be taken to extinguish it. Fire fighting equipment and emergency water supplies shall be provided, maintained and identified in accordance with the working plan. All outbreaks of fire shall be reported immediately to the County Fire Brigade and the Waste Disposal Authority.

11. In the event of an emergency, the appropriate procedures specified in the emergency plan required by paragraph 14 of SCHEDULE B shall be implemented. The Waste Disposal Authority shall be informed forthwith of any emergency. The circumstances of an emergency shall be confirmed to the Waste Disposal Authority in writing as soon as is practicable.

12. Measures, in accordance with the working plan, shall be taken to remove any mud, debris or any other material that is deposited on any roadway by vehicles using the facility. These measures shall include the sweeping of the site access road, hard surfaced areas and the public highway leading to the facility.

13. Measures in accordance with the working plan shall be taken to prevent damage to pipework, valves, pumps and storage tanks which may cause pollution of water, danger to public health or be seriously detrimental to the amenities of the locality.

of the Waste Disposal Authority. All circumstances of emergency movement of such wastes shall be reported forthwith in writing to the Waste Disposal Authority.

Mondays - Fridays	
From	08.00
To	16.30

Saturdays	From 08.00
	To 13.00

Bank Holidays	From 08.00
	To 13.00

Not at all on Sundays

9. A written record shall be kept of the characteristics and quantities of all wastes delivered to the facility, the name and address of the person delivering the waste, the registration number of the vehicle delivering the waste, the date and time of the delivery, and identification of the origin of the waste. This record shall be available to any representative of the Waste Disposal Authority for inspection at the facility at any reasonable time.

10. No waste material shall be burnt within the boundary of the facility. Any outbreak of fire shall be regarded as an emergency and immediate action shall be taken to extinguish it. Fire fighting equipment and emergency water supplies shall be provided, maintained and identified in accordance with the working plan. All outbreaks of fire shall be reported immediately to the County Fire Brigade and the Waste Disposal Authority.

11. In the event of an emergency, the appropriate procedures specified in the emergency plan required by paragraph 14 of SCHEDULE B shall be implemented. The Waste Disposal Authority shall be informed forthwith of any emergency. The circumstances of an emergency shall be confirmed to the Waste Disposal Authority in writing as soon as is practicable.

12. Measures, in accordance with the working plan, shall be taken to remove any mud, debris or any other material that is deposited on any roadway by vehicles using the facility. These measures shall include the sweeping of the site access road, hard surfaced areas and the public highway leading to the facility.

13. Measures in accordance with the working plan shall be taken to prevent damage to pipework, valves, pumps and storage tanks which may cause pollution of water, danger to public health or be seriously detrimental to the amenities of the locality.

SCHEDULE D - OPERATIONS

1. The licence holder shall operate the facility in accordance with the working plan as approved by the Waste Disposal Authority and contained in Schedule D of this licence.
2. Any proposed modifications to the approved working plan shall be submitted to the Waste Disposal Authority together with the proposed date of implementation of at least 4 weeks before the proposed date of such implementation.
3. The licence holder shall obtain written approval from the Waste Disposal Authority for any proposed modification to the actual conduct of the operations from the proposals approved in the working plan.
4. The types of wastes accepted at the facility shall consist only of those specified in SCHEDULE C of this licence, and which by previous sampling and analysis have been shown to conform with the requirements of SCHEDULE C of this licence. Any wastes not conforming to the requirements of SCHEDULE C shall be rejected as unsuitable for disposal at the facility.
5. Each container used for storage shall be of sound physical condition and marked with the waste type title as detailed in the working plan. Wastes shall be stored according to waste types in the segregated storage areas as detailed in the working plan.
6. The Waste Disposal Authority shall be notified immediately of any waste that has been rejected as unsuitable for disposal in accordance with Condition 4 above and SCHEDULE C of this licence. This notification shall include the nature and quantity of waste, the name and address of the producer of the waste, the registration number of the vehicle delivering the waste, the name and address of the vehicle's driver and operator, and the date and time of rejection of the waste.
7. The facility shall be manned and supervised during operating hours (see paragraph 6 above) in accordance with the working plan. Supervisors must be able to identify the types of waste permitted by this licence and those wastes specifically excluded.
8. Permitted wastes shall be delivered to and removed from the facility between the hours specified below. Except in cases of emergency, no delivery or removal of waste shall take place outside these hours without the prior approval

14. All vehicles carrying light wastes shall be adequately covered to prevent any loss of contents by wind or vehicle movements.
15. Any loose waste on or around the facility shall be collected on a daily basis and disposed of in accordance with the working plan.
16. Not less frequently than once a week or at a greater frequency as directed by the Waste Disposal Authority any loose waste which may be lying at the facility or its immediate environs shall be collected and disposed of in accordance with the working plan.
17. Any spillage shall be dealt with immediately to prevent water pollution. Quantities of sand/absorbent material shall be kept at the facility as detailed in the working plan and used on appropriate spillages.
18. Cleaning chemicals and reagents shall be stored and segregated according to compatibilities as detailed in the working plan.
19. Measures in accordance with the working plan shall be taken to deal effectively with any vermin and insects at the facility.
20. Measures, including proper maintenance and use, shall be undertaken to control the noise of machinery and vehicles operating at the facility which may be detrimental to the amenities of the locality.
21. Measures in accordance with the working plan shall be taken to effectively suppress dust and malodours which may be detrimental to the amenities of the locality.
22. Any cessation of operations for a period in excess of 12 weeks shall be notified to the Waste Disposal Authority. Not less than 14 days notice shall be given to the Waste Disposal Authority of the date on which operations are to recommence in the event of such a cessation.
23. A copy of any notice or instruction received in respect of the facility ~~from any authority, other than the Waste Disposal Authority, which in any way relates to the use of the facility, shall be given to the Waste Disposal Authority within 3 days of the receipt of such a notice or instruction.~~

24. The terms of this licence shall be made known to any person who is given responsibility for the management or control of the facility and be available at all times at the facility for the use of such persons.
25. All site operations shall be carried out in accordance with the licence holder's safety policy entitled 'Safe Working Practices' attached to the working plan in SCHEDULE E.
26. Notwithstanding the generality of the conditions in this Schedule, the activities to which this licence relates shall not be carried on so as to cause pollution to water or danger to public health or become seriously detrimental to the amenities of the locality affected by the activities.

DH/PC/ANN1003.

24. The terms of this licence shall be made known to any person who is given responsibility for the management or control of the facility and be available at all times at the facility for the use of such persons.
25. All site operations shall be carried out in accordance with the licence holder's safety policy entitled 'Safe Working Practices' attached to the working plan in SCHEDULE E.
26. Notwithstanding the generality of the conditions in this schedule, the activities to which this licence relates shall not be carried on so as to cause pollution to water or danger to public health or become seriously detrimental to the amenities of the locality affected by the activities.

DH/PC/ANN1003.

14. All vehicles carrying light wastes shall be adequately covered to prevent any loss of contents by wind or vehicle movements.
15. Any loose waste on or around the facility shall be collected on a daily basis and disposed of in accordance with the working plan.
16. Not less frequently than once a week or at a greater frequency as directed by the Waste Disposal Authority any loose waste which may be lying at the facility or its immediate environs shall be collected and disposed of in accordance with the working plan.
17. Any spillage shall be dealt with immediately to prevent water pollution. Quantities of sand/absorbent material shall be kept at the facility as detailed in the working plan and used on appropriate spillages.
18. Cleaning chemicals and reagents shall be stored and segregated according to compatibilities as detailed in the working plan.
19. Measures in accordance with the working plan shall be taken to deal effectively with any vermin and insects at the facility.
20. Measures, including proper maintenance and use, shall be undertaken to control the noise of machinery and vehicles operating at the facility which may be detrimental to the amenities of the locality.
21. Measures in accordance with the working plan shall be taken to effectively suppress dust and malodours which may be detrimental to the amenities of the locality.
22. Any cessation of operations for a period in excess of 12 weeks shall be notified to the Waste Disposal Authority. Not less than 14 days notice shall be given to the Waste Disposal Authority of the date on which operations are to recommence in the event of such a cessation.
23. A copy of any notice or instruction received in respect of the ~~facility from any authority, other than the~~ Waste Disposal Authority, which in any way relates to the use of the facility, shall be given to the Waste Disposal Authority within 3 days of the receipt of such a notice or instruction.

24. The terms of this licence shall be made known to any person who is given responsibility for the management or control of the facility and be available at all times at the facility for the use of such persons.
25. All site operations shall be carried out in accordance with the licence holder's safety policy entitled 'Safe Working Practices' attached to the working plan in SCHEDULE E.
26. Notwithstanding the generality of the conditions in this schedule, the activities to which this licence relates shall not be carried on so as to cause pollution to water or danger to public health or become seriously detrimental to the amenities of the locality affected by the activities.

DH/PC/ANN1003.

14. All vehicles carrying light wastes shall be adequately covered to prevent any loss of contents by wind or vehicle movements.
15. Any loose waste on or around the facility shall be collected on a daily basis and disposed of in accordance with the working plan.
16. Not less frequently than once a week or at a greater frequency as directed by the Waste Disposal Authority any loose waste which may be lying at the facility or its immediate environs shall be collected and disposed of in accordance with the working plan.
17. Any spillage shall be dealt with immediately to prevent water pollution. Quantities of sand/absorbent material shall be kept at the facility as detailed in the working plan and used on appropriate spillages.
18. Cleaning chemicals and reagents shall be stored and segregated according to compatibilities as detailed in the working plan.
19. Measures in accordance with the working plan shall be taken to deal effectively with any vermin and insects at the facility.
20. Measures, including proper maintenance and use, shall be undertaken to control the noise of machinery and vehicles operating at the facility which may be detrimental to the amenities of the locality.
21. Measures in accordance with the working plan shall be taken to effectively suppress dust and malodours which may be detrimental to the amenities of the locality.
22. Any cessation of operations for a period in excess of 12 weeks shall be notified to the Waste Disposal Authority. Not less than 14 days notice shall be given to the Waste Disposal Authority of the date on which operations are to recommence in the event of such a cessation.
23. A copy of any notice or instruction received in respect of the ~~facility from any authority, other than the~~ Waste Disposal Authority, which in any way relates to the use of the facility, shall be given to the Waste Disposal Authority within 3 days of the receipt of such a notice or instruction.