

DEPT. SC. PNL	R-waste
DATE SCANNED	22/9/04
NO. OF COPIES	41



ASiantaeth Yr
Amgylchedd Cymru
Environment
Agency Wales


ENVIRONMENTAL PROTECTION ACT 1990. WASTE MANAGEMENT LICENCE.

LICENCE REF No :- EAWML37267 FACILITY TYPE :- TRANSFER STATION

The Environment Agency, in pursuance of Part II of the Environmental Protection Act 1990, hereby grant a waste management licence authorising the keeping and treating of controlled waste on the land specified in schedule 1 to this licence to Entrec Ltd, Little Grifins Farm, Dudleston Heath, Ellesmere, Shropshire that company being in occupation of the said land, the said licence being subject to the conditions specified in schedule 2 to this licence.

SCHEDULE 1.- SPECIFIED LAND.

The licence relates to the land at Redwither Road, Wrexham Industrial Estate, Wrexham (hereinafter called "the site") shown edged red on Drawing Reference Number RWRD/04, dated 10th March 2003, and attached to this licence.

Signed 
Steve Parkinson
Team Leader Regulatory Support (Waste)

Name S.T. PARKINSON

Dated 10/09/04

FOR ENVIRONMENT AGENCY OFFICIAL USE ONLY.

YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL DETAILED AT THE END OF THIS
LICENCE.

Environment Agency Wales, Llwyn Brain, Ffordd Penlan, Parc Menai, Bangor, Gwynedd. LL57 4DE



SCHEDULE 2 - CONDITIONS RELATING TO LICENCE

Insert required conditions



ASIANTAETH YR
LIAWYCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

EXPLANATORY NOTES - including rights of appeal.

RIGHTS OF APPEAL

Section 43(1) of the Environmental Protection Act 1990 provides that:

Where, except in pursuance of a direction given by the Secretary of State, a licence is granted subject to conditions, the applicant may appeal from the decision to the Secretary of State.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from:-

The Planning Inspectorate
Room 4/19
Eagle Wing, Temple Quay House
2 The Square
Temple Quay
Bristol
BS1 6PN

Tel: 0117 372 8812
Fax: 0117 372 6093

For Wales, the address is:
The Planning Inspectorate
National Assembly for Wales
Environmental Protection Division
Crown Buildings
Cardiff
CF10 3NQ

Tel: 02920 823859
Fax: 02920 825150

This notice of appeal should be accompanied by the following information:

a statement of the grounds of appeal;

a copy of the licence;


a copy of any correspondence relevant to the appeal;

a copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development and

a statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency (at the address overleaf). You should appeal within 6 months of the date that this notice takes effect but the Secretary of State may allow notice of appeal to be given after the expiry of this time period.





CONTINENTAL
CAN

REDWATER INN

CANTONER
READY

CLARK &
CO

HARVEY

Ystad Ddiwydianno
Wrecsam
Curexham
Industrial Estat

Scale
1:4,000



**ENVIRONMENT
AGENCY**

**Schedule 2 Conditions relating to this
Licence**

EA WML/37267

1	General considerations	1
2	Site engineering for pollution prevention and control.....	9
3	Site infrastructure	11
4	Site operations	15
5	Amenity management and reporting.....	23
6	Site records	25
7	Interpretation.....	27
8	Appendices to conditions.....	30

1 General considerations

1.1 **Specified waste management operations**

- 1.1.1 No waste management operations shall be authorised by this licence unless:
- a** specified in and undertaken in accordance with the limitations in the following table; or
 - b** otherwise required by the conditions of this licence as being an integral part of those operations;

SCHEDULE 2 – Licence Conditions

Table 1.1 Specified waste management operations

Specified Operation	Permitted Waste Types (and European Waste Catalogue number) which may be subject to the Specified Operation	Limits on Specified Operations
STORAGE R13: Storage of wastes pending any of the operations numbered R1 to R12 (excluding temporary storage, pending collection, on the site where it is produced). D15: Storage of wastes pending any of the operations numbered D1 to D14 (excluding temporary storage, pending collection, on the site where it is produced)	(i) 16 01 04 End of life vehicles **	Maximum storage capacity of 100 vehicles stored on an Impermeable Pavement with a sealed drainage system.
	(ii) 16 01 06 End of life vehicles (containing neither liquids nor other hazardous components)	Maximum storage capacity 1000 vehicles
	(iii) Residual wastes produced as a result of depollution or further treatment	- Maximum storage capacity 50 tonnes, not exceeding 10 tonnes of hazardous waste. - Maximum storage time of 1 year prior to disposal or 3 years prior to recovery The overall maximum storage capacity shall not exceed 1000 vehicles and 50 tonnes of residual waste, not exceeding 10 tonnes of hazardous waste removed from depolluted vehicles
	(iv) 16 01 03 End of life tyres	Maximum storage capacity of 20,000 whole tyres Tyres only permitted if stored in accordance with drawing number RWRD02/a, and condition 4.4 of this licence.
	(v) All other wastes as detailed in Appendix B of this licence.	- Maximum storage capacity as detailed in the working plan and agreed with the Environment Agency. - Wastes shall be stored in skips, containers or bays and on an Impermeable Pavement with a sealed drainage system provided in accordance with condition 2.1 Only permitted if the working plan is amended in accordance with condition 1.12.

SCHEDULE 2 – Licence Conditions

Table 1.1 Specified waste management operations		
Specified Operation	Permitted Waste Types (and European Waste Catalogue number) which may be subject to the Specified Operation	Limits on Specified Operations
TREATMENT R3: Recycling / reclamation of metals and metal compounds. R4: Recycling / reclamation of other inorganic materials	(i) 16 01 04 End of life vehicles **	100 vehicles per week
	(ii) 16 01 06 End of life vehicles containing neither liquids nor other hazardous components)	100 vehicles per week The overall annual throughput of the site shall not exceed 5,200 vehicles.
	(iii) 16 01 03 End of life tyres	The overall annual throughput of the site shall not exceed 20,000 tonnes.
	(iv) Ferrous and non-ferrous metal and cable	Treatment on areas of hardstanding or impermeable pavement provided in accordance with condition 2.1 and consisting only of physical sorting or separation of waste into different components
	(v) All other wastes detailed in Appendix B.	Treatment consisting solely of physical sorting and separation into various components. Only permitted if the working plan is amended in accordance with condition 1.12.

Waste Management Operations

- 1.1.2 Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

1.2 Permitted wastes

Permitted categories and types of wastes

- 1.2.1 No wastes other than those, which are categorised in Appendix B of this licence shall be accepted at the site.

Permitted quantities of wastes

- 1.2.2 The total quantity of waste accepted at the site per year shall not exceed 49,999 tonnes.

Exclusion of wastes with other specified characteristics

- 1.2.3 Notwithstanding the specification of permitted waste types under conditions 1.2.1 and 1.2.2 above, wastes shall not be accepted at the site which have any of the following characteristics:

Table 1.2 Excluded wastes of specified form and type	
Waste Characteristic	Type
H1	Explosive
H2	Oxidising
H7	Carcinogenic
H9	Infectious
H10	Tetragenic
H11	Mutagenic
H12	Substances or preparations which release toxic or very toxic gases in contact with water, air or an acid.
H13	Substances and preparations capable by any means, after disposal, of yielding another substance, e.g. a leachate, which possess any of the characteristics listed above.
H14	Ecotoxic

1.3 **Technical Requirements for the Treatment and Storage of waste motor vehicles**

- 1.3.1 The storage (including temporary storage) and treatment of waste motor vehicles shall only be carried out at the site if it meets the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.
- 1.3.2 Storage and treatment operations of waste motor vehicles shall meet the requirements of Schedule 5 of the ELV Regulations. Infrastructure and equipment provided to meet these obligations shall be maintained in working order and shall be used to give effect to their purpose.
- 1.3.3 The removal of coolants from air-conditioning units shall be in accordance with the "Guidance on the Recovery and Disposal of Controlled Substances Contained in Refrigerators and Freezers" published by the Environment Agency.

1.4 **Hours of operation**

- 1.4.1 The following specified waste management operations authorised by this licence shall only be carried out within the times specified in Table 1.4 below

SCHEDULE 2 – Licence Conditions

Table 1.3. Permitted operating hours

Specified waste management operations	Permitted hours
All waste management operations	Monday – Friday 07.00 – 19.00 Saturday 07.00 – 12.00 Sunday & Bank Holidays – Not permitted

1.5 **Staffing and understanding of requirements of licence conditions**

Minimum staffing and supervision

- 1.5.1 Whenever the site is open to receive or dispatch wastes, or is carrying out any of the specified waste management operations, it shall be supervised by at least one member of staff who is suitably trained and fully conversant with the requirements of the licence regarding:

- a** waste acceptance and control procedures;
- b** operational controls;
- c** maintenance;
- d** record-keeping;
- e** emergency action plans;
- f** notifications to the Agency.

Availability of licence

- 1.5.2 A copy of this licence shall be kept available on site for reference when required by all site staff carrying out work under the requirements of the licence.

Understanding of licence

- 1.5.3 All site staff shall be, or shall work under the direct supervision of a member of staff who is, fully conversant with those aspects of the licence conditions which are relevant to their specific duties.

Attendance of Technically Competent Persons

- 1.5.4 Attendance of the technically competent person(s) at the site shall be recorded in the site diary on arrival and departure.

1.6 **Changes in technically competent persons**

- 1.6.1 Any changes in the technically competent management of the site and the name of any incoming person [together with evidence that such person has the required technical competence] shall be submitted to the Agency in writing within 5 working days of the change in management. Technically competent management and technical competence shall be as defined under section 74 of the Environmental Protection Act 1990 and Regulations 4 and 5 of the 1994 Regulations.

1.7 Relevant convictions

Notification of relevant convictions

- 1.7.1 In the event of the Licence Holder and/or any relevant person being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days following sentencing, whether or not the conviction or sentence is subsequently appealed. Such details shall include, in respect of each relevant person (as defined in section 74(7) of the Environmental Protection Act 1990 or any subsequent amendments to that section), the nature of the offence, the place and date of conviction, and any fine or other penalty imposed.

Notifications of appeals against convictions

- 1.7.2 In the event that the Licence Holder and/or any relevant person lodges an appeal against any such conviction or sentence, the Licence Holder shall notify the Agency of this within 14 days of the lodging. The Licence Holder shall notify the Agency of the results of that appeal, within 14 days of the appeal being decided.

1.8 Notification of change of operator's or holder's details

a where the Licence Holder is a registered company:

- i** any change in the Licence Holder's trading name, registered name or registered office address;
- ii** any steps taken with a view to the Licence Holder going into administration, entering into a company voluntary arrangement or being wound up;
- iii** the operator at the time of issue of the licence and of any change in the operator or in the operator's trading name, address, registered name or registered office address (if different from the Licence Holder).

1.9 Notification of preparatory works

- 1.9.1 No preparatory works shall be undertaken until at least 7 days prior notice in writing has been given to the Agency of the intention to do so. The notification shall include details of what work is being done and when.

1.10 Notification of commencement, cessation and recommencement of waste storage operations

Specified waste management operations

- 1.10.1 No specified waste management operation shall be carried out until at least 7 days prior notice in writing has been given to the Agency of the intention to commence carrying out the specified waste management operation.

SCHEDULE 2 – Licence Conditions

Cessation and recommencement of specified waste management operations

- 1.10.2 In the event that the site ceases receiving wastes for longer than 21 days then within 7 days following the elapse of that time, the Licence Holder shall inform the Agency in writing of the date of cessation and of the planned date of recommencement. In the event that it is intended that the site shall recommence receiving wastes sooner than the notified date then the Licence Holder shall give the Agency not less than 7 days prior notice in writing.

1.11 **Notifications and submissions to Agency**

- 1.11.1 Except where otherwise specified, all notifications and submissions to the Agency under the requirements of these licence conditions:
- a** shall be made in writing to the address specified by the Agency in writing at the time of issue of this licence, or as subsequently specified by written notification to the Licence Holder;
 - b** shall quote the licence reference number and the name of the Licence Holder.

1.12 **Amendments to working plan and supporting information**

Amendments to working plan requiring prior consent from the Agency

- 1.12.1 The Licence Holder shall give the Agency prior notice in writing of any proposed change to those sections of the working plan which are specified in Table 1.12 below, and to any appendices, drawings and figures which are referenced in those sections.

Table 1.12 Sections of working plan requiring prior consent for amendments

Number and Heading of Working Plan Sections and Appendices	Sections, Appendices and Subsections requiring Prior Consent for Amendments
Working plan for ELV Dismantling Unit	All subsections under 2.0, 3.0, 4.0, 5.0, 6.0.
Working plan for Tyre Shredding Plant	All subsections under 2.0, 3.0, 4.0, 5.0, 6.0.

- 1.12.2 The notice shall be accompanied by a copy of the proposed changes, and by a written assessment of the effect that implementing the proposed change to the working plan would have on the risk posed by the site to human health and the environment.
- 1.12.3 The Licence Holder shall provide up to 6 additional copies of the proposed change and supporting risk assessment to the Agency, when required by the Agency in writing.

SCHEDULE 2 – Licence Conditions

- 1.12.4 The proposed change to the working plan shall not be implemented unless the Agency has given its written consent to it. Following consent, the Licence Holder shall give the Agency prior written notification of the implementation date of the change, and from that date the changed section shall be deemed to be incorporated in the working plan in replacement of the previous version of that section.

Amendments to the working plan requiring prior notification to the Agency

- 1.12.5 Except where it is specified under condition [1.12.1] above that the amendment of specified sections of the working plan requires the prior consent of the Agency, the Licence Holder shall give the Agency not less than 7 days prior written notice of any change to the working plan and to any appendices, drawings and figures which are referenced from those sections.
- 1.12.6 The notice shall be accompanied by a copy of the specified changes.
- 1.12.7 The Licence Holder shall provide up to 6 additional copies of the proposed change to the Agency, when required by the Agency in writing.
- 1.12.8 Such changes to the working plan shall be deemed to be incorporated in the working plan and implemented on the date specified to the Agency in the amendment notification.

2 Site engineering for pollution prevention and control

2.1 Engineering site containment and drainage systems

Provision and maintenance of site containment and drainage systems

- 2.1.1 No waste shall be deposited, stored, treated or otherwise handled in any area of the site until the engineered site containment and drainage system for that area has been constructed and completed in accordance with this condition and condition 2.1.2.
- 2.1.2 The engineered site containment and drainage systems shall be designed, constructed, inspected, maintained and meet the standards specified in Table 2.1 below.

Table 2.1 Site containment and drainage standards

Type of Site Surface and Drainage	Minimum Specified Standards of Design, Construction and Maintenance
a) Hardstanding	Areas of hardstanding shall be constructed of granular material (e.g. crushed stone, aggregate, road planings or other similar material) and maintained such that the working surface: i) shall remain even ii) shall not be subject to settlement or differential settlement iii) shall not be subject to rutting by vehicles even when wet iv) shall have sufficient durability to allow cleaning for example by scraping v) shall remain free of standing water.
b) Impermeable pavement, bunding and sills	Areas of impermeable pavement, bunding and sills shall be constructed and maintained so as to prevent fluids running off the pavement and the transmission of fluids through the pavement or joints. Where there is a risk of chemical corrosion, areas of impermeable pavement, kerbs, bunds and sills shall be provided with suitable resistance to minimise such corrosion.

SCHEDULE 2 – Licence Conditions

c) Sealed drainage systems	Drainage to areas of impermeable pavement shall be provided by a sealed drainage system, that is comprised of a drainage system with impermeable components which does not leak and which will ensure that:- • no liquid will run off the pavement other than via the system; and • except where they may be lawfully discharged, all liquids entering the system are collected in a sealed sump. i) Sealed sumps shall be inspected no less frequently than daily and after rain, emptied when the collected liquids reach 80% of the capacity of the sump as measured using a dipstick or equivalent gauge, and constructed and maintained so as to collect and contain all liquids which run off the pavement; ii) Inspections and emptying of sealed sumps shall be recorded in the site diary. iii) Uncontaminated drainage from clean yard areas shall be kept separate and discharged to either surface water or sewer or watercourse or soakaway.
d) Covered buildings or roofed areas	Where wastes are stored in a building: i) the building shall be designed, constructed and maintained to prevent ingress of rain and surface water. ii) roof water shall be kept separate from contaminated water and other liquids and shall be discharged to either surface water or a sewer or a water course or a soakaway. the building shall be designed, constructed and maintained to prevent the escape of dusts and air borne particulates as detailed in section 1.0 of the working plan.
e) Fixed bays and other fixed containers	All fixed bays and other fixed containers used for the storage and treatment of wastes must be constructed and maintained to a standard that is fit for purpose.
f) Storage areas for skips, drums and other mobile tanks and containers	All skips, drums and other mobile tanks and containers which are used for the storage of wastes shall be constructed and maintained so that they do not leak any liquids contained in them. All tanks (and their associated inlet and outlet pipes and valves) which are used for the storage or treatment of wastes shall be stored within a bunded or silled area with impermeable pavement, which shall be isolated from the drainage system and shall meet the following specifications: • The bunded or silled area shall be designed and constructed to contain 110% of the volume of the largest container or tank. • The bunded or silled area shall be inspected no less frequently than weekly and after rain and shall be emptied so as to maintain a capacity of 110% of the volume of the largest container or tank. • Rainwater shall be removed by bailing or pumping and shall be treated as contaminated water and disposed of to either an approved discharge or a suitably licensed or permitted facility.

SCHEDULE 2 – Licence Conditions

-
- | | |
|---|---|
| g) Inspection and maintenance of engineered containment | All areas of hardstanding, impermeable pavement, sealed drainage systems, covered buildings, roofed areas, fixed bays and other containers, and storage areas for skips, drums and other mobile tanks and containers: <ul style="list-style-type: none">i) shall be inspected no less frequently than monthly, to ensure the continuing integrity and fitness for purpose of their construction, and the inspection and any necessary maintenance shall be recorded in the site diary; andii) in the event of any damage occurring which breaches the integrity of the engineered containment so that it no longer meets the specified standards, the Licence Holder shall cease importing waste into or treating waste in the affected area, shall notify the Agency immediately, and shall not recommence importing waste into or treating waste in the affected area until it has been repaired to a standard at least as good as the original specification. |
|---|---|
-

Construction quality assurance of new site containment & drainage systems

- 2.1.3 No wastes shall be deposited, stored, treated or otherwise handled in any area or any fixed tank for which an engineered site containment and drainage system is to be newly constructed to meet the requirements of this condition until:
- a** details of the identities, relevant experience and relevant qualifications of the personnel who will be providing Quality Assurance of the engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
 - b** the engineered site containment and drainage system has been constructed in accordance with the other requirements of condition 3.1;
 - c** the Validation Report on the construction of the engineered site containment and drainage system has been submitted in writing to the Agency, and the Agency has confirmed in writing that it has no objection to the placement of wastes on that containment area.

Construction quality assurance of existing site containment & drainage systems

- 2.1.4 No wastes shall be deposited, stored, treated or otherwise handled in any area or any fixed tank for which a previously constructed and existing engineered site containment and drainage system is being used to meet the requirements of this condition unless:
- a** details of the identities, relevant experience and relevant qualifications of the suitably qualified Engineer who will be providing inspection and validation of the existing engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
 - b** the engineered site containment and drainage system for that area has been inspected by the designated Engineer and has been maintained or improved, in accordance with their recorded advice, to be fit for purpose in that:
 - i** areas of impermeable pavement are laid to take weight of relevant vehicles, plant and equipment without cracking or breaking; and
 - ii** areas of impermeable pavement are free from cracks which could increase permeability; and

SCHEDULE 2 – Licence Conditions

- iii** areas of impermeable pavement are resistant to mechanical, physical and chemical stresses to which they may be subjected; and
- iv** areas of impermeable pavement fall towards the drainage system to prevent ponding; and
- v** no liquid will run off areas of impermeable pavement other than via the drainage system; and
- vi** the drainage system is sealed so that it does not leak and is capable of collecting and containing liquids draining from the impermeable pavement ; and
- vii** liquid from the drainage system is disposed of to an approved discharge.

2.1.5 The existing engineered site containment and drainage system shall be maintained in accordance with the recommendations of the designated engineer and the requirements of Table 2.1.

3 Site infrastructure

3.1 **Provision of site identification board**

- 3.1.1 No wastes shall be received at the site until an identification board has been provided at or near the site entrance.
- 3.1.2 The identification board shall be inspected at least once per week. In the event of damage or defect, the board shall be repaired or replaced within 3 working days.
- 3.1.3 The board shall be easily readable from outside the site entrance in daylight hours, and shall display the following information:
- a** Site name and address;
 - b** Licence Holder name (company name, not individual name unless justified as necessary);
 - c** Operator name (company name, not individual name unless justified as necessary);
 - d** Licence number;
 - e** Emergency contact name and telephone number (for security reasons, personal names and home phone numbers should not be used except where no alternative is practicable);
 - f** Statement that the site is licensed by the Environment Agency;
 - g** Agency national numbers: 08708 506 506 and 0800 80 70 60 (or any other number subsequently notified in writing by the Agency);
 - h** Days and hours site is open to receive waste.
 - i** "No tipping"

3.2 **Site security**

- 3.2.1 Site security systems shall be provided at all times during the subsistence of this licence, the objective of which shall be to prevent access by humans, and livestock, which is not authorised either by the Licence Holder or under legal powers of entry. These shall be installed, operated and maintained, and shall be fully documented and recorded, in accordance with the requirements specified in Table 3.2:

Table 3.2 Site security system standards

Site security system	Specified standards
Timetable of provision	Site security shall be provided prior to commencement of the specified operations.
Design standards	Unless otherwise agreed in writing by the Agency, this shall consist of a chainlink security fence at least 1.8 metres high around the perimeter of the site, which shall meet the standards specified in British Standard BS1722 or an agreed alternative, and shall have a lockable gate to at least the same height and standard at the site access.
Operational standards	The site shall be kept closed and secure at all times when unattended.
Maintenance standards	The site security shall be fully inspected at the commencement of each working day. Any defects or damage shall be made secure by temporary repair by the end of the working day, and shall be repaired within 7 working days of the damage being detected. All inspections, defects, damage and repairs shall be recorded in the site diary.

4 Site operations

4.1 Control of mud and debris and loose waste

Prevention of mud and debris on road

4.1.1 Whenever the site is receiving or despatching wastes, measures shall be provided, operated and maintained with the objective of preventing the deposit or tracking of mud or debris arising from the site onto public areas outside the site, which shall include public highways and areas of public access.

4.1.2 All vehicles leaving areas of the site which are operational or upon which engineering works are being carried out shall, before leaving the site, be cleaned as necessary and shall be checked to ensure that they are clear of loose waste and that any waste is secure.

Remediation of mud and debris on road

4.1.3 In the event that mud, debris or waste arising from the site is deposited onto public areas outside the site, the following remedial measures shall be implemented immediately:

- a) the affected public areas outside the site shall be cleaned
- b) traffic shall be isolated from sources of mud and debris within the site to prevent further tracking of mud and debris, and measures shall be taken to clear any such sources as soon as practicable.

4.2 Leaks and spillages

Potentially polluting leaks and spillages from vehicles, plant and equipment

4.2.1 All vehicles used on the site by the operator, and all plant and all equipment used on the site in connection with specified waste management operations, shall be operated and maintained with the objective of preventing potentially polluting leaks and spillages of wastes [or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations].

Potentially polluting leaks & spillages from tanks, skips, drums & other containers

4.2.2 Each tank, skip, drum or other container used to hold wastes which consist of or contain end of life vehicle fluids or hazardous residual wastes, or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations shall be:

- a** loaded and unloaded in accordance with the handling procedures specified in Table 4.2;
- b** filled and emptied in accordance with the filling and emptying procedures specified in Table 4.1;

SCHEDULE 2 – Licence Conditions

- c** clearly and unambiguously labelled regarding its contents, unless the contents are clearly identifiable by visual inspection;
- d** inspected and maintained according to the maintenance schedules and procedures specified in Table 4.1, which shall be fully documented and recorded;
- e** in the event of damage or deterioration to a container that is, or is likely to cause, a leak, that container shall be repaired or replaced immediately.

Control and remediation of leaks and spillages

- 4.2.3 In the event of any potentially polluting leak or spillage occurring on site, documented control and remediation procedures shall be implemented immediately and recorded, and shall meet the standards specified in Table 4.2 below.

SCHEDULE 2 – Licence Conditions

Table 4.2 Standards for prevention and control of leaks and spillages

Action	Specified standards
a) Loading and unloading of wastes, skips, drums and other containers	i) Loading and unloading of skips, drums and other containers shall be supervised at all times by a member of staff. ii) Lids/ caps/ bungs or other closures shall be in place during loading/ unloading. iii) Loading/ unloading shall be carried out in an area provided with engineered containment of the type required for that waste and of the standard of containment specified under condition 2.1 iv) Loading and unloading of waste electrical and electronic equipment shall be undertaken in a manner to prevent damage.
b) Filling and emptying, tanks, drums and other containers	i) Filling and emptying of tanks, drums and other containers shall be supervised at all times by a member of staff. ii) Lids/ caps/ bungs or other closures shall be in place at the end of filling iii) Containers, tanks and drums shall not be filled beyond their operational capacity. iv) Filling and emptying shall be carried out in a bunded area maintained in accordance with condition 2.1 v) Measurement of level/ void space shall be by physical dipping prior to loading.
c) Inspection, maintenance and repair of skips, tanks, drums and other containers	i) Skips, tanks, drums and other containers shall be inspected daily for leaks. ii) Any fixed tanks found to be leaking shall have their contents immediately transferred to an alternative appropriate tank or container. iii) Any skips, drums and/or other containers found to be leaking either shall be immediately transferred to a larger appropriate over-container or shall have their contents immediately transferred to an alternative appropriate tank or container.
d) Control and remediation of leaks and spillages	v) Minor spillages shall be cleaned up immediately, using sand or proprietary absorbent to clean up liquids and placed in alternative containers. vi) Major spillages, which are causing or are likely to cause polluting emissions to the environment: • immediate action shall taken to contain the spillage and prevent liquid from entering surface water drains, water courses and unsurfaced ground; • the spillage shall be cleared immediately and placed in alternative containers; • the Agency shall be informed immediately.

4.3 Fires on the site

Prohibition of fires on site

4.3.1 There shall be no fires on site.

Actions to be taken in the event of a fire

4.3.2 In the event of a fire on the site, a fire action plan shall be implemented immediately and recorded, in accordance with section 6.0 of the working plan.

SCHEDULE 2 – Licence Conditions

- 4.3.3 In the event of a fire on the site, notwithstanding the implementation of actions to suppress and extinguish the fire, the following actions shall be implemented immediately and recorded in the site diary:
- a** the Agency shall be informed immediately of the fire; and
 - b** so far as practicable, contaminated site drainage shall be prevented from entering any surface water drain or water course or unsurfaced ground.

4.4 **Waste acceptance and control procedures**

Waste acceptance procedures

- 4.4.1 All wastes shall be received, inspected, accepted or rejected, and recorded in accordance with the standards specified in Table 4.4 below.

Waste control procedures

- 4.4.2 All wastes accepted at the site shall be handled, kept and recorded in accordance with the standards specified in Table 4.4 below.

Waste despatch procedures

- 4.4.3 All outgoing wastes shall be inspected, despatched and recorded in accordance with the standards specified in Table 4.4 below.

SCHEDULE 2 – Licence Conditions

Table 4.4 Standards for waste acceptance and control procedures

Stage of Waste Handling	Specified standards
a) Waste inspection	All wastes received at the site: i) shall be inspected on receipt to confirm their description, composition or depollution status against the relevant waste transfer note and other accompanying documentation. ii) shall be kept separate from and shall not be mixed with other wastes until they have been confirmed and recorded for acceptance at the site. Incoming vehicles shall be kept segregated from depolluted vehicles until they either been confirmed and recorded as previously having been depolluted or alternatively have been depolluted on site in accordance with the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.
b) Identification of wastes	Storage areas, tanks and other containers shall be clearly defined and labelled to identify the wastes stored within them
c) Waste control procedures: quarantine storage and rejection of wastes	i) Any items of non-permitted waste which are detected after acceptance at the site, shall be placed immediately in a designated quarantine container, and, where these are or appear to be special wastes, the Agency shall be informed immediately; ii) In the quarantine area, wastes shall be kept segregated from other wastes which are or are likely to be incompatible; iii) Quarantined wastes shall be removed from site within 7 days; iv) The maximum quantity of wastes kept in the quarantine storage area shall be 4.6m³ at any one time. v) A record shall be kept in the site diary of all rejected wastes and all wastes kept in quarantine storage.
d) Waste control procedures: storage of whole tyres	Whole tyres shall be stored in: i) areas provided with impermeable pavement and sealed drainage and with access to fire fighting equipment; ii) stable stacks of no more than 50m³, and to a height not greater than 2.5m, and with a minimum distance of 1.5m between individual stacks; iii) not within 3m of the licensed site boundary;
e) Waste control procedures: shredding of whole tyres	Tyre shredding is only permitted if carried out in: i) areas provided with impermeable pavement and sealed drainage and with access to fire fighting equipment; ii) buildings providing containment of aerial emissions of dusts and particulates; and the water spraying or misting equipment is used at all times when significant quantities of dusts, fibres or particulates are likely to be, or are being generated.
f) Waste control procedures: storage of shredded tyres	Shredded tyres shall be stored in: i) areas provided with impermeable pavement and sealed drainage and with access to fire fighting equipment; ii) either in bays in covered buildings providing containment of aerial emissions.

SCHEDULE 2 – Licence Conditions

g) Waste control procedures: storage of electrical and electronic equipment	i)	Storage prior to pre-treatment of electronic and electrical equipment shall be undertaken on impermeable pavement provided in accordance with condition 2.1
	ii)	Free storage shall not exceed a maximum storage height of 3.5 metres
	i)	All treatment and pre-treatment of electronic and electrical equipment shall be undertaken on impermeable pavement provided in accordance with condition 2.1
h) Incompatible wastes		Incompatible wastes that are likely, in combination with each other or with other material at the facility, to give rise to pollution of the environment or harm to human health outside the site, shall be clearly identified and kept physically separate in designated areas.
i) Waste despatch procedures	i)	All wastes despatched from the site shall be inspected prior to despatch to confirm their description and composition.

4.5 Handling and storage of residual wastes

- 4.5.1 Residual wastes shall only be handled and stored on the site in accordance with the standards specified in Table 4.5 below.

Table 4.5 Standards for handling and/or storage of residual wastes

Storage requirement	Specified standards
a) End of life vehicle fluids	ii) Unless otherwise agreed in writing with the Environment Agency, all fluids drained from vehicles shall be segregated by type and stored in separate, appropriate tanks which are fit for purpose. The tanks shall be clearly and unambiguously labelled regarding their contents. iii) Fluids shall only be stored in areas provided with an impermeable pavement and a sealed drainage system provided in accordance with condition 2.1
b) Batteries, oil filters, oil contaminated parts, PCB/PCT containing condensers, components identified as containing mercury and brake pads containing asbestos.	i) Once removed from vehicles, these components shall be segregated by type and stored within dedicated appropriate containers which are fit for purpose. The containers shall be clearly and unambiguously labelled regarding their contents. ii) These components shall only be stored in areas provided with an impermeable pavement and a sealed drainage system. iii) Lead acid batteries shall be stored in containers with an impermeable, acid resistant base and a lid to prevent ingress of surface water.
c) Air bags and liquefied gas tanks.	i) Once removed from vehicles, these waste types shall be stored in separately designated areas provided with an impermeable pavement and sealed drainage in accordance with condition 2.1
d) Uncontaminated plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of wastes accepted at the site.	i) These materials shall be stored in areas with hardstanding or impermeable pavement.

4.6 Waste quantity measurement systems

Means of measurement

4.6.1 All waste accepted at and despatched from the site shall be measured in accordance with either of the following requirements:

a The weight of all wastes accepted at and despatched from the site shall be determined by means of a public weighbridge, or a weighbridge or scales located within the site. The weighbridge or scales used shall record quantities of wastes in tonnes to an accuracy of 0.01 tonnes; or

b The following conversion factor shall be used:

Tyres (whole) car	6.5kg per tyre
Tyres (whole) truck	52.5kg per tyre
Shredded tyres	0.2 tonnes per cubic metre
Ferrous Metals	1.5 tonnes per cubic metre
Non-Ferrous Metals	1.5 tonnes per cubic metre
Inert waste	1.2 tonnes per cubic metre

4.7 Removal of residual wastes from site

- 4.7.1 In the event that no wastes are received on the site for 6 months and the Agency has reasonable grounds to believe that the importation of wastes will not be resumed, then, notwithstanding any operational limits on storage times of wastes specified in the other conditions of this licence, the licence holder shall ensure that all wastes remaining on the site shall be removed by the date specified by the Agency in writing. This shall include, where required by the Agency, cleaning of plant, equipment and engineered containment used in the specified waste management operations, and emptying of any sealed sumps or interceptors.

5 Amenity management and reporting

5.1 **Control, monitoring and reporting of dusts, fibres and particulates**

5.1.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of dusts, fibres and particulates from the site in accordance with the standards specified in Table 5.1 below

Table 5.1 Standards for monitoring and control of aerial emissions of dusts, fibres and particulates

a)	Monitoring of aerial emissions	Site staff supervising individual waste handling operations shall, during the carrying out of those operations, undertake visual monitoring of aerial emissions.
b)	Remedial action	i) On detection or notification of visible aerial emissions that are likely to be transported beyond the site boundary, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste. ii) The incident and the remedial action shall be recorded in the site diary.

5.1.2 All emissions to air from the specified waste management operations on the site shall be free from visible concentrations of dusts, fibres or particulates as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

5.1.3 In the event that any dusts, fibres or particulates arising from the site are released or are likely to be released [onto public areas] outside the site boundary in such quantities or concentrations that they are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality, all waste treatment operations (tyre shredding) shall cease immediately.

5.2 **Monitoring and control of pest infestations**

5.2.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the presence of pests on the site, in accordance with the standards specified in Table 5.2. The objective of these measures shall be to prevent pest infestations that are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality.

Table 5.2 Standards for monitoring and control of pest infestations

Specified standards	
a) Monitoring of pest infestations	An inspection of stored wastes for pest infestations shall be carried out at least at monthly intervals by the site supervisor, and shall be recorded in the site diary.
b) Pest infestations action plan	i) On detection or notification of pest infestations, immediate action shall be taken to secure the attendance of a professional pest control contractor, to eliminate the pest infestation. ii) The incident and the remedial action shall be recorded in the site diary.

5.3 **Control of litter**

- 5.3.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the escape of waste (litter) from the site in accordance with the standards specified in Table 5.3 below

Table 5.3 Standards for monitoring and control of litter

c) Monitoring of litter control	Site staff supervising individual waste handling operations shall, during the carrying out of those operations, undertake visual monitoring for the escape of litter.
d) Remedial action	iii) On detection or notification of litter escape beyond the site boundary, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste. iv) The incident and the remedial action shall be recorded in the site diary.

- 5.3.2 In the event that waste (litter) does escape from the site, it shall be retrieved as soon as practicable and no later than 1 hour after the end of the working day.
- 5.3.3 In the event that any waste arising from the site is released or is likely to be released onto public areas outside the site boundary in such quantities or concentrations that they are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality, all waste treatment operations (tyre shredding) shall cease immediately.

6 Site records

6.1 Security and availability of records

Security of records

- 6.1.1 All records which are required to be made under the conditions of this licence shall be maintained and kept secure from loss, damage or deterioration, and shall be kept in accordance with the requirements specified in Table 6.1 below.

Availability of records

- 6.1.2 All records which are required to be made under the other conditions of this licence shall be made available for inspection at the place where they are kept immediately when required by an authorised officer of the Agency.

Table 6.1 Standards for keeping of site records

Site records	Specified standards
Wastes accepted at the site; Wastes rejected. Wastes despatched from the site; Site diaries.	1. All records shall be stored either: a) on paper in a secure cabinet or cupboard; or b) on computer disc with a back up copy. 2. Records shall be kept for a minimum of two years.

6.2 Records of waste movements

Recording of wastes accepted and removed

- 6.2.1 A record shall be kept of each load of waste accepted and each load of waste removed from the site. This record shall include the following details:
- a** Loads in:- Nature (solid), waste type as specified under condition 1.2, quantity (tonnes), date received, date accepted.
 - b** Loads out:- Nature (solid), waste type as specified under condition 1.2, quantity of waste removed(tonnes), date removed.

Summary records of wastes accepted and removed

- 6.2.2 A summary record of the waste types and quantities accepted and removed from the site shall be made for each quarter of the financial year and shall be submitted to the Agency within 1 month following the end of that quarter. The summary record shall be in the format detailed in Appendix A or otherwise subsequently agreed with the Agency in writing.

6.3 Site diary

6.3.1 A site diary shall be kept secure and shall be available for inspection at the site when required by an authorised officer of the Agency. This shall include a record of the following events, in accordance with the other conditions of this licence:

- a** construction work
- b** start and finish of daily waste management activities on site
- c** maintenance
- d** breakdowns
- e** emergencies
- f** problems with waste received and action taken
- g** site inspections and consequent actions carried out by the operator
- h** technically competent management attendance on site: the date and the time onto site and the time left site
- i** despatch of records to the Agency
- j** severe weather conditions
- k** complaints about site operations and actions taken
- l** environmental problems and remedial actions

6.3.2 Each record shall be completed within 24 hours of the relevant event.

Interpretation

In these conditions and their interpretation, unless the context otherwise requires, the following terms have the specified meanings:

“accepted”

for waste being delivered to the site, shall mean accepted as waste input to the site for storage and/or processing and/or disposal under the specified waste management operations;

“authorised officer of the Agency”

means any person(s) authorised in writing by the Agency pursuant to section 108(1) of the 1995 Act to exercise any of the powers specified in subsection (4) of that section;

“container”

means a container which does not permit either the ingress or egress of liquids, or the escape of dusts or wastes contained within it;

“engineered”

for works specified in these conditions, means carried out and completed using the relevant engineering process specified in these conditions;

“engineering”

for engineering works specified in these conditions, means the relevant process of design, construction or installation, quality assurance or validation or commissioning specified in these conditions;

“groundwater”

means any water contained in underground strata;

“hazardous”

means a property that in particular circumstances could lead to harm;

“immediately”

for carrying out of actions under the conditions, shall mean without delay and within a reasonable time, taking into account any more immediate direct action necessary to prevent or minimise risk to human health and the environment. For carrying out notifications to the Agency, shall also mean by the fastest effective means available (for example, telephone) and confirmed in writing within 1 working day (or such other time as may be agreed by the Agency within the conditions);

“inert waste”

means wastes which will not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm to human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant and in particular not endanger the quality of surface water and/or groundwater.

SCHEDULE 2 – Licence Conditions

“maintenance”

for engineering maintenance specified in these conditions, means the process of inspection, testing, repair of the relevant engineering works specified in these conditions;

“received”

for waste being delivered to the site, shall mean delivered to the site and undergoing the waste acceptance procedures, including storage of those wastes during those procedures prior to acceptance of the waste;

“relevant offences”

are offences within the meaning of regulation 3 of the Waste Management Licensing Regulations 1994 or any statutory provisions or regulations amending or replacing them;

“special waste”

has the meaning as defined by regulation 2 of the Special Waste Regulations 1996 or any statutory provisions or regulations amending or replacing them;

“specified waste management operations”

means the waste management operations authorised by condition 1.1 of this licence;

“surface water”

means any lake, pond, river or watercourse whether natural or artificial;

“the 1994 Regulations”

means the Waste Management Licensing Regulations 1994 and any statutory provisions or regulations amending or replacing them.

“the Agency”

means the Environment Agency;

“the Licence Holder”

means the Licence Holder specified in this licence or other person to whom the licence has been transferred in accordance with section 40 of the Environmental Protection Act 1990;

“the operator”

means a person who is in occupation of the site and has responsibility for carrying out day to day activities at the site;

“the site”

means the land, structures, plant and equipment to which this licence relates;

“time periods, e.g. annually, quarterly, monthly, per year, etc.”

Where periods are referred to in conditions, they shall be calculated in the following way:

- annually or per year: 1 April to 31 March;
- quarterly: 1 April to 30 June, 1 July to 30 September, 1 October to 31 December, 1 January to 31 March;
- monthly: calendar month;
- weekly: Monday to Sunday.

Where the issue of the licence does not coincide with the start of any of these periods, then any relevant limits for the first period shall apply pro rata;

SCHEDULE 2 – Licence Conditions

“waste”

means controlled waste as defined in section 75(4) of the 1990 Act and the Controlled Waste Regulations 1992 or any statutory provisions or regulations amending or replacing them;

8 **Appendices to conditions**

Appendix A Format for summary records of wastes accepted and removed (Condition 6.2.2)

For Environment
Agency use only

Date received

Date processed

Local site licence number

EA/WML number

Original reference


**ENVIRONMENT
AGENCY**
Waste return

Environmental Protection Act 1990

FAO Regulatory Support (Waste)
Environment Agency Wales
Chester Road
BUCKLEY
Flintshire CH7 3AJ

- Use this form to tell us the type and quantity of controlled waste you processed at each licenced facility within your site.
- Please read through the whole form and guidance notes before you start filling anything in.
- Please send the completed form back to us at the address on the left by the return date specified on page 2 of the notes.

1 The period the return covers

1.1 The return period is tick only one

☐ Month

☐ Quarter

from

to

☐ Year

2 Operator and site details
2.1 Site operator

Site name

WML number

Site address

Postcode

Phone

Email

2.2 Type of facility see your waste management licence
2.3 Was a weighbridge used?
☐ No

☐ Yes please tell us the proportion weighed

percentage

2.4 Are you operating a landfill site?
☐ No go to section '3 Waste received on site' on page 2

☐ Yes

Landfill sites only as at 31 March in the current year
2.5 Give the remaining void space covered by the licence

cubic metres

2 Operator and site details continued
2.6 Was the site fully surveyed before 31 March in the current year?
☐ No

☐ Yes please tell us how the void space was calculated

Now go to question 2.8

2.7 How have you estimated the remaining void space?

For example visually or other method

2.8 Remaining life of site

years

Now go to sections 3 and 4 on page 2

5 Declaration

Please make sure you have filled in all the sections that apply to you before signing this declaration.

I certify that the information in this return is correct to the best of my knowledge and belief.

I enclose ☐ WMS3 continuation sheets

Signature

Name

Position

Phone

Date

6 Disclosure and data protection

The information you provide will be used by the Environment Agency to enable it to fulfil its regulatory and waste management planning responsibilities.

For full information about how the data in this form will be used please read the guidance notes that come with the form.

3 Waste received on site

Please read the guidance notes 'How to fill in the form', and use the continuation sheet WMS3 provided, or a copy of it, if you need to.
In the last column D = final disposal U = used on site S = special waste (a consignment note is needed for special waste).
F = from another facility, for example a transfer station M = municipal biodegradable waste O = other biodegradable waste

Description of waste	Waste classification code	Origin*	State solid, powder, sludge, liquid, gas	Weight in tonnes	Additional Information D U S F M O					
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	☐	☐
					☐	☐	☐	☐	<	

At ddefnydd
Asiantaeth yr
Amgylchedd yn unig

Dyddiad y'i derbyniwyd

Dyddiad y'i proseswyd

Rhif trwydded y safle lleol

Rhif EA/WML

Cyfeirnod gwreiddiol

ASiantaeth YR
AMGYLCHEDD CYMRU
ENVIRONMENT
AGENCY WALES

Adroddiad gwastraff

Deddf Diogelu'r Amgylchedd 1990

FAO Regulatory Support (Waste)
Environment Agency Wales
Chester Road
BUCKLEY
Flintshire CH7 3AJ

- Defnyddiwch y ffurflen hon i ddweud wrthym am fath a chyfanswm y gwastraff rheoledig a broseswyd gennych ymhob cyfleuster trwyddedig o fewn eich safle.
- Darllenwch drwy'r ffurflen gyfan a'r nodiadau canllaw cyn dechrau llenwi unrhyw beth.
- Dychwelwch y ffurflen wedi'i chwblhau atom ni i'r cyfeiriad ar y chwth erbyn y dyddiad dychwelyd a nodir ar dudalen 2 y nodiadau.

1 Y cyfnod y mae'r adroddiad yn ei chwmpasu

1.1 Cyfnod yr adroddiad yw ticiwch un yn unig

☐ Mis☐ Chwarter

rhwng

a

☐ Blwyddyn

2 Gweithredwr a manylion y safle

2.1 Gweithredwr y safle

Enw'r safle

Rhif WML

Cyfeiriad y safle

Cod post

Ffôn

E-bost

2.2 Math o gyfleuster gweler eich trwydded rheoli gwastraff

2.3 A ddefnyddiwyd pont bwyso?

Naddo ☐Do ☐ rhowch y gyfran a bwyswyd

canran

2.4 Ydych chi'n gweithredu safle tirlenwi?

Nac ydw ☐ ewch ymlaen i'r adran 'Gwastraff a dderbyniwyd' ar dudalen 2Ydw ☐

Safleoedd tirlenwi yn unig fel ar 31 Mawrth yn y flwyddyn gyfredol

2.5 Rhowch y lle gwag sy'n weddill a gwmpestr gan y drwydded

metrau ciwbig

2 Gweithredwr a manylion y safle parhad

2.6 A arolygwyd y safle'n llawn cyn 31 Mawrth yn y flwyddyn bresennol?

Naddo ☐Do ☐ dywedwch wrthym sut y cyfrifwyd y lle gwag

Nawr i gwestiwn 2.8

2.7 Sut yr amcangyfrifwyd y lle gwag sy'n weddill?

Er enghraifft yn weledol neu ddull arall

2.8 Oes y safle sy'n weddill

o flynyddoedd

Nawr ewch i adrannau 3 a 4 ar dudalen 2

5 Datganiad

Sicrhewch eich bod wedi llenwi'r holl adrannau sy'n berthnasol i chi cyn llofnodi'r datganiad hwn.

Rwyf yn cadarnhau bod y wybodaeth ar y ffurflen hon yn gywir hyd eithaf fy ngwybodaeth a'm cred.

Amgaeaf ☐ taffenni parhad WMS3

Llofnod

Enw

Swydd

Ffôn

Dyddiad

6 Datgelu a diogelu data

Bydd Asiantaeth yr Amgylchedd yn defnyddio'r wybodaeth a ddarperir gennych i'w galluogi i gyflawni ei chyfrifoldebau rheoleiddiol a chynllunio rheoli gwastraff.

Am wybodaeth lawn am sut y defnyddir y data ar y ffurflen hon darllenwch y nodiadau canllaw a ddaeth gyda'r ffurflen.

3 Gwastraff a dderbyniwyd ar y safle

Darllenwch y nodiadau canllaw 'Sut i lenwi'r ffurflen', a defnyddiwch y daflen barhad WMS3 a ddarperir, neu gopi ohoni, os bydd angen.

Yn y golofn olaf D = gwaredu terfynol U = defnyddiwyd ar y safle S = gwastraff arbennig (mae angen anfoneb ar gyfer gwastraf arbennig).

F = o gyfleuster arall, er enghraifft gorsaf drosglwyddo M = gwastraff biodiraddadwy trefol O = gwastraff biodiraddadwy arall

[illegible]

tunelli metrig

4 Gwastraff a dynnwyd oddi ar y safle

Darlennwch y nodiadau canllaw 'Sut i Henwl'r ffurflen', a defnyddiwch y daflen barnad WMS3 a ddarperir, neu gopi ohoni, os bydd angen.

Yn y golofn olaf, gallai mathau o gyfeusterau gynnwys 'llosgydd, gorsaf drosglwyddo, tirlenwi, triniaeth, ailbrosesu neu ailgylchu.'

[illegible]

tunelli metrig

Nawr ewch ymlaen i adran 'Datganiad' ar dudalen 1

Appendix B List of wastes to be accepted together with EWC classification.

Appendix B List of wastes to be accepted together with EWC classification.	
Waste type	Waste Categories and European Waste Catalogue No.
Vehicle batteries	16 06 01 lead batteries *
	16 06 05 other batteries and accumulators *
Oil filters	16 01 07 oil filters *
PCB/PCT containing condensers	16 01 09 components containing PCBs **
	16 01 21 hazardous components (other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14) **
	16 01 08 components containing mercury **
Brake pads	16 01 11 brake pads containing asbestos **
	16 01 12 brake pads other than those mentioned in 16 01 11
Tyres	16 01 03 end-of-life tyres
Air bags	16 01 10 explosive components (for example air bags) *
Liquefied gas tanks	16 01 16 tanks for liquefied gas
End of life vehicle fluids:	
Hydraulic Oils	13 01 09 Mineral based chlorinated hydraulic oils *
	13 01 10 Mineral based non-chlorinated hydraulic oils *
	13 01 11 Synthetic hydraulic oils *
	13 01 12 Readily biodegradable hydraulic oils *
	13 01 13 Other hydraulic oils *
Engine, gear and lubricating oils	13 02 04 Mineral based chlorinated engine, gear and lubricating oils *
	13 02 05 Mineral based non-chlorinated hydraulic oils *
	13 02 06 synthetic engine, gear and lubricating oils *
	13 02 07 readily biodegradable engine, gear and lubricating oils *
Fuel	13 02 08 other engine, gear and lubricating oils *
	13 07 01 Fuel oil and diesel *
	13 07 02 Petrol *
Air conditioning fluids	13 07 03 Other fuels (including mixtures) *
	14 06 01 Chlorofluorocarbons, HCFC, HFC *
	14 06 02 Other halogenated solvents and solvent mixtures *
Brake fluids	14 06 03 Other solvents and solvent mixtures *
	16 01 13 Brake fluids *
Antifreeze fluids	16 01 14 Antifreeze fluids containing dangerous substances **
	16 01 15 Antifreeze fluids other than those mentioned in 16 01 14
Any other fluid contained in the end of life vehicle	16 01 22 Components not otherwise specified

SCHEDULE 2 – Licence Conditions

Plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles	16 01 17 Ferrous Metal
	16 01 18 Non-ferrous metal
	16 01 19 Plastic
	16 01 20 Glass
Concrete, bricks, tiles, cermaics, stones, soil, wood, glass, metals and plastic arising from construction and demolition	17 01 01 Concrete
	17 01 02 Bricks
	17 01 03 Tiles & Ceramics
	17 01 07 Mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
	17 02 01 Wood
	17 02 02 Glass
	17 02 03 Plastic
	17 04 01 copper, bronze, brass
	17 04 02 Aluminium
	17 04 03 Lead
	17 04 04 Zinc
	17 04 05 Iron and steel
	17 04 06 Tin
	17 04 07 Mixed metals
	17 04 11 Cables other than those mentioned in 17 04 10
	17 05 04 Soil and stones other than those mentioned in 17 05 03
	17 06 04 Insulation materials other than those mentioned in 17 06 01 and 17 06 03
	17 08 02 Gypsum-based construction materials other than those mentioned in 17 08 01
Electronic equipment and wastes from the dismantling of electronic equipment:	16 02 11 Discarded equipment containing chloroflourocarbons, HCFC, HFC *
	16 02 14 Discarded equipment other than those mentioned in 16 02 09 to 16 02 13
	16 02 16 component removed from discarded equipment other than those mentioned in 16 02 15
Batteries:	20 01 33 Batteries and accumulators included in 16 06 01, 16 06 02 or 16 06 03 and unsorted batteries and accumulators containing these batteries *
	20 01 34 Batteries and accumulators other than those mentioned in 20 01 33
Electrical and electronic equipment:	20 01 35 Discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components
	20 01 36 Discarded electrical and electronic equipment other than those mentioned in 20 01 35