



No. 02/94

CONTROL OF POLLUTION ACT 1974
PART I

WASTE DISPOSAL LICENCE

THE * BOROUGH OF PORT TALBOT

HEREBY GRANT a Waste Disposal Licence, pursuant to an application dated
. 25TH NOVEMBER, 1992, in respect of the following:

Full name and address of licence holder	Gwent Demolition and Construction Limited The Yard, Pengam Road, Pengam, Blackwood, Gwent
Full name and address of local representative (if any) of licence holder	-
Location of site to which this licence relates	British Rail, Margam Depot, Kenfig, PORT TALBOT
Form of deposit or disposal to which this licence relates	Scrap Metal Facility
Types of waste of which deposit or disposal is authorised and any limitation as to quantity	Ferrous Scrap Metal 200 tonnes Non Ferrous Scrap Metal 200 tonnes

This Licence is granted subject to the following conditions:—

SEE ATTACHED CONDITIONS

Dated 29TH APRIL,

19⁹⁴.

(Signed)

DEPUTY BOROUGH ENGINEER
(Designation) ENVIRONMENTAL AND HOUSING OFFICER

THE LICENCE HOLDER SHOULD READ CAREFULLY THE NOTES OVERLEAF.

* Insert name of Waste Disposal Authority.

CONDITIONS ATTACHED TO SCRAP METAL FACILITY
GWENT DEMOLITION AND CONSTRUCTION LIMITED, MARGAM DEPOT, MARGAM
PORT TALBOT

SCHEDULE B. - SITE PREPARATION.

1. The preparatory works required by conditions 2 to 15 below shall be supervised and certified, by an appropriately qualified person, that they have been constructed in accordance with the working plan. Certification shall be forwarded to the Disposal Authority and no waste material shall be accepted at the facility until the Disposal Authority confirms, in writing, that the certification has been received.

Site Infrastructure

2. Perimeter fencing and gates shall be provided and maintained at all times in accordance with the working plan. The gates shall be securely locked at all times when the facility is unattended. Any damage to the gates and fencing which impairs their effectiveness will be repaired by the end of the working day and if this cannot be accomplished the licence holder shall provide security personnel to guard the facility until such repair is effected.
3. An identification board of durable material and finish shall be displayed at the entrance to the facility at the location specified in the working plan. The following information shall be provided:
 - (a) Name, address and telephone number of facility;
 - (b) Name, address and telephone number of the Disposal Authority responsible for issuing this Licence and the Disposal Licence Number;
 - (c) Hours of operation (as per licence condition);
 - (d) Name of Licence Holder;

The board shall be maintained in a legible condition at all times.

4. A site control office of the type specified in the working plan shall be provided at the location specified in the working plan. The site control office shall be maintained to the original standard as specified in the working plan.
5. The road from the site entrance to the site control office (hereinafter called the site access road) shall be constructed in accordance with the working plan. The site access road shall be maintained to the original standard as specified in the working plan.
6. A weighbridge of the type specified in the working plan shall be provided at the location specified in the working plan. The weighbridge shall in accordance with Section 11 of the Weights and Measures Act 1985 "be passed fit for use for trade" and shall be accordingly certified and stamped by an Inspector of Weights and Measures. The weighbridge shall be maintained in a condition "passed fit for use for trade" in accordance with Section 11 of the Weights and Measures Act 1985.

7. Site drainage facilities shall be constructed and maintained in accordance with the working plan so that water does not accumulate at the facility. These shall include interception of contaminated surface waters and spillages, to prevent water pollution.
8. Provisions for the storage and maintenance of plant shall be constructed in accordance with the working plan and shall be maintained to the original standard as specified in the working plan.
9. Artificial lighting shall be provided for those operations which are to be carried out during the hours of darkness, as defined by the statutory lighting up times published by the Science Research Council, at the locations specified and as specified in the working plan. The lighting shall be maintained to the original standard as specified in the working plan.
10. Storage containers for liquids shall be of a type and construction suitable for the liquids which they contain and labelled to show their contents. They shall conform, where necessary, to all relevant safety and construction standards and shall be installed at a location and to a specification in accordance with the working plan. The containers shall be maintained to the original standard as specified in the working plan.
11. The yard area at the facility shall be surfaced and maintained in accordance with the working plan. Hard surfaces shall be steam cleaned as necessary or when requested by the Waste Disposal Authority.
12. Provision shall be made within the confines of the facility for the parking, loading and unloading of vehicles transporting wastes to and from the facility in accordance with the working plan.
13. Wheel cleaning equipment of the type specified in the working plan shall be provided at the location specified in the working plan. The equipment shall be used and maintained as specified in the working plan.

Emergency Plan.

14. An emergency plan shall be provided within two months of the granting of this licence detailing the procedures to be adopted in the event of the release of any hazardous material, liquid or gas. The Health and Safety Executive, British Gas, the local Environmental Health Department, National Rivers Authority, the emergency services and the Disposal Authority shall be consulted when drawing up these procedures.

15. The emergency plan required by condition 14 above shall be reviewed at six monthly intervals and it shall also be updated whenever necessary to take account of changes in personnel or other circumstances. The updated emergency plan shall be forwarded forthwith to the Disposal Authority.

SCHEDULE C. - TYPES OF WASTE.Permitted Waste

1. The types of waste acceptable at the facility and the maximum quantity stored shall consist only of the following:

<u>Waste</u>	<u>Maximum Quantity</u>	<u>Location</u>
Textiles	To be determined	Within Building
Oil	"	"

Excluded Wastes

2. Notwithstanding the generality of the types of waste specified in this Schedule the following wastes shall be specifically excluded from delivery to the facility.
- (a) Controlled waste being defined as 'Special Waste' in the Control of Pollution (Special Waste) Regulations 1980 and any subsequent amendments, except those listed in paragraph 1 above.
 - (b) Substances within the Control of Radioactive Substances Act 1960 and any subsequent amendments.
 - (c) Percussives and explosives and other substances with similar characteristics, except where such wastes are in such a form or state where the percussive or explosive properties are and will remain ineffective.
 - (d) Any waste containing substances listed in the Highly Flammable Liquids and Liquified Petroleum Gases Regulations 1972.

SCHEDULE D. - OPERATIONS.

1. The licence holder shall operate the facility in accordance with the working plan as agreed with the Disposal Authority and contained in Schedule E of this licence.
2. Any proposed modification to the agreed working plan shall be submitted to the Disposal Authority together with the proposed date of implementation at least six weeks before the proposed date of such implementation.
3. The licence holder shall obtain the written agreement of the Disposal Authority for any proposed modification to the actual conduct of the operations from the proposals approved in the working plan.
4. The types of wastes accepted at the facility shall consist of those specified in Schedule C of this licence. All wastes shall be visually inspected to ensure that they conform with the requirements of Schedule C of this licence. Any wastes not conforming to the requirements of Schedule C shall be rejected as unsuitable for disposal at the facility.
5. Each container used for storage shall be of sound physical condition and marked with the waste type as detailed in the working plan. Wastes shall be stored according to waste types in the segregated storage areas as detailed in the working plan.
6. The Disposal Authority shall be notified immediately of any waste that has been rejected as unsuitable for disposal in accordance with condition 4 above and Schedule C of this licence. This notification shall include the nature and quantity of waste, the name and address of the producer of the waste, the registration number of the vehicle delivering the waste, the name and address of the vehicle's driver and operator, and the time of rejection of the waste.
7. The facility shall be manned and supervised during operating hours (see condition 8 below) in accordance with the working plan. Supervisors must be able to identify the types of waste permitted by this licence and those wastes specifically excluded.
8. Permitted wastes shall be delivered to and removed from the facility between the hours specified below. Except in cases of emergency, no delivery or removal of waste shall take place outside these hours without the prior approval of the Disposal Authority. All circumstances of emergency movement of such wastes shall be reported forthwith in writing to the Waste Disposal Authority.

Mondays - Fridays

From: 7.30 hours

To: 17.00 hours

Saturdays

From: 7.30 hours

To: 15.30 hours

Bank Holidays.

From: Closed

To: Closed

9. A written record shall be kept of the characteristics and quantities of all wastes delivered to the facility, the name and address of the person delivering the waste, the date and time of the delivery, and identification of the origin of the waste. This record shall be available to any representative of the Disposal authority for inspection at the facility at any reasonable time.
10. A summary of the records required by condition 9 above of all wastes delivered to the facility in a calendar month shall be submitted to the Disposal Authority before the tenth day of the succeeding calendar month.
11. No waste material shall be burnt within the boundaries of the facility. Any outbreak of fire shall be regarded as an emergency and immediate action shall be taken to extinguish it. Fire fighting equipment and emergency water supplies shall be provided, maintained and identified in accordance with the working plan. All outbreaks of fire shall be reported immediately to the County Fire Brigade and the Disposal Authority.
12. In the event of an emergency, the appropriate procedures specified in the emergency plan required by condition 15 of Schedule B shall be implemented. The Disposal Authority shall be informed forthwith of any emergency. The circumstances of an emergency shall be confirmed to the Disposal Authority in writing as soon as is practicable.
13. Measures, in accordance with the working plan shall be taken to remove any mud, debris or any other material that is deposited on any roadway by vehicles using the facility. These measures shall include the sweeping of the site access road, hard surfaced areas and the public highway leading from the facility.
15. All vehicles carrying light wastes shall be adequately covered to prevent any loss of contents by wind or vehicle movements.
16. Any loose waste on or around the facility shall be collected on a daily basis and disposed of in accordance with the working plan.

17. Not less frequently than once a week or at a greater frequency as directed by the Disposal Authority any loose waste which may be lying at the facility or its immediate environs shall be collected and disposed of in accordance with the working plan.
18. Cleaning chemicals and reagents shall be stored and segregated according to compatibilities as detailed in the working plan.
19. Measures in accordance with the working plan shall be taken to deal effectively with any vermin and insects at the facility.
20. Measures, including proper maintenance and use, shall be undertaken to control the noise of machinery and vehicles operating at the facility which may be detrimental to the amenities of the locality.
21. Measures in accordance with the working plan shall be taken to effectively suppress dust and malodours which may be detrimental to the amenities of the locality.
22. All vehicles and machinery accepted at the facility and scheduled for storage prior to destruction, excluding those scheduled for immediate fragmentation, shredding or shearing, containing liquids; shall, on arrival, be drained of all liquids on a bunded hard standing area that drains to a blind sump as detailed in the working plan. All liquids so removed shall be stored in accordance with the working plan.
23. All vehicles and machinery accepted at the facility and scheduled for immediate fragmentation, shredding or shearing, containing liquids, shall be stored in accordance with the working plan.
24. Any areas in which any inflammable liquids are drained and any subsequent storage areas stored shall be designated NO SMOKING AREAS and appropriate signs shall be prominently displayed.
25. Materials segregated for resale or reuse shall be unloaded, sorted, stored and loaded only within the areas indicated in the working plan.
26. Any material segregated for resale or reuse shall be removed forthwith, if it is causing pollution of water, or is a danger to public health or is seriously detrimental to the amenities of the locality.
27. No materials or skips shall be stored on the various areas at the facility to a height greater than 3.5 metres, and this height shall be clearly marked at an appropriate point in these areas.
28. Any spillage shall be dealt with immediately to prevent water pollution. Quantities of sand/absorbent material shall be kept at the facility as detailed in the working plan and used on appropriate spillages.

29. Tyres received or removed from dismantled vehicles shall be stored in accordance with the working plan.
30. Metal swarf shall be stored in an impervious bunded area draining to a blind sump in accordance with the working plan.
31. Batteries received or removed from vehicles shall be stored in accordance with the working plan whilst awaiting removal to a facility capable of processing the acid and metal contents.
32. All transformers and capacitors shall be assumed to contain polychlorinated bi-phenyl unless there is written evidence to the contrary. Such evidence shall be made available to the Disposal Authority upon request.
33. Transformers and capacitors and any other electrical equipment containing polychlorinated bi-phenyl and weighing more than 500 grammes shall be securely stored as detailed in the working plan.
34. A sign stating 'Polychlorinated Bi-phenyl is Being Stored' shall be prominently displayed at the facility. Fire fighting and other equipment to deal with leaking capacitors and spillages shall be provided in accordance with the working plan.
35. No breaking, crushing, draining or flushing of equipment containing liquid polychlorinated bi-phenyls shall be undertaken.
36. Any cessation of operations for a period in excess of 12 weeks shall be notified to the Disposal Authority. Not less than 14 days notice shall be given to the Disposal Authority of the date on which operations are to recommence in the event of such a cessation.
37. A copy of any notice or instruction received in respect of the facility from any authority, other than the Disposal Authority, which in any way relates to the use of the facility, shall be given to the Disposal Authority within 3 days of the receipt of such a notice or instruction.
38. The terms of this licence shall be made known to any person who is given responsibility for the management or control of the facility and be available at all times at the facility for the use of such persons.
39. Notwithstanding the generality of the conditions in this Schedule, the activities to which this licence relates shall not be carried on so as to cause pollution to water or danger to public health or become seriously detrimental to the amenities of the locality affected by the activities.