

# CONTROL OF POLLUTION ACT 1974

## PART I



### WASTE DISPOSAL LICENCE

THE \* Alyn and Deeside District Council

HEREBY GRANT a Waste Disposal Licence, pursuant to an application dated  
25th November 1991, in respect of the following:

Full name and address of licence holder	M.R. Jackson, 50 Penymaes Road, Holywell, Clwyd, CH8 7BB								
Full name and address of local representative (if any) of licence holder	A.G. Kelly, Cirrus Property Services Limited, 2 Pen-Y-Bryn, Mold, Clwyd, CH7 1TL								
Location of site to which this licence relates	The Transport Yard, Old Aston Hill, Ewloe, Deeside, Clwyd								
Form of deposit or disposal to which this licence relates	Storage and processing of scrap metal								
Types of waste of which deposit or disposal is authorised and any limitation as to quantity	<table> <tr> <td>Ferrous metals</td><td>10 tonnes per week</td></tr> <tr> <td>Batteries</td><td>1 tonne per week</td></tr> <tr> <td>Rubber</td><td>1 tonne per week</td></tr> <tr> <td>Oils</td><td>1 tonne per week</td></tr> </table>	Ferrous metals	10 tonnes per week	Batteries	1 tonne per week	Rubber	1 tonne per week	Oils	1 tonne per week
Ferrous metals	10 tonnes per week								
Batteries	1 tonne per week								
Rubber	1 tonne per week								
Oils	1 tonne per week								

This Licence is granted subject to the following conditions:—

Dated

30th April

1993.

(Signed)

M. Thompson

(Designation)

Chief Engineer

THE LICENCE HOLDER SHOULD READ CAREFULLY THE NOTES OVERLEAF.

\* Insert name of Waste Disposal Authority.

**WASTE DISPOSAL LICENCE APPLICATION NUMBER LA0001**  
**FOR M.R. JACKSON, TRANSPORT YARD, OLD ASTON HILL,**  
**EWLOE, DEESIDE**

**TABLE OF CONTENTS**

**A. GENERAL - SITE LICENCE, WORKING PLAN AND OPERATIONS**

- A1 Site Covered by Licence.
- A2 Working Plan.
- A3 Modifications to the Working Plan.
- A4 Operation of the Site.
- A5 Timescales for Permitted Waste Processing Site Operations.
- A6 Waste Processing Operations on the Site.
- A7 Display of Site Licence and Working Plan.
- A8 Contact Details.
- A9 Emergency Contact Details.
- A10 Notification Under Licence Conditions.

**B. PERMITTED WASTES**

- B1 Permitted Types and Quantities of Waste.
- B2 Special Waste.
- B3 Packaged and/or Pre-Treated Wastes.
- B4 Liquid Wastes

**C. CONTROL OF WASTE DISPOSAL OPERATIONS**

- C1 Checks on Incoming Wastes.
- C2 Non-Conforming Wastes.
- C3 Sampling.

**D. SITE RECORDS**

- D1 Site Records.
- D2 Retention and Surrender of Records.
- D3 Submission of Copies of Records to the Waste Regulation Authority.
- D4 Inspection of Records.

E. SITE FACILITIES AND INFRASTRUCTURE

- E1 Site Office.
- E2 Site Identification Board.
- E3 Site Security and Fencing.
- E4 Prevention of Deposition of Mud on the Highway.
- E5 Inspection Facility for Incoming Waste.
- E6 Fuel Storage Tank and Bunded Areas.

F. SITE OPERATIONS

- F1 Opening Hours.
- F2 Staffing.
- F3 Machinery Plant and Equipment.
- F4 Temporary Cessation of Operations.

G. WASTE PROCESSING OPERATIONS ON THE SITE

- G1 Inputs/Delivery of Wastes.
- G2 Sorting and Segregation of Wastes.
- G3 Storage of Wastes.
- G4 Output or Removal of Wastes.
- G5 Drainage of Oils.

H. ENVIRONMENTAL CONTROLS

- H1 Fires.
- H2 Loose Waste.
- H3 Control of Weeds.
- H4 Vermin and Insects.
- H5 Noise, Vibration and Aerial Emissions.
- H6 Suppression of Dust.

I. POLLUTION CONTROLS

- I1 Drainage Onto or From Land.
- I2 Discharge to Drains, Sewers or Watercourses.
- I3 Monitoring and Analysis of Potentially Contaminated Water from the Site.
- I4 Removal of Contaminated Waters from the Site.

J. SITE PREPARATION AND MAINTENANCE

- J1 Preparation and Maintenance of Site Surface.
- J2 Construction of Bunds.
- J3 Maintenance of Site.

Appendices

- 1. Permitted Waste Types and Quantities per Week.
- 2(a) Permitted Waste Processing Operations
- 2(b) Permitted Waste Processing Operations and Through-put per Week.
- 3. Schedule of Site Records
- 4. Analyses of Samples of Contaminated Water.

A. GENERAL

A1 Site Covered by Licence

These licence conditions shall apply to the site shown hatched black on the attached plan LA0001/P1.

A2 Working Plan

The Working Plan shall be as defined by Waste Management Paper No. 4, and any accepted Working Plan shall form part of this licence.

(a) Acceptance of Working Plan

For the purposes of this licence the Working Plan shall consist of the latest issue or modification of the Working Plan which has been accepted in writing by the Waste Regulation Authority.

(b) Responsibility of Licence Holder

Acceptance by the Authority of the Working Plan shall not relieve the licence holder of their responsibility to ensure that any or all of the following do not occur:

- (i) pollution of the environment,
- (ii) harm to human health and/or
- (iii) serious detriment to the amenities.

(c) Preparatory Works

Within two months of completion of the preparatory works specified in Conditions J1, J2, and J3:-

- (i) The Working Plan shall be revised to include as built drawings and plans of all such preparation works.
- (ii) A copy of the revised Working Plan shall be submitted to the Waste Regulation Authority for written acceptance, as in Condition A3 below..

A3 Modifications to the Working Plan

The current issue of the Working Plan shall not be revised, altered or otherwise modified unless:-

- (a) a copy of the proposed revision, alteration or other modification has been submitted to the Waste Regulation Authority in writing;
- (b) the proposed revision, alteration or other modification has been accepted, within 2 months of the date of receipt of the modified Working Plan or any other agreed timescale, in writing by the Waste Regulation Authority.

**A4 Operation of the Site**

The site shall be operated in accordance with the licence conditions and the accepted Working Plan. In the event of any proposals or details of operations contained in the Working Plan being in conflict with these licence conditions, the licence conditions shall prevail.

**A5 Timescales for Permitted Waste Processing Operations**

This licence shall only be valid for the period specified in planning permission No.4/1/14750, unless an extended time limit has been obtained in the form of a further planning permission for the operation.

**A6 Waste Processing Operations on the Site**

Only the operations listed in Appendix 2(a) of this licence shall be undertaken on the site.

**A7 Display of Site Licence and Working Plan**

**(a) Display of Site Licence**

A copy of this site licence including the conditions and any modification thereto shall be displayed at all times in the site control office in a prominent position. All site operatives shall be fully conversant with its contents.

**(b) Inspection of Working Plan and Site Licence**

The current issue of the Working Plan and Site Licence including the conditions and any modifications thereto shall be made available for inspection at the site office at any reasonable time by:

- (i) any site operatives;
- (ii) any authorised representative of the Waste Regulation Authority.

**A8 Contact Details**

No waste shall be received until licence holder has provided to the Waste Regulation Authority, in writing, the name, business address and telephone number of:-

- (a) the person or persons having the authority to accept or reject waste at the site;
- (b) the person or persons responsible for the day-to-day control of operations on the site;
- (c) the person or persons responsible for site security; and
- (d) the person or persons responsible for ensuring that the conditions of this licence are complied with.

Any change in these details shall be notified in writing to the Waste Regulation Authority with 24 hours of the change occurring.

A9 Emergency Contact Details

No waste shall be received until the licence holder has provided to the Waste Regulation Authority in writing, the name, address and telephone number of a responsible person for contact in the event of an emergency arising in connection with the facility:-

- (a) during normal operating hours; and
- (b) outside normal operating hours.

Any change in these details shall be notified in writing to the Waste Regulation Authority within 24 hours of the change occurring.

A10 Notification Under Licence Conditions

Any notification which the licence holder is required to make under these conditions shall be made to:-

Director of Technical Services,  
F.A.O. Waste Regulation Section,  
Alyn and Deeside District Council,  
Civic Offices,  
St. David's Park,  
Ewloe,  
Deeside,  
Clwyd,  
CH5 3PW

Telephone No.: (0244) 525000  
Facsimile No.: (0244) 525323

B. PERMITTED WASTES

B1 Permitted Types and Quantities of Waste

(a) Permitted Waste Types to be Received, Stored or Handled

Only the types of waste specified in Appendix 1 to this licence shall be received, stored or handled at the site. These wastes shall not be admixed with any other non-listed waste.

(b) Total Quantity of Wastes Received Weekly

The total quantity of wastes accepted weekly at the site shall not exceed the quantities specified in Appendix 1 to this licence.

(c) Total Quantity of Wastes Stored

The total quantity of wastes stored at the site shall not exceed 250 tonnes.

(d) Total Quantity of Wastes Processed

The total quantity of wastes processed each week shall not exceed the quantities specified in Appendix 2(b) of this licence for each processing operation.

B2 Special Waste

No "Special Waste" as defined by the Control of Pollution (Special Waste) Regulations 1980 (S.I. 1980 No. 1709) shall be received, unless delivered to the site as an integral part of an automobile.

The storage of such special wastes shall only be permitted in the areas designated in the Working Plan. The removal of any such special waste from the site shall be carried out in accordance with the Control of Pollution (Special Waste) regulations 1980 and the Environmental Protection Duty of Care Regulations 1991.

B3 Packaged and/or Pre-Treated Wastes

Where waste types are not permitted to be deposited under the provisions of this licence, then those wastes shall not be received, stored or handled whether or not they have been packaged, placed in other containers or waste materials, or pre-treated by any form of solidification or encapsulation.



B4 **Liquid Wastes**

Liquid wastes shall not be permitted to be received at the site unless delivered to the site as an integral part of an automobile.

Any such liquids once removed from the automobile in accordance with the operations permitted by Condition A6 shall be stored in designated areas which shall be banded in accordance with Condition E6.

C. CONTROL OF WASTE DISPOSAL OPERATIONS

C1 Checks on Incoming Waste

All loads of waste received at the site shall be checked prior to deposit to ensure that the waste types conform to the requirements of Condition B1 of this licence. The checks shall consist of the following:-

(a) Visual Checks Prior to Deposit

A visual check shall be made of the contents of all incoming loads to ensure their suitability for deposit at the site. Scrap vehicles entering the site shall have all their doors, bonnet and boot opened to ensure that no unsuitable wastes are present. For loads being delivered in high sided vehicles or containers a mirror attached to a pole of a length of not less than 2.5m shall be provided to ensure that the contents of the load can be observed and inspected. Any cover shall be removed from the load for these checks to be carried out.

(b) Visual Checks following deposit

All wastes deposited at the site shall be checked immediately following deposit and prior to being processed to ensure their suitability for deposit at the site.

(c) Recording of Wastes

The waste types and quantity of each load shall be recorded in accordance with Condition D1 before or at the time of deposit.

C2 Non-Conforming Wastes

Turning Away or Removal of Waste

- (a) All wastes not conforming to the requirements of Condition B1 of this licence shall be turned away or removed from the site within 5 working days unless an alternative timescale has been agreed in writing with the Waste Regulation Authority.

(b) Storage of Wastes Prior to Removal

Non-conforming wastes other than those removed immediately upon deposit, shall be securely isolated in an area separate from the waste storage areas for no more than 5 working days and removed to a suitably licenced waste disposal facility.

(c) Recording of Incidents

A record shall be kept of all such incidents and the Waste Regulation Authority informed by telephone immediately upon their occurrence.

C3 Sampling

Samples of any waste entering the site or undergoing disposal on the site and samples of any gaseous, liquid or particulate emissions from the site may be taken by or under the direction of the Waste Regulation Authority.

The operator shall provide any reasonable assistance in the form of site personnel and/or equipment to the Waste Regulation Officers on request, to enable such samples to be obtained.

Any information required to enable sampling to be carried out in accordance with the requirements of the "Control of Substances Hazardous to Health (COSHH) Regulations 1988" (or any subsequent replacement legislation) shall be provided forthwith to the Waste Regulation Authority on request.

D1 SITE RECORDS

The operational site records shall be kept as specified in (a) to (c) inclusive below, and as summarised in Appendix 3 to this licence.

(a) Inputs/Deliveries of Waste to the Site

- (i) A record shall be kept of the types and quantities of waste delivered to the facility. The form of the record shall be agreed in writing with the Waste Regulation Authority and shall include:

Details of the person or company delivering the waste;  
the time and date of delivery;  
the registration number of the vehicle;  
the name of the driver;  
a description of the waste in the load.

This record shall be signed by the site operative checking the load in, and by the driver of the vehicle delivering the waste.

- (ii) A monthly summary of the above records shall be made. This summary shall record the following details for each day:

Waste type (as specified in Condition B1 of this licence);  
Total quantity of waste type;  
Number of loads of each waste type (number of vehicles);  
The district of origin.

The monthly summary shall be submitted to the waste regulation authority within two weeks of the end of the next calendar month in accordance with Condition D3 of this licence.

(b) Outputs/Removals of Waste from the Site

- (i) A record shall be kept of the types and quantities of waste removed from the facility. The form of the record shall be agreed in writing with the Waste Regulation Authority and shall include:

Details of the person or company removing the waste;  
the time and date of the removal;  
the registration number of the vehicle;  
the name of the driver;  
a description of the waste;  
the quantity of waste in the load and details of the final destination of the waste.

This record shall be signed by the site operative checking the load, and by the driver of the vehicle removing the waste.

- (ii) A monthly summary of the above records shall be made. This summary shall record the following details for each day:

Waste type (as specified in Condition B1 of this licence);  
total quantity of waste type removed;  
number of loads of each waste type (number of vehicles);  
the destination of each load.

The monthly summary shall be submitted to the Waste Regulation Authority within two weeks of the end of the next calendar month in accordance with Condition D3 of this licence.

- (iii) All wastes being removed from the site shall be disposed of at a suitably licensed or exempted site in accordance with the requirements of the Duty of Care Regulations.

For the purposes of this Condition, waste also includes contaminated water, but not wastes processed on the site which are to be used as raw materials, such as copper pellets produced by cable stripping.

(c) Monitoring of Potentially Contaminated Waters

A record shall be kept of all conductivity measurements and all analyses of contaminated waters arising from the site in accordance with the requirements of Condition I3 of this licence. The record of each such analysis shall include a summary interpretation of the results.

D2 Retention and Surrender of Records

All records required to be kept under Condition D1 of this licence shall be securely kept, in the format specified in the Working Plan, at the site office or at the licence holder's offices at:

M.R. Jackson & Sons,  
The Transport Yard,  
Old Aston Hill,  
Ewloe,  
Deeside

The site operator shall keep these records for the duration of the site licence unless otherwise authorised in writing by the Waste Regulation Authority. The licence holder shall surrender these records to the Waste Regulation Authority on termination of this site licence, whether by surrender or revocation.

D3 Submission of Copies of Records to the Waste Regulation Authority

Copies of the records specified in Condition D1 of this licence shall be sent in writing to the Waste Regulation Authority as follows (as summarised in Appendix 3 to this licence):-

(a) Inputs/Deliveries of Waste to the Site

The monthly summary specified in D1a (ii) of this licence should be submitted to the Waste Regulation Authority within two weeks of the end of the next calendar month.

(b) Outputs/Removals of Waste Including Contaminated Waters

The monthly summary specified in D1b (ii) of this licence should be submitted to the Waste Regulation Authority within two weeks of the end of the next calendar month.

(c) Monitoring of Potentially Contaminated Waters

A copy of the records of conductivity measurements and of analyses of contaminated waters arising from the site taken in accordance with Condition I3 of this licence shall be submitted to the Waste Regulation Authority monthly within two weeks of the end of the next calendar month.

D4 Inspection of Records

All records required to be kept under Conditions D1 and D2 of this licence must be made available to any authorised representative of the Waste Regulation Authority at any reasonable time.

**E        SITE FACILITIES AND INFRASTRUCTURE**

**E1       Site Office**

No waste shall be received at the site until a site office has been provided with welfare facilities as specified in the Working Plan. It shall be adequately equipped and manned to allow the requirements of the conditions of this licence to be routinely carried out.

**E2       Site Identification Board**

No waste shall be received unless a site identification board, as specified in the Working Plan, is prominently displayed at the entrance to the site.

**E3       Site Security and Fencing**

The bund constructed around the perimeter of the site shall be maintained to the standard specified in the Working Plan. Gates provided shall be locked out of working hours other than in an emergency situation and in any case whenever the site is not manned.

**E4       Prevention of Deposition of mud on the Highway**

The site licence holder shall ensure that all vehicles leave the site in such a condition so as to prevent mud being carried on to the public highway in accordance with the Working Plan.

**E5       Inspection Facility for Incoming Waste**

No waste shall be received at the site until a suitable facility has been provided to allow incoming loads of waste to be visually inspected in accordance with Condition C1 of this licence.

**E6(a)   Fuel Storage Tank and Bunded Areas**

- (a) All fuel stored on the site shall be contained in a bunded tank provided in accordance with the specification set out below:-

The bund and base for this tank shall be impervious to the liquids contained in the tanks and shall provide containment for at least 110% of the maximum volume of the tank. All fill and draw pipes shall be retained within the bund.

No liquid or other material shall be allowed to accumulate within the bunded area.

- (b) Any automobile batteries shall be stored in designated bunded areas provided in accordance with the following specification:-

The bund and base of the area shall be impervious and shall provide containment for a minimum of 1.1 tonne of automobile batteries.

No liquid shall be allowed to accumulate within the bunded area.

- (c) Any water which is removed from the bunded area shall be treated as contaminated water and unless a discharge consent for such contaminated water is in force, as specified in Condition I2 of this licence, then such contaminated water shall be removed by a suitably registered waste carrier to a suitably licensed facility. All such removals shall be recorded in accordance with condition D1(b) of this licence.



**F     SITE OPERATIONS**

**F1    Opening Hours**

The site shall only be open for the receipt or removal of waste during the hours.

Monday to Friday	08:00 to 19:00 hrs
Saturday	08:00 to 17:00 hrs
Sunday	09:00 to 13.00 hrs
Bank Holidays	09:00 to 13.00 hrs
Other Public Holidays	No receipts or removals of wastes permitted

No waste shall be deposited outside of these hours except in the case of an emergency with the prior consent of the Waste Regulation Authority.

No waste shall be deposited during the hours covered by official lighting up times (as published by the Science and Engineering Research Council) unless adequate lighting is provided and is in use in accordance with the Working Plan. This lighting must be independent of the vehicle lighting. Any lighting provided shall be screened or directed to ensure that any neighbouring properties are not affected by the light during operational hours.

**F2    Staffing**

Appropriately trained and experienced supervisory and/or operating staff shall be made available as and when required to ensure that the conditions of this licence are fulfilled. The appropriate level of training shall be as specified in the Working Plan.

A minimum of two operatives, at least one of whom shall be an appropriately trained and experienced supervisor, shall be on site whenever waste is being received, handled or removed.

**F3    Machinery, Plant and Equipment**

An appropriate level of machinery, plant and equipment shall be provided to ensure that all incoming waste is dealt with in accordance with the conditions of this licence. The machinery, plant and equipment shall be specified in the Working Plan and shall be maintained in good working order.

In the event of any breakdown of such machinery or equipment which results in either waste or surface water drainage arisings not being dealt with in accordance with the conditions of this licence the site shall be closed until such time as the defective items are repaired or replaced, unless otherwise authorised by the Waste Regulation Authority.

F4 **Temporary Cessation of Operations**

All temporary cessations of operations which require the transfer or diversions of waste delivered at the facility to facilities elsewhere shall be notified in writing within 24 hours of the start of transfer or diversion to the Waste Regulation Authority.

G **WASTE PROCESSING OPERATIONS ON THE SITE**

G1 **Sorting and Segregation of Wastes**

All sorting and segregation of wastes on the site shall take place within the designated and prepared area(s) of the site specified in the Working Plan.

G2 **Storage of Wastes**

All wastes deposited on the site either before, during or after sorting and/or segregation shall be stored in accordance with the Working Plan.

G3 **Drainage of Oils**

The drainage of oils from vehicle engines, gear boxes and differentials shall only take place over the specially constructed drainage area as detailed in the Working Plan. The discharge water from the oil interceptor system shall be sampled in accordance with Condition I3 of this Licence.

## H ENVIRONMENTAL CONTROLS

### H1 Fires

No waste material shall be burnt within the boundaries of the site. Any fire at the site shall be regarded as an emergency and shall be immediately notified forthwith to the Waste Regulation Authority in accordance with the terms of Condition A10 of this licence.

### H2 Loose Waste

At least once a day any loose waste which may be lying on the site shall be gathered and disposed of in such a way as to keep the site tidy.

### H3 Control of Weeds

The site shall be maintained in a tidy condition in accordance with the Working Plan and where necessary action shall be taken to control or destroy weeds.

### H4 Vermin & Insects

Precautions shall be taken as specified in the Working Plan to deal effectively with any vermin and insects on the site.

### H5 Noise, Vibration and Aerial Emissions

Precautions as specified in the Working Plan shall be undertaken so as to prevent detriment through noise and vibration to the amenities of the adjoining locality.

### H6 Suppression of Dust

Whenever necessary the site surface, incoming loads and waste awaiting deposit shall be sprayed with water to suppress the emission of dust and in any event shall be so sprayed if requested by officers of the Waste Regulation Authority.

I POLLUTION CONTROLS

I1 Drainage Onto or From Land

(a) Surface Water Run Off

Should surface water run off from the site occur, then it shall be channelled to a suitable drainage system constructed to the agreement of the NRA (Welsh Region) and details of its construction shall be incorporated into the Working Plan at that time.

(b) Discharge of Surface Water

No such water shall be discharged to any watercourse without the written permission of the National Rivers Authority (Welsh Region)

I2 Discharge to Drains, Sewers or Watercourses

No waste, or water contaminated with waste, shall be discharged or allowed to enter any drain, sewer or watercourse other than in accordance with a consent issued by the National Rivers Authority (Welsh Region) in the case of watercourses or Welsh Water Plc. in the case of drains and sewers.

A copy of any such consent shall be provided to the Waste Regulation Authority prior to any discharge being carried out.

I3 Monitoring and Analysis of Potentially Contaminated Water from the Site

(a) Surface Water Conductivity

The conductivity shall be measured weekly of all surface water arisings which pond on the site for more than 24 hours.

(b) Oil Interceptor Discharge Analyses

(i) Conductivity Measurements

During the draining of any oil onto the oil drainage area the discharge point of the interceptor system shall be inspected for any discharge of water. Should any water be being discharged then its conductivity shall be measured weekly.

(ii) Analysis of Samples

Biannually the functioning of the interceptor system shall be tested by flushing the oil drainage area with water until water is discharging from the system. The water discharge shall be sampled and analysed for the parameters listed in Appendix 4 to this licence.

(c) Records of Conductivity Measurements and Analyses of Samples of Contaminated Waters Arising from the Site

Records shall be kept of all such conductivity measurements and analyses of samples of contaminated water arising from the site in accordance with Condition D1 of this licence.

I4 Removal of Contaminated Water from the Site

(a) Removal of Contaminated Waters

Should the results from the analyses required by Condition I3((b) of this Licence indicate that the discharge water is contaminated then no further oil shall be drained into the system and the entry of rain water shall be prevented until the contents of the interceptor system have been removed by a suitably registered waste carrier to a suitably licensed waste disposal or treatment facility and the interceptor system has been modified and the modification accepted in writing by the Waste Regulation Authority and the National Rivers Authority (Welsh Region).

(b) Records of Removal of Contaminated Waters

Records shall be kept of all removals of contaminated waters in accordance with condition D1 ((b) of this licence.

**J1 Preparation and Maintenance of Site Surface**

**(a) Concreting of Site Surface**

No waste shall be deposited at the site unless the area of the site designated for the storage of engines, gearboxes and differentials has been covered with a suitable impervious concrete surface or equivalent material. The specification of any such resurfacing shall be submitted to the Waste Regulation Authority for their agreement.

**(b) Drainage from Concrete Surface Storage Area**

All surface water drainage from the concreted storage area required by Condition J1(a) of this licence shall be directed to an oil interceptor system. The discharge water from the oil interceptor system shall be sampled in accordance with condition I3 of this licence.

**(c) Maintenance of Concrete Surface Storage Area**

The concreted storage area required by Condition J1(a) shall be maintained at all times in a state of good repair. Any cracks which may appear in the surface shall be repaired within 24 hours. The surface water drainage system shall be inspected daily and all channels shall be kept free of debris.

**J2 Construction of Bunds**

Waste in liquid form, such acid in batteries shall not be received at the site 3 months following the issue of this licence unless impervious bunds have been constructed in accordance with Conditions B4 and E6 of this licence. The location, capacity and structure of these bunds shall prior to their installation be agreed in writing with the Waste Regulation Authority and shall be incorporated into the Working Plan.

**J3 Maintenance of Site**

The reception and storage areas, drain system, gullies and interceptor pit shall be maintained at all times in a state of good repair. The storage areas and bund shall be checked daily and all necessary maintenance carried out at the earliest opportunity.

APPENDIX 1

Permitted Waste Types and Quantities per Week (in tonnes)

METALS

F E R R O U S	TYPE	QUANTITY	
	Heavy Ferrous	)	10 tonnes
		)	
	Light Ferrous	)	
		)	

OTHERS

TYPE	QUANTITY
Batteries	1 tonne
Rubber	1 tonne
Oils	1 tonne



## APPENDIX 2(a)

### PERMITTED WASTE PROCESSING OPERATIONS

1. Sorting

Shall be carried out on site either manually or mechanically. This process shall only involve resorting of waste into its physical or material group to enable further processing (this process shall only be undertaken in the areas specified in the Working Plan).

2. Battery Storage

Batteries shall be stored upright in a specifically designed covered and bunded area.

3. Repair

Shall only be carried out within the covered workshop area.

4. Flame Cutting

Shall be carried out using either oxy-propane or oxy-acetylene cutting equipment.

5. Dismantling

Items consisting of various metals and other parts may be dismantled to allow sorting.

6. Car Crushing

Only car bodies which have had the engine and gearbox removed shall be crushed. This process shall only take place using suitable equipment designed or adapted for this purpose.

7. Draining of Oil from Waste Equipment

The draining of oils on site shall only be undertaken over the approved draining area constructed to the satisfaction of the National Rivers Authority (Welsh Region), as detailed in the Working Plan.

APPENDIX 2(b)

PERMITTED WASTE PROCESSING OPERATIONS -  
MAXIMUM THROUGH-PUT PER WEEK

Processing Operations maximum through put per week


	<u>Quantity</u>
Sorting	10 tonnes
Battery Storage	1 tonne .
Repair	1 tonne
Flame Cutting	1 tonne
Dismantling	10 tonnes
Car Crushing	10 tonnes
Draining of Oil from Waste Equipment	1 tonne

**APPENDIX 3****SCHEDULE OF SITE RECORDS**

SUBJECT RECORDS	TYPE OF RECORD	DETAILS TO BE INCLUDED	PARAMETERS	SUBMISSION TO WRA	
				FREQUENCY	DEADLINE
Waste Inputs	Daily	Type of Waste		Upon Request	Upon Request
		Quantity of Waste	No. of Items		
		Person/Company			
		Source			
		Time and Date			
		Registration Mark			
		Driver Name			
	Monthly Summary	Types of Waste		Monthly	Within 2 weeks of the end of the next month
		Total Quantity Type of Waste per District of Origin	No. of Items		
Waste Removals	Daily	Type of Waste		Upon Request	Upon Request
		Quantity of Waste			
		Person/Company			
		Source			
		Time and Date			
		Registration Mark			
		Driver Name			
	Monthly Summary	Types of Waste		Monthly	Within 2 weeks of the end of the next month
		Total Quantity Type of Waste per District of Destination	No. of Items		

ANALYSIS OF SAMPLES OF CONTAMINATED WATER

PARAMETER	UNITS	FREQUENCY OF SAMPLING AND ANALYSIS PER SAMPLING POINT
Conductivity	US/cm	Quarterly
pH Value	-----	"
COD (Chemical Oxygen Demand)	mg/l	"
Total Hydrocarbons	mg/l	"
PCB (Polychlorinated Biphenols)	ppm	Annually



LA 0001/PI