

BAWML  
3 4 0 0 2

No. EC8/77



CONTROL OF POLLUTION ACT 1974  
PART I



WASTE DISPOSAL LICENCE

THE \* SWANSEA CITY COUNCIL

HEREBY GRANT a Waste Disposal Licence, pursuant to an application dated  
28th March, 1977, in respect of the following:

Full name and address of licence holder	Inco Europe Limited, Clydach, Swansea, SA6 5QR
Full name and address of local representative (if any) of licence holder	
Location of site to which this licence relates	Inco Europe Limited, Clydach, Swansea, SA6 5QR
Form of deposit or disposal to which this licence relates	Landfill
Types of waste of which deposit or disposal is authorised and any limitation as to quantity	Solid Waste only

This Licence is granted subject to the following conditions:—

That the licence owner will ensure that the site under his control will be used in accordance with the attached conditions in order to prevent pollution of water, danger to public health and serious detriment to the amenities in the area.

Dated 8th July, 19 77. (Signed) *Ann Rues*  
(Designation) Chief Executive and Town Clerk

THE LICENCE HOLDER SHOULD READ CAREFULLY THE NOTES OVERLEAF.

\* Insert name of Waste Disposal Authority.

CONTROL OF POLLUTION ACT, 1974

INCO Europe Limited, Clydach - Landfill Site

- (1) Solid Wastes only to be deposited on site.
- (2) Tipping to be confined to hours of daylight.
- (3) Adequate supervision necessary during working hours.
- (4) Water courses to be protected.
- (5) Solid waste shall be compacted and formed into a layer as soon as possible after deposit and not later than at the end of the working day on which the waste is received.
- (6) The layer of waste shall be formed in one or other of the ways described in condition 7 below using suitable compaction equipment with a blade or some other appropriate levelling device.
- (7) Waste shall either (a) be deposited on the surface of the site behind the face and partially compacted by a tractor or other compacting machine before being pushed over the face or it shall (b) be deposited on the ground forming the base of the site or on a previous layer in front of the face and shall be formed into a compacted layer by being pushed upwards and driven over by a tractor or other compacting machine.
- (8) Before covering, working faces and flanks shall be compacted to form gradients not steeper than 1 in 3.
- (9) All large articles such as furniture, crates and hollow containers likely to cause voids shall be crushed, broken up or flattened and covered each day by other wastes in such a position that they are not within one metre (3 feet) of the surface or two metres (6 feet) of the flanks or face.
- (10) Not less frequently than once a week any loose waste which may be lying on the site shall be gathered and disposed of in such a way as to keep the site tidy.
- (11) No waste material shall be burnt within the boundaries of the site, and a fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All outbreaks of fire shall be notified forthwith to the disposal authority.
- (12) Precautions shall be taken to deal effectively with any vermin and insects on the site.
- (13) A record shall be kept of the types, quantities and locations of difficult wastes.
- (14) Asbestos wastes to be packed in alkathene bags, labelled and immediately buried. Any significant quantities to be notified to the Waste Disposal Authority under Section 17 of the Control of Pollution Act 1974 or the Deposit of Poisonous Wastes Act 1972.
- (15) The terms of the site licence shall be made known to any person who is given responsibility for the management or control of the site and a copy of this shall be displayed at the site control office.

- (16) When landfilling commences top-soil stripping shall be carried out in stages and only to the extent necessary to maintain a reasonably adequate area for landfilling at any one time. Top-soil thus stripped shall be retained on the site for use as final cover.
- (17) Each layer of waste and covering material shall be laid to a fall to encourage surface water run-off.
- (18) Until final restoration, completed areas of landfilling shall be graded and maintained in a tidy condition and where necessary action shall be taken to control or destroy weeds.
- (19) The final layer deposited shall be subject to the minimum compaction and shall, to a depth of 15 - 25 centimetres ( 6 - 10 inches), be kept free of materials likely to interfere with final restoration or subsequent cultivation.
- (20) Not less than 14 days notice shall be given to the Waste Disposal Authority of the date on which landfilling is to commence or re-commence in the event of a temporary cessation for a period in excess of three months.
- (21) Any temporary cessation of operations for a period in excess of three months shall be notified to the Waste Disposal Authority.

The issue of this licence does not lessen the need to comply with other legislation, i.e. the Health and Safety at Work Act 1974, The Radioactive Substances Act 1960, Planning, Water Protection and Environmental Health legislation.

CONTROL OF POLLUTION ACT, 1974

INCO Europe Limited, Clydach - Landfill Site

- (1) Solid Wastes only to be deposited on site.
- (2) Tipping to be confined to hours of daylight.
- (3) Adequate supervision necessary during working hours.
- (4) Water courses to be protected.
- (5) Solid waste shall be compacted and formed into a layer as soon as possible after deposit and not later than at the end of the working day on which the waste is received.
- (6) The layer of waste shall be formed in one or other of the ways described in condition 7 below using suitable compaction equipment with a blade or some other appropriate levelling device.
- (7) Waste shall either (a) be deposited on the surface of the site behind the face and partially compacted by a tractor or other compacting machine before being pushed over the face or it shall (b) be deposited on the ground forming the base of the site or on a previous layer in front of the face and shall be formed into a compacted layer by being pushed upwards and driven over by a tractor or other compacting machine.
- (8) Before covering, working faces and flanks shall be compacted to form gradients not steeper than 1 in 3.
- (9) All large articles such as furniture, crates and hollow containers likely to cause voids shall be crushed, broken up or flattened and covered each day by other wastes in such a position that they are not within one metre (3 feet) of the surface or two metres (6 feet) of the flanks or face.
- (10) Not less frequently than once a week any loose waste which may be lying on the site shall be gathered and disposed of in such a way as to keep the site tidy.
- (11) No waste material shall be burnt within the boundaries of the site, and a fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All outbreaks of fire shall be notified forthwith to the disposal authority.
- (12) Precautions shall be taken to deal effectively with any vermin and insects on the site.
- (13) A record shall be kept of the types, quantities and locations of difficult wastes.
- (14) Asbestos wastes to be packed in alkathene bags, labelled and immediately buried. Any significant quantities to be notified to the Waste Disposal Authority under Section 17 of the Control of Pollution Act 1974 or the Deposit of Poisonous Wastes Act 1972.
- (15) The terms of the site licence shall be made known to any person who is given responsibility for the management or control of the site and a copy of this shall be displayed at the site control office.

- (16) When landfilling commences top-soil stripping shall be carried out in stages and only to the extent necessary to maintain a reasonably adequate area for landfilling at any one time. Top-soil thus stripped shall be retained on the site for use as final cover.
- (17) Each layer of waste and covering material shall be laid to a fall to encourage surface water run-off.
- (18) Until final restoration, completed areas of landfilling shall be graded and maintained in a tidy condition and where necessary action shall be taken to control or destroy weeds.
- (19) The final layer deposited shall be subject to the minimum compaction and shall, to a depth of 15 - 25 centimetres ( 6 - 10 inches), be kept free of materials likely to interfere with final restoration or subsequent cultivation.
- (20) Not less than 14 days notice shall be given to the Waste Disposal Authority of the date on which landfilling is to commence (or re-commence in the event of a temporary cessation for a period in excess of three months.
- (21) Any temporary cessation of operations for a period in excess of three months shall be notified to the Waste Disposal Authority.

The issue of this licence does not lessen the need to comply with other legislation, i.e. the Health and Safety at Work Act 1974, The Radioactive Substances Act 1960, Planning, Water Protection and Environmental Health legislation.