



SD2 - Technical Ability Evidence - WAMITAB Registration

Unit 9-10 Village Farm Road, Village Farm Industrial Estate, Pyle, Bridgend, CF33 6BL

Tel: 07967 971009

Email: williamscott@scottwaste.co.uk

Disclaimer

Whilst every care is taken to ensure the accuracy of the information herein, no liability or responsibility of any kind can be accepted by Technia Business Solutions Ltd for any errors, discrepancies or omissions. Drawings and descriptions in this report are not intended to represent detailed design unless otherwise stated.

Report Revision

Version	Date	Author	Checked / App'd	Revision
DRAFT	27/08/16	SW	WS	FOR APPROVAL
V1.0	28/08/16	SW	WS	RELEASED FOR APPLICATION TO VARY PERMIT



Our Ref: LS/LEB/100/08

29 July 2014

Mr William Scott
Toms Cottage
Pyle Road
Nottage
Porthcawl
CF36 3TF

Peterbridge House
3 The Lakes
Northampton
NN4 7HE

Tel: 01604 231950
Fax: 01604 232457

Email: info.admin@wamitab.org.uk
www.wamitab.org.uk

Application No. 26289

(Please quote in all correspondence with WAMITAB)

Dear Mr Scott

CIWM/WAMITAB Operator Competence Scheme - 4/6 Unit Registration

You are now registered for the 4MPTNH6 WAMITAB award, and your applicant number, which should be quoted in any correspondence with us, is shown above.

Enclosed you will find reference documentation, which gives you information about the services that WAMITAB provide, and this can be explained further by your assessment centre.

The Centre will be able to provide further information on the practicalities of the assessment process and the costs associated with assessment and verification. WAMITAB's web site is also a useful source of background information.

We wish you every success in your progress towards achieving these units. WAMITAB is available to provide support and advice if you so wish, and we can be contacted by telephone, fax and email.

If you have any queries that the Centre cannot deal with please do not hesitate to contact our staff at the WAMITAB office.

Yours sincerely

Chris James
Chief Executive Officer

Enc.

