




Lawn, Suzanne

From: Lawn, Suzanne
Sent: 14 January 2009 16:46
To: Dave Whistance
Subject: RE: IPPC visit

Hi Dave

I'm glad you felt the visits weren't too bad. Looking through the guidance and chatting with my colleagues we feel that site drainage which is minimally contaminated with dust from the vents can go to the lagoon. The drainage that collects the dirty water from the washdown must be collected and stored as must any drainage from the sludge/muck store at the back of the site.

It will probably be beneficial to have another visit to discuss any changes/improvements to the drainage system at meadowbank. As I mentioned I am revisiting Cefn Mawr at the beginning of Feb so sometime after this could be a good time.

I'll send back copies of the reviews next week with the Inspection forms and letters, I only work Mon - Wed so it won't be till next week now.

Regards
Suzanne

From: Dave Whistance [mailto:dave.whistance@btinternet.com]
Sent: 13 January 2009 17:52
To: Lawn, Suzanne
Subject: Fw: IPPC visit

Click [here](#) to report this email as spam.

----- Forwarded Message -----

From: Dave Whistance <dave.whistance@btinternet.com>
To: suzanne.lawn@environment-agency.gov.uk
Sent: Tuesday, 13 January, 2009 5:49:41 PM
Subject: IPPC visit

Suzanne.

Thank you for your visit today and making it feel a very beneficial one. I don't feel so vague and uneasy about it all now. The reviews I kept back have been completed and will be in the post tomorrow, and sent to Hadnock Road. Please could you copy and return at your convenience.

Let me know what your conclusion is on the dirty water ending up in the lagoon area at Meadowbank. I have already thought of ways to alter it if we need to, but all have a cost implication. Also a faxed litter analysis is on its way to the files.

Again many thanks for your time and help.

Dave Whistance.

30/03/2009