

Compliance Assessment Report

Report ID:
CAR_NRW0035246

This form will report compliance with your permit as determined by an NRW officer

Site	Hafod Garage Waste Transfer Station		Permit Ref	AP3399FR	
Operator/Permit holder	Thomas Waste Management Ltd				
Regime	Waste Operations				
Date of assessment	12/06/2019	Time in	10:30	Out	11:10
Assessment type	Site Inspection				
Parts of the permit assessed	All				
Lead officer's name	Bowder, Alex				
Accompanied by					
Recipient's name/position	Gareth Thomas, Howard Thomas/ Operations Manager	Date issued	14/06/2019		

Section 1 – Compliance Assessment Summary

This is based on the requirements of the permit under the Environmental Permitting Regulations or the licence under the Water Resources Act 1991 as amended by the Water Act 2003. A detailed explanation is captured in "Compliance Assessment Report Detail" (Section 2) and any actions you may need to take are given in the "Action(s)" (section 4). This summary details where we believe any non-compliance with the permit has occurred, the relevant condition and how the non-compliance has been categorised using our Compliance Classification Scheme (CCS). CCS Scores can be consolidated or suspended where appropriate, to reflect the impact of some non-compliances more accurately. For more details of our CCS scheme, contact your local office.

Permit conditions and compliance summary	CCS Category	Condition(s) breached
A1 - Specified by permit	A	
B1 - Infrastructure - Engineering for prevention and control of emissions	A	
B3 - Infrastructure - Site drainage engineering (clean and foul)	A	
B4 - Infrastructure - Containment of stored materials	A	
C1 - General Management - Staff competency/training	A	
C2 - General Management - Management system and operating procedures	A	
C3 - General Management - Materials acceptance	A	
C4 - General Management - Storage, handling labelling and Segregation	A	
F1 - Amenity - Odour	A	
F2 - Amenity - Noise	A	
F3 - Amenity - Dust/fibres/particulates and litter	A	
G2 - Monitoring and Records, Maintenance and Reporting - Records of activity, site diary/journal/events	A	
G4 - Monitoring and Records, Maintenance and Reporting - Reporting and notification to Natural Resources Wales	A	

KEY: See Section 5 for breach categories, suspended scores will be indicated as such.
A = Assessed or assessed in part (no evidence of non-compliance), **X** = Action only,
O = Ongoing non-compliance, not scored.

Number of breaches recorded	0	Total compliance score (see section 5 for scoring scheme)	0
------------------------------------	----------	---	----------

If the Number of breaches recorded is greater than zero, please see Section 3 for our proposed enforcement response

Section 2 – Compliance Assessment Report Detail

This section contains a report of our findings and will usually include information on:

- The part(s) of the permit that were assessed (eg. Maintenance, training, combustion plant, etc)
- Where the type of assessment was 'Data Review' details of the report/results triggering the assessment
- Any non-compliances identified
- Any non-compliances with directly applicable legislation
- Details of any multiple non-compliances
- Information on the compliance score accrued inc.
- Details of advice given
- Any other areas of concern
- Any actions requested
- Any examples of good practice
- A reference to photos taken

Officer Alex BOWDER attended Thomas Waste Management Ltd at 10:30 on Wednesday 12th June 2019 to carry out the Q1 inspection of permit **EPR-AP3399FR**. The weather conditions were mild and dry at the time of the visit. Met with Operations Manager Mr. Gareth Thomas. Walked around the permitted area.

ACTIONS FROM PREVIOUS CAR Form

- Stop accepting ELVs as a waste on site - **Complete**
- Repair weakened infrastructure in the upper yard - **Complete**

INFRASTRUCTURE

Thank you to the site for actioning the repair of the infrastructure. The yard surface has now been restored to ensure all run-off is prevented from leaving site.



The site stated that the fines materials that are produced are being sent to Atlantic Recycling Ltd.

It was apparent that the concrete around the chambers of the interceptor were open. The business stated the concrete had become damaged due to the weight of plant machinery and so the site is in the process of restoring the system infrastructure around the access holes.

The site was asked about the frequency of the maintenance checks of the system. It was said that this is done on a weekly basis and was actioned during the re-concreting. The

Officer also inspected the stream that the interceptor system discharges to (via consent). The watercourse was running clear with no issues were apparent at the time.

All waste streams were appropriately segregated and were being stored in compliance with the permit. There were no End of Life vehicles witnessed in the yard. There was also no asbestos material present or waste being stored outside of the permit boundary.

Spoke about the T4 preparatory treatment exemption for bailing cardboard and plastic (without any treatment) at the other site. This exemption allows you to treat waste to reduce its volume to help transport it to another site for reuse or recycling or make handling easier.

NRW will look to work with the site to update the current Working Plan document to a fully integrated Environment Management System (EMS) this year.

WASTE RETURN DOCUMENTS

The business submitted its Q1 Waste Return document for 2019 on 20/04/19. The running total for all waste accepted to site has been declared as 8252 tonnes - with 8078 tonnes removed.

34.62 tonnes of asbestos (**17 06 05**) has been received by the site during this period, with 24 tonnes being sent to hazardous waste landfill.

If you have any issues with this report, please contact Alex Bowder on 0300 065 3394 or alex.bowder@naturalresourceswales.gov.uk

Thank you.

In this document 'Natural Resources Wales' means the Natural Resource Body for Wales established by Article 3 of the Natural Resources Body for Wales (Establishment) Order 2012

EPR Compliance Assessment Report

**Report ID:
CAR_NRW0035246**

This form will report compliance with your permit as determined by an NRW officer

Site	Hafod Garage Waste Transfer Station	Permit Ref	AP3399FR
Operator/Permit holder	Thomas Waste Management Ltd	Date	12/06/2019

Section 3 – Enforcement Response

You must take immediate action to rectify any non-compliance and prevent repetition.

Non-compliance with your permit conditions constitutes an offence and can result in criminal prosecutions and/or suspension or revocation of a permit. Please read the detailed assessment in Section 2 and the steps you need to take in Section 4 below.

Section 4 – Action(s)

This section summarises the actions identified during the assessment along with the timescales for when they will need to be completed.

Criteria Ref.	CCS Category	Action required/advised	Due Date
See Section 1 above			

Section 5 – Compliance notes for the Operator

To ensure you correct actual or potential non-compliance we may

- Advise on corrective actions verbally or in writing
- Require you to take specific actions verbally or in writing
- Issue a notice
- Require you to review your procedures or management system
- Change some of the conditions of your permit
- Decide to undertake a full review of your permit

Any breach of a permit condition is an offence and we may take legal action against you

- We will normally provide advice and guidance to assist you to come back into compliance either after an offence is committed or where we consider that an offence is likely to be committed. This is without prejudice to any other enforcement response that we consider may be required.
- Enforcement action can include the issue of a formal caution, prosecution, the service of a notice and/or suspension or revocation of the permit.

See our Enforcement and Civil Sanctions guidance for further information

This report does not relieve the site operator of the responsibility to

- Ensure you comply with the conditions of the permit at all times and prevent pollution of the environment
- Ensure you comply with other legislative provisions which may apply

Non-compliance scores and categories

CCS category	Description	Score
C1	A non-compliance that could have a major environmental effect	60
C2	A non-compliance which could have a significant environmental effect	31
C3	A non-compliance which could have a minor environmental effect	4
C4	A non-compliance which has no potential environmental effect	0.1

Operational Risk Appraisal (Opra) - Compliance assessment findings may affect your Opra score and/or your charges. This score influences the resource we use to assess permit compliance.

Section 6 – General information

Data protection notice

The information on this form will be processed by the Natural Resources Wales (NRW) to fulfil its regulatory and monitoring functions and to maintain the relevant public register(s). The NRW may also use and/or disclose it in connection with:

- Offering/providing you with its literature/services relating to environmental matters
- Consulting with the public, public bodies and other organisations (eg. Health and Safety Executive, local authorities) on environmental issues
- Carrying out statistical analysis, research and development on environmental issues
- Providing public register information to enquirers
- Investigating possible breaches of environmental law
- Assessing customer service satisfaction and improving its service
- Freedom of Information Act/Environmental Regulations request

The NRW may pass it on to its agents/representatives to do these things on its behalf. You should ensure that any persons named on this form are informed of the contents of this data protection notice.

Disclosure of information

The NRW will provide a copy of this report to the public register(s). However, if you consider that any information contained in this report should not be released to the public register(s) on the grounds of commercial confidentiality, you must write to your local area office within fifteen working days of receipt of this form indicating which information it concerns and why it should not be released, giving your reasons in full.

Customer charter

What can I do if I disagree with this compliance assessment report?

If you are unable to resolve the issue with your site officer, you should firstly discuss the matter with officer's line managers using the informal appeals procedure. If you wish to raise your dispute further through our official Complaints and Commendations procedure, phone our general enquiry number 0300 065 3000 (Mon to Fri 08.00 – 18.00) and ask for the Customer Contact team or send an email to enquiries@naturalresourceswales.gov.uk. If you are still dissatisfied you can make a complaint to the Public Services Ombudsman for Wales. For advice on how to complain to the Ombudsman phone their helpline on 0845 607 0987.

Welsh Language

If you would like this form in Welsh please contact your Regulatory Officer.