



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 1 / 11

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name **MAREBOND B 1000**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use **Paper and board treatment product. Industrial use.**
Uses advised against **Uses other than those stated.**

1.3. Details of the supplier of the safety data sheet

Name **MARE DYNAMICS S.R.L.**
Full address **Via delle Molina 69/A**
District and Country **51012 Pescia Pistoia**
ITALY

Tel. +39 0572 427208

Fax. +39 0572 427208

e-mail address of the competent person

responsible for the Safety Data Sheet **dynamics@mare.com**

1.4. Emergency telephone number

For urgent inquiries refer to **+39 0572 427208 - MARE DYNAMICS S.R.L.**

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830.
Hazard classification and indication: --

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --
Signal words: --
Hazard statements: --
Precautionary statements: --

EUH210
EUH208

Safety data sheet available on request.
Contains biocide. Contains: C(M)IT/MIT (3:1). May produce an allergic reaction.

The product is identified as an article treated under Article 58 of the Reg. (EU) n. 528/2012 and smi.

Instructions for Use:

We recommend avoiding any contact with the skin. Wear protective gloves and clothing.
We also recommend using this product in highly ventilated settings or settings with local exhaust ventilation.
Do not disperse the water used to wash the equipment into the soil or surface water.



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 2 / 11

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)		
<i>Nomenclature required by Reg. 528/2012: C(M)IT/MIT(3:1)</i>		
CAS 55965-84-9	$0,00015 \leq x < 0,0015$	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314,
EC -		Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic
		Chronic 1 H410 M=100, EUH071
INDEX 613-167-00-5		
Reg. no. -		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

PROTECTIVE MEASURES FOR THE FIRST RESCUE WORKERS: for PPE (personal protection equipment) required for first aid refer to section 8.2 of this safety data sheet.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

In case of accident or if you feel unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 3 / 11

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Do not touch or walk through spilled material. Wear appropriate respirator when ventilation is inadequate.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe /mist/vapour/aerosol. Avoid leakage of the product into the environment.

Non-emergency personnel must follow the appropriate internal procedures in case of accidental release.

6.1.2 For emergency responders

Block the leakage if there is no hazard. Evacuate unprotected and untrained personnel from hazard area. Wear suitable protective equipment. (see Section 8 of this Safety data sheet)

Follow the appropriate internal procedures in case of accidental release.

Keep fumes and vapours under control. Isolate hazard area and deny entry. Ventilate closed spaces before entering. Send away individuals who are not suitably equipped.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 4 / 11

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

No use other than as indicated in section 1.2 of this safety data sheet

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 5 / 11

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colorless - light yellow
Odour	Odourless
Odour threshold	Not available
pH	4,5-5,5
Melting point / freezing point	0 °C
Initial boiling point	100 °C
Boiling range	Not available
Flash point	> 93 °C
Evaporation Rate	Not available
Flammability of solids and gases	Not applicable based on physical state.
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility	Completely soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not explosive due to the absence in the components of reactive groups associated with the explosive properties (Annex I, Part 2.1.4.2 and 2, 1.4.3 Reg. CLP)
Oxidising properties	Non-oxidizing due to the absence in the components of reactive groups associated with oxidizing properties (all I, art. 2.13.4 Reg. CLP)

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 6 / 11

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)
Oxidizing agents, Amines, Reducing agents, Mercaptans.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.
Oxides of carbon, ammonia, nitrogen oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

ACUTE TOXICITY

Does not meet the classification criteria for this hazard class

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

May produce an allergic reaction.

Contains: REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Skin sensitization

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)

Bibliographic reference: National Institutes of Health Publication N ° 99-449, Appendix J, 1999

Local lymph node tests. (LLNA)

Reliability (Klimisch score): 1

Species: mouse (CBA / J; female)

Results: skin sensitizer, cat 1A

SCL (specific concentration limit) (Reg. (EU) 2018/1480): C ≥ 0.0015%

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 7 / 11

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	
LC50 - for Fish	0,19 mg/l/96h Oncorhynchus mykiss (Ward and Boeri, 1990a/ Dow - US EPA FIFRA 72-1)
EC50 - for Crustacea	0,16 mg/l/48h Daphnia magna (EPA OPP 72-2)
EC50 - for Algae / Aquatic Plants	0,0052 mg/l/48h Skeletonema costatum (OECD 201 - US EPA OPPTS 850.5400)
Chronic NOEC for Fish	0,02 mg/l/38 giorni Danio rerio (OECD 210)
Chronic NOEC for Crustacea	0,0036 mg/l/21d Daphnia magna (OECD 202 - Mattock, 1996)
Chronic NOEC for Algae / Aquatic Plants	0,00049 mg/l/48 h Skeletonema costatum (OECD 201 - US EPA OPPTS 850.5400)

12.2. Persistence and degradability

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1): NOT rapidly degradable (OECD 301B)

12.3. Bioaccumulative potential

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	
Partition coefficient: n-octanol/water	0,75 C(M)IT: 0.75 MIT: -0.71 (OECD 107)
BCF	54 Lepomis macrochirus (OECD 305 E)

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 8 / 11

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered not hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. (Directive 2008/98/EC and subsequent amendments and adjustments and related national transpositions). Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The legal responsibility for disposal is the producer / holder of the waste.

To this mixture different CER codes could be applied (European Waste Code) based on the specific circumstances that generated the waste, possible alterations and / or possible contamination.

The product as such, contained in the original packaging, or decanted in an appropriate container for the purpose of disposal, or no longer usable (for example following an accidental spill), must be classified with a CER code that is compatible with the description of the use indicated in section 1.2.

The suitable final destination of the waste must be evaluated by the manufacturer on the basis of the chemical-physical characteristics of the waste, the compatibility with the authorized facility to which it will be given for recovery, and the definitive treatment or disposal according to the procedures established by current regulations.

Disposal through wastewater discharge is not permitted.

For hazardous substances registered according to Regulation EC 1907/2006 (REACH), for which a chemical safety report has been drawn up, refer to the specific information contained in the exposure scenarios attached to this SDS.

CONTAMINATED PACKAGING

Contaminated packaging must be sent, properly labelled, to recovery or disposal in compliance with national waste management regulations and must be classified with the following CER code:

15 01 01 : paper and cardboard packaging

15 01 02 : plastic packaging

15 01 03 : wooden packaging

15 01 04 : metallic packaging

15 01 05 : composite packaging

15 01 06 : mixed packaging

15 01 07 : glass packaging

15 01 09 : textile packaging

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 9 / 11

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

Point	75	REACTION MASS OF: 5-CHLORO-2- METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7]AND 2-METHYL-2H -ISOTHIAZOL-3- ONE [EC NO. 220- 239-6] (3:1)
-------	----	--

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

Substances subject to Regulation (EU) no. 528/2012 (Making available on the market and use of biocidal products):

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) (Mixture of CMIT/MIT)
CAS: 55965-84-9.

Approved for product type 6 (PT 6 - Preservatives for products during storage)

Implementing regulation (EU) 2016/131.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1C	Skin corrosion, category 1C
Skin Sens. 1A	Skin sensitization, category 1A



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5 Page 10 / 11

Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament



MAREBOND B 1000

Dated 04/08/2021

Printed on 04/08/2021

Revision nr. 5

Page 11 / 11

- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for the recipient of the Safety Data Sheet (SDS):

The recipient of this SDS shall make sure of reading and understanding the information included by all people who handle, store, use, or otherwise come into contact in any way with the substance or mixture to which this SDS is referred to. In particular, the recipient shall provide adequate training to the personnel for the use of hazardous substances and/or mixtures. The recipient shall verify the suitability and completeness of the provided information according to the specific use of the substance or mixture. However, the substance or mixture referred to by this SDS shall not be used for uses other than those specified in Section 1. The Supplier don't assume responsibility for improper uses. Since the use of the product does not fall under the direct control of the Supplier, the user shall, under his own responsibility, fulfill national and EU regulations concerning health and safety.

The information included in this SDS are provided in good faith and are based on the current state of scientific and technical knowledge, at the revision date indicated, available to the Supplier indicated in Section 1 of this SDS. It shall not be meant that the SDS is a guarantee of any specific property of the substance or mixture. The information concern only to the substance or mixture specifically designated in Section 1 and it could not be valid for the substance or mixture used in combination with other materials or in any process not specified in the text.

This version of the SDS substitutes all the previous versions.

Changes to previous review:

The following sections were modified:

01/ 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16