

		Page: 1
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

Conforms to EU Regulation 1907/2006/EC as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Pergasol™ GREEN G LIQUID
Direct Dye
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Colorants for the paper industry

<p>1.3 Details of the supplier of the safety data sheet Solenis Pesetastraat 62 2991 XT Barendrecht Netherlands</p> <p>Solenis UK Industries Limited P. O. Box 38, Cleckheaton Rd, Low Moor, Bradford, BD12 0JZ, United Kingdom</p> <p>EHSProductSafetyTeam@solenis.com</p>	<p>1.4 Emergency telephone number +1-302-502-0991 , or contact your local emergency telephone number at 112</p> <p>Product Information Contact your local Solenis representative</p>
--	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.
EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7]
and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1);. May produce an
allergic reaction.

 SOLENIS Strong bonds. Trusted solutions.		Page: 2
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ε-caprolactam	105-60-2 203-313-2 01-2119457029-36- xxxx	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	>= 2,5 - < 5
Substances with a workplace exposure limit :			
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts	90295-08-2 290-998-6 01-2120739429-44- xxxx		>= 10 - < 15

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Signs and symptoms of exposure to this material through

	Page: 3
SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
acid vapors
Ammonia

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

		Page: 4
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Recommended storage temperature : 0 - 60 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts	90295-08-2	TWA (Dusts and mists)	1 mg/m3 (Copper)	GB EH40

SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

		STEL (Dusts and mists)	2 mg/m3 (Copper)	GB EH40
ε-caprolactam	105-60-2	TWA (inhalable dust)	1 mg/m3	GB EH40
Further information	<p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.</p>			
		TWA (Dust and vapour)	10 mg/m3	GB EH40
Further information	<p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.</p>			
		STEL (inhalable dust)	3 mg/m3	GB EH40
Further information	<p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken</p>			

SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

	<p>in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.</p>		
	STEL (Dust and vapour)	20 mg/m3	GB EH40
Further information	<p>For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.</p>		
	TWA (Dust and vapour)	10 mg/m3	2000/39/EC
Further information	Indicative		
	STEL (Dust and vapour)	40 mg/m3	2000/39/EC
Further information	Indicative		

8.2 Exposure controls

Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation

	Page: 7
SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

- Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

- Hand protection
 - Material : Nitrile rubber

- Skin and body protection : Wear as appropriate:
Safety shoes

- Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : green
- Odour : odourless
- Odour Threshold : No data available
- pH : 6 - 8,5 (25 °C)
as supplied
- Melting point/freezing point : -10 - -5 °C
- Boiling point/boiling range : ca. 100 °C
- Flash point : A flash point determination is unnecessary due to the high water content.
- Evaporation rate : No data available
- Flammability (solid, gas) : Not classified as a flammability hazard
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : ca. 23 hPa (20 °C)
Information applies to the solvent.

SAFETY DATA SHEET

Revision Date: 30.07.2021

Print Date: 13.01.2022

SDS Number: R1200693

Version: 1.2

Pergasol™ GREEN G LIQUID Direct Dye
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries
932058

- Relative vapour density : No data available
- Relative density : No data available
- Density : 1 - 1,2 g/cm³ (25 °C)
- Solubility(ies)
- Water solubility : miscible
- Solubility in other solvents : No data available
- Partition coefficient: n-octanol/water : No data available
- Decomposition temperature : No data available
- Viscosity
- Viscosity, dynamic : < 100 mPa.s (25 °C)
Method: DIN 54453: dynamic viscosity determination of anaerobic adhesives by rotation viscometer
- Viscosity, kinematic : No data available
- Explosive properties : Not explosive
- Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

- Self-ignition : The substance or mixture is not classified as self heating.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

- Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

- Conditions to avoid : Avoid extreme heat.
Avoid freezing.

10.5 Incompatible materials

- Materials to avoid : acetic acid
Acids

	Page: 9
SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

Chlorine
nitrates
Nitrogen oxides (NOx)
strong bases
Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NOx)
acid vapors
Ammonia

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:

ε-caprolactam:

Acute oral toxicity : LD50 (Rat, male): 1.475 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat, male and female): 8,16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The component/mixture is classified as acute inhalation toxicity, category 4.

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation

	Page: 10
SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

Components:

ε-caprolactam:

Result : Irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation

Remarks : Unlikely to cause eye irritation or injury.

Components:

ε-caprolactam:

Result : Irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

ε-caprolactam:

Exposure routes : Inhalation
Target Organs : Lungs
Assessment : May cause respiratory irritation.

		Page: 11
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Components:

ε-caprolactam:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (algae)): > 1.000 mg/l
End point: Growth inhibition
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Pseudomonas putida): 4.240 mg/l
Exposure time: 17 h

	Page: 12
SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts:

Toxicity to fish : LC50 (Fish): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

12.2 Persistence and degradability

Components:

ε-caprolactam:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 82 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

Photodegradation : Rate constant: 50 %

Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: The bioaccumulation potential cannot be determined.

Components:

ε-caprolactam:

Partition coefficient: n-octanol/water : log Pow: 0,12

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

	Page: 13
SAFETY DATA SHEET	Revision Date: 30.07.2021
	Print Date: 13.01.2022
	SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058	Version: 1.2

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.

SECTION 14: Transport information

14.1 UN number

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.2 UN proper shipping name

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.3 Transport hazard class(es)

ADR: Not dangerous goods

ADN: Not dangerous goods

RID: Not dangerous goods

IMDG-Code: Not dangerous goods

IATA-DGR: Not dangerous goods

14.4 Packing group

		Page: 14
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

ADR: Not dangerous goods
ADN: Not dangerous goods
RID: Not dangerous goods
IMDG-Code: Not dangerous goods
IATA-DGR: Not dangerous goods

14.5 Environmental hazards

ADR: Not applicable
ADN: Not applicable
RID: Not applicable
IMDG-Code: Not applicable
IATA-DGR: Not applicable

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - Restrictions on the manufacture, placing on	: Not applicable

		Page: 15
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

- NZIoC : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AICS : Not in compliance with the inventory
- DSL : All components of this product are on the Canadian DSL
- ENCS : Not in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- TCSI : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Further information

Revision Date: 30.07.2021

Full text of H-Statements

- H302 : Harmful if swallowed.
- H315 : Causes skin irritation.
- H319 : Causes serious eye irritation.
- H332 : Harmful if inhaled.
- H335 : May cause respiratory irritation.

Full text of other abbreviations

- Acute Tox. : Acute toxicity
- Eye Irrit. : Eye irritation
- Skin Irrit. : Skin irritation
- STOT SE : Specific target organ toxicity - single exposure
- 2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
- GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

 SOLENIS Strong bonds. Trusted solutions.		Page: 16
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

2000/39/EC / TWA : Limit Value - eight hours
2000/39/EC / STEL : Short term exposure limit
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

		Page: 17
SAFETY DATA SHEET		Revision Date: 30.07.2021
		Print Date: 13.01.2022
		SDS Number: R1200693
Pergasol™ GREEN G LIQUID Direct Dye ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 932058		Version: 1.2

other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN