



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 1 di 8

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SYCONTROL P 90

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Wet phase agent. FOR INDUSTRIAL USE ONLY
Uses advised against Uses other than those stated.

1.3. Details of the supplier of the safety data sheet

Name MARE DYNAMICS S.R.L.
Full address Via delle Molina 69/A
District and Country I-51012 Pescia Pistoia
ITALY

Tel. +39 0572 427208

Fax. +39 0572 427208

e-mail address of the competent person

responsible for the Safety Data Sheet dynamics@mare.com

1.4. Emergency telephone number

For urgent inquiries refer to +39 0572 427208 - MARE DYNAMICS S.R.L.

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, chronic toxicity, category 3 H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 2 di 8

P273 Avoid release to the environment.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
1,2-ETHANEDIAMINE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND N- METHYLMETHANAMINE		
CAS 42751-79-1	$40 \leq x \leq 48$	Aquatic Chronic 3 H412
EC		
INDEX -		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary:
INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.
INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person.
EYES and SKIN: Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.
PROTECTIVE MEASURES FOR THE FIRST RESCUE WORKERS: for PPE (personal protection equipment) required for first aid refer to section 8.2 of this safety data sheet.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
In case of accident or if you feel unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 3 di 8

Avoid breathing the following combustion products: Hydrogen chloride (HCl), Carbon monoxide (CO), carbon dioxide (CO₂), nitrogen oxides (NO_x), pyrolysis and toxic products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Do not touch or walk through spilled material. Wear appropriate respirator when ventilation is inadequate.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe /mist/vapour/aerosol. Avoid leakage of the product into the environment.

Non-emergency personnel must follow the appropriate internal procedures in case of accidental release.

6.1.2 For emergency responders

Block the leakage if there is no hazard. Evacuate unprotected and untrained personnel from hazard area. Wear suitable protective equipment. (see Section 8 of this Safety data sheet)

Follow the appropriate internal procedures in case of accidental release.

Keep fumes and vapours under control. Isolate hazard area and deny entry. Ventilate closed spaces before entering. Send away individuals who are not suitably equipped.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Wash hands after use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Store the containers sealed, in a well ventilated place, away from direct sunlight.



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 4 di 8

7.3. Specific end use(s)

No use other than as indicated in section 1.2 of this safety data sheet

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Riferimenti Normativi:

EU OEL EU

TLV-ACGIH

Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161 / EU; Directive 2006/15 / EC; Directive 2004/37 / EC; Directive 2000/39 / EC; Directive 91/322 / EEC. ACGIH 2019

Hazardous decomposition products

HYDROGEN CHLORIDE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
VLEP	ITA	8	5	15	10
OEL	EU	8	5	15	10
TLV-ACGIH				2,9 (C)	2 (C)

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Gloves suitable for prolonged contact:

- breakthrough time: > 480 minutes
- material: butyl rubber, nitrile rubber (NBR), PVC, NR, CR.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (ref. Standard EN 166).

RESPIRATORY PROTECTION

Wear a mask with type A-B filter whose limit of use will be defined by the manufacturer. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 5 di 8

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	ambrate
Odour	Not available
Odour threshold	Not available
pH	6+/-1 a 20°C
Melting point / freezing point	Not available
Initial boiling point	~ 100 °C
Boiling range	Not available
Flash point	Not available
Evaporation Rate	Not available
Flammability of solids and gases	Not applicable based on physical state.
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	It corresponds to the vapor pressure of water.
Vapour density	Not available
Relative density	1,12 +/- 0,5 a 20°C
Solubility	miscible with water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	<1000 cPs a 20°C
Explosive properties	Non-explosive product based on the composition
Oxidising properties	Non oxidizing product based on the composition

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 6 di 8

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Keep away from frost from UV radiation and sunlight.

10.5. Incompatible materials

Strong oxidizing agents, Iron, Copper, Aluminum.

10.6. Hazardous decomposition products

Hydrogen chloride (HCl), Carbon monoxide (CO), carbon dioxide (CO₂), nitrogen oxides (NO_x), pyrolysis and toxic products.

SECTION 11. Toxicological information

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: Not classified (no significant component)

ATE (Dermal) of the mixture: Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 7 di 8

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

All the eco-toxicological information provided is derived from investigations conducted on a structurally similar product.

Aquatic toxicity to fish

LD50 (96h): 10 - <= 100 mg / l

Method: OECD 203. (test conducted with similar formulation)

12.2. Persistence and degradability

Method: OECD TG 301B / 28 d: <70%

Not readily biodegradable.

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

The product contains organically bound halogens as per formulation. It can increase the AOX value once it is discharged from the treatment system or into natural waters.

SECTION 13. Disposal considerations

13.1. Waste treatment methods



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 8 di 8

Reuse, when possible. Product residues shall be considered special hazardous waste. The hazards of the wastes containing this product shall be evaluated according to applicable regulations. (Directive 2008/98/EC as modified by subsequent amendments and transpositions into national law). Disposal must be performed by an authorised waste management enterprise in compliance with national and local regulations. The legal responsible for disposal is the producer / holder of the waste. Different EWC codes could be applied to this mixture according to the European Waste Catalogue based on the specific circumstances that generated the waste, possible alterations and / or possible contamination.

The product as such, contained in the original packaging, or poured into in an appropriate recipient for disposal, or contained in a damaged packaging after an accidental leakage, shall be classified with a EWC code that is matching the description of the use shown at section 1.2.

The suitable final destination of the waste shall be evaluated by the producer on the basis of the chemical-physical characteristics of the waste, the compatibility with the authorized facility to which it will be provided for recovery, and the definitive treatment or disposal according to the procedures established by regulations in force.

Disposal through wastewater discharge is not permitted.

CONTAMINATED PACKAGING

Contaminated packaging, properly labelled, shall be sent to recovery or disposal in compliance with national waste management regulations and they shall be classified with the following EWC code:

15 01 10*: packaging containing residues of or contaminated by hazardous substances.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2

Page

9

di 8

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

3. Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/ 2008:

(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;

(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;

(c) hazard class 4.1;

(d) hazard class 5.1.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) Nr. 1272/2008

Classification
procedure



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 10 di 8

Hazardous to the aquatic environment, chronic toxicity, category 3 H412

Calculation method

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3
H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website



SYCONTROL P 90

Dated 25/11/2019

Printed on 22/02/2021

Revision nr. 2 Page 11 di 8

- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for the recipient of the Safety Data Sheet (SDS):

The recipient of this SDS shall make sure of reading and understanding the information included by all people who handle, store, use, or otherwise come into contact in any way with the substance or mixture to which this SDS is referred to. In particular, the recipient shall provide adequate training to the personnel for the use of hazardous substances and/or mixtures. The recipient shall verify the suitability and completeness of the provided information according to the specific use of the substance or mixture. However, the substance or mixture referred to by this SDS shall not be used for uses other than those specified in Section 1. The Supplier don't assume responsibility for improper uses. Since the use of the product does not fall under the direct control of the Supplier, the user shall, under his own responsibility, fulfill national and EU regulations concerning health and safety.

The information included in this SDS are provided in good faith and are based on the current state of scientific and technical knowledge, at the revision date indicated, available to the Supplier indicated in Section 1 of this SDS. It shall not be meant that the SDS is a guarantee of any specific property of the substance or mixture. The information concern only to the substance or mixture specifically designated in Section 1 and it could not be valid for the substance or mixture used in combination with other materials or in any process not specified in the text.

This version of the SDS substitutes all the previous versions.

Changes from the previous revision

Changes have been made to the following sections:

01 / 02 / 03 / 04 / 05 / 06 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16