

creu lle gwell  
creating a better place



Asiantaeth yr  
Amgylchedd Cymru  
Environment  
Agency Wales

## ENVIRONMENTAL PROTECTION ACT 1990. SECTION 37

### WASTE MANAGEMENT LICENCE NOTICE OF MODIFICATION

|   |   |
|---|---|
| <b>LICENCE REF No:-</b> 940131 (EAWML 30123)  | <b>FACILITY TYPE:-</b> Metal Recycling Facility   |
| <b>LICENCE HOLDER:-</b><br><br>Alan Humphries and Colin David Jenkins<br>Plot 4<br>Pengarnddu Industrial Estate<br>Dowlais<br>Merthyr Tydfil<br>Mid Glamorgan<br>CF48 2TA | <b>LICENSED FACILITY:-</b><br><br>Abba Scrap Metals<br>Plot 4<br>Pengarnddu Industrial Estate<br>Dowlais<br>Merthyr Tydfil<br>Mid Glamorgan<br>CF48 2TA |


**WHEREAS** on the 6 April 1994 Merthyr Tydfil Borough Council issued a disposal licence (now to be treated as a waste management licence) in pursuance of its powers under Part 1 of the Control of Pollution Act 1974 for the above named facility to you

**AND WHEREAS** on the 1 April 1996 the powers and duties of all waste regulation authorities in England and Wales transferred to the Environment Agency ("the Agency") by virtue of section 2 of the Environment Act 1995

**AND WHEREAS** on the 23 March 1999 the Agency modified conditions of the said licence pursuant to Section 37(1)(a) of the Environmental Protection Act 1990 (modification 01)

**AND WHEREAS** on the 23 December 2004, the Agency issued a licence informative as agreed by the Agency and the Licence Holder

**NOTICE IS HEREBY GIVEN** that the Agency modifies the conditions of the said licence in accordance with Section 37(1)(a) and 37(1)(b) of the Environmental Protection Act 1990 and as set out in the Schedule attached to this notice (modification 02).

Signed  Dated 19 December 05  
**TIMOTHY MORRIS**  
Acting Team Leader – Regulatory Waste

This modification shall take effect on 20<sup>th</sup> December 2005 at 00.01 hours

**YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL OVERLEAF.**

Environment Agency Wales  
Rivers House  
St Mellons Business Park  
St Mellons  
Cardiff  
CF3 0EY

Asiantaeth yr Amgylchedd Cymru  
Plas-yr-Afon  
Parc Busnes Llanelirwg  
Llanelirwg  
Caerdydd  
CF3 0EY

## **EXPLANATORY NOTES - including rights of appeal.**

### **RIGHTS OF APPEAL**

Section 43(1) of the Environmental Protection Act 1990 provides that:

Where, except in pursuance of a direction given by the National Assembly of Wales, the conditions of a licence are modified, the licence holder may appeal from the decision to the National Assembly of Wales.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from:-

The Planning Inspectorate  
Crown Buildings  
Cathays Park  
Cardiff  
CF10 3NQ

Tel: 02920 823859  
Fax: 02920 825150

This notice of appeal should be accompanied by the following information:

A statement of the grounds of appeal;

A copy of any application to modify the licence

A copy of the licence;

A copy of any correspondence relevant to the appeal;

A copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development and

A statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency (at the address overleaf). You should appeal within 6 months of the date that this notice takes effect but the National Assembly of Wales may allow notice of appeal to be given after the expiry of this time period.

## **SCHEDULE - CONDITIONS RELATING TO THIS MODIFICATION**

Modification of conditions under sections 37(1)(a) and 37(1)(b) of the Environmental Protection Act 1990 as follows:

Delete existing conditions

All conditions

Add new conditions

Conditions 1 - 10

# 1 General considerations

## 1.1 **Application of conditions to all waste motor vehicles**

- 1.1.1 The conditions of this licence apply to the recovery (including storage) of all waste motor vehicles as defined by regulation 50 of the End-of-life Vehicles Regulations 2003.

## 1.2 **Technical Requirements for the Treatment and Storage of waste motor vehicles**

- 1.2.1 The storage (including temporary storage) and treatment of waste motor vehicles shall only be carried out at the site if it meets the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.
- 1.2.2 Storage and treatment operations of waste motor vehicles shall meet the requirements of Schedule 5 of the ELV Regulations. Infrastructure and equipment provided to meet these obligations shall be maintained in working order and shall be used to give effect to their purpose.
- 1.2.3 The removal of coolants from air-conditioning units shall be in accordance with the "Guidance on the Recovery and Disposal of Controlled Substances Contained in Refrigerators and Freezers" published by the Environment Agency.

## 2 Specific considerations

### 2.1 Specified waste management operations

2.1.1 No waste management operations shall be authorised by this licence unless:

- a** specified in and undertaken in accordance with the limitations specified in Table 2.1; or
- b** otherwise required by the conditions of this licence as being an integral part of those operations;

2.1.2 Where discharge to surface water is taking place as part of the site operations the Discharge shall consist solely of surface run off (site drainage) from the treatment and storage areas within the licensed area. The discharge shall be made in the manner and at the place specified as:

- a** discharging via a Class One oil interceptor;
- b** discharging to the highway drains in Pengarnddu Industrial Estate;
- c** at National Grid Reference SO 07900 08830 being a reasonable conversion from the largest scale Admiralty chart including the waters described in paragraph **b** above;
- d** shown marked Consent Point 01 on Drawing Reference Number ABBA/04 and attached to this licence in Appendix C.

Table 2.1 Specified waste management operations

| Specified Waste Management Operation  | Waste Permitted Types which may be subject to the Specified Operation | Limits on Specified Waste Management Operations   |
|---|---|---|
| <p><b>D15:</b> Storage pending, on this site any of the category "D" operations authorised under this column, or elsewhere than on this site, any of the operations listed in Part III of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).</p> <p><b>R13:</b> Storage of waste consisting of materials intended for submission, on this site to any of the category "R" operations authorised under this column, or elsewhere than on this site, to any of the operations listed in Part IV of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).</p> | All   | <p>Maximum storage capacity at any one time is identified in section 1.5.2 of the working plan, shown on drawing number ABBA/02/A and ABBA/03 and which comprises of:</p> <ul style="list-style-type: none"> <li>i) 20 End of life vehicles (16 01 04**) stored on impermeable pavement with sealed drainage;</li> <li>ii) 280 End of life vehicles (16 01 06 - containing neither liquids nor other hazardous components);</li> <li>iii) 50 tonnes of residual wastes produced as a result of depollution or further treatment of i) above;</li> <li>iv) 2000 tonnes of ferrous and non-ferrous metals;</li> <li>v) 200 tonnes of Electrical Cable and Equipment.</li> </ul> <p>The overall maximum storage capacity shall not exceed 50 tonnes of residual waste, not exceeding 10 tonnes of hazardous waste for disposal.</p> <p>Maximum storage time of 1 year prior to disposal or 3 years prior to recovery</p> |

EWC entries marked with a \*\* may be hazardous depending on threshold concentrations. Please refer to Agency Technical Guidance WM2 or subsequent guidance for further advice

[Table continued overleaf]

Table 2.1 Specified waste management operations [continued]

| Specified Waste Management Operation  | Waste Permitted Types which may be subject to the Specified Operation          | Limits on Specified Waste Management Operations  |
|---|--|--|
| <p><b>D9:</b> Physico-chemical treatment of waste not listed elsewhere in this table which results in final compounds or mixtures which are disposed of on this site by means of any of the category "D" operations authorised under this column, or elsewhere than on this site, by means of any of the operations listed in Part III of Schedule 4 of the 1994 Regulations.</p> <p><b>R2:</b> Recycling or reclamation of organic substances which are not used as solvents</p> <p><b>R3:</b> Recycling or reclamation of metals and metal compounds</p> <p><b>R4:</b> Recycling or reclamation of other inorganic materials.</p> | All solid wastes   | <p>Treatment consisting only of physical sorting or separation of waste into different components for disposal (no more than 50 tonnes per day), recycling or reclamation.</p> <p>i) All waste shall be treated within the areas shown on drawing number ABBA/02/A and ABBA/03 of the working plan.</p> <p>ii) All waste shall be treated on impermeable surface with sealed drainage system in accordance with condition 2.1.</p> |
| <b>Discharge to surface water</b>   | Surface run-off from the treatment and storage areas within the licensed area. | As far as it is reasonably practicable the works shall be operated so as to prevent the discharge from containing any significant trace of visible oil or grease.  |

EWC entries marked with a \*\* may be hazardous depending on threshold concentrations. Please refer to Agency Technical Guidance WM2 or subsequent guidance for further advice

#### *Specified Waste Management Operations & Exempt Waste Management Operations*

##### 2.1.3

Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

## 2.2 Permitted wastes

### *Permitted categories and types of wastes*

- 2.2.1 No wastes other than those, which are categorised below in Table 2.2A and specified in detail in Appendix A to these conditions, shall be accepted at the site.

Table 2.2A Permitted quantities of waste

| Permitted Waste Categories (Classified using European Waste Catalogue, see list Appendix A)                    | Maximum Permitted Quantities for each waste category (subject to maximum permitted total quantity in condition 2.2.2) (tonnes/year) |
|--|---|
| Inert Wastes   | No limit subject to maximum storage capacities detailed in Table 2.1  |
| Metal wastes<br>(non-hazardous)  | No limit subject to maximum storage capacities detailed in Table 2.1  |
| Degradable Household Wastes<br>Degradable Commercial Wastes<br>Degradable Industrial Wastes<br>(non-hazardous) | No limit subject to maximum storage capacities detailed in Table 2.1  |
| Hazardous Wastes   | No limit subject to maximum storage capacities detailed in Table 2.1.   |

### *Permitted quantities of wastes*

- 2.2.2 The total quantity of waste accepted at the site per year shall not exceed 24,999 tonnes.

### *Exclusion of wastes with other specified characteristics*

- 2.2.3 Notwithstanding the specification of permitted waste types under condition 2.2.1 and 2.2.2 above, wastes shall not be accepted at the site which have any of the following characteristics:

Table 2.2B. Excluded wastes of specified form and type

| Waste Characteristic | Type   |
|----------------------|--|
| Form and Type        | Wastes consisting of solely or mainly of dusts, powders or loose fibres;<br>Wastes that are in a form which are either a sludge or a liquid. |

## 2.3 Hours of operation

- 2.3.1 The following specified waste management operations authorised by this licence shall only be carried out within the times specified in section 1.4.1 of the working plan.



2.4           **Staffing and understanding of requirements of licence conditions**

*Minimum staffing and supervision*

2.4.1           Whenever the site is open to receive or dispatch wastes, or is carrying out any of the specified waste management operations, it shall be supervised by at least one member of staff who is suitably trained and fully conversant with the requirements of the licence regarding:

- a** waste acceptance and control procedures;
- b** operational controls;
- c** maintenance;
- d** record-keeping;
- e** emergency action plans;
- f** Notifications to the Agency.

*Availability of licence*

2.4.2           A copy of this licence shall be kept available on site for reference when required by all site staff carrying out work under the requirements of the licence.

*Understanding of licence*

2.4.3           All site staff shall be, or shall work under the direct supervision of a member of staff who is, fully conversant with those aspects of the licence conditions that are relevant to their specific duties.

*Attendance of Technically Competent Persons*

2.4.4           Attendance of the technically competent person(s) at the site shall be recorded in the site diary on arrival and departure.

2.5           **Fit and proper person**

2.5.1           Any changes in the technically competent management of the site, the name of any incoming person and evidence that such a person has the required technical competence, shall be submitted to the Agency in writing within 5 working days of the change in management.

2.5.2           In the event of the Licence Holder being convicted of any relevant offence and which is in addition to any already notified to the Agency, then full details shall be provided to the Agency within 14 days following sentencing, whether or not the conviction or sentence is subsequently appealed. Such details shall include the nature of the offence, the place and date of conviction, and any fine or other penalty imposed.

2.5.3           In the event that the Licence Holder lodges an appeal against any such conviction, the Licence holder shall notify the Agency of this within 14 days of the lodging. The Licence Holder shall notify the Agency of the results of that appeal within 14 days of the appeal being decided.

## 2.6 **Amendments to working plan and supporting information**

### *Amendments to working plan requiring prior consent from the Agency*

- 2.6.1 The Licence Holder shall give the Agency prior notice in writing of any proposed change to those sections of the working plan which are specified in Table 2.6 below, and to any appendices, drawings and figures which are referenced in those sections.

**Table 2.6 Sections of the working plan requiring prior consent for amendments**

| <b>Number and Heading of Working Plan Sections And Appendices</b> | <b>Sections and Subsections requiring Prior consent for Amendments</b> |
|---|--|
| Section 1 General Considerations                                  | 1.4.1, 1.5.2   |
| Section 2 Site Engineering and Infrastructure                     | 2.8, 2.9, 2.10, 2.11, 2.12, 2.13, 2.14                                 |
| Section 3 Site Operations   | 3.1, 3.3, 3.4  |
| Section 4 Environmental Control, Monitoring and Reporting         | 4.9  |
| Appendices  |  |
| Drawings  | ABBA/02/A , ABBA/03  |

- 2.6.2 The notice shall be accompanied by a copy of the proposed changes, and by a written assessment of the effect that implementing the proposed change to the working plan would have on the risk posed by the site to human health and the environment.
- 2.6.3 The Licence Holder shall provide up to 6 additional copies of the proposed change and supporting risk assessment to the Agency, when required by the Agency in writing.
- 2.6.4 The proposed change to the working plan shall not be implemented unless the Agency has given its written consent to it. Following consent, the Licence Holder shall give the Agency prior written notification of the implementation date of the change, and from that date the changed section shall be deemed to be incorporated in the working plan in replacement of the previous version of that section.

## 2.7 **Notification of change of operator's or holder's details**

- 2.7.1 The following information shall be notified in writing within 5 working days to the Agency:
- a** any change in the Licence Holder's name(s) or address(es);
  - b** the operator at the time of issue of the licence and of any change in the operator or in the operator's trading name, address, registered name or registered office address (if different from the Licence Holder);

## 2.8 **Notifications and submissions to the Agency**

- 2.8.1 Except where otherwise specified, all notifications and submissions to the Agency under the requirements of these licence conditions:

- a** shall be made in writing to the address specified by the Agency in writing at the time of issue of this licence, or as subsequently specified by written notification to the Licence Holder
- b** shall quote the licence reference number and the name of the Licence Holder.

**2.9 Notification of preparatory works**

- 2.9.1** No preparatory works shall be undertaken until at least 7 days prior notice in writing has been given to the Agency of the intention to do so. The notification shall include details of what work is being done and when.

**2.10 Notification of cessation and recommencement of waste storage operations**

*Cessation and recommencement of specified waste management operations*

- 2.10.1** In the event that the site ceases receiving wastes for longer than 21 days then within 7 days following the elapse of that time, the Licence Holder shall inform the Agency in writing of the date of cessation and of the planned date of recommencement. In the event that it is intended that the site shall recommence receiving wastes sooner than the notified date then the Licence Holder shall give the Agency not less than 7 days prior notice in writing.

### 3 Site engineering for pollution prevention & control

#### 3.1 **Engineering site containment & drainage systems**

##### *Provision & maintenance of site containment & drainage systems*

3.1.1 No waste shall be deposited, stored, treated or otherwise handled in any area of the site until the engineered site containment and drainage system for that area has been constructed and completed in accordance with condition 3.1.2.

3.1.2 The engineered site containment and drainage systems shall be designed, constructed, inspected, validated and maintained, and shall be fully documented and recorded, to be fit for purpose and meet the standards specified in Table 3.1 below and in sections 2.9, 2.10, 2.11, 2.12 and 2.13 of the working plan.

**Table 3.1 Site containment & drainage standards**

| <b>Type of Site Surface &amp; Drainage</b> | <b>Minimum Specified Standards of Design, Construction &amp; Maintenance</b>   |
|--|--|
| a) Hardstanding                            | <p>Areas of hardstanding shall be constructed of granular material (e.g. crushed stone, aggregate, road planings or other similar material) and maintained such that the working surface:</p> <ul style="list-style-type: none"> <li>i) shall remain even;</li> <li>ii) shall not be subject to settlement or differential settlement;</li> <li>iii) shall not be subject to rutting by vehicles even when wet;</li> <li>iv) shall have sufficient durability to allow cleaning for example by scraping;</li> <li>v) shall remain free of standing water.</li> </ul>   |
| b) Impermeable pavement, bunding and sills | <p>Areas of impermeable pavement, bunding and sills shall be constructed and maintained so as to prevent fluids running off the pavement and the transmission of fluids through the pavement or joints.</p> <p>Where there is a risk of chemical corrosion, areas of impermeable pavement, kerbs, bunds and sills shall be provided with suitable resistance to minimise such corrosion.</p>   |
| c) Sealed drainage systems                 | <p>Drainage to areas of impermeable pavement shall be provided by a sealed drainage system, that is comprised of a drainage system with impermeable components which does not leak and which will ensure that:</p> <ul style="list-style-type: none"> <li>• no liquid will run off the pavement other than via the system; and</li> <li>• except where they may be lawfully discharged, all liquids entering the system are collected in a sealed sump;</li> <li>• where the discharge is to surface water and is permitted as part of this waste management licence the discharge shall pass through a Class 1 Oil interceptor, which shall be operated and maintained in accordance with good operational practice.</li> </ul> <ul style="list-style-type: none"> <li>i) Sealed sumps shall be inspected no less frequently than daily and after rain, emptied when the collected liquids reach 80% of the capacity of the sump as measured using a dipstick or equivalent gauge, and constructed and maintained so as to collect and contain all liquids which run off the pavement.</li> <li>ii) Inspections and emptying of sealed sumps shall be recorded in the site diary.</li> <li>iii) Uncontaminated drainage from clean yard areas shall be kept separate and discharged to either surface water or sewer or watercourse or soakaway.</li> </ul> |
| d) Covered buildings or roofed areas       | <p>Where wastes are stored in a building:</p> <ul style="list-style-type: none"> <li>i) the building shall be designed, constructed and maintained to prevent ingress of rain and surface water.</li> <li>ii) roof water shall be kept separate from contaminated water and other liquids and shall be discharged to either surface water or a sewer or a water course or a soakaway.</li> </ul>   |

[Table continued overleaf]

Table 3.1 Site containment &amp; drainage standards

[continued]

| Type of Site Surface & Drainage                               | Minimum Specified Standards of Design, Construction & Maintenance  |
|---|--|
| e) Fixed bays   | Fixed bays and other fixed containers used for the storage and treatment of wastes must be constructed and maintained to a standard, which is fit for purpose.   |
| f) Storage areas for tanks, skips, drums and other containers | <p>All tanks, skips, drums and other containers, which are used for the storage or treatment of wastes, shall be constructed and maintained so that they do not leak any liquids contained in them.</p> <p>All tanks (and their associated inlet and outlet pipes and valves) which are used for the storage or treatment of wastes shall be stored within a bunded or silled area with impermeable pavement, which shall be isolated from the drainage system and shall meet the following specifications:</p> <ul style="list-style-type: none"> <li>• The bunded or silled area shall be designed and constructed to contain 110% of the volume of the largest container or tank;</li> <li>• The bunded or silled area shall be inspected no less frequently than weekly and after rain and shall be emptied so as to maintain a capacity of 110% of the volume of the largest container or tank;</li> <li>• Rainwater shall be removed by bailing or pumping and shall be treated as contaminated water and disposed of to either an approved discharge or a suitably licensed or permitted facility.</li> </ul> |
| g) Inspection and maintenance of engineered containment       | <p>All areas of hardstanding, impermeable pavement, sealed drainage systems, covered buildings, roofed areas, fixed bays and storage areas for tanks, skips, drums and other containers:</p> <ol style="list-style-type: none"> <li>i) shall be inspected no less frequently than monthly, to ensure the continuing integrity and fitness for purpose of their construction, and the inspection and any necessary maintenance shall be recorded in the site diary; and</li> <li>ii) in the event of any damage occurring which breaches the integrity of the engineered containment so that it no longer meets the specified standards, the Licence Holder shall cease importing waste into or treating waste in the affected area, shall notify the Agency immediately, and shall not recommence importing waste into or treating waste in the affected area until it has been repaired to a standard at least as good as the original specification.</li> </ol>  |

### *Construction quality assurance of new site containment & drainage systems*

#### 3.1.3

No wastes shall be deposited, stored, treated or otherwise handled in any area or any fixed tank for which an engineered site containment and drainage system is to be newly constructed to meet the requirements of this condition until:

- a details of the identities, relevant experience and relevant qualifications of the personnel who will be providing Quality Assurance of the engineered site containment and drainage systems have been submitted in writing to the Agency and acknowledged in writing by the Agency;
- b the engineered site containment and drainage system has been constructed in accordance with the other requirements of condition 3.1;

- c** the Validation Report on the construction of the engineered site containment and drainage system has been submitted in writing to the Agency, and the Agency has confirmed in writing that it has no objection to the placement of wastes on that containment area.
- 3.1.4** The existing engineered site containment and drainage system shall be maintained in accordance with the recommendations of the designated engineer and the requirements of Table 3.1.
- 3.1.5** All discharges from the impermeable pavements shall pass through a Class 1 Oil Interceptor which shall be operated and maintained in accordance with good operational practice such that:
- a** it remains fully operational except at times of unavoidable mechanical or electrical breakdown which shall be attended to, and the Agency informed of the failure, as soon as possible after the failure;
  - b** Following a failure all equipment shall be returned to normal operation as soon as practicable.

## Site infrastructure

### 4.1 **Provision of site identification board**

4.1.1 No wastes shall be received at the site unless an identification board is provided at or near the site entrance.

4.1.2 The board shall be easily readable from outside the site entrance in daylight hours, and shall display the following information:

- a** Site name and address;
- b** Licence Holder name (company name, not individual name unless justified as necessary);
- c** Operator name (company name, not individual name unless justified as necessary);
- d** Licence number;
- e** Emergency contact name and telephone number (for security reasons, personal names and home phone numbers should not be used);
- f** Statement that the site is an Authorised Treatment Facility, licensed by the Environment Agency;
- g** Agency national numbers: 08708 506 506 and 0800 807060 (or any other number subsequently notified in writing by the Agency);
- h** Days and hours the site is open to receive waste.

### 4.2 **Site security**

4.2.1 The site shall be secure.



## 5 Site operations

### 5.1 Control of mud and debris and loose waste

#### *Prevention of mud and debris on road*

5.1.1 Whenever the site is receiving or despatching wastes, measures shall be provided, operated and maintained with the objective of preventing the deposit or tracking of mud or debris arising from the site onto public areas outside the site, which shall include public highways and areas of public access.

5.1.2 All vehicles leaving areas of the site which are operational or upon which engineering works are being carried out shall, before leaving the site, be cleaned as necessary and shall be checked to ensure that they are clear of loose waste and that any waste is secure.

#### *Remediation of mud and debris on road*

5.1.3 In the event that mud, debris or waste arising from the site is deposited onto public areas outside the site, the following remedial measures shall be implemented immediately:

- a the affected public areas outside the site shall be cleaned
- b traffic shall be isolated from sources of mud and debris within the site to prevent further tracking of mud and debris, and measures shall be taken to clear any such sources as soon as practicable.

### 5.2 Leaks & spillages

#### *Potentially polluting leaks & spillages from vehicles, plant & equipment*

5.2.1 All vehicles used on the site by the operator, and all plant and all equipment used on the site in connection with specified waste management operations, shall be operated and maintained with the objective of preventing potentially polluting leaks and spillages of wastes or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations.

#### *Potentially polluting leaks & spillages from tanks, skips, drums & other containers*

5.2.2 Each tank, skip, drum or other container used to hold wastes which consist of or contain end of life vehicle fluids or hazardous residual wastes, or other potentially polluting materials which are to be used in combination with those wastes in the specified waste management operations shall be:

- a loaded and unloaded in accordance with the handling procedures specified in Table 5.2;
- b filled and emptied in accordance with the filling and emptying procedures specified in Table 5.2;
- c clearly and unambiguously labelled regarding its contents, unless the contents are clearly identifiable by visual inspection;

- d inspected and maintained according to the maintenance schedules and procedures specified in Table 5.2, which shall be fully documented and recorded;
- e in the event of damage or deterioration to a container that is, or is likely to cause, a leak, that container shall be repaired or replaced immediately.

*Control & remediation of leaks & spillages*

- 5.2.3 All areas of impermeable pavement shall be provided with suitable cleanser-degreaser equipment.
- 5.2.4 In the event of any potentially polluting leak or spillage occurring on site, documented control and remediation procedures shall be implemented immediately and recorded, and shall meet the standards specified in Table 5.2 below.

**Table 5.2 Standards for prevention & control of leaks and spillages**

| Action  | Specified standards   |
|---|---|
| a) Loading and unloading skips, drums and other containers                        | <ul style="list-style-type: none"> <li>i) Loading and unloading of skips, drums and other containers shall be supervised at all times by a member of staff.</li> <li>ii) Lids/ caps/ bungs or other closures shall be in place during loading/ unloading.</li> <li>iii) Loading/ unloading shall be carried out in an area provided with engineered containment of the type required for that waste and of the standard of containment specified under condition 3.1</li> </ul>   |
| b) Filling and emptying, tanks, drums and other containers                        | <ul style="list-style-type: none"> <li>i) Filling and emptying of tanks, drums and other containers shall be supervised at all times by a member of staff.</li> <li>ii) Lids/ caps/ bungs or other closures shall be in place at the end of filling</li> <li>iii) Containers, tanks and drums shall not be filled beyond their operational capacity.</li> <li>iv) Filling and emptying shall be carried out in a bunded area maintained in accordance with condition 3.1</li> <li>v) Measurement of level/ void space shall be by physical dipping prior to loading.</li> </ul> |
| c) Inspection, maintenance and repair of skips, tanks, drums and other containers | <ul style="list-style-type: none"> <li>i) Skips, tanks, drums and other containers shall be inspected daily for leaks.</li> <li>ii) Any fixed tanks found to be leaking shall have their contents immediately transferred to an alternative appropriate tank or container.</li> <li>iii) Any skips, drums and/or other containers found to be leaking either shall be immediately transferred to a larger appropriate over-container or shall have their contents immediately transferred to an alternative appropriate tank or container.</li> </ul>                           |

[Table continued overleaf]

Table 5.2 Standards for prevention & control of leaks and spillages

[continued]

| Action  | Specified standards  |
|---|--|
| d) Control and remediation of leaks and spillages | i) Minor spillages of oil, fuel or other end of life vehicle fluid shall be cleaned up immediately, using sand or proprietary absorbent to clean up liquids and placed in alternative containers.<br><br>ii) Major spillages of oil, fuel or other end of life vehicle fluid which are causing or are likely to cause polluting emissions to the environment: <ul style="list-style-type: none"> <li>• Immediate action shall taken to contain the spillage and prevent liquid from entering surface water drains, water courses and unsurfaced ground;</li> <li>• the spillage shall be cleared immediately and placed in alternative appropriate containers;</li> <li>• the Agency shall be informed immediately.</li> </ul> |

### 5.3 **Fires on the site**

#### *Prohibition of fires on site*

5.3.1 No wastes shall be burned on the site.

#### *Actions to be taken in the event of a fire*

5.3.2 In the event of a fire on the site, immediately following taking action to suppress and extinguish the fire, the following actions shall be implemented immediately and recorded in the site diary:

- a the Agency shall be informed of the fire; and
- b so far as practicable, contaminated site drainage shall be prevented from entering any surface water drain or water course or unsurfaced ground.

### 5.4 **Waste acceptance & control procedures**

#### *Waste acceptance procedures*

5.4.1 All wastes shall be received, inspected, accepted or rejected, and recorded in accordance with sections 3.1, 3.3 and 3.4 of the working plan and the standards specified in Table 5.4 below.

#### *Waste control procedures*

5.4.2 All wastes accepted at the site shall be handled, kept and recorded in accordance with sections 3.3 and 3.4 of the working plan and the standards specified in Table 5.4 below.

#### *Waste despatch procedures*

5.4.3 All outgoing wastes shall be inspected, despatched and recorded in accordance with section 3.4 of the working plan and the standards specified in Table 5.4 below.

Table 5.4 Standards for waste acceptance and control procedures

| Stage of Waste Handling   | Specified standards  |
|---|--|
| a) Waste inspection   | <p>All wastes received at the site:</p> <ul style="list-style-type: none"> <li>i) Shall be inspected on receipt to confirm their description and composition (and in the case of End-of-Life Vehicles, their depollution status) against the relevant waste transfer note and any other accompanying documentation.</li> <li>ii) Shall be kept separate from and shall not be mixed with other wastes until they have been confirmed and recorded for acceptance at the site.</li> <li>iii) Vehicles received shall be kept segregated from depolluted vehicles until they either been confirmed and recorded as previously having been depolluted or alternatively have been depolluted on site in accordance with the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.</li> </ul> |
| b) Waste control procedures: quarantine storage and rejection of wastes | <ul style="list-style-type: none"> <li>i) Any items of non-permitted waste which are detected after acceptance at the site, shall be placed immediately in a designated quarantine container, and, where these are or appear to be special wastes, the Agency shall be informed immediately;</li> <li>ii) In the quarantine area, wastes shall be kept segregated from other wastes which are or are likely to be incompatible;</li> <li>iii) Quarantined wastes shall be removed from site within 7 days;</li> <li>iv) The maximum quantity of wastes kept in the quarantine storage area shall be 12m<sup>3</sup> skip at any one time;</li> <li>v) A record shall be kept in the site diary of all rejected wastes and all wastes kept in quarantine storage.</li> </ul>                                      |
| c) Identification of wastes   | Storage areas, tanks and other containers shall be clearly defined and labelled to identify the wastes stored within them  |
| d) Waste despatch procedures  | All wastes despatched from the site shall be inspected prior to despatch to confirm their description and composition.   |
| e) Incompatible wastes  | Incompatible wastes that are likely, in combination with each other or with other material at the facility, to give rise to pollution of the environment or harm to human health outside the site, shall be clearly identified and kept physically separate in designated areas.   |

## 5.5

### Waste quantity measurement systems

#### Means of measurement

##### 5.5.1

All waste accepted at and despatched from the site shall be measured in accordance with either of the following requirements:

**a** The weight of all wastes accepted at and despatched from the site shall be determined by means of a public weighbridge, or a weighbridge or scales located within the site. The weighbridge or scales used shall record quantities of wastes in tonnes to an accuracy of 0.01 tonnes; or

**b** The following conversion factors shall be used:

Waste quantities shall be recorded in cubic metres and measured on the basis of the capacity of the vehicles or containers used for transport. This shall be converted into tonnes on the basis of conversion factors, which have been agreed in writing with the Agency.

## 5.6

### Handling and storage of residual wastes

#### 5.6.1

Residual wastes shall only be handled and stored on the site in accordance with the standards specified in Table 5.6 below.

Table 5.6 Standards for handling and/or storage of residual wastes

| Storage requirement   | Specified standards  |
|---|--|
| a) End of life vehicle fluids   | <p>i) Unless otherwise agreed in writing with the Environment Agency, all fluids drained from vehicles shall be segregated by type and stored in separate, appropriate tanks, which are fit for purpose. The tanks shall be clearly and unambiguously labelled regarding their contents.</p> <p>ii) Fluids shall only be stored in areas provided with an impermeable pavement and a sealed drainage system provided in accordance with condition 3.1</p>  |
| b) Batteries, oil filters, oil contaminated parts, PCB/PCT containing condensers, components identified as containing mercury and brake pads containing asbestos. | <p>i) Once removed from vehicles, these components shall be segregated by type and stored within dedicated appropriate containers, which are fit for purpose. The containers shall be clearly and unambiguously labelled regarding their contents.</p> <p>ii) These components shall only be stored in areas provided with an impermeable pavement and a sealed drainage system.</p> <p>iii) Lead acid batteries shall be stored in containers with an impermeable, acid resistant base and a lid to prevent ingress of surface water.</p> |
| c) Tyres, air bags and liquefied gas tanks.   | <p>i) Once removed from vehicles, these waste types shall be stored in separately designated areas provided with an impermeable pavement and sealed drainage in accordance with condition 3.1</p> <p>ii) Tyres shall be stored in a designated 16m<sup>3</sup> skip.</p> <p>iii) Tyre stacks shall not be located within 10 metres of any area used for flame cutting operations.</p>  |
| d) Uncontaminated plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles                                      | These materials shall be stored in areas with hardstanding or impermeable pavement.  |

## 5.7 **Removal of residual wastes from site**

- 5.7.1 In the event that no wastes are received on the site for 3 months and the Agency has reasonable grounds to believe that the importation of wastes will not be resumed, then, notwithstanding any operational limits on storage times of wastes specified in the other conditions of this licence, the licence holder shall ensure that all wastes remaining on the site shall be removed by the date specified by the Agency in writing. This shall include, where required by the Agency, cleaning of plant, equipment and engineered containment used in the specified waste management operations, and emptying of any sealed sumps or interceptors.

## 5.8 **Specified waste treatment process**

### *Specified waste treatment process*

- 5.8.1 Specified waste treatment process shall only be carried out on the site in accordance with section 2.14 of the working plan and the standards specified in Table 5.8 below.

**Table 5.8 Standards for specified waste treatment process**

| <b>Process requirement</b> | <b>Specified standards</b>   |
|----------------------------|--|
| Operation                  | The operation of plant/equipment shall only be undertaken in accordance with the manufacturer's instructions and in the designated sorting area.   |
| Maintenance                | Plant/equipment shall be fully maintained in accordance with the manufacture specification and in the recommended time scales. All pollution control equipment shall be maintained in effective working order. A record shall be kept in the site diary of all maintenance undertaken. |

## 6 Amenity management and reporting

### 6.1 **Control, monitoring and reporting of dusts, fibres and particulates**

- 6.1.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of dusts, fibres and particulates from the site in accordance with the standards specified in Table 6.1 below

Table 6.1 Standards for monitoring and control of aerial emissions of dusts, fibres and particulates

|                                   |   |
|-----------------------------------|---|
| a) Monitoring of aerial emissions | Site staff supervising individual waste handling operations shall, during the carrying out of those operations, undertake visual monitoring of aerial emissions.  |
| b) Remedial action                | <div><div>i) On detection or notification of visible aerial emissions that are likely to be transported beyond the site boundary, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste.</div><div>ii) The incident and the remedial action shall be recorded in the site diary.</div></div> |

- 6.1.2 All emissions to air from the specified waste management operations on the site shall be free from visible concentrations of dusts, fibres or particulates as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

### 6.2 **Monitoring and control of odorous emissions**

- 6.2.1 Measures shall be implemented and maintained throughout the operational life of the site to control and monitor emissions of odours from the site, in accordance with the standards specified in Table 6.2.

- 6.2.2 All emissions to air from the specified waste management operations on the site shall be free from odours at levels as are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality outside the site boundary, as perceived by an authorised officer of the Agency.

**Table 6.2 Standards for monitoring and control of emissions of odours**

|                                    |   |
|------------------------------------|---|
| a) Monitoring of odorous emissions | <p>Olfactory monitoring of aerial emissions from the site shall be carried out:</p> <ul style="list-style-type: none"> <li>• by the site manager or supervisor, at least twice a day, at the site boundary situated downwind of the waste operations, and shall be recorded in the site diary; and</li> <li>• by site staff supervising individual waste handling operations, during the carrying out of those operations.</li> </ul>   |
| b) Odorous emissions action plan   | <p>i) On detection or notification of aerial emissions of odour that are or are likely to be transported beyond the site boundary at such levels that they are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality, immediate action shall be taken to stop the waste handling operations giving rise to the emission and to suppress the aerial emission from the waste.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p> |

### 6.3

#### **Monitoring and control of pest infestations**

##### 6.3.1

Measures shall be implemented and maintained throughout the operational life of the site to control and monitor the presence of pests on the site, in accordance with the standards specified in Table 6.3. The objective of these measures shall be to prevent pest infestations that are likely to cause pollution of the environment or harm to human health or serious detriment to the amenity of the locality.

**Table 6.3 Standards for monitoring and control of pest infestations**

|                                    |  |
|------------------------------------|--|
| a) Monitoring of pest infestations | <p>An inspection of stored wastes for pest infestations shall be carried out at least at weekly intervals by the site supervisor, and shall be recorded in the site diary.</p>   |
| b) Pest infestations action plan   | <p>i) On detection or notification of pest infestations, immediate action shall be taken to secure the attendance of a professional pest control contractor, to eliminate the pest infestation.</p> <p>ii) The incident and the remedial action shall be recorded in the site diary.</p> |

### 6.4

#### **Control of litter**

##### 6.4.1

Measures shall be implemented and maintained throughout the operational life of the site to prevent the escape of litter from the confines of the site.

##### 6.4.2

In the event that litter does escape from the site, it shall be retrieved as soon as practicable and no later than 1 hour after the end of the working day.



6.5

**Control of Noise**

6.5.1

Measures shall be implemented and maintained throughout the operational life of the site, in accordance with this condition and section 4.9 of the working plan, to control and minimise the levels of noise from operations on the site beyond the site boundary.

## Sampling point requirements

### 7.1.1

An appropriately labelled sample point shall be provided within four months of the issue of the licence or such other time as agreed in writing with the Agency, and maintained at National Grid Reference SO 07900 08830 as shown marked "Consent Sample Point 01" on the attached plan or some other point as agreed in writing with the Agency, so that a representative composite sample of the Discharge may be obtained. The licence holder shall ensure that all constituents of the Discharge pass through the said sampling point at all times and in any legal proceedings it shall, for the purposes of Section 10 of the Rivers (Prevention of Pollution) Act 1961, be presumed, until the contrary is shown, that any sample of the Discharge taken at the said sampling point is a sample of what was being discharged into controlled waters.

## Site records

### *Recording of wastes accepted and removed*

8.1.1

A record shall be kept of all wastes received other than those wastes delivered by private householders and of all materials (wastes and recovered materials) removed from the site. The records shall include the following for each vehicle load of waste/material:

#### *for waste received:*

- a** origin of waste
- b** date received
- c** quantities in tonnes received and waste type
- d** nature of the waste (solid, liquid or sludge)

#### *for waste/material removed:*

- e** date removed
- f** quantities in tonnes removed and waste and/or material type
- g** destination of waste and/or materials removed
- h** nature of the waste and/or materials (solid, liquid or sludge)

### *Summary records of wastes accepted and removed*

8.1.2

A summary of the waste types and quantities accepted and the waste types and quantities removed from the site shall be made for each financial year and shall be submitted to the Agency within 1 month following the end of that year. The summary record shall be in the format specified in Appendix B or otherwise subsequently agreed with the Agency in writing.

8.2

### **Site diary**

8.2.1

A site diary shall be kept secure and shall be available for inspection at the site when required by an authorised officer of the Agency. This shall include a record of the following events, in accordance with the other conditions of this licence:

- a** construction work;
- b** maintenance;
- c** breakdowns;
- d** emergencies;
- e** problems with waste received and action taken;
- f** technically competent management attendance on site: the date and the time onto site and the time left site;
- g** complaints about site operations and actions taken;
- h** environmental problems and remedial actions.

8.2.2

Each record shall be completed within 24 hours of the relevant event.

## Interpretation

In these conditions and their interpretation, unless the context otherwise requires, the following terms have the specified meanings:

*"accepted"*

for waste being delivered to the site, shall mean accepted as waste input to the site for storage and/or processing and/or disposal under the specified waste management operations;

*"authorised officer of the Agency"*

means any person(s) authorised in writing by the Agency pursuant to section 108(1) of the 1995 Act to exercise any of the powers specified in subsection (4) of that section;

*"consequences"*

for **risk assessments** carried out within these conditions, means the adverse effects of harm as a result of realising a **hazard** which causes the quality of human health (other than health and safety of site staff or visitors to the site covered under the Health and Safety at Work Act 1974) or the environment to be impaired in the short or longer term.

*"container"*

means a container which does not permit either the ingress or egress of liquids, or the escape of dusts or wastes contained within it;

*"ELV Regulations"*

means the End of Life Vehicles Regulations 2003 SI 2635.

*"End-of-life Vehicles Directive"*

means Directive 2000/53/EC on end-of life vehicles.

*"engineered"*

for works specified in these conditions, means carried out and completed using the relevant engineering process specified in these conditions;

*"engineering"*

for engineering works specified in these conditions, means the relevant process of design, construction or installation, quality assurance or validation or commissioning specified in these conditions;

*"environmental targets or receptors"*

for **risk assessments** carried out within these conditions, shall mean identified human and environmental populations or components, as specified in these conditions or otherwise agreed by the Agency within these conditions.

*"European Waste Catalogue" or "EWC"*

means commission Decision 2000/532/EC (as amended) or its subsequent replacement;

*"groundwater"*

means any water contained in underground strata;

*"hazard"*

means a property that in particular circumstances could lead to harm;

***"immediately"***

for carrying out of actions under the conditions, shall mean without delay and within a reasonable time, taking into account any more immediate direct action necessary to prevent or minimise risk to human health and the environment. For carrying out notifications to the Agency, shall also mean by the fastest effective means available (for example, telephone) and confirmed in writing within 1 working day (or such other time as may be agreed by the Agency within the conditions);

***"Impermeable surface"***

means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface, and should be read in conjunction with the term "sealed drainage system" (below).

***"inert waste"***

means wastes which will not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm to human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant and in particular not endanger the quality of surface water and/or groundwater.

***"maintenance"***

for engineering maintenance specified in these conditions, means the process of inspection, testing, repair of the relevant engineering works specified in these conditions;

***"probability"***

means the quantified expression of chance, denoted either as:

- the ratio or percentage of the occurrence of a particular event as one among a number of possible events;
- or as the frequency of occurrence of a particular event in a given period of time;

***"received"***

for waste being delivered to the site, shall mean delivered to the site and undergoing the waste acceptance procedures, including storage of those wastes during those procedures prior to acceptance of the waste;

***"release pathways"***

for **risk assessments** carried out within these conditions, shall mean the routes by which defined **hazards** may potentially realise their **consequences**, defined in terms of releases or emissions from the site that go beyond the site containment or boundary via one or more of the following routes, either directly or indirectly: **Land; Groundwater, Surface water; Atmosphere;**

***"relevant offences"***

are offences within the meaning of regulation 3 of the Waste Management Licensing Regulations 1994 or any statutory provisions or regulations amending or replacing them;

**"Residual wastes produced as a result of depollution or further treatment"**  
means those waste that are removed from vehicles during depollution or further treatment which consist of any wastes specified in the following table:

Residual wastes produced as a result of depollution or further treatment

| Waste type   | Waste Categories and European Waste Catalogue No.   |
|--|---|
| Vehicle batteries  | 16 06 01 lead batteries *   |
|  | 16 06 05 other batteries and accumulators *   |
| Oil filters  | 16 01 07 oil filters *  |
| PCB/PCT containing condensers  | 16 01 09 components containing PCBs **  |
|  | 16 01 21 hazardous components (other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14) ** |
| Components identified as containing mercury  | 16 01 08 components containing mercury **   |
| Brake pads   | 16 01 11 brake pads containing asbestos **  |
|  | 16 01 12 brake pads other than those mentioned in 16 01 11  |
| Tyres  | 16 01 03 end-of-life tyres  |
| Air bags   | 16 01 10 explosive components (for example air bags) *  |
| Liquefied gas tanks  | 16 01 16 tanks for liquefied gas  |
| End of life vehicle fluids:<br>Hydraulic Oils  | 13 01 09 Mineral based chlorinated hydraulic oils *   |
|  | 13 01 10 Mineral based non-chlorinated hydraulic oils *   |
|  | 13 01 11 Synthetic hydraulic oils *   |
|  | 13 01 12 Readily biodegradable hydraulic oils *   |
|  | 13 01 13 Other hydraulic oils *   |
| Engine, gear and lubricating oils  | 13 02 04 Mineral based chlorinated engine, gear and lubricating oils *  |
|  | 13 02 05 Mineral based non-chlorinated hydraulic oils *   |
|  | 13 02 06 synthetic engine, gear and lubricating oils *  |
|  | 13 02 07 readily biodegradable engine, gear and lubricating oils *  |
|  | 13 02 08 other engine, gear and lubricating oils *  |
| Fuel   | 13 07 01 Fuel oil and diesel *  |
|  | 13 07 02 Petrol *   |
|  | 13 07 03 Other fuels (including mixtures) *   |
| Air conditioning fluids  | 14 06 01 Chlorofluorocarbons, HCFC, HFC *   |
|  | 14 06 02 Other halogenated solvents and solvent mixtures *  |
|  | 14 06 03 Other solvents and solvent mixtures *  |
| Brake fluids   | 16 01 13 Brake fluids *   |
| Antifreeze fluids  | 16 01 14 Antifreeze fluids containing dangerous substances **   |
| Any other fluid contained in the end of life vehicle   | 16 01 15 Antifreeze fluids other than those mentioned in 16 01 14   |
|  | 16 01 22 Components not otherwise specified   |
| Plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles | 16 01 17 Ferrous Metal  |
|  | 16 01 18 Non-ferrous metal  |
|  | 16 01 19 Plastic  |
|  | 16 01 20 Glass  |

EWC entries marked with a \* are hazardous wastes

EWC entries marked with a \*\* may be hazardous depending on threshold concentrations.

Please refer to Agency Technical Guidance WM2 or subsequent guidance for further advice

**"risk"**

means a combination of the **probability** and **consequences** of occurrence of a defined **hazard**;

***"risk assessment"***

means the systematic identification, analysis, estimation and evaluation within a defined **scope** of the defined **risks** of a particular activity, operation, process or design, carried out and reported by suitably qualified or competent persons, using recognised quantified or semi-quantified methods and techniques.

Unless otherwise agreed by the Agency within these conditions, a risk assessment shall include and record the following:

- definition of the **hazards** associated with an activity, operation, process or design;
- assessment of the **probability** of those **hazards** occurring;
- determination of the potential **consequences** of those hazards for defined **environmental targets or receptors**, taking into account defined **release pathways** and defined protective measures;
- evaluation of the potential **magnitude** of those consequences and the **probability** of their occurrence;

***"scope of risk assessment"***

means the boundaries of the **risk assessment** and the **risks** to be assessed within those boundaries, as defined in the conditions or otherwise agreed by the Agency within the conditions;

***"Sealed drainage system"*** in relation to an impermeable pavement,

means a drainage system with impermeable components which does not leak and which will ensure that:

- (a) no liquid will run off the pavement otherwise than via the system;
- (b) except where they may lawfully be discharged, all liquids entering the system are collected in a sealed sump

***"Secure":***

means a place is secure in relation to end-of-life vehicles or waste kept in it if all reasonable precautions are taken to ensure that the end-of-life vehicles, their contents or waste cannot escape from it.

***"specified waste management operations"***

means the waste management operations authorised by condition 1.1 of this licence;

***"surface water"***

means any lake, pond, river or watercourse whether natural or artificial;

***"Technically competent management"***, "technical competence" and "relevant person" shall be as defined under Section 74, Environmental Protection Act 1990.

***"the 1994 Regulations"***

means the Waste Management Licensing Regulations 1994 and any statutory provisions or regulations amending or replacing them.

***"the Agency"***

means the Environment Agency;

***"the Licence Holder"***

means the Licence Holder specified in this licence or other person to whom the licence has been transferred in accordance with section 40 of the Environmental Protection Act 1990;

***"the operator"***

means a person who is in occupation of the site and has responsibility for carrying out day to day activities at the site;

***"the site"***

means the land, structures, plant and equipment to which this licence relates;

***"time periods, e.g. annually, quarterly, monthly, per year, etc. "***

Where periods are referred to in conditions, they shall be calculated in the following way:

annually or per year: 1 April to 31 March;

quarterly: 1 April to 30 June, 1 July to 30 September, 1 October to 31 December, 1 January to 31 March;

monthly: calendar month;

weekly: Monday to Sunday.

Where the issue of the licence does not coincide with the start of any of these periods, then any relevant limits for the first period shall apply pro rata;

***"waste"***

means controlled waste as defined in section 75(4) of the 1990 Act and the Controlled Waste Regulations 1992 or any statutory provisions or regulations amending or replacing them;

***"waste motor vehicle"***

means a motor vehicle of any type that is waste and includes an end-of-life vehicle.

***"waste types"***

***"hazardous waste"***

means any waste which is covered by Article 1(4) of Directive 91/689/EEC or subsequent legislation;

***"Non-hazardous waste"***

means any waste which is not covered by Article 1(4) of Directive 91/689/EEC or subsequent legislation;

***"working plan"***

means the working plan identified in writing by the Agency at the time of issue of this licence and any subsequent amendments to it made in accordance with the conditions of this licence.



## Appendices to conditions

### Appendix A – Permitted Wastes (Condition 2.2.1)

#### *Permitted categories and types of wastes*

Permitted waste categories are indicated using the European Waste Catalogue (EWC), these are subject to maximum total quantity stipulated

Table 2.2A Permitted quantities of waste

|  |
|--|
| 02 01 10 waste metal   |
| 12 01 01 ferrous metal filings and turnings  |
| 12 01 03 non-ferrous metal filings and turnings  |
| 12 01 13 welding wastes  |
| 15 01 04 metallic packaging  |
| 16 01 03 end-of-life tyres   |
| 16 01 04* end-of-life vehicles   |
| 16 01 06 end-of-life vehicles, containing neither liquids nor other hazardous components |
| 16 01 17 ferrous metal   |
| 16 01 18 non-ferrous metal   |
| 16 01 19 plastic   |
| 16 01 20 glass   |
| 16 01 22 components not otherwise specified  |
| 17 04 01 copper, bronze, brass   |
| 17 04 02 aluminium   |
| 17 04 03 lead  |
| 17 04 04 zinc  |
| 17 04 05 iron and steel  |

[table continued overleaf]

| Table 2.2A Permitted quantities of waste |  | [continued] |
|--|--|-------------|
| 17 04 06                                 | tin  |             |
| 17 04 07                                 | mixed metals   |             |
| 17 04 11                                 | cables other than those mentioned in 17 04 10  |             |
|  |  |             |
| 19 10                                    | wastes from shredding of metal containing wastes   |             |
| 19 10 01                                 | iron and steel waste   |             |
| 19 10 02                                 | non-ferrous waste  |             |
| 19 12                                    | wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelleting) not otherwise specified |             |
| 19 12 02                                 | ferrous metal  |             |
| 19 12 03                                 | non-ferrous metal  |             |
|  |  |             |
| 20 01                                    | separately collected fractions (except 15 01)  |             |
| 20 01 40                                 | metals   |             |

**Appendix B - Format for summary records of wastes accepted  
and removed (Condition 8.1.2)**

**Appendix C - "Sampling Point and Discharge Consent Point 1"  
(Condition 2.1.2)**

# CONST AND ASSEMBLY CONST

DRAWING No. ABBA/04-CONSENT POINT  
 SCALE 1:1250 DATE: 4/10/05



APPLICATION  
 AREA IS OUTLINED  
 IN RED.  
 ALL OTHER LAND  
 WITHIN THE  
 APPLICANT'S CONTROL  
 IS OUTLINED  
 IN BLUE

30 SEP 2004

NEW  
 1-ELV  
 BUILDING

CONSENT  
 SAMPLE  
 POINT 01  
 NGR 307900.208828

PANT C

040423