



RICHARD EVANS
 4 RECYCLING LTD
 CONTROL HOUSE
 A1 BUSINESS PARK
 KNOTTINGLEY ROAD
 KNOTTINGLEY WF11 0BU

V724

Please quote above code for all enquiries

NEWENT

SLUDGE

SLUDGE ANALYSIS RESULTS

Sample Reference :

PONSTICILL LIQUID

Sample Matrix : SLUDGE

Laboratory References

Report Number 58301
 Sample Number 110203

Date Received 05-JUL-2021
 Date Reported 13-JUL-2021

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Oven Dry Solids	1.07	%
Conductivity 1:6	52.0	uS/cm
Total Kjeldahl Nitrogen	0.02	% w/w
Ammonium Nitrogen	<25	mg/kg
Total Phosphorus (P)	11.5	mg/kg
Total Potassium (K)	24.7	mg/kg
Total Magnesium (Mg)	10.2	mg/kg
Total Copper (Cu)	0.42	mg/kg
Total Zinc (Zn)	1.10	mg/kg
Total Sulphur (S)	92.0	mg/kg

Released by *Nina Mansfield*

Date *13/07/21*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
 Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



RICHARD EVANS
4 RECYCLING LTD
CONTROL HOUSE
A1 BUSINESS PARK
KNOTTINGLEY ROAD
KNOTTINGLEY WF11 0BU

V724

Please quote above code for all enquiries

NEWENT

SLUDGE

SLUDGE ANALYSIS RESULTS

Sample Reference :

PONSTICILL LIQUID

Sample Matrix : SLUDGE

Laboratory References

Report Number 58301
Sample Number 110203

Date Received 05-JUL-2021
Date Reported 13-JUL-2021

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Total Calcium (Ca)	43.6	mg/kg
Total Iron (Fe)	84.5	mg/kg
Total Molybdenum (Mo)	<0.05	mg/kg
Total Lead (Pb)	<0.5	mg/kg
Total Cadmium (Cd)	0.01	mg/kg
Total Mercury (Hg)	<0.05	mg/kg
Total Nickel (Ni)	0.22	mg/kg
Total Chromium (Cr)	0.31	mg/kg
Total Sodium (Na)	<10	mg/kg
pH 1:6 [Fresh]	6.48	

Released by *Nina Mansfield*

Date *13/07/21*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com



RICHARD EVANS
4 RECYCLING LTD
CONTROL HOUSE
A1 BUSINESS PARK
KNOTTINGLEY ROAD
KNOTTINGLEY WF11 0BU

V724

Please quote above code for all enquiries

NEWENT

SLUDGE

SLUDGE ANALYSIS RESULTS

Sample Reference :

PONSTICILL LIQUID

Sample Matrix : SLUDGE

Laboratory References

Report Number 58301
Sample Number 110203

Date Received 05-JUL-2021
Date Reported 13-JUL-2021

The sample submitted was of adequate size to complete all analysis requested.

The sample will be kept under refrigeration for at least 3 weeks.

ANALYTICAL RESULTS *on 'as received' basis.*

Determinand	Value	Units
Organic Matter LOI	0.62	% w/w
Lime Equivalent as CaCO ₃	<2	% w/w
Total Aluminium	1852	mg/kg
Fluoride [100:1 H ₂ SO ₄ Soluble]	<10	mg/kg
Total Arsenic (As)	0.68	mg/kg
Total Selenium (Se)	0.05	mg/kg
Neutralising Value as CaO [TNV]	<1	% w/w

Released by *Nina Mansfield*

Date *13/07/21*

NRM Coopers Bridge, Braziers Lane, Bracknell, Berkshire RG42 6NS
Tel: +44 (0) 1344 886338 Fax: +44 (0) 1344 890972 Email: enquiries@nrm.uk.com www.nrm.uk.com