

creu lle gwell
creating a better place



Asiantaeth yr
Amgylchedd Cymru
Environment
Agency Wales

ENVIRONMENTAL PROTECTION ACT 1990.
SECTION 37

SCANNED
13 JUL 2005


**WASTE MANAGEMENT LICENCE
NOTICE OF MODIFICATION**

LICENCE REF No:- EAWML30223	FACILITY TYPE:- Metal Recycling Facility
LICENCE HOLDER:- Fred Lloyd & Sons Limited	LICENSED FACILITY:- Fred Lloyd & Sons Limited
Stricks Works Polo Grounds Industrial Estate Pontypool Gwent NP4 0TW	Stricks Works Polo Grounds Industrial Estate Pontypool Gwent NP4 0TW
Company Registration Number 1057113	

WHEREAS on the 17 October 2000, the Environment Agency ('the Agency') issued a Waste Management Licence in pursuance of its powers under Part II of the Environmental Protection Act 1990 for the above named facility to you

AND WHEREAS on 05 December 2003 the Agency modified the conditions of the said licence in pursuance of Section 37 (1)(a) of the Environmental Protection Act 1990 (modification number 01)

NOTICE IS HEREBY GIVEN that the Agency modifies the conditions of the said licence in accordance with Section 37 (1)(a) of the Environmental Protection Act 1990 and as set out in the Schedule attached to this notice (modification number 2)

Signed  Dated 24th June 2005

STEVEN MORGAN
Team Leader - Regulatory Waste

This modification shall have effect from 25 June at 00.01 hours.

YOUR ATTENTION IS DRAWN TO THE RIGHTS OF APPEAL OVERLEAF.

Environment Agency
River House
St Mellons Business Park
Cardiff
CF3 0EY

Asiantaeth yr Amgylchedd Cymru
Plas yr Afon
Parc Business Lineirwig
Caerdydd
CF3 0EY



EXPLANATORY NOTES - including rights of appeal.

RIGHTS OF APPEAL

Section 43(1) of the Environmental Protection Act 1990 provides that:

Where, except in pursuance of a direction given by the National Assembly for Wales, the conditions of a licence are modified, the licence holder may appeal from the decision to the National Assembly for Wales.

Therefore, if you feel aggrieved by the decision detailed on the attached notice, you may obtain the appropriate form on which to give written notice of an appeal from: -

The Planning Inspectorate
Crown Buildings
Cathays Park
Cardiff
CF10 3NQ

Tel: 02920 823859
Fax: 02920 825150

This notice of appeal should be accompanied by the following information:

A statement of the grounds of appeal;

A copy of any application to modify the licence

A copy of the licence;

A copy of any correspondence relevant to the appeal;

A copy of any other document relevant to the appeal including, in particular, any relevant consent, determination, notice, planning permission, established use certificate or certificate of lawful use or development and

A statement indicating whether you wish the appeal to be in the form of a hearing or on the basis of written representations.

You are also required to serve a copy of your notice of appeal, together with copies of any the above documents that have accompanied your notice of appeal, on the Environment Agency (at the address overleaf). You should appeal within 6 months of the date that this notice takes effect but the National Assembly for Wales may allow notice of appeal to be given after the expiry of this time period.

SCHEDULE 2 – CONDITIONS RELATING TO THIS LICENCE

Modification of conditions under section 37(1) (a) as follows:

Delete Existing Conditions: 1.1, 1.2, 4.4, 4.6, 7.2.2, 8.0, Annex 1.

Add new conditions: 1.1, 1.2, 4.4, 4.6, 7.2.2, 8.0, 9.0.

1.1

Specified waste management operations

1.1.1

No waste management operations shall be authorised by this licence unless:
specified in and undertaken in accordance in the following table; or
otherwise required by the conditions of this licence as being an integral part of
those operations;

Table 1.1 Specified waste management operations

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Specified Waste Management Operations
D15: Storage pending, on this site any of the category "D" operations authorised under this column, or elsewhere than on this site, any of the operations listed in Part III of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).	Metal Wastes (non-hazardous)	i) Maximum storage capacity of 130 tonnes of End of life vehicles (16 01 04** and 16 01 06), undepolluted vehicles to be stored on impermeable pavement with sealed drainage;
	Degradable Household waste	ii) Maximum storage capacity of 50 tonnes of residual wastes produced as a result of depollution or further treatment of (i) above and not exceeding 10 tonnes of hazardous for disposal or 3 years prior to recovery.
	Degradable Commercial Waste	iii) Maximum storage capacity of 509.1 tonnes consisting of Cable and Wiring and Ferrous and non-ferrous metals not specified in (iv) below and stored in accordance with condition 2.1.2
	Degradable Industrial Waste (non-hazardous)	iv) Maximum storage capacity of Ferrous and non-ferrous turnings and borings ('swarf') 10.1 tonnes. Shall be stored in accordance with condition 2.1.2.
R13: Storage of waste consisting of materials intended for submission, on this site to any of the category "R" operations authorised under this column, or elsewhere than on this site, to any of the operations listed in Part IV of Schedule 4 of the 1994 Regulations, (excluding temporary storage, pending collection, on the site where it is produced).		

(Table continued overleaf)

Table 1.1 Specified waste management operations (continued)

Specified Waste Management Operation	Permitted Waste Types which may be subject to the Specified Operation	Limits on Specified Waste Management Operations
D9: Physico-chemical treatment of waste not listed elsewhere in this table which results in final compounds or mixtures which are disposed of on this site by means of any of the category "D" operations authorised under this column, or elsewhere than on this site, by means of any of the operations listed in Part III of Schedule 4 of the 1994 Regulations. R2: Recycling or reclamation of organic substances which are not used as solvents R3: Recycling or reclamation of metals and metal compounds R4: Recycling or reclamation of other inorganic materials.	Metal Wastes (non-hazardous) Degradable Household waste Degradable Commercial Waste Degradable Industrial Waste (non-hazardous)	Treatment consisting only of: - physical sorting or separation of waste into different components for disposal (no more than 50 tonnes per day), recycling or reclamation. - All waste shall be treated in accordance with condition 2.1.2

- 1.1.2 The breaking or processing of batteries is expressly prohibited
- 1.1.3 The storage (including temporary storage) and treatment of waste shall only be carried out at the site if it meets the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003. Infrastructure and equipment provided to meet these obligations shall be maintained in working order and shall be used to give effect to their purpose.
- 1.1.4 The removal of coolants from air-conditioning units shall be in accordance with the "Guidance on the Recovery and Disposal of Controlled Substances contained in Refrigerators and Freezers" published by the Environment Agency.

Specified Waste Management Operations and Exempt Waste Management Operations

- 1.1.5 Where wastes are being brought onto the site for waste management operations which are exempt from licensing under the 1994 Regulations, then the wastes which are subject to the specified waste management operations shall be kept clearly segregated and identified from those wastes which are being kept on the site for the exempt waste management operations.

1.2 **Permitted wastes**

Permitted categories and types of wastes

- 1.2.1 No wastes other than those, which are categorised below in Table 1.2 and specified in detail in Appendix A to these conditions shall be accepted at the site.

Permitted quantities of waste

- 1.2.2 The total quantity of waste accepted at the site per year shall not exceed 12,500 tonnes.

Table 1.2 Permitted quantities of waste

Permitted Waste Categories (Classified using European Waste Catalogue, See list Appendix A).	Maximum Permitted quantities for each waste category (subject to maximum permitted total quantity in condition 1.2.2) (tonnes/year)
Metal Wastes (non-hazardous)	No limit subject to maximum storage capacities detailed in Table 1.1
Degradable Household Waste Degradable Industrial Waste Degradable Commercial Waste (non-hazardous)	No limit subject to maximum storage capacities detailed in Table 1.1
Hazardous wastes	Not permitted

4.4 **Waste acceptance & control procedures**

Waste acceptance procedures

- 4.4.1 All wastes shall be received, inspected, accepted or rejected, and recorded in accordance with the standards specified in Table 4.4 below.

Waste control procedures

- 4.4.2 All wastes accepted at the site shall be handled, kept and recorded in accordance with the standards specified in Table 4.4 below.

Waste despatch procedures

- 4.4.3 All outgoing wastes shall be inspected, despatched and recorded in accordance with the standards specified in Table 4.4 below.

Table 4.4 Standards for waste acceptance and control procedures

Stage of Waste Handling	Specified standards
a) Waste inspection	All waste received at the site shall be inspected on receipt to confirm their description and composition. All vehicles received at the site: i) Shall be inspected on receipt to confirm their description and depollution status against the relevant waste transfer note and any other accompanying documentation. ii) Shall be kept segregated from depolluted vehicles until they either been confirmed and recorded as previously having been depolluted or alternatively have been depolluted on site in accordance with the standards set out in Schedule 5 of the End-of-life Vehicles Regulations 2003.
b) Waste control procedures: quarantine storage and rejection of wastes	i) Any items of non-permitted waste which are detected after acceptance at the site, shall be placed immediately in a designated quarantine container, and, where these are or appear to be special wastes, the Agency shall be informed immediately; ii) In the quarantine area, wastes shall be kept segregated from other wastes which are or are likely to be incompatible; iii) Quarantined wastes shall be removed from site within 7 days; iv) The maximum quantity of wastes kept in the quarantine storage area shall be 5m³ at any one time. v) A record shall be kept in the site diary of all rejected wastes and all wastes kept in quarantine storage.
c) Identification of wastes	Storage areas, tanks and other containers shall be clearly defined and labelled to identify the wastes stored within them
d) Waste despatch procedures	All wastes despatched from the site shall be inspected prior to despatch to confirm their description and composition.
e) Incompatible wastes	Incompatible wastes that are likely, in combination with each other or with other material at the facility, to give rise to pollution of the environment or harm to human health outside the site, shall be clearly identified and kept physically separate in designated areas.

4.6 **Handling and storage of residual wastes**

- 4.6.1 Residual wastes shall only be handled and stored on the site in accordance with the standards specified in Table 4.6. below.

Table 4.6 Standards for handling and/or storage of residual wastes

Storage requirement	Specified standards
a) End of life vehicle fluids	i) Unless otherwise agreed in writing with the Environment Agency, all fluids drained from vehicles shall be segregated by type and stored in separate, appropriate tanks which are fit for purpose. The tanks shall be clearly and unambiguously labelled regarding their contents. ii) Fluids shall only be stored in areas provided with an impermeable pavement and a sealed drainage system provided in accordance with condition 2.1
b) Batteries, oil filters, oil contaminated parts, PCB/PCT containing condensers, components identified as containing mercury and brake pads containing asbestos.	i) Once removed from vehicles, these components shall be segregated by type and stored within dedicated appropriate containers that are fit for purpose. The containers shall be clearly and unambiguously labelled regarding their contents. ii) These components shall only be stored in areas provided with an impermeable pavement and a sealed drainage system. iii) Lead acid batteries shall be stored in containers with an impermeable, acid resistant base and a lid to prevent ingress of surface water.
c) Tyres, air bags and liquefied gas tanks.	i) Once removed from vehicles, these waste types shall be stored in separately designated areas provided with an impermeable pavement and sealed drainage in accordance with condition 2.1 ii) Tyres shall be stored in stable stacks with individual capacities of no greater than 50 cubic metres and to a height of no greater than 3 metres iii) Individual tyre stacks shall not be stored within 6 metres of each other iv) Individual tyre stacks shall not be stored within 15 metres of the site boundary or building v) Tyre stacks shall not be located within 10 metres of any area used for flame cutting operations.
d) Uncontaminated plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles	i) These materials shall be stored in areas with hardstanding or impermeable pavement.

- 7.2.2 A summary of the waste types and quantities accepted and the waste types and quantities removed from the site shall be made for each financial year and shall be submitted to the Agency within 1 month following the end of that year. The summary record shall be in the format specified in Appendix B, and shall include the specified information.

8 Interpretation

In this permit the following expressions shall have the following meanings:

“Impermeable surface” means a surface or pavement constructed and maintained to a standard sufficient to prevent the transmission of liquids beyond the pavement surface, and should be read in conjunction with the term “sealed drainage system” (below).

“Sealed drainage system” in relation to an impermeable pavement, means a drainage system with impermeable components which does not leak and which will ensure that:

- (a) no liquid will run off the pavement otherwise than via the system;
- (b) except where they may lawfully be discharged, all liquids entering the system are collected in a sealed sump

“Secure”: A place is secure in relation to end-of-life vehicles or waste kept in it if all reasonable precautions are taken to ensure that the end-of-life vehicles, their contents or waste cannot escape from it.

“Technically competent management”, “technical competence” and “relevant person” shall be as defined under Section 74, Environmental Protection Act 1990.

“ELV Regulations” means the End of Life Vehicles Regulations 2003 SI 2635.

“End-of-life Vehicles Directive” means Directive 2000/53/EC on end-of life vehicles.

“waste motor vehicle” means a motor vehicle of any type that is waste and includes an end-of-life vehicle.

“Residual wastes produced as a result of depollution or further treatment” means those waste that are removed from vehicles during depollution or further treatment which consist of any wastes specified in the following table:

Residual wastes as a result of depollution or subsequent treatment

Waste type	Waste Categories and European Waste Catalogue No.
Vehicle batteries	16 06 01 lead batteries * 16 06 05 other batteries and accumulators *
Oil filters	16 01 07 oil filters *
PCB/PCT containing condensers	16 01 09 components containing PCBs ** 16 01 21 hazardous components (other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14) **
Components identified as containing mercury	16 01 08 components containing mercury **
Brake pads	16 01 11 brake pads containing asbestos ** 16 01 12 brake pads other than those mentioned in 16 01 11
Tyres	16 01 03 end-of-life tyres
Air bags	16 01 10 explosive components (for example air bags) *
Liquefied gas tanks	16 01 16 tanks for liquefied gas
End of life vehicle fluids:	
Hydraulic Oils	13 01 09 Mineral based chlorinated hydraulic oils * 13 01 10 Mineral based non-chlorinated hydraulic oils * 13 01 11 Synthetic hydraulic oils * 13 01 12 Readily biodegradable hydraulic oils * 13 01 13 Other hydraulic oils *
Engine, gear and lubricating oils	13 02 04 Mineral based chlorinated engine, gear and lubricating oils * 13 02 05 Mineral based non-chlorinated hydraulic oils * 13 02 06 synthetic engine, gear and lubricating oils * 13 02 07 readily biodegradable engine, gear and lubricating oils * 13 02 08 other engine, gear and lubricating oils *
Fuel	13 07 01 Fuel oil and diesel * 13 07 02 Petrol *
Air conditioning fluids	13 07 03 Other fuels (including mixtures) * 14 06 01 Chlorofluorocarbons, HCFC, HFC * 14 06 02 Other halogenated solvents and solvent mixtures * 14 06 03 Other solvents and solvent mixtures *
Brake fluids	16 01 13 Brake fluids *
Antifreeze fluids	16 01 14 Antifreeze fluids containing dangerous substances ** 16 01 15 Antifreeze fluids other than those mentioned in 16 01 14
Any other fluid contained in the end of life vehicle	16 01 22 Components not otherwise specified
Plastic, glass and ferrous and non-ferrous metal wastes arising from the treatment of end of life vehicles	16 01 17 Ferrous Metal 16 01 18 Non-ferrous metal 16 01 19 Plastic 16 01 20 Glass

EWC entries marked with a * are hazardous wastes

EWC entries marked with a ** may be hazardous depending on threshold concentrations. Please refer to Agency Technical Guidance WM2 or subsequent guidance for further advice

9 Appendices to conditions

Appendix A – Permitted Wastes (Condition 1.2.1)

Permitted categories and types of wastes

Permitted waste categories are indicated using the European Waste Catalogue (EWC), these are subject to maximum total quantity stipulated

EWC	Description
02	Wastes from Agriculture, Horticulture, Aquaculture, Forestry, Hunting and Fishing, Food Preparation and Processing
02	wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing
02 01 10	waste metal
12	Waste from Shaping and Physical and Mechanical Surface Treatment of Metals and Plastics
12 01	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 01	ferrous metals filings and turnings
12 01 02	ferrous metal dust and particles
12 01 03	non-ferrous metal filings and turnings
12 01 04	non-ferrous metals dust and particles
17	Construction and Demolition Wastes (including excavated soil from contaminated sites)
17 04	metals (including their alloys)
17 04 01	copper, bronze, brass
17 04 02	aluminium
17 04 03	lead
17 04 05	iron and steel
17 04 06	tin
17 04 07	mixed metals
17 04 11	cables other than those mentioned in 17 04 10
19	Wastes from Waste Management Facilities, Off-site Waste Water Treatment Plants and the Preparation of Water Intended for Human Consumption and Water for Industrial Use
19 10	waste from shredding of metal-containing wastes
19 10 01	iron and steel waste
19 10 02	non-ferrous waste
19 12	waste from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified
19 12 02	ferrous metals
19 12 03	non-ferrous metal
20	Municipal Waste (Household waste and similar commercial, industrial and institutional wastes) Including separately collected fractions
20 01	separately collected fractions (except 15 010)
20 01 40	metals

Appendix B: Waste Returns Form WMS1 (Condition 7.2.2)

Insert current Agency national format