

[Update Cookie Preferences](#)
[Skip To Main Content](#)[Check a permit or licence](#) [Cymraeg](#)**Cyfoeth Naturiol Cymru**
Natural Resources Wales[Search site](#)
[Flooding](#)[Permits and permissions](#)[Evidence and data](#)[Guidance and advice](#)[Days out](#)[About us](#)[Report an incident](#)

Coronavirus (COVID-19)

Updates on changes to our services

[Home](#) > [Permits and permissions](#) > [Permit applications, consultations and decisions](#) > [Current consultations - Environmental Permit applications](#)

Mrs Nicola Haslett - Lake House, Crick, Caldicot, Monmouthshire NP26 5UW

Skip navigation links

In this section

1. We've received an application for an environmental permit from Mrs Nicola Haslett



Coronavirus update

We will continue to advertise and consult on permit applications as normal.

For high public interest applications we will consider if we need to change how we consult people. This will be arranged on a case by case basis and communicated on through our normal channels.

If you want to submit a response to a consultation during this time please email

permittingconsultations@naturalresourceswales.gov.uk

[Find out more in our response to the coronavirus pandemic](#)

We've received an application for an environmental permit from Mrs Nicola Haslett

New bespoke application for an environmental permit under the Environmental Permitting (England and Wales) Regulations 2016.

Application number: PAN-017416

Regulated facility type: Water discharge – Septic Tank

Regulated facility location: Lake House, Crick, Caldicot, Monmouthshire NP26 5UW

NGR discharge point: ST 49008 90173

Receiving environment: Groundwater

Effluent type: Treated Domestic Sewage Effluent

Volume: 1.5 cubic metre per day

You can see the application documents free of charge, from our [on-line public register](#). You can search for the documents using the application details, above. Or you can request a copy of the information from us. This may take time to process and there could be a charge.

If you have any comments send these by **30/05/2022**.

Email: permittingconsultations@naturalresourceswales.gov.uk

Or write to:

Permitting Service
Natural Resources Wales
Cambria House
29 Newport Road
Cardiff
CF24 0TP

We must decide whether to grant or refuse the application. If we grant it, we must decide what conditions to include in the permit. You can find information about how we make decisions in our [Public Participation Statement](#).

Explore more

Also in this section

[Plas Ynyshir Hall Holdings Ltd - Ynyshir Hall, Eglwys Fach, Machynlleth, SY20 8TA.](#)

[Celtic Englobe Wastewater Treatment Plant Glan Llyn St Modwen Development Site, Queen's Way, Llanwern, Newport, NP19 4TZ](#)

Noyadd Trefawr Residents Association Limited - 8 Properties off Noyadd Trefawr Courtyards, Ponthirwaun, Cardigan, Ceredigion, SA43 2RF

[More](#)

Last updated 29 Apr 2022

Is there anything wrong with this page? [Give us your feedback.](#)
[Print this page](#)

[Top](#) ^

[Contact us](#)

Join the conversation



[Accessibility statement](#)

[Welsh Language Standards](#)

[Site map](#)

[Modern slavery statement 2021-22](#)

[Privacy and cookies](#)

© 2021 Natural Resources Wales