



CONTROL OF POLLUTION ACT 1974
PART I



WASTE DISPOSAL LICENCE

THE * NEWPORT BOROUGH COUNCIL
HEREBY GRANT a Waste Disposal Licence, pursuant to an application dated
14th April, 1977, , in respect of the following:

Full name and address of licence holder	British Steel Corporation, Llanwern Works, Newport, Gwent. NPT OXN
Full name and address of local representative (if any) of licence holder	Nil.
Location of site to which this licence relates	British Steel Corporation, Llanwern Works, Newport. Gwent. GRID REF: 397/866
Form of deposit or disposal to which this licence relates	Landfill site at Eastern End of Works.
Types of waste of which deposit or disposal is authorised and any limitation as to quantity	General steelworks waste materials.

This Licence is granted subject to the following conditions:—

As per attached.

Dated 1st June, 1977.

(Signed) *R. S. Coslett*
CHIEF ENVIRONMENTAL HEALTH OFFICER
(Designation)

THE LICENCE HOLDER SHOULD READ CAREFULLY THE NOTES OVERLEAF.

* Insert name of Waste Disposal Authority.

BRITISH STEEL CORPORATION, LLANWERN WORKS, NEWPORT.

CONDITIONS ATTACHED TO DISPOSAL LICENCE FOR LANDFILL SITE.

1. The types and quantities of wastes deposited daily at the site shall not exceed the following:-
 - a) General Steelworks Waste Material - 200 tonnes
 - b) Bitmac Waste - 5 tonnes
 - c) Oily Waste - 4 tonnes
2. The site road shall be maintained to the reasonable satisfaction of the Waste Disposal Authority.
3. A site control office shall be provided, and the site shall be adequately manned and supervised during working hours.
4. Tanks used for the storage of liquid shall be banded. They shall be of a type and construction suitable for the wastes they contain and shall be labelled to show their contents.
5. Water courses on the site shall be diverted, culverted, or otherwise protected to the reasonable satisfaction of the Waste Disposal Authority.
6. Suitable means shall be provided for diverting surface water drainage from surrounding higher land from the site.
7. Subsidiary roads shall be maintained to a reasonable standard.
8. A record of the quantities and types of wastes deposited daily at the site shall be kept.
9. Suitable facilities shall be provided for the storage and maintenance of equipment used on the site.
10. Moveable screens or fixed screens where there is a nuisance in defined wind directions shall be provided at intervals near to the operational areas so as to ensure that paper and other materials are contained on site. Materials arrested by such screens shall be removed and disposed of as necessary.
11. All gates and fencing shall be maintained to the reasonable satisfaction of the Waste Disposal Authority, and all reasonable precautions shall be taken to prevent unauthorised access to the site.
12. Suitable lighting shall be provided to facilitate the use of the site during the hours of darkness, or the site shall be open only during the hours of daylight.
13. Solid waste shall be compacted and formed into a layer as soon as possible after deposit and not later than the end of the working day on which the waste is received. The depth of a layer of waste shall not after initial compaction exceed 20 feet.
14. Waste shall either:
 - a) be deposited on the surface of the site behind the face and partially compacted by a tractor or other compacting machine before being pushed over the face; or

continued

- b) be deposited on the ground forming the base of the site or on a previous layer in front of the face and shall be formed into a compacted layer by being pushed upwards and driven over by a tractor or other compacting machine.
15. Before covering, working faces and flanks shall be compacted to form gradients not steeper than 1:3.
 16. Material other than that which is wholly non-putrescible shall be covered progressively with suitable non-putrescible or stabilised material throughout the working period of each day. At the end of the day all exposed surfaces shall have been covered to a depth of not less than 15 cms (6 inches).
 17. All large articles likely to create voids shall be crushed, broken or flattened, and shall be placed in such a position that they are not within one metre of the surface, or two metres of the flanks or face.
 18. Waste, other than inert material, shall not be deposited in water.
 19. At least once each week, all loose waste which may be lying on the site shall be gathered up and disposed of in such a way as to keep the site tidy.
 20. No waste material shall be burnt within the boundaries of the site. A fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All outbreaks of fire shall be notified forthwith to the disposal authority.
 21. Effective precautions shall be taken to deal with any vermin or insects on the site.
 22. The terms of the site licence shall be made known to any person who is given responsibility for the management or control of the site, and a copy of this shall be displayed at the site control office.
 23. In dry weather, all roads shall be sprayed with water to suppress dust.
-