

2nd January 2025

Mrs E A Parr
EPR Compliance Assistant
Natural Resources Wales
Rivers House
St Mellons Business Park
St Mellons
CARDIFF
CF3 0EY

Our Ref: W:\Environmental\IPPC\Environment Agency Reporting\Permit Reporting\Rod and Bar Mill\1. Returns\NRW\2.Quarterly\2024

Dear Mrs Parr,

RE: Rod and Bar Mill EPR Permit BV0759IC Quarterly Reporting Form A1

In accordance with CELSA Manufacturing UK Ltd Environmental Permitting Regs (EPR) Rod and Bar Mill Permit BV0759IC, please find form A1 duly completed for the reporting period 1st October to 31st December 2024.

Should you require any further information regarding this please do not hesitate to contact me.

Yours sincerely



Graduate Environmental Advisor

Form Number: A1

Permit Reference Number: EPR/BV0759IC
Operator: CELSA Manufacturing (UK) Ltd
Installation: Cardiff Rod and Bar Mill

Reporting of Emissions to Air for the period from ...1 st October to 31 st December 2024.							
Emission Point	Substance / Parameter	Emission Limit Value	Result [1]	Test Method [2]	Sample Date and Times [3]	Accreditation/ Certification [4]	Uncertainty ^[5]
A1	Oxides of Nitrogen (NO _x)	400mg/Nm-3	133.89 mg/m3	BS EN 14792: 2017	24/10/2024, 10:50 - 14:50	UKAS / MCERTS	+/-0.02

Signed  Date...02/01/2025

(authorised to sign as representative of the Operator)

Notes:

- [1]The result given is the maximum value (or the minimum value in the case of a limit that is expressed as a minimum) obtained during the reporting period, expressed in the same terms as the emission limit value. Where the emission limit value is expressed as a range, the result is given as the 'minimum – maximum' measured values.
- [2]Where an internationally recognised standard test method is used the reference number is given. Where another method that has been formally agreed with the Agency is used, then the appropriate identifier is given. In other cases the principal technique is stated, e.g. gas chromatography.
- [3]For non-continuous measurements the date and time of the sample that produced the result is given. For continuous measurements the percentage of the process operating time covered by the result is given.
- [4]The accreditation status of the equipment and/or the monitoring organisation, as appropriate, for the methods used for both sampling and analysis.
- [5]The uncertainty associated with the quoted result at the 95% confidence interval, unless otherwise stated.